
Question

Graph this line using the slope and *y*-intercept:

$$y = 6x + 1$$

Click to select points on the graph.




Question

Graph this line using the slope and *y*-intercept:

$$y = \frac{1}{3}x + 4$$

Click to select points on the graph.




Question

Graph this line using the slope and *y*-intercept:

$y = 9x + 1$

Click to select points on the graph.




Question

Graph this line using the slope and y-intercept:

$$y = \frac{2}{7}x + 2$$

Click to select points on the graph.




Question

Graph this line using the slope and y-intercept:

$$y = -\frac{2}{3}x + 6$$

Click to select points on the graph.




Question

Graph this line using the slope and *y*-intercept:

$$y = -\frac{1}{5}x + 3$$

Click to select points on the graph.




Question

Graph this line using the slope and y-intercept:


$$y = -3x + 8$$

Click to select points on the graph.



Question

Write the equation of this line in slope-intercept form.




Question

Graph this line using the slope and *y*-intercept:

$$y = \frac{1}{3}x - 2$$

Click to select points on the graph.




Question

Graph this line using the slope and y-intercept:


$$y = -\frac{5}{3}x - 2$$

Click to select points on the graph.



Question

Write the equation of this line in slope-intercept form.




Write your answer using integers, proper fractions, and improper fractions in sim

Correct answer

Question


Write the equation of this line in slope-intercept form.



Write your answer using integers, proper fractions, and improper fractions in sim

Question

Write the equation of this line in slope-intercept form.



Write your answer using integers, proper fractions, and improper fractions in sim

Question

A line has a slope of 3 and passes through the point $(-2, -10)$. Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

15 of 40 AA.8 Write a linear equation from a slope and a point VKP

Question

A line has a slope of 8 and passes through the point (1, 3). Write its equation in intercept form.


Write your answer using integers, proper fractions, and improper fractions in sim

Correct answer

14 of 40 AA.7 Write a linear equation from a graph WHM

Question

Write the equation of this line in slope-intercept form.



Write your answer using integers, proper fractions, and improper fractions in sim

Question

A line passes through the points $(-1, -8)$ and $(1, 6)$. Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line has a slope of -2 and passes through the point $(-2, -3)$. Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line has a slope of 0 and passes through the point (9, −4). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

22 of 40 AA.9 Write a linear equation from two points 2R9

Question

A line passes through the points (−4, −4) and (1, 6). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line passes through the points $(-1, 10)$ and $(4, -10)$. Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line passes through the points (−2, −10) and (3, 5). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

25 of 40 AA.9 Write a linear equation from two points 2R9

Question

A line passes through the points (2, 7) and (4, −7). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Correct answer

Question

A line passes through the points (−3, 2) and (3, 8). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line passes through the points (2, −2) and (3, −9). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

A line passes through the points (−2, −10) and (3, 5). Write its equation in slope-intercept form.


Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

Graph this equation:

$x = -80$

Click to select points on the graph.



26 of 40 AA.9 Write a linear equation from two points 2R9

Question


A line passes through the points (−3, 2) and (3, 8). Write its equation in slope-intercept form.

Write your answer using integers, proper fractions, and improper fractions in simplest form.

Question

Function A and Function B are linear functions.

Function A



Function B

$y = x + 1$

Which statement is true?


The slope of Function A is greater than the slope of Function B.

The slope of Function A is less than the slope of Function B.

Question

On Zoe's sixth birthday, her brother began measuring her height. Over the next year, Zoe got taller and taller.

This situation can be modeled as a linear relationship.



What does the *y*-intercept of the line tell you about the situation?

Zoe grew 5 inches every month.


Zoe grew 1 inch every 5 months.

Zoe was 45 inches tall on her sixth birthday.

Zoe was 47 inches tall 10 months after her sixth birthday.

Question

Look at this graph:




Write the equation of the line.

Question

Function A and Function B are linear functions.

Function A



Function B

$y = 4x + 3$

Which statement is true?

The y-intercept of Function A is greater than the y-intercept of Function B.

The y-intercept of Function A is less than the y-intercept of Function B.


Question

Function A and Function B are linear functions.

Function A

$y = 3x + 4$

Function B



Which statement is true?


The slope of Function A is greater than the slope of Function B.

The slope of Function A is less than the slope of Function B.

Question

Function A and Function B are linear functions.

Function A



Function B

$y = 4x + 4$

Which statement is true?


The slope of Function A is greater than the slope of Function B.

The slope of Function A is less than the slope of Function B.

Question

At the Willowbrook Country Fair, Camille will pay an entrance fee in addition to any tickets she buys for rides. The total amount Camille will pay depends on how many ride tickets she buys.

This situation can be modeled as a linear relationship.



What does the *y*-intercept of the line tell you about the situation?

If Camille buys 5 ride tickets, she will pay $25 in all.

The entrance fee is $15.


Each ride ticket costs $2.

Camille will buy 5 ride tickets.

Question

Derek is renting a van from Abby's Autos. He will be charged an initial fee to rent the van and an additional amount that depends on how far he drives it.

This situation can be modeled as a linear relationship.



What does the *y*-intercept of the line tell you about the situation?

Including the initial fee, Derek will pay $70 to rent the van and drive 100 miles.

After the initial fee, Derek will pay $0.20 per mile he drives.


The initial fee is $50.

Derek will drive the van for 200 miles.

Question

Function A and Function B are linear functions.

Function A



Function B

$y = 5x$

Which statement is true?


The y-intercept of Function A is greater than the y-intercept of Function B.

The y-intercept of Function A is less than the y-intercept of Function B.

Question

Deb rides the Snowcrest Mountain ski lift to get to the top of the trail. Her elevation increases throughout the ride.

This situation can be modeled as a linear relationship.




What does the *y*-intercept of the line tell you about the situation?

- The ski lift starts at an elevation of 9,600 feet.
- Deb rides the ski lift for 10 minutes.
- The ski lift gains 75 feet of elevation every minute.
- The ski lift gains 100 feet of elevation every minute.

Question

The head baker at Mill Street Bakery got a container of fresh blueberries this morning. He takes blueberries from the container to make batches of his award winning muffins.

This situation can be modeled as a linear relationship.



What does the slope of the line tell you about the situation?

The container had 80 ounces of blueberries to start.

The baker uses 6 ounces of blueberries for each batch of muffins.


The baker uses 10 ounces of blueberries for each batch of muffins.

The baker has 50 ounces of blueberries left after he makes 5 batches of muffins.

Question

Sandra is making popcorn balls for movie night with her friends. The amount of sugar Sandra needs depends on the amount of popcorn she uses.

This situation can be modeled as a linear relationship.



What does the slope of the line tell you about the situation?

Sandra needs 1 tablespoon of sugar for every cup of popcorn.

Sandra needs 1 tablespoon of sugar for every 3 cups of popcorn.

Sandra needs 2 tablespoons of sugar for every 3 cups of popcorn.

Sandra needs 3 tablespoons of sugar for every 2 cups of popcorn.