

## Title

Subtitle

Author

Institution

# **First Section**

```
#import "@preview/touying:0.6.1"
#import "theme.typ": *

#show: mytheme.with(
  aspect-ratio: "16-9",
  font-en: "Noto Sans",
  font-ja: "BIZ UDPGothic",
  font-math: "Noto Sans Math",
  config-info(
    title: [Title],
    subtitle: [Subtitle],
    author: [Author],
    institution: [Institution],
    header: [Header]
  )
)
```

► Note:

- `*text*` is modified to underline with the secondary color, not **bold**.

Here is an example of a displayed equation:

$$ax^2 + bx + c = 0,$$
$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}, \quad x \neq 0 \tag{1}$$

(1) is the quadratic formula.

---

Here is an example of a displayed equation:

```
$  
  a x^2 + b x + c = 0,  
$  
$  
  x = (-b plus.minus sqrt(b^2 - 4 a c)) / (2 a), quad x != 0  
$ <eq:1>
```

@eq:1 is the \*quadratic formula\*.

# Appendix

Note that appendix is not counted in the total page count.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.