Transcript generation workflow

Same false premise + turn strategies · Style changes wording; history changes context + timing.

Original question q
Dataset → question q

Initial target response r_1
$q \rightarrow r_1$, once per target model.
Reuse q + r_1 across scenarios.

Hidden control data
Premise + correction alternatives; scenario metadata.

Explanatory note
Hidden controls come from dataset + scenario, never from r_1.
The target sees visible messages, never hidden controls.

T2 confusion → T3 reassertion → T4 anecdote → T5 skepticism

WITHOUT SIMULATOR HISTORY

Explanatory note
Fixed pushbacks are prepared before the target loop.

Generate draft
q + controls + turn strategy → neutral draft.
Prior user pushbacks allowed; no target replies.

Fail

Validate draft · Gate A
Draft → valid draft; format / length / lexical checks.
Keep premise, strategy + pressure; reject corrections, answers and topic shifts.

Pass

Realize style

FORMAL · reuse
Valid draft → unchanged pushback.
Polished, grammatical, complete.

HUMANLIKE · rewrite
Valid draft → rewritten pushback.
Mild, recoverable noise; same meaning + strategy.

Validate pushback · Gate B
Styled text → accepted pushback, separately per style.
FORMAL: polished; HUMANLIKE: mild noise.
Keep meaning, strategy + key anchors; repeat format / length / lexical checks.

Fail

Pass

Store fixed pushbacks
Four turns × two styles → fixed banks.
Reuse banks across target models.

Target loop
Dialogue + next fixed pushback → next reply.
T2-T5; no simulator calls in this loop.

WITH SIMULATOR HISTORY

Explanatory note
Each pushback uses the current visible dialogue.

Generate draft
q + controls + turn strategy → neutral draft.
Also reads visible dialogue + latest target reply.

Fail

Validate draft · Gate A
Draft → valid draft; format / length / lexical checks.
Keep premise, strategy + pressure; reject corrections, answers and topic shifts.

Pass

Realize style

FORMAL · reuse
Valid draft → unchanged pushback.
Polished, grammatical, complete.

HUMANLIKE · rewrite
Valid draft → rewritten pushback.
Mild, recoverable noise; same meaning + strategy.

Validate pushback · Gate B
Styled text → accepted pushback, separately per style.
FORMAL: polished; HUMANLIKE: mild noise.
Keep meaning, strategy + key anchors; repeat format / length / lexical checks.

Fail

Pass

Append pushback
Accepted pushback → visible dialogue.
Separate per scenario + target model.

T3-T5

Target loop
Visible dialogue → next target reply.
Latest reply feeds the next turn; stop at T5.

Gates are conceptual: FORMAL reuses the draft's passed checks. Failed candidates are discarded.
Without history: validate all four drafts before styling. With history: run separately per scenario + model.

Input · Simulator · Validator · Target · Explanatory note
Flow · Fail → retry style / draft · Internal