

```
MariaDB [classDB]> SELECT count(*) FROM vets where trim(state) = state;
+-----+
| count(*) |
+-----+
|      83 |
+-----+
1 row in set (0.030 sec)
```

```
MariaDB [classDB]> DELETE FROM vets
[    -> WHERE state IS NULL OR state = '';
Query OK, 83 rows affected (0.039 sec)

MariaDB [classDB]> SELECT ROW_COUNT();
+-----+
| ROW_COUNT() |
+-----+
|      83 |
+-----+
1 row in set (0.000 sec)
```

```
MariaDB [classDB]> SELECT DISTINCT state FROM vets;
+-----+
| state |
+-----+
| SD   |
| TX   |
| MN   |
| WA   |
| MA   |
| FL   |
| DC   |
| PA   |
| NJ   |
| IL   |
| NY   |
| MO   |
| CA   |
+-----+
```

```
MariaDB [classDB]> UPDATE vets SET fname = TRIM(name), town = TRIM(town), state
Query OK, 58170 rows affected (0.162 sec)
```

```
MariaDB [classDB]> SELECT *
-> FROM vets
-> WHERE state LIKE 'CA%';
+-----+-----+-----+-----+
| name | fname | town | state |
+-----+-----+-----+-----+
| ABBIE | ABBIE | SACRAMENTO | CA
| ABBOTT | ABBOTT | YUBA CITY | CA
| ABBOTT | ABBOTT | SAN DIEGO | CA
| ABNEYTA | ABNEYTA | LOS ANGELES | CA
| ABINA | ABINA | SAN LEANDRO | CA
| ABLES | ABLES | NEWHALL | CA
| ABNER | ABNER | CAMPBELL | CA
| ABRAHAM | ABRAHAM | SANTA ANA | CA
| ACEVEDO | ACEVEDO | LOS ANGELES | CA
| ACHICA | ACHICA | SAN FRANCISCO | CA
| ACHOR | ACHOR | WHITTIER | CA
| ACKLEY | ACKLEY | DUNNIGAN | CA
+-----+-----+-----+-----+
```

```
[MariaDB [classDB]> SELECT * FROM vets WHERE town LIKE 'Los%';
+-----+-----+-----+-----+
| name | fname | town | state |
+-----+-----+-----+-----+
| ABNEYTA | ABNEYTA | LOS ANGELES | CA
| ACEVEDO | ACEVEDO | LOS ANGELES | CA
| ACUNIA | ACUNIA | LOS ANGELES | CA
| ADACHI | ADACHI | LOS ANGELES | CA
| AGUILAR | AGUILAR | LOS ANGELES | CA
| AKINS | AKINS | LOS ANGELES | CA
| ALEXANDER | ALEXANDER | LOS ANGELES | CA
| ALEXANDER | ALEXANDER | LOS ANGELES | CA
| ALLEN | ALLEN | LOS ANGELES | CA
| ALMARAZ | ALMARAZ | LOS ANGELES | CA
| ALMEIDA | ALMEIDA | LOS ANGELES | CA
| ALVAREZ | ALVAREZ | LOS ANGELES | CA
| AMISON | AMISON | LOS ANGELES | CA
| ANDERS | ANDERS | LOS ANGELES | CA
+-----+-----+-----+-----+
```

```
MariaDB [classDB]> SELECT state, COUNT(*) AS vet_count
-> FROM vets
-> WHERE town LIKE 'LOS %'
-> AND town <> 'LOS ANGELES'
-> GROUP BY state;
+-----+
| state | vet_count |
+-----+
| CA | 34 |
| NM | 6 |
| TX | 3 |
+-----+
```

```
MariaDB [classDB]> SELECT *
-> FROM vets
-> WHERE state = 'GU'
-> ORDER BY fname;
+-----+-----+-----+-----+
| name | fname | town | state |
+-----+-----+-----+-----+
| AGUON | AGUON | UMATAC | GU
| ASANOMA | ASANOMA | INARAJAN | GU
| BENAVENTE | BENAVENTE | DEDEDO | GU
| BIAGINI | BIAGINI | MANGILAO | GU
| BLAS | BLAS | YONA | GU
| BLAZ | BLAZ | DEDEDO | GU
| BORJA | BORJA | AGANA | GU
| CABRERA | CABRERA | PIQUA MERIZO | GU
| CAMACHO | CAMACHO | TAMUNING | GU
| CARTER | CARTER | DEDEDO | GU
| CASTRO | CASTRO | MONGMONG | GU
| CEPEDA | CEPEDA | DEDEDO | GU
| CRUZ | CRUZ | INARAJAN | GU
| CRUZ | CRUZ | SANTA RITA | GU
+-----+-----+-----+-----+
```

```
MariaDB [classDB]> SELECT * FROM States;
```

stateName	abbrev
"State"	"Abbreviation"
"Alabama"	"AL"
"Alaska"	"AK"
"Arizona"	"AZ"
"Arkansas"	"AR"
"California"	"CA"
"Colorado"	"CO"
"Connecticut"	"CT"
"Delaware"	"DE"
"District of Columbia"	"DC"
"Florida"	"FL"
"Georgia"	"GA"
"Hawaii"	"HI"
"Idaho"	"ID"
"Illinois"	"IL"
"Indiana"	"IN"
"Iowa"	"IA"
"Kansas"	"KS"