Cerebro Upload Conditions

(Draft 2025/3/17)

1. Uploader Identity

Choose one of the following:

Option 1: Role Condition

• Role (role_id) must be 0

Option 2: Location Authorization

- Authorized to handle the specific *location*
- Uses a relational query with location_users and locations_hierarchy tables

Verification Conditions:

- lu.user_id = #{userId}: Confirm the user
- *lh.child_id = #{locationId}*: Location ID to be accessed
- *lh.parent_id = lu.location_id*: Check if user has permission to access the location or its parent location

2. Location

Location Data Requirements

• Location must have data

When LocationId has a value:

- Indicates the *location* already exists in the database
- System will check if the record actually exists, otherwise an error will occur
- System will perform the "Uploader Identity" check
- Can modify location field data

When LocationId is 0:

- Indicates a new location is being added
- locationIndex must have a value to reference location relationships

3. Device

Location Specification

Must specify the owner location (using ownerLocationIndex or ownerLocationId)

DeviceId Restrictions:

- deviceId cannot be null.
- deviceId length cannot exceed 50 characters
 (MAX_DEVICE_ID_LENGTH)
- deviceId cannot contain special characters: /, %, #, +

Additional Field Requirements:

- deviceType must exist in the device_types table
- ownerLocationIndex and ownerLocationId must have a value, and that value must be included in the location tab's parentLocationIndex + locationIndex and parentLocationId + locationId

4. PartDevice

Location and Index Restrictions

- ownerLocationIndex and ownerLocationId cannot both have values, nor can they both be null.
- partLocationIndex and partLocationId cannot both have values, nor can they both be null.

DeviceId Restrictions:

- deviceId cannot be null.
- deviceId length cannot exceed 50 characters
 (MAX_DEVICE_ID_LENGTH)
- deviceId cannot contain special characters: /, %, #, +

Additional Field Requirements:

- index field cannot be null.
- description field cannot be null.
- ownerLocationIndex and ownerLocationId must have a value, included in the location tab's parentLocationIndex + locationIndex and parentLocationId + locationId
- partLocationIndex and partLocationId must have a value, included in the location tab's parentLocationIndex + locationIndex and parentLocationId + locationId