

DMDSwap.xyz Document Guide!

Welcome to DMDSwap

DMDSwap.xyz lets you trade tokens on the DMD Diamond network directly from your own wallet. Your funds stay in your wallet until the moment you confirm a transaction.

With DMDSwap you can:

- **Swap** DMD and tokens at live prices that update with every new block.
- **Send** DMD or tokens to a wallet address or to a DMD Name such as alice.dmd.
- **Swap and send** in one step, so someone receives a different token than the one you paid with.
- **Provide liquidity** to pools and earn a share of trading fees.

The app has four tabs at the top of the page: **Swap**, **Liquidity**, **Send** and **Pools**. This guide walks through each one.

Before you start

You need two things: a browser wallet and a little DMD to pay network fees.

- **A browser wallet.** DMDSwap works with browser wallets such as MetaMask and Rabby. On a phone, open DMDSwap inside your wallet app's built-in browser.
- **Some DMD for network fees.** Every transaction on DMD Diamond costs a small network fee, paid in DMD. Always keep a little DMD in your wallet, even after swapping.

You don't need to add the DMD Diamond network yourself. DMDSwap offers to add it the first time you connect.

Connect your wallet

Connecting takes three clicks and never gives DMDSwap control of your funds.

1. Click **Connect wallet** in the top-right corner.
2. Pick your wallet from the list and approve the connection in your wallet.
3. If your wallet asks to add or switch to **DMD Diamond**, approve it.

Once connected, the button shows your wallet address. If you own an active DMD Name, it shows that name instead, for example `alice.dmd`. Click the button to copy your address, view it on the DMD explorer, or disconnect.

If the button says **Switch to DMD**, your wallet is on a different network. Click it and approve the switch in your wallet.

The block number next to the button shows that DMDSwap is connected to the network. It updates every time a new block is produced.

Swap tokens

A swap exchanges one token for another at the current pool price, in a single transaction.

1. Open the **Swap** tab.
2. In **You pay**, choose the token you want to sell and type an amount. Click **Max** to use your whole balance; for DMD it keeps 0.05 DMD aside for network fees.
3. In **You receive**, choose the token you want to buy. The amount you'll get appears automatically.
4. Check the trade details below the boxes (explained in the next section).
5. Click **Review swap**, check the amounts, then click **Confirm swap**.
6. Approve the request in your wallet. For tokens other than DMD, your wallet may ask for an approval first (see Trade settings).

A few things that help:

- **Type in either box.** Type in **You receive** to get an exact amount; DMDSwap works out how much you pay.
- **Flip the tokens** with the diamond button between the two boxes.
- **Prices are live.** They refresh with every new block, so the numbers can change slightly while you type.
- **Price changed during review?** DMDSwap shows the updated amounts and asks you to confirm again before anything is signed.

Understanding the trade details

Once you enter an amount, a details panel shows exactly what you'll get and what protects you.

Detail	What it means
Rate	How much of one token you get for one unit of the other. Click it to flip the direction.
Price impact	How much your own trade moves the pool price. Green is small. Yellow above 3% means you get noticeably less than the market rate; red is above 10%. Swaps above 15% are blocked to protect you.
Minimum received	The least you will get. If the price moves further than your slippage tolerance before your trade runs, the swap cancels itself and you keep your tokens.
Maximum spent	Shown instead when you set the amount to receive: the most you can pay.
Fee	0.30% of the amount you pay. It is already included in the amount shown.
Route	The pools your trade passes through. Some trades go through WDMD when that gives you a better price.
Price as of	The block the price comes from. It updates with every new block.

Wrap and unwrap DMD

WDMD (Wrapped DMD) is DMD in token form and is always worth exactly 1 DMD. Pools hold WDMD, but DMDSwap converts automatically whenever you swap DMD, so most people never need to wrap.

To convert yourself, open **Swap** and choose **DMD to WDMD** (wrap) or **WDMD to DMD** (unwrap). The conversion is 1:1 with no swap fee; you only pay the network fee. Wrapping and unwrapping always go to your own wallet.

Swap and send to someone else

You can swap and deliver the result straight to another wallet in one transaction. For example, pay with DMD while your friend receives a token they prefer.

1. Set up the swap in the **Swap** tab as usual.
2. Under **Send to**, choose **DMD Name** or **Address** instead of **My wallet**.
3. Type the name (for example `alice`; the `.dmd` ending is optional) or paste the wallet address.
4. Check the wallet shown under the field: its gem avatar and full address.
5. Click **Review swap and send**, check the recipient once more, then confirm in your wallet.

The review screen shows what **they receive**. If you pay with DMD and part of it isn't needed, the unused DMD comes back to you, not to the recipient.

If the name changes owner after you confirm, the transaction cancels itself and nothing is sent. Your tokens stay with you.

Send DMD or tokens

Use the **Send** tab to transfer DMD or a token without swapping.

1. Open the **Send** tab.
2. Choose the token and type the amount.
3. Choose **DMD Name** or **Address** and enter the recipient.
4. Check the gem avatar and full address shown under the field.
5. Click **Send** (or **Send to alice.dmd**) and approve in your wallet.

When you send to a DMD Name, DMDSwap checks the name again at the exact moment the transaction runs. Sending a token other than DMD to a name may need an approval first.

Payments can't be reversed. To prevent lost funds, DMDSwap won't let you send to DMDSwap's own contracts or to a token's contract address. If the recipient is a smart contract rather than a personal wallet, you'll see a warning.

DMD Names explained

A DMD Name is a readable name for a wallet on DMD Diamond, such as `alice.dmd`. You can register one in the [DMD Names app](#).

A name works on DMDSwap only when it is:

- **Active.** A wallet can own several names, but only its one active name receives payments.
- **Not expired.** Names must be renewed to stay valid.
- **Not blocked** by DMD Names moderation.

If a name fails any of these, DMDSwap says it isn't an active DMD Name and won't send anything.

Names use only lowercase letters a-z, digits and hyphens, from 2 to 63 characters. If you type capitals, DMDSwap converts them to lowercase and shows the exact name it looked up.

Always check the recipient. Every wallet gets its own colorful gem avatar, and the same wallet always shows the same gem. If the gem or address isn't what you expect, stop and confirm with the recipient. Look-alike names such as `alice` and `alice` are completely different names.

DMDSwap checks the name on every new block while you type, again right before you sign, and once more when the transaction runs.

Trade settings

Open the settings with the slider button at the top of the Swap card; it also shows your current slippage, for example 0.50%. Your choices are saved in your browser.

Slippage tolerance

Slippage tolerance is how far the price may move against you before your trade cancels itself. The default is 0.5%. You can pick 0.1%, 0.5% or 1%, or type a custom value up to 15%.

Above 1%, DMDSwap shows a warning: a high tolerance lets bots take more from your trade. Use the lowest value that still goes through. If trades keep failing because the price moved, raise it slightly, especially for small pools or fast-moving tokens.

Transaction deadline

If your transaction hasn't run within this many minutes, it cancels itself. The default is 10 minutes; you can choose 1 to 60.

Token approvals

Before DMDSwap can move a token (any token except DMD itself) from your wallet, your wallet asks you to approve it. You choose how much to approve:

- **Exact amount** (default): approves only what this trade needs. One extra signature each time, but no permission is left over afterwards.
- **Unlimited**: approves once for all future trades of that token. Fewer signatures, but a permanent permission stays in place.

Exact amount is the safer choice.

Provide liquidity and earn

Liquidity providers deposit two tokens into a pool so others can trade. In return they earn 0.15% of every trade in that pool, added to their position automatically.

1. Open the **Liquidity** tab and choose **Add**.
2. Choose the two tokens.
3. Type an amount for one token. The other fills in automatically to match the pool's current ratio.
4. Check the pool size and your share after the deposit.
5. Click **Add liquidity** and approve in your wallet. Token approvals may come first.

You receive DMDSwap LP tokens in your wallet. They represent your share of the pool and are what you return when you withdraw.

Creating a new pool

If no pool exists for your pair, DMDSwap tells you that you're creating it and the button says **Create pool**. Your two amounts set the pool's starting price, so deposit them at the current market rate. Otherwise traders can buy from your pool cheaply at your expense.

When any pool is created, a tiny amount of LP tokens (0.0000000000000001) is locked permanently. This standard safety measure protects later depositors, and its cost is negligible.

Know the risks

When the prices of the two tokens move apart, the mix of tokens in your position changes. You can end up with less value than if you had simply held the tokens (often called impermanent loss). Only add liquidity for tokens you understand; unlisted tokens can lose all their value.

Manage and remove your liquidity

You can withdraw your liquidity at any time, in part or in full. Withdrawals keep working even if trading is temporarily paused.

1. Open **Liquidity** and choose **Your positions**. Each position shows the pool, your share of it and the tokens you'd get back right now.
2. Pick how much to remove: 25%, 50%, 75% or 100%.
3. For pools that contain WDMD, keep **Receive DMD instead of WDMD** ticked to get native DMD.
4. Click **Remove** and approve in your wallet. Your wallet first approves the LP tokens, then confirms the withdrawal.

The amounts you receive include all the trading fees your position has earned. Your slippage tolerance also protects withdrawals.

Explore pools

The **Pools** tab lists every pool on DMDSwap with the tokens it holds and your share, if you have one.

- Click a pair's name to view its pool on the DMD explorer.
- **Add liquidity** opens the Liquidity tab with that pair already selected.
- **Create a pool** starts a new pair from scratch.
- A pool marked **Unlisted token** contains a token that isn't on DMDSwap's default list. Check that token carefully before trading it or adding liquidity.

Importing a token

DMDSwap's token list starts with DMD and WDMD. To trade any other token, import it by its contract address.

1. Click a token button to open the token list.
2. Paste the token's contract address into the search box.
3. Check the name and symbol, and use the link to view the token on the DMD explorer.
4. Tick the box confirming you checked the address, then click **Import**.

Imported tokens stay in your list on this browser and show a small ! mark as a reminder.

Anyone can create a token with any name, including fake copies of real tokens. Always get the contract address from the project's official website or channels, never from a stranger. A token that uses the symbol DMD or WDMD without being the real one gets a ? after its symbol.

Transactions and instant finality

When you see **Final in block** followed by a number, your transaction is complete and permanent. There's no need to wait for extra confirmations.

A status card in the bottom-right corner follows every action through three stages:

1. **Confirm in your wallet**: approve the request in your wallet.
2. **Waiting for the next block**: the transaction has been sent.
3. **Final in block 1,234,567**: done. DMD Diamond blocks can't be reversed once produced.

Actions with an approval show **Step 1 of 2** and **Step 2 of 2**. Click **View transaction** on the card to see it on the DMD explorer.

Before asking you to sign anything, DMDSwap test-runs the transaction against the live network. If it would fail, you see the reason in plain words and nothing is sent, so you pay no fee.

Staying safe

DMDSwap is self-custodial: no one, including the DMDSwap team, can reverse a transaction or recover funds sent to the wrong place. These habits keep you safe.

- **Never share your recovery phrase or private key.** DMDSwap never asks for them, and neither will any genuine team member. Be wary of anyone who messages you first offering help.
- **Use only the official DMDSwap website.** Bookmark it.

- **Read your wallet before approving.** Check the network is DMD Diamond, and check the amount and the recipient.
- **Check every recipient.** Compare the gem avatar and full address before you send.
- **Treat imported and unlisted tokens with suspicion.** Fake tokens can copy any name.
- **Keep slippage low and watch price impact.** Both limit what a bot can take from your trade.
- **Prefer exact-amount approvals.** If you used unlimited approvals, you can remove them later with a token-approval tool that supports DMD Diamond.

Troubleshooting

When something can't go ahead, DMDSwap tells you why on the main button or in a status card. In almost every case nothing was sent and no fee was charged.

Message	What it means	What to do
No browser wallet found	No wallet is installed in this browser.	Install a wallet such as MetaMask or Rabby and reload, or open DMDSwap in your wallet app's browser.
Switch to DMD	Your wallet is on a different network.	Click the button and approve the switch.
Not enough ...	Your balance is lower than the amount.	Lower the amount. Keep some DMD for network fees.
Too many decimals for ...	The amount has more decimal places than the token supports.	Shorten the number after the decimal point.
No liquidity for this trade yet	No pool exists for this pair.	Choose a different token, or create the pool in Liquidity.
Price impact too high	The trade would move the price by more than 15%.	Trade a smaller amount, or split it into several trades.
... isn't an active DMD Name	The name is unregistered, inactive, expired or blocked.	Check the spelling, or ask the recipient for their active name or wallet address.

Message	What it means	What to do
This DMD Name now points to a different wallet	The name changed owner after you confirmed. Nothing was sent.	Confirm with the recipient and review the new address before sending.
The price moved beyond your slippage tolerance	The price changed before your trade ran. Nothing was spent.	Try again. If it keeps happening, raise your slippage slightly.
The transaction deadline passed	Your transaction waited longer than your deadline.	Review the trade and submit it again.
Trading is paused	Trading is temporarily paused.	Follow the official channels for updates. You can still remove liquidity.
You rejected the request in your wallet	You declined in your wallet.	Start again if you meant to continue.
The recipient can't receive DMD	The recipient is a contract that can't accept DMD.	Receive WDMD instead, or choose a different recipient.
That's a DMDSwap or token contract	Tokens sent there would be lost forever.	Use a personal wallet address.
Can't reach the DMD Diamond network	The connection to the network dropped.	Check your internet connection. Prices and balances update when it's back.

Glossary

Term	Meaning
Approval	Your permission for DMDSwap to move a specific token from your wallet.
Block	A batch of transactions added to DMD Diamond. The block number in the header updates with each one.

Term	Meaning
DMD	The native coin of DMD Diamond, also used to pay network fees.
DMD Name	A readable wallet name such as alice.dmd, managed by the DMD Names app.
Finality	The point at which a transaction can't be reversed. On DMD Diamond, every block is final once produced.
Impermanent loss	The value a liquidity position can lose compared with simply holding the two tokens when their prices move apart.
Liquidity provider (LP)	Someone who deposits tokens into a pool and earns a share of trading fees.
LP tokens	Tokens that represent your share of a pool. You return them to withdraw.
Network fee	The small amount of DMD paid to the network for each transaction.
Pool	A pair of tokens held together so people can swap between them.
Price impact	How much your own trade moves the pool price.
Route	The pool or pools a swap passes through.
Slippage tolerance	How far the price may move against you before your trade cancels itself.
WDMD	Wrapped DMD: DMD in token form, always worth exactly 1 DMD.

Get help and join the community

Follow DMDSwap for announcements, updates and support:

- X: x.com/DMDSwap
- Telegram: t.me/DMDSwap

When asking for help, share the transaction link from the status card; it shows everything needed to look into a problem. Never share your recovery phrase or private key, with anyone, for any reason.

To register or manage a DMD Name, use the [DMD Names app](#). To look up any transaction or address, use the [DMD explorer](#).