(/) (/inquiry)



2/17

LY IR8500 Full Dark IR 2 Stages BGA Rework Station 2050W CE

★★★★★ reviews

- 1 +

Add inquiry cart **Inquire Now**

(https://www.addtoany.com/share#url=https%3A%2F%2Fwww.lybga.com%2Fly-ir8500-bga-rework-station-p7063457.html&title=LY%20IR8500%20Infrared%202-Stage%20BGA%20Rework%20Station%20%7C%202050W%20Full%20Dark%20IR)
(/#facebook) (/#twitter) (/#whatsapp) (/#pinterest) (/#telegram) (/#email)

Product Tag:

bga station (/tags/bga-station.html) **bga rework station** (/tags/bga-rework-station.html) **infrared BGA rework station** (/tags/infrared-BGA-rework-station.html)

2 stages BGA rework station (/tags/2-stages-BGA-rework-station.html) **full dark IR BGA station** (/tags/full-dark-IR-BGA-station.html)

Description | Reviews (0)

Let's chat on WhatsApp

How can I help you? :)
12:20 AM

Hi
12:27 AM

Write your message...

LY IR8500 Full-Dark Infrared Two-Stage BGA Rework Station

The **LY IR8500** is a full-dark infrared, two-stage BGA rework station from LY.GROUP.CHINA, rated at **2,050 W** on 220 V and CE certified. It is the larger model in this infrared series — for small motherboards the smaller LY IR6500 is the alternative, while the IR8500 is intended for big boards.

It is used for BGA rework on laptop motherboards, desktop computer motherboards, server boards, industrial computer boards, game boards, communications equipment motherboards, LCD TVs and other large circuit boards. The design addresses the usual weakness of infrared rework stations — sensitivity to airflow that leads to inaccurate temperature control — so it can handle lead-free soldering rework.

Heating is fully infrared with an 80 × 80 mm upper emitter at 450 W and a 400 × 200 mm bottom emitter at 1,600 W. Upper and bottom are controlled independently with high-precision closed-loop control to ±0.5%, and the upper zone provides an alarm. The station can store 8 rising temperature segments and 8 constant temperature segments, saving 10 groups of temperature curves at one time, and can be connected to a computer.

Technical Specifications

Basic Parameters	

Model (/)	LY IR8500 BGA Rework Station (/inquiry)
Zones	2
Heating	Infrared (IR)
Operations	Manual / Software
Dimension	L780 × W450 × H260 mm
Weight	18 kg (total weight about 21 kg, varying with user requirements)
Electrical Parameters	
Power	220V AC
Size of Upper Heating	80 × 80 mm
Consumption of Upper Heating	450W
Size of Bottom Heating	400 × 200 mm
Consumption of Bottom Heating	1600W
General Power	2050W
Temperature Control	
Control Mode of Upper	Independent temperature control, high-precision closed-loop control, precision ±0.5%, with alarm
Control Mode of Bottom	Independent temperature control, high-precision closed-loop control, precision ±0.5%, no alarm
Segments	8 rising temperature segments and 8 constant temperature segments
Curve Storage	10 groups of temperature curves saved at one time
Rework Capability	
Rework Function	SMD — suitable for welding, removing or repairing packaged devices such as BGA, PBGA, CSP, multi-layer substrates and EMI metallic shield products, solder / lead-free
Size of Applicable Chips	≤ 70 mm × 70 mm
Size of Applicable PCB	≤ 400 mm × 305 mm
Computer Connection	Yes
Packing List	
Included	1 × IR8500 BGA rework station, 1 × LY IR cover set, 1 × power cable, 1 × USB-to-RS232 port cable (with CD), 1 × thermocouple, 4 × PCB jig with screw, 1 × bottom support, 1 × CD of manual and software

Let's chat on WhatsApp
How can I help you? :)
12:20 AM
Hi
12:27 AM

Key Features

(/inquiry)

Full-Dark Infrared Two-Stage Heating

Upper and bottom infrared emitters work as two independently controlled stages for gradual, even board heating.

2,050 W Total Power

450 W upper infrared heating (80 × 80 mm) plus 1,600 W bottom infrared heating (400 × 200 mm).

Large Bottom Emitter for Big Boards

The 400 × 200 mm bottom emitter suits large circuit boards, which is why the IR8500 is recommended over the IR6500 for big boards.

8 + 8 Temperature Segments

The station can set 8 rising temperature segments and 8 constant temperature segments, saving 10 groups of temperature curves at one time.

±0.5% Closed-Loop Precision

Both upper and bottom use independent high-precision closed-loop temperature control with precision of ±0.5%; the upper zone provides an alarm.

Designed to Resist Airflow Effects

The design is an effective solution to the common problem of infrared rework stations being vulnerable to airflow, which leads to inaccurate temperature control.

Handles Lead-Free Rework

Because temperature control is stable, the IR8500 can deal with lead-free soldering rework.

CE Certified

The machine carries CE certification.

Computer Connection

The station can be connected to a computer via USB-to-RS232, with manual and software operation supported.

Integrated Workbench Design

An integrated system design gives a more compact workbench area with fewer cables.

Complete Packing List

Supplied with the LY IR cover set, power cable, USB-to-RS232 cable with CD, thermocouple, 4 PCB jigs with screws, bottom support and a CD containing the manual and software.

Detailed Product Highlights

Let's chat on WhatsApp

How can I help you? :)
12:20 AM

Hi
12:27 AM

Chosen for Large Boards

Where the smaller LY IR6500 suits small motherboards, the IR8500 with its 400 × 200 mm bottom emitter and 400 × 305 mm maximum PCB size is intended for big boards.

Stable Infrared Control

Two independent closed-loop infrared stages at ±0.5% precision, with 8 + 8 segments and 10 stored curve groups, give repeatable profiles for lead-free work.

Compact Integrated Bench

The integrated workbench design keeps the occupied area small and the cabling tidy, at a machine weight of 18 kg.

Video Demonstration

A machine demonstration video is available at youtube.com/watch?v=8wTTk9LEnf8 (https://www.youtube.com/watch?v=8wTTk9LEnf8).

Product Images

(/inquiry)













Free Gift:LY IR Cover
Can effectively adjust the IR area














Typical Applications

- Laptop and desktop computer motherboard BGA rework
- Server boards and industrial computer boards
- Game console and communications equipment motherboard repair
- LCD TV and other large circuit board rework
- BGA, PBGA, CSP and EMI shield rework including lead-free soldering

Let's chat on WhatsApp

How can I help you? :)
12:20 AM

Hi
12:27 AM

Frequently Asked Questions

What is the total power of the LY IR8500?

General power is **2050W** on 220V AC: 450W upper infrared heating (80 × 80 mm) and 1600W bottom infrared heating (400 × 200 mm).

How does the IR8500 differ from the LY IR6500?

Both are economic infrared BGA models. The IR6500 is the choice for small motherboards, while the IR8500 is intended for big boards, with a 400 × 200 mm bottom emitter and a maximum PCB size of 400 × 305 mm.

How accurate is the temperature control?

Upper and bottom use independent high-precision closed-loop control with precision of **±0.5%**; the upper zone includes an alarm.

How many temperature segments and curves can be stored?

The station supports 8 rising temperature segments and 8 constant temperature segments, and can save 10 groups of temperature curves at one time.

Which chips and PCBs can it handle?

Applicable chips up to 70 × 70 mm and applicable PCBs up to 400 × 305 mm, covering BGA, PBGA, CSP, multi-layer substrates and EMI shield products.

Can it be connected to a computer?

Yes. The station can be connected to a computer using the supplied USB-to-RS232 cable, and both manual and software operation are supported.

What is included in the packing list?

One IR8500 station, the LY IR cover set, power cable, USB-to-RS232 cable with CD, one thermocouple, four PCB jigs with screws, one bottom support, and a CD containing the manual and software.

About LY Group

LY Group is a factory-direct manufacturer of BGA rework stations, soldering equipment and PCB repair tooling. Our team supports OEM customization, technical video assistance and global tracked shipping for professional rework centres and service providers.

Contact the LY Group sales team with your chip size, PCB size and facility profile to receive a tailored quotation and profile guidance. Email: **sales@lygroupchina.com** · Website: **www.lybga.com**

(/)
(/inquiry)
Have Any Questions?
DON'T HESITATE TO CONTACT US ANY TIME.
Cont
Company Info
Help & Support
My Account
Follow Us
+86-158-8974-4957 (tel:+86-158-8974-4957)
sales@lygroupchina.com (mailto:sales@lygroupchina.com)
(http://www.youtube.com/lybgachina)
Let's chat on WhatsApp
How can I help you? :)
12:20 AM
Hi
12:27 AM
Copyright © , All Rights Reserved