
Exciting Internal Gravity Waves, Toy Problem

Mar 23, 2018 Group Meeting

Yubo Su

Mar 23, 2018

Problem Setup

Problem Statement

- 2D hydrodynamics with driving boundary condition, produce gravity waves.
- Begin with linear incompressible case, equations:

$$\frac{\partial \rho_1}{\partial t} = 0, \quad (1a)$$

$$\vec{\nabla} \cdot \vec{u}_1 = 0, \quad (1b)$$

$$\frac{\partial \vec{u}_1}{\partial t} = -\frac{\vec{\nabla} P_1}{\rho_0} + \vec{g}. \quad (1c)$$

- Consider stratified atmosphere $\rho_0(x, z, t) = \rho_0 e^{-z/H}$.

Problem Setup

Boundary Conditions

- Four variables $(\rho_1, P_1, u_{1x}, u_{1z})$, all first order in equations of motion, four boundary conditions.
- Periodic BCs in x (2).
- Wavelike solutions $u_{1z} \propto e^{z/2H} e^{i(k_x x + k_z z - \omega t)}$, u_{1x}, P_1, ρ_1 similar up to phase and terms $\sim \mathcal{O}(H^{-1})$.
- Driven bottom BC: $u_{1z}(x, 0, t) = A \cos(k_x x + \omega t)$ (1).

Problem Setup

Top Boundary Condition

- Top BC can be chosen Dirichlet $u_{1z}(x, L_z, t) = 0$, analytically tractable.
- Driving term will pump energy into the system, without dissipation becomes like driven undamped SHO. In full nonlinear problem not an issue. . .
- More realistically, two solutions: radiative boundary conditions and damping zone.
- We use damping zone, add term $\frac{d}{dt}\vec{q} = L\vec{q} - f(z)(\vec{q} - \vec{q}_0)$ where

$$f(z) = \begin{cases} \Gamma \left[1 - \frac{(z - L_z)^2}{(z_{damp} - L_z)^2} \right] & z > z_{damp} \\ 0 & z < z_{damp} \end{cases} . \quad (2)$$

Results

Problem Statement Summary

- Linear incompressible hydrodynamics with periodic BCs in x , driving term at $z = 0$ and either Dirichlet or reflection-free BCs at $z = L_z$.
- Spectral code Dedalus, built-in Runge-Kutta timestepper (simplest to characterize).

Results

Waveform Agreement





Figure: Agreement of numerical and analytical solution at four adjacent snapshots.


Results

Convergence Tests

- $$RMS = \frac{\sqrt{\sum_{x,z,t} \left(u_{1z}^{(N)}(x,z,t) - u_{1z}^{(2N)}(x,z,t) \right)^2}}{\sqrt{\sum_{x,z,t} \left(u_{1z}^{(N)}(x,z,t) \right)^2}}$$



../sims/2d_strat_conv/sims/2d_strat_conv/x_conv.png



../sims/2d_strat_conv/z_conv.png