**Conforms to Regulation (EC) No 2015 / 830， as amended by Commission-Regulation(EU)-No-2015/1298 -Netherlands**

# SAFETY DATA SHEET

## JS 1013

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY UNDERTAKING

1.1 Product identifier

**Product Name**：Vietora Eud No.1898 Reed Diffuser (White Tea & Bergamot)

**Product Code**：JS 1013

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product type and use:

1.3 Details of the supplier of the SDS

Supplier

Company name： Suzhou RunFan Home Decoration Co., Ltd.

Address:ROOM 302,BUILDING 6, NO.317 MUDONG ROAD,MUDUTOWN, WUZHONG DISTRICT, SUZHOU CITY

Tel: +86 19816597921

Fax: +86 19816597921

Email:chris2raymeel.com

PC:214221

1.4 Emergency telephone number

CHINA

Chinese Center for Disease Control and Prevention(China CDC)

+86-10-58900240, 58900216

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

NETHERLANDS

National Poisons Information Center

Tel: +31 030-274 88 88

1.5 Reference Number: SHHL1803013428CD-SH; SHAHG1805496001

### 2. HAZARD IDENTIFICATION

| | |
|---|---|
| Acute toxicity,dermal | Category 5 |
| Acute toxicity,oral | Category 4 |
| Acute toxicity,oral | Category 5 |
| Aspiration hazard 1 | Category 1 |
| Hazardous to the aquatic environment, acute hazard | Category 1 |
| Hazardous to the aquatic environment, acute hazard | Category 2 |
| Hazardous to the aquatic environment, acute hazard | Category 3 |
| Hazardous to the aquatic environment, long_term hazard | Category 1 |
| Hazardous to the aquatic environment, long_term hazard | Category 2 |
| Hazardous to the aquatic environment, long_term hazard | Category 3 |
| Reproductive toxicity | Category 2 |
| Sensitisation, Skin 1B | Category 1 |
| Serious eye damage/eye irritation | Category 2A |
| Skin corrosion/irritation | Category 3 |
| Skin corrosion/irritation 2 | Category 2 |

H302: Harmful if swallowed

H303: May be harmfulif swallowed

H304: May be fatal if swallowed and enters airways

H313: May be harmful in contact with skin

H315: Causes skin irritation

H316: Causes mild skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H361: Suspected of damaging fertility or the unborn child

H400: Very toxic to aquatic life

H401: Toxic to aquatic life

H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H411: Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

2.2 Label elements

# SAFETY DATA SHEET

## Fragrance JS 1013

| GHS Pictogram | HCode | DescriptionEN | DescriptionEN |
|---|---|---|---|
|  | GHS07 | 有害 | Exclamation Mark |
|  | GHS08 | 健康危害 | Health Hazard |
|  | GHS09 | 坏境危害 | Environment |

Signal words: Warning

2.3.1 Hazard statements

Hazardous Components must be listed on the label

| | |
|---|---|
| 78-70-6 | 3,7-dimethyl-1,6-octadien-3-ol |
| 6259-76-3 | hexyl salicylate |
| 5989-27-5 | lemon terpene |
| 106-22-9 | citronellol |
| 101-86-0 | α-hexylcinnamaldehyde |
| 1205-17-0 | helional/floramelon |
| 80-56-8 | pinene alpha |
| 127-91-3 | pinene; beta-,nat |
| 112-54-9 | aldehyde c-12 lauryl |
| 106-23-0 | citronellal |

2.3.2 Precautionary statements

| | |
|---|---|
| none: | No precautionary statement |
| P210: | Keep away from heat/sparks/open flames/hot surfaces. — No smoking. |
| P233: | Keep container tightly closed. |
| P240: | Ground/bond container and receiving equipment. |
| P241: | Use explosion-proof electrical/ventilating/lighting/…/equipment. |
| P242: | Use only non-sparking tools. |
| P243: | Take precautionary measures against static discharge. |
| P261: | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P264: | Clean skin thoroughly after operation. |
| P270: | Do not eat, drink or smoke when using this product. |
| P271: | Use only outdoors or in a well-ventilated area. |
| P272: | Contaminated work clothing should not be allowed out of the workplace. |
| P273: | Avoid release to the environment. |
| P280: | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352: | IF ON SKIN: Wash with plenty of water |
| P303+P361+P353: | IF ON SKIN (or hair): Take off immediately all contaminated clothing. |
| P305+P351+P338: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to |
| P308+P313: | IF exposed or concerned: Get medical advice/ attention. |
| P321: | Specific treatment (see … on this label). |
| P332+P313: | If skin irritation occurs: Get medical advice/attention. |
| P333+P313: | If skin irritation or rash occurs: Get medical advice/attention. |
| P337+P313: | If eye irritation persists: Get medical advice/attention. |
| P362+P364: | Take off contaminated clothing and wash it before reuse. |
| P370+P378: | In case of fire:use dry sand, dry chemicals or alcohol resistant foam to extinguish fire. |
| P391: | Collect spillage. Hazardous to the aquatic environment |
| P403: | Store in a well-ventilated place. |
| P403+P235: | Store in a well-ventilated place. Keep cool. |
| P405: | Store locked up. |
| P501: | Dispose of contents/container in accordance with local regulations |

# SAFETY DATA SHEET

## Fragrance JS 1013

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Here we only list the major components:

| Cas No | Chemical Name | Conc. % | Classification 1910.1200.2015 |
|---|---|---|---|
| 110-27-0 | iso propyl myristinate | 10~50% | H315 |
| 105-95-3 | ethylene brassylate | 10~50% | H316;H411 |
| 120-51-4 | benzyl benzoate | 10~50% | H411;H302;H313;H400 |
| 24851-98-7 | cyclopentaneacetic acid, 3-oxo-2-pentylmethyl ester | 10~50% | H402;H316 |
| 78-70-6 | 3,7-dimethyl-1,6-octadien-3-ol | 5~10% | H315;H317;H319;H303;H227;H402 |
| 1222-05-5 | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2- | 5~10% | H410;H400;H316 |
| 60-12-8 | 2-phenylethanol | 0.1~5% | H319;H302;H313;H316;H227 |
| 141-97-9 | ethyl acetoacetate | 0.1~5% | None |
| 128-37-0 | 2,6-di-tert-butyl-4-methylphenol | 0.1~5% | H410;H400;H316 |
| 134-20-3 | methyl anthranilate | 0.1~5% | H319 |
| 6259-76-3 | hexyl salicylate | 0.1~5% | H315;H317;H410;H319 |
| 5989-27-5 | lemon terpene | 0.1~5% | H226;H304;H315;H317;H410;H400 |
| 106-22-9 | citronellol | 0.1~5% | H303;H313;H315;H317;H319;H401 |
| 6413-10-1 | applinal（fructone) | 0.1~5% | None |
| 93-92-5 | 1-phenylethyl acetate | 0.1~5% | H401;H227 |
| 77-83-8 | ethyl 3-methyl-3-phenylglycidate | 0.1~5% | None |
| 101-86-0 | α-hexylcinnamaldehyde | 0.1~5% | H317;H400;H303;H316;H411;H227 |
| 115-95-7 | (r)-linalyl acetate | 0.1~5% | H315;H319;H227;H402 |
| 17511-60-3 | florocyclene | 0.1~5% | None |
| 5471-51-2 | raspberry ketone | 0.1~5% | None |
| 1205-17-0 | helional/floramelon | 0.1~5% | H411;H317;H303 |
| 928-96-1 | cis-3-hexen-1-ol | 0.1~5% | H226;H319 |
| 140-11-4 | benzyl acetate | 0.1~5% | H412;H303;H316;H401;H227 |
| 93-8-3 | methyl naphthyl ketone | 0.1~5% | None |
| 5413-60-5 | tricyclodecenyl acetate | 0.1~5% | H412 |
| 7452-79-1 | ethyl-2-methyl butyrate | 0.1~5% | H226 |
| 105-54-4 | ethyl butyrate | 0.1~5% | H226;H316;H401 |
| 3681-71-8 | cis 3 hexenyl acetate | 0.1~5% | H226 |
| 80-26-2 | terpinyl acetate | 0.1~5% | H411 |
| 1365-19-1 | linalool oxide | 0.1~5% | None |
| 4940-11-8 | ethyl maltol | 0.1~5% | H302 |
| 16409-43-1 | rose oxide racemic | 0.1~5% | H315;H319;H361 |
| 80-56-8 | pinene alpha | 0.1~5% | H226;H304;H315;H317;H400;H410;H303 |
| 127-91-3 | pinene; beta-,nat | 0.1~5% | H226;H304;H315;H317;H400;H410 |
| 76-49-3 | bomyl acetate | 0.1~5% | None |
| 8016-21-5 | cognac oil green | 0.1~5% | None |
| 3387-41-5 | sabinene | 0.1~5% | None |
| 589-98-0 | alcohol c 8 | 0.1~5% | None |
| 10482-56-1 | terpineol alpha | 0.1~5% | H315;H319 |
| 112-31-2 | decanal | 0.1~5% | H319;H412;H316;H319;H401 |
| 143-08-8 | aldohol c9 | 0.1~5% | None |
| 124-13-0 | octanal | 0.1~5% | H226;H315;H319;H411;H226;H315;H319;H |
| 6485-40-1 | carvone laveo | 0.1~5% | None |
| 4630-07-03 | valencene,nat,75% | 0.1~5% | None |
| 99-87-6 | paracymene | 0.1~5% | None |
| 124-19-6 | aldehyde c-9 | 0.1~5% | None |
| 68956-56-9 | dipentene | 0.1~5% | None |
| 87-44-5 | caryophyllene | 0.1~5% | None |

| | | | |
|---|---|---|---|
| 112-54-9 | aldehyde c-12 lauryl | 0.1~5% | H315;H317;H319;H411 |
| 3338-55-4 | cis-ocimene | 0.1~5% | None |
| 495-62-5 | bisabolene | 0.1~5% | None |
| 58430-94-7 | nonyl acetate | 0.1~5% | None |
| 483-76-1 | delta-cadinene | 0.1~5% | None |
| 106-23-0 | citronellal | 0.1~5% | H303;H315;H317;H227;H319;H401 |

## 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Move out of dangerous area.
Never give anything by mouth to an unconscious person.

If inhaled: Move to fresh air.
If symptoms persist, call a physician.

Skin contact: Take off all contaminated clothing immediately.
If skin irritation persists, call a physician.

In case of eye contact: Irrigate copiously with clean, fresh water for at least 10 minutes, keep eye wide open while rinsing.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

Ingestion: Prevent vomiting if possible.
If a person vomits when lying on his back, place him in the recovers position.
Never give anything by mouth to an unconscious person.
Clean mouth with water.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: no data available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: no data available

## 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

Unsuitable extinguishing: High volume water jet

5.1 Special hazards arising from the substance or mixture

Specific hazards during fire fighting: Do not use a solid water stream as it may scatter and spread fire

5.3 Advice for firefighters

Special PPE for fire-fighters:Wear self contained breathing apparatus.

Further information: Use water spray to cool unopened containers.
In the event of fire and/or explosion do not breathe fumes.

## 6. ACCIDENTIAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions: Prevent product from entering drains.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up: Dam up.
Wipe up with absorbent material (e.g. cloth, fleece).

Additional advise: Suppress (knock down) gases/vapours/mists with a water spray jet.

Local authorities should be advised if significant spillages cannot be contained.

6.4 Reference to other sections

not applicable

## 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling: Avoid contact with skin and eyes.
For personal protection see section 8.

Advice on protection against fire and explosion:When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:Store in original container.
To maintain product quality, do not store in heat or direct sunlight.
Keep container tightly closed in a dry and well-ventilated place.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end uses

no data available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameter

8.2 Exposure controls

Personal protective equipment

Respiratory protection: No personal respiratory protective equipment normally required

Hand protection : Barrier Creams may help to protect the exposed areas of skin, they should however not be
applied once exposure has occurred.
Wear chemical-resistant gloves, e.g. safety gloves of chloroprene level 2

Eye protection : safety glasses

Skin and body protection : lightweight protective clothing.
Remove and wash contaminated clothing before re-use.

Hygiene measures : When using do not eat, drink or smoke
Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice : Prevent product from entering drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Appearance: | Clear liquid |
| Colour: | 无色到浅黄色透明液体 |
| Odour: | Consistant to the standard sample |
| Density: | 0.966~0.986(25/25℃) |
| Rrefrative index: | 1.4730~1.4930(20℃) |
| Solubility in water: | Unsoluble |
| Flash Point: | 111℃ (O.C.) |
| Further information: | The indicated values do not necessarily correspond to the product specification. Please refer to the technical information sheet for specification data. |

## 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Stability

Stable under conditions of normal use.

## 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Cas No | Chemical Name | Toxicologica Information |
|---|---|---|
| 101-86-0 | α-hexylcinnamaldehyde | LD50:Rat oral 3100mg/KG |
| 101-86-0 | α-hexylcinnamaldehyde | LD50:mouse oral 2300mg/KG |
| 101-86-0 | α-hexylcinnamaldehyde | LD50:Rat oral 3100mg/KG |
| 101-86-0 | α-hexylcinnamaldehyde | LD50:mouse oral 2300mg/KG |
| 106-22-9 | citronellol | LD50:mouse oral 3,450 mg/kg |
| 106-22-9 | citronellol | LD50:Rabbit subcutaneous 2,650 mg/kg |
| 106-22-9 | citronellol | LD50:mouse oral 3,450 mg/kg |
| 106-22-9 | citronellol | LD50:Rabbit subcutaneous 2,650 mg/kg |
| 110-27-0 | iso propyl myristinate | LDLo:Rat oral >16 mg/kg |
| 110-27-0 | iso propyl myristinate | LC:Rat inhalation >41 mg/m3/1H |
| 110-27-0 | iso propyl myristinate | LD50:Rat intraperitoneal >79500 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Oral mouse 49700 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Subcutaneous mouse >50200 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Oral guinea pig >25 ml/kg |
| 110-27-0 | iso propyl myristinate | LDLo:Rat oral >16 mg/kg |
| 110-27-0 | iso propyl myristinate | LC:Rat inhalation >41 mg/m3/1H |
| 110-27-0 | iso propyl myristinate | LD50:Rat intraperitoneal >79500 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Oral mouse 49700 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Subcutaneous mouse >50200 mg/kg |
| 110-27-0 | iso propyl myristinate | LD50:Oral guinea pig >25 ml/kg |
| 112-31-2 | decanal | LD50:Rat oral 3730 uL/kg |
| 112-31-2 | decanal | LD50:mouse oral >41750 mg/kg |
| 112-31-2 | decanal | LD50:Dermal rabbit 5040 Ul/kg |
| 112-31-2 | decanal | LD50:Rat oral 3730 uL/kg |
| 112-31-2 | decanal | LD50:mouse oral >41750 mg/kg |
| 112-31-2 | decanal | LD50:Dermal rabbit 5040 Ul/kg |
| 115-95-7 | (r)-linalyl acetate | LD50:Rat oral 14,550 mg/kg |
| 115-95-7 | (r)-linalyl acetate | LD50:Rat oral 14,550 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Rat oral 890 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Oral mouse 650 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Intraperitoneal mouse 138 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Intravenous mouse 180 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Rat oral 890 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Oral mouse 650 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Intraperitoneal mouse 138 mg/kg |
| 120-51-4 | benzyl benzoate | LD50:Intravenous mouse 180 mg/kg |
| 1222-05-5 | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclop | LD50:Rat oral >5000 mg/kg |
| 1222-05-5 | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclop | LD50:Rat oral >5000 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Rat oral 2490 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Oral mouse 830 mg/kg |
| 140-11-4 | benzyl acetate | LCLo:Inhalation mouse 1300 mg/m3/22H |
| 140-11-4 | benzyl acetate | LC50:Inhalation Mammal - cat 245 ppm/8H |
| 140-11-4 | benzyl acetate | LDLo:Cat administration onto the skin 10m |
| 140-11-4 | benzyl acetate | LD50:Oral rabbit 2200 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Rabbit administration onto the skin >5 mg/ |

| | | |
|---|---|---|
| 140-11-4 | benzyl acetate | LD50:Oral guinea pig 2200 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Rat oral 2490 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Oral mouse 830 mg/kg |
| 140-11-4 | benzyl acetate | LCLo:Inhalation mouse 1300 mg/m3/22H |
| 140-11-4 | benzyl acetate | LC50:Inhalation Mammal - cat 245 ppm/8H |
| 140-11-4 | benzyl acetate | LDLo:Cat administration onto the skin 10m |
| 140-11-4 | benzyl acetate | LD50:Oral rabbit 2200 mg/kg |
| 140-11-4 | benzyl acetate | LD50:Rabbit administration onto the skin >5 mg/ |
| 140-11-4 | benzyl acetate | LD50:Oral guinea pig 2200 mg/kg |
| 24851-98-7 | cyclopentaneacetic acid, 3-oxo-2-pentylmethyl este | LD50:Rat oral 5mg/KG |
| 24851-98-7 | cyclopentaneacetic acid, 3-oxo-2-pentylmethyl este | LDLo:Rabbit administration onto the skin 5mg/KG |
| 24851-98-7 | cyclopentaneacetic acid, 3-oxo-2-pentylmethyl este | LD50:Rat oral 5mg/KG |
| 24851-98-7 | cyclopentaneacetic acid, 3-oxo-2-pentylmethyl este | LDLo:Rabbit administration onto the skin 5mg/KG |
| 4940-11-8 | ethyl maltol | LD50:Oral - Rat |
| 4940-11-8 | ethyl maltol | LD50:Dermal - Rabbit |
| 4940-11-8 | ethyl maltol | LD50:Oral - Rat |
| 4940-11-8 | ethyl maltol | LD50:Dermal - Rabbit |
| 5989-27-5 | lemon terpene | LD50:Rat oral 4400 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rat Intraperitoneal 3600mg/kg |
| 5989-27-5 | lemon terpene | LDLo:Rat Subcutaneous 30200 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rat Intravenous 110mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rodent - mouse oral 5600 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rodent - mouse Intraperitoneal 600 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rat oral 4400 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rat Intraperitoneal 3600mg/kg |
| 5989-27-5 | lemon terpene | LDLo:Rat Subcutaneous 30200 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rat Intravenous 110mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rodent - mouse oral 5600 mg/kg |
| 5989-27-5 | lemon terpene | LD50:Rodent - mouse Intraperitoneal 600 mg/kg |
| 60-12-8 | 2-phenylethanol | LD50:mouse oral 800-1500mg/kg |
| 60-12-8 | 2-phenylethanol | LD50:mouse oral 800-1500mg/kg |
| 78-70-6 | 3,7-dimethyl-1,6-octadien-3-ol | LD50:Rat oral 2790 mg/kg |
| 78-70-6 | 3,7-dimethyl-1,6-octadien-3-ol | LD50:Rat oral 2790 mg/kg |
| 928-96-1 | cis-3-hexen-1-ol | LD50:Rat oral 4700mg/KG |
| 928-96-1 | cis-3-hexen-1-ol | LD50:Rat oral 4700mg/KG |
| 93-92-5 | 1-phenylethyl acetate | LD50:Rat oral >5 gm/kg |
| 93-92-5 | 1-phenylethyl acetate | LD50:Dermal rabbit >5 gm/kg |
| 93-92-5 | 1-phenylethyl acetate | LD50:Rat oral >5 gm/kg |
| 93-92-5 | 1-phenylethyl acetate | LD50:Dermal rabbit >5 gm/kg |

## 12. ECOLOGICAL INFORMATION

12.1 Toxicity

We have no quantitative data concerning the ecological effects of this product.

## 13. DISPOSAL CONSIDERATIONS

Product: Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging: Empty remaining contents.
Dispose of as unused product.

## 14. TRANSPORT INFORMATION

Air (ICAO/IATA): -

Sea (IMO): -

Road (ADR): -

Rail (RID): -

Proper shipping name: -

danger cause: -

## 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

National legislation (germany): WGK: 2 ( self classification)

EU-legislation: no relevant information available

15.2. Chemical Safety Assessment

No data available

## 16. OTHER INFORMATION

H302: Harmful if swallowed

H303: May be harmfulif swallowed

H304: May be fatal if swallowed and enters airways

H313: May be harmful in contact with skin

H315: Causes skin irritation

H316: Causes mild skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H361: Suspected of damaging fertility or the unborn child

H400: Very toxic to aquatic life

H401: Toxic to aquatic life

H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H411: Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Version No: 1.1

Revision Time：2025/01/02 11:20:14