

PIZZA SALES SQL QUERIES

A. KPI's

1. Total Revenue:

```
SELECT SUM(total_price) AS Total_Revenue FROM pizza_sales;
```

	Total_Revenue
1	45721718

2. Average Order Value

```
SELECT ROUND(SUM(total_price) / COUNT(DISTINCT order_id),2) AS  
Avg_order_Value FROM pizza_sales
```

	Avg_order_Value
1	2141,53

3. Total Pizzas Sold

```
SELECT SUM(quantity) AS Total_pizza_sold FROM pizza_sales
```

	Total_Pizza_Sold
1	49574

4. Total Orders

```
SELECT COUNT(DISTINCT order_id) AS Total_Orders FROM pizza_sales
```

	Total_Orders
1	21350

5. Average Pizzas Per Order

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) / CAST(COUNT(DISTINCT  
order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2))  
AS Avg_Pizzas_per_order  
FROM pizza_sales
```

	avg_pizzas_per_order
1	2.32

B. Daily Trend for Total Orders

```
SELECT
    DATENAME(DW, order_date) AS order_day,
    COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales
GROUP BY DATENAME(DW, order_date)
ORDER BY total_orders DESC
```

	Order_Day	Total_Orders
1	Friday	3538
2	Thursday	3239
3	Saturday	3158
4	Wednesday	3024
5	Tuesday	2973
6	Monday	2794
7	Sunday	2624

Output:

C. Hourly Trend for Orders

```
SELECT
    DATEPART(HOUR, order_time) as order_hours,
    COUNT(DISTINCT order_id) as total_orders
FROM pizza_sales
GROUP BY DATEPART(HOUR, order_time)
ORDER BY DATEPART(HOUR, order_time)
```

Output

	order_hours	total_orders
1	9	1
2	10	8
3	11	1231
4	12	2520
5	13	2455
6	14	1472
7	15	1468
8	16	1920
9	17	2336
10	18	2399
11	19	2009
12	20	1642
13	21	1198
14	22	663
15	23	28

D. % of Sales by Pizza Category

```
SELECT
    pizza_category,
    ROUND(SUM(total_price), 2) as total_revenue,
    CAST(SUM(total_price) * 100 / (SELECT SUM(total_price)
        from pizza_sales) AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_category
```

Output

	pizza_category	Total_Revenue	PCT
1	Chicken	18837363	41.20
2	Supreme	13740201	30.05
3	Veggie	9534313	20.85
4	Classic	3609841	7.90

E. % of Sales by Pizza Size

```
SELECT pizza_size, CAST(SUM(total_price) AS DECIMAL(10,2)) as
total_revenue,
CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales)
AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_size
ORDER BY pizza_size
```

Output

	pizza_size	Size_PCT
1	L	61.04
2	M	24.28
3	S	14.16
4	XL	0.30
5	XXL	0.22

F. Total Pizzas Sold by Pizza Category

```
SELECT pizza_category, SUM(quantity) as Total_Quantity_Sold
FROM pizza_sales
GROUP BY pizza_category
ORDER BY Total_Quantity_Sold DESC
```

Output

	pizza_category	Total_Quantity_Sold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

G. Top 5 Best Sellers by Total Pizzas Sold

```
SELECT Top 5 pizza_name, SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold DESC
```

Output

	pizza_name	Total_Pizza_Sold
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

H. Bottom 5 Best Sellers by Total Pizzas Sold

```
SELECT TOP 5
    pizza_name,
    SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold ASC
```

Output

	pizza_name	Total_Pizza_Sold
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961