


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
XYZ Bank	1 m 19.278 s	5	0	5	0	25	15	5	5


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@AddCustomer	5	0	5	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	XYZ Bank	5	0	5	0	1 m 19.278 s


SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	XYZ Bank	Add Customer	5	3	1	1	15.954 s
2	XYZ Bank	Add Customer	5	3	1	1	15.858 s
3	XYZ Bank	Add Customer	5	3	1	1	15.559 s
4	XYZ Bank	Add Customer	5	3	1	1	16.275 s
5	XYZ Bank	Add Customer	5	3	1	1	15.491 s

DETAILED SECTION -- 6 --

XYZ Bank






#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	1.848 s
2	When click on Bank Manager Login	PASSED	0.463 s
3	And click on Add Customer	PASSED	0.238 s
4	And enter firstname "John", lastname "Doe", postcode "12345"	FAILED	10.059 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@placeholder='First Name']"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [967f2fc91fa081d4f9010efaf2b1fac9, findElement {value=/input[@placeholder='First Name'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: C:\Users\GEBRUI~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56251}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56251/devtoo, se:cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 967f2fc91fa081d4f9010efaf2b1fac9 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.XYZBankStepDefinitions.enter_firstname_lastname_postcode(XYZBankStepDefinitions.java:23) at ?.enter firstname "John", lastname "Doe", postcode "12345"(file:///C:/Users/Gebruiker/Desktop/IdeaProject/CucumberProject/src/test/resources/features/11_XYZBank.feature:12) * Not displayable characters are replaced by '?'.		
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Başarısız Senaryo Ekran Görüntüsü Totalin Başarısız Senaryo Ekran Görüntüsü	PASSED	3.313 s

-- 7 --



#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	1.656 s
2	When click on Bank Manager Login	PASSED	0.504 s
3	And click on Add Customer	PASSED	0.298 s
4	And enter firstname "Can", lastname "Kaya", postcode "45678"	FAILED	10.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method""xpath","selector","input(@placeholder=First Name!")		
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.352 s
	Başarısız Senaryo Ekran Görüntüsü		


#	Step / Hook Details	Status	Duration
	XYZ Grank Sections (Section) (Section) The section (Section) (Section) (Section) The section (Section)		



#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	1.478 s
2	When click on Bank Manager Login	PASSED	0.437 s
3	And click on Add Customer	PASSED	0.218 s
4	And enter firstname "Ali", lastname "Can", postcode "34568"	FAILED	10.071 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@placeholder='First Name']"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [76d4379fe65f5dccac6cf5de374e59bd, findElement {value=/input[@placeholder='First Name'], using=xpath]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: C:\Users\GEBRUI~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56300}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56300/devtoo, se:cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76d4379fe65f5dccac6cf5de374e59bd at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.XYZBankStepDefinitions.enter_firstname_lastname_postcode(XYZBankStepDefinitions.java:23) at ?.enter firstname "Ali", lastname "Can", postcode "34568"(file:///C:/Users/Gebruiker/Desktop/IdeaProject/CucumberProject/src/test/resources/features/11_XYZBank.feature:12) * Not displayable characters are replaced by '?'.		
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Başarısız Senaryo Ekran Görüntüsü Türkiyerin Karanda Karan	PASSED	3.350 s




#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	1.927 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
2	When click on Bank Manager Login	PASSED	0.658 s
3	And click on Add Customer	PASSED	0.314 s
4	And enter firstname "Veli", lastname "Kucuk", postcode "98752"	FAILED	10.018 s
4	org.openga. selenium. NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector": "finput[@placeholder=First Name"]") (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubles/hooting/errors/ino-such-element-exception Build info: version: "4.21.0", revision: "79ed462el4" System info: os. name: Windows 11", os. arch: "amd64" os. xersion: "10.0", java.version: "22.0.1" Driver info: org.openga. selenium.chrome.ChromeDriver Command: [0a8ea29a63ff694f83de0d339e36b835, findElement {value-ripput@placeholder=First Name*], using=xpath] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: (chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: C:\Users\GEBRUI-1\AppData\L], fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56325/devtoo, sercidyersion: 125.0.6422.142, setVindowRect: true, strictleinteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:incredBlob: true, webauthn:extension:alageBlob: true, exbeaturhn:extension:miprlin.ength: true, exbeaturhn:extension:prf: true, webauthn:extension:alageBlob: true, exbeaturhn:extension:prf: true, exbeaturhn:extension:prf	PAILED	10.018 \$
-	* Not displayable characters are replaced by '?'.	CKIDDED	0.000 c
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	3.357 s
	Başarısız Senaryo Ekran Görüntüsü		

#	Step / Hook Details	Status	Duration
	TYZ Bank		
	Total State Control Co		
	Material Wilson		



#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://www.globalsqa.com/angularJs-protractor/BankingProject/#/login"	PASSED	1.498 s
2	When click on Bank Manager Login	PASSED	0.417 s
3	And click on Add Customer	PASSED	0.229 s
4	And enter firstname "Fatma", lastname "Kara", postcode "56214"	FAILED	10.047 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@placeholder='First Name']"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0f358h6bb0a18b93ed38bbeb8064b64, findElement {value=/input[@placeholder='First Name'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.141 (4b1e8393712, userDataDir: C:\Users\GEBRUI~\NappData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56350/devtoo, se:cdpVersion: 125.0.6422.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f35b816bb0a18b93ed38bbe8064b64 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at stepdefinitions.XYZBankStepDefinitions.enter_firstname_lastname_postcode(XYZBankStepDefinitions.java:23) at ?.enter firstname "Fatma", lastname "Kara", postcode "56214"(file:///C:/Users/Gebruiker/Desktop/IdeaProject/CucumberProject/src/test/resources/features/11_XYZBank.feature:12) * Not displayable characters are replaced by '?'.		
5	And click on Add Customer Submit button	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Başarısız Senaryo Ekran Görüntüsü Tarafıları Başarısız Senaryo Ekran Görüntüsü	PASSED	3.298 s