$$\chi_{STAT}^2 = \sum_{all \text{ cells}} \frac{(f_o - f_e)^2}{f_e} \left| \mathbf{f_e} = \frac{\text{row total} \times \text{column total}}{\text{n}} \right|$$

The test statistic for the McNemar test:

$$\mathbf{Z}_{STAT} = \frac{\mathbf{B} - \mathbf{C}}{\sqrt{\mathbf{B} + \mathbf{C}}}$$

McNemar test Contingency Table:

	Condition 2		
Condition 1	Yes	No	Totals
Yes	А	В	A+B
No	С	D	C+D
Totals	A+C	B+D	n

Wilcoxon Rank-Sum Test for Large Sample

$$Z_{STAT} = \frac{T_1 - \mu_{T_1}}{\sigma_{T_1}} = \frac{T_1 - \frac{n_1(n+1)}{2}}{\sqrt{\frac{n_1n_2(n+1)}{12}}}$$

The Kruskal-Wallis H-test statistic:

$$H = \left[\frac{12}{n(n+1)} \sum_{j=1}^{c} \frac{T_{j}^{2}}{n_{j}}\right] - 3(n+1)$$

Simple Linear Regression Model

$$\boxed{Y_i = \beta_0 + \beta_1 X_i + \epsilon_i} \\ \boxed{\hat{Y}_i = b_0 + b_1 X_i}$$

Total variation is made up of two parts: SST = SSR + SSE

Coefficient of Determination

$$r^2 = \frac{SSR}{SST} = \frac{\text{regression } sum \text{ of squares}}{total \text{ sum of squares}}$$

Inference about the slope: t test with df = n -2

$$t_{STAT} = \frac{b_1 - \beta_1}{S_{b_1}}$$

F test for overall significance with df1 = k, df2 = n - k - 1

$$F_{STAT} = \frac{MSR}{MSE}$$

$$MSR = \frac{SSR}{k}$$

$$MSE = \frac{SSE}{n-k-1}$$

Confidence interval estimate about the slope

$$\mathbf{b}_1 \pm t_{\alpha/2} \mathbf{S}_{\mathbf{b}_1}$$

Multiple Regression model

$$Y_{i} = \beta_{0} + \beta_{1}X_{1i} + \beta_{2}X_{2i} + \dots + \beta_{k}X_{ki} + \epsilon_{i} \hat{Y}_{i} = b_{0} + b_{1}X_{1i} + b_{2}X_{2i} + \dots + b_{k}X_{ki}$$

Adjusted R square

$$r_{adj}^2 = 1 - \left[(1 - r^2) \left(\frac{n-1}{n-k-1} \right) \right]$$

Variance Inflation Factor

$$VIF_j = \frac{1}{1 - R_j^2}$$

Nonlinear Regression

$$Y_i = \beta_0 + \beta_1 X_{1i} + \beta_2 X_{2i} + \beta_3 X_{1i} X_{2i} + \varepsilon_i$$

Logistic Regression

$$\ln\left(\frac{\pi}{1-\pi}\right) = \beta_0 + \beta_1 x_1, \pi = \frac{e^{\beta_0 + \beta_1 x}}{1 + e^{\beta_0 + \beta_1 x}}$$

Regression ANOVA table

Source	DF	Sum of Sq	Mean Sq	F Value	Pr(>F)
Regression	k	SSR	MSR	F	p-value
Residual	n-k-1	SSE	MSE		
Total	n-1	SST			