

rcrms 信贷催收系统 数据库表设计文档

基础信息

- 数据库: MySQL 8.0 (生产) / GaussDB (PostgreSQL兼容)
- 存储引擎: InnoDB
- 字符集: utf8mb4
- 命名规范: 表名和列名均使用 SNAKE_CASE
- 软删除: IS_DELETED = 0 过滤

GaussDB 与 MySQL 的差异: - BIGINT AUTO_INCREMENT → BIGSERIAL - TINYINT → SMALLINT - UPDATED_AT 使用触发器自动更新 (MySQL 用 ON UPDATE CURRENT_TIMESTAMP) - INSERT ... ON CONFLICT DO NOTHING 替代 INSERT IGNORE

ER 关系



1. LOAN_ACCOUNT (贷款账户表)

核心业务表, 由 GBase 每日同步任务更新。

```
CREATE TABLE IF NOT EXISTS LOAN_ACCOUNT (
    LOAN_ACCOUNT VARCHAR(32) PRIMARY KEY COMMENT '贷款账号 (业务主键)',
    CUSTOMER_ID VARCHAR(32) NOT NULL COMMENT '客户ID',
    CUSTOMER_NAME VARCHAR(100) COMMENT '客户姓名 (冗余, 方便查询)',
    PHONE VARCHAR(20) COMMENT '联系电话',
    PRODUCT_CODE VARCHAR(32) COMMENT '产品代码',
    PRODUCT_NAME VARCHAR(100) COMMENT '产品名称 (冗余)',
    LOAN_DATE DATE COMMENT '放款日期',
    LOAN_TERM INT COMMENT '贷款期限(月)',
    OVERDUE_DAYS INT DEFAULT 0 COMMENT '逾期天数 (UNPD_DAYS)',
    CONTRACT_AMOUNT DECIMAL(18,2) COMMENT '合同金额',
    LOAN_BALANCE DECIMAL(18,2) COMMENT '贷款余额',
    UNEXPIRED_PRINCIPAL DECIMAL(18,2) COMMENT '未到期本金',
    OVERDUE_PRINCIPAL DECIMAL(18,2) COMMENT '逾期本金',
    OVERDUE_INTEREST DECIMAL(18,2) COMMENT '拖欠利息',
    OVERDUE_PENALTY DECIMAL(18,2) COMMENT '拖欠罚息',
    TOTAL_OVERDUE_AMOUNT DECIMAL(18,2) COMMENT '逾期利息 (含罚息)',
    STATUS VARCHAR(20) DEFAULT 'uncollected' COMMENT '状态: uncollected/collecting/completed',
```

```
STATUS_UPDATE_TIME TIMESTAMP NULL COMMENT '状态更新时间',
GBASE_SYNC_TIME TIMESTAMP NULL COMMENT 'GBase同步时间',
GBASE_RAW_DATA TEXT COMMENT 'GBase原始数据（JSON格式）',
EXTRA_DATA TEXT COMMENT '扩展字段（JSON格式，含
gracePeriod等）',
BRANCH_CODE VARCHAR(20) COMMENT '分支行号（LOAN_BRANCH_NO）',
BRANCH_NAME VARCHAR(100) COMMENT '分支行名称
(LOAN_BRANCH_NAME)',
CREATED_AT TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
UPDATED_AT TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP,
IS_DELETED TINYINT DEFAULT 0 COMMENT '逻辑删除标记',

INDEX IDX_CUSTOMER_ID (CUSTOMER_ID),
INDEX IDX_STATUS (STATUS),
INDEX IDX_OVERDUE_DAYS (OVERDUE_DAYS),
INDEX IDX_PRODUCT_CODE (PRODUCT_CODE),
INDEX IDX_BRANCH_CODE (BRANCH_CODE)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='贷款账户表（从GBase转换存储）';
```

列名	类型	约束	默认值	描述
LOAN_ACCOUNT	VARCHAR(32)	PK	—	贷款账号
CUSTOMER_ID	VARCHAR(32)	NOT NULL	—	客户ID
CUSTOMER_NAME	VARCHAR(100)	—	—	客户姓名
PHONE	VARCHAR(20)	—	—	联系电话
PRODUCT_CODE	VARCHAR(32)	—	—	产品代码
PRODUCT_NAME	VARCHAR(100)	—	—	产品名称
LOAN_DATE	DATE	—	—	放款日期
LOAN_TERM	INT	—	—	贷款期限(月)
OVERDUE_DAYS	INT	—	0	逾期天数
CONTRACT_AMOUNT	DECIMAL(18,2)	—	—	合同金额
LOAN_BALANCE	DECIMAL(18,2)	—	—	贷款余额
UNEXPIRED_PRINCIPAL	DECIMAL(18,2)	—	—	未到期本金
OVERDUE_PRINCIPAL	DECIMAL(18,2)	—	—	逾期本金
OVERDUE_INTEREST	DECIMAL(18,2)	—	—	拖欠利息
OVERDUE_PENALTY	DECIMAL(18,2)	—	—	拖欠罚息
TOTAL_OVERDUE_AMOUNT	DECIMAL(18,2)	—	—	逾期利息（含罚息）
STATUS	VARCHAR(20)	—	UNCOLLECTED	状态
STATUS_UPDATE_TIME	TIMESTAMP	—	—	状态更新时间
GBASE_SYNC_TIME	TIMESTAMP	—	—	GBase同步时间
GBASE_RAW_DATA	TEXT	—	—	GBase原始数据(JSON)
EXTRA_DATA	TEXT	—	—	扩展字段(JSON)
BRANCH_CODE	VARCHAR(20)	—	—	分支行号
BRANCH_NAME	VARCHAR(100)	—	—	分支行名称
CREATED_AT	TIMESTAMP	—	CURRENT_TIMESTAMP	创建时间
UPDATED_AT	TIMESTAMP	—	自动更新	更新时间
IS_DELETED	TINYINT	—	0	逻辑删除

状态枚举: UNCOLLECTED （未催收） / COLLECTING （催收中） / COMPLETED （已还款）

2. COLLECTION_RECORD (催收记录表)

```
CREATE TABLE IF NOT EXISTS COLLECTION_RECORD (
  RECORD_ID          VARCHAR(32) PRIMARY KEY COMMENT '记录ID (业务主键)',
  LOAN_ACCOUNT       VARCHAR(32) NOT NULL COMMENT '贷款账号',
  CUSTOMER_ID        VARCHAR(32) NOT NULL COMMENT '客户ID',
  CUSTOMER_NAME      VARCHAR(100) COMMENT '客户姓名 (冗余)',
  TARGET_TYPE        VARCHAR(20) COMMENT '催收对象类型: borrower/
guarantor/other',
  TARGET_NAME        VARCHAR(100) COMMENT '催收对象姓名',
  ACTUAL_COLLECTION_TIME  TIMESTAMP NULL COMMENT '实际催收时间',
  METHOD              VARCHAR(20) NOT NULL COMMENT '催收方式: sms/phone/visit/
litigation/mail/other',
  METHOD_TEXT         VARCHAR(50) COMMENT '催收方式文本',
  RESULT             VARCHAR(500) COMMENT '催收结果',
  OPERATOR_ID        VARCHAR(32) COMMENT '操作员ID',
  OPERATOR_NAME      VARCHAR(100) COMMENT '操作员姓名',
  OPERATE_TIME       TIMESTAMP NULL COMMENT '操作时间',
  REMARK             VARCHAR(500) COMMENT '备注',
  MATERIAL_TYPE      VARCHAR(20) COMMENT '材料类型: image/audio/video/
document',
  MATERIAL_NAME      VARCHAR(200) COMMENT '材料名称',
  MATERIAL_URL       VARCHAR(500) COMMENT '材料URL',
  EXTRA_DATA         TEXT COMMENT '扩展字段 (JSON格式)',
  CREATED_AT         TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  UPDATED_AT         TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  IS_DELETED         TINYINT DEFAULT 0 COMMENT '逻辑删除标记',

  INDEX IDX_LOAN_ACCOUNT (LOAN_ACCOUNT),
  INDEX IDX_CUSTOMER_ID (CUSTOMER_ID),
  INDEX IDX_OPERATE_TIME (OPERATE_TIME),
  INDEX IDX_METHOD (METHOD),
  INDEX IDX_TARGET_TYPE (TARGET_TYPE),
  INDEX IDX_ACTUAL_COLLECTION_TIME (ACTUAL_COLLECTION_TIME)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='催收记录表';
```

列名	类型	约束	描述
RECORD_ID	VARCHAR(32)	PK	记录ID
LOAN_ACCOUNT	VARCHAR(32)	NOT NULL	贷款账号
CUSTOMER_ID	VARCHAR(32)	NOT NULL	客户ID
CUSTOMER_NAME	VARCHAR(100)	—	客户姓名
TARGET_TYPE	VARCHAR(20)	—	对象类型: BORROWER/GUARANTOR/OTHER
TARGET_NAME	VARCHAR(100)	—	对象姓名
ACTUAL_COLLECTION_TIME	TIMESTAMP	—	实际催收时间
METHOD	VARCHAR(20)	NOT NULL	方式: SMS/PHONE/VISIT/LITIGATION/MAIL/OTHER
METHOD_TEXT	VARCHAR(50)	—	方式文本
RESULT	VARCHAR(500)	—	催收结果
OPERATOR_ID	VARCHAR(32)	—	操作员ID
OPERATOR_NAME	VARCHAR(100)	—	操作员姓名

列名	类型	约束	描述
OPERATE_TIME	TIMESTAMP	—	操作时间
REMARK	VARCHAR(500)	—	备注
MATERIAL_TYPE	VARCHAR(20)	—	材料类型
MATERIAL_NAME	VARCHAR(200)	—	材料名称
MATERIAL_URL	VARCHAR(500)	—	材料URL
EXTRA_DATA	TEXT	—	扩展字段(JSON)
CREATED_AT	TIMESTAMP	—	创建时间
UPDATED_AT	TIMESTAMP	—	更新时间
IS_DELETED	TINYINT	默认0	逻辑删除

3. LITIGATION (诉讼信息表)

```
CREATE TABLE IF NOT EXISTS LITIGATION (
  LITIGATION_ID          VARCHAR(32) PRIMARY KEY COMMENT '诉讼ID (业务主键)',
  LOAN_ACCOUNT           VARCHAR(32) NOT NULL COMMENT '贷款账号',
  CUSTOMER_ID            VARCHAR(32) NOT NULL COMMENT '客户ID',
  CUSTOMER_NAME          VARCHAR(100) COMMENT '客户姓名 (冗余)',
  STATUS_CODE            VARCHAR(20) NOT NULL COMMENT '诉讼状态编码',
  STATUS_TEXT            VARCHAR(200) COMMENT '诉讼状态文本',
  IN_LITIGATION          BOOLEAN DEFAULT FALSE COMMENT '是否在诉',
  SUBMIT_TO_LAW_FIRM_DATE VARCHAR(20) COMMENT '提交律所日期',
  SUBMIT_TO_COURT_DATE   VARCHAR(20) COMMENT '提交法院日期',
  FILING_CASE_NO         VARCHAR(100) COMMENT '立案案号',
  IS_HEARING             BOOLEAN DEFAULT FALSE COMMENT '是否已开庭',
  HEARING_DATE           VARCHAR(20) COMMENT '开庭日期',
  JUDGMENT_DATE          VARCHAR(20) COMMENT '判决日期',
  EXECUTION_APPLY_TO_COURT_DATE VARCHAR(20) COMMENT '申请执行日期',
  EXECUTION_FILING_DATE  VARCHAR(20) COMMENT '执行立案日期',
  EXECUTION_CASE_NO      VARCHAR(100) COMMENT '执行案号',
  AUCTION_STATUS          VARCHAR(50) COMMENT '拍卖状态',
  LITIGATION_FEE          DECIMAL(18,2) DEFAULT 0 COMMENT '诉讼费',
  LITIGATION_FEE_PAID_BY_CUSTOMER BOOLEAN DEFAULT FALSE COMMENT '诉讼费客户承担',
  PRESERVATION_FEE        DECIMAL(18,2) DEFAULT 0 COMMENT '保全费',
  PRESERVATION_FEE_PAID_BY_CUSTOMER BOOLEAN DEFAULT FALSE COMMENT '保全费客户承担',
  APPRAISAL_FEE           DECIMAL(18,2) DEFAULT 0 COMMENT '评估费',
  LITIGATION_PRESERVATION_PAID_AT VARCHAR(20) COMMENT '诉讼保全缴纳时间',
  LITIGATION_PRESERVATION_WRITE_OFF_AT VARCHAR(20) COMMENT '诉讼保全核销时间',
  LAWYER_FEE              DECIMAL(18,2) DEFAULT 0 COMMENT '律师费',
  LAWYER_FEE_PAID_BY_CUSTOMER BOOLEAN DEFAULT FALSE COMMENT '律师费客户承担',
  COURT_NAME              VARCHAR(200) COMMENT '法院名称',
  LAW_FIRM                VARCHAR(200) COMMENT '律所名称',
  REMARK                  VARCHAR(500) COMMENT '备注',
  EXTRA_DATA              TEXT COMMENT '扩展字段 (JSON格式)',
  CREATED_AT              TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  UPDATED_AT              TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE
  CURRENT_TIMESTAMP,
  IS_DELETED              TINYINT DEFAULT 0 COMMENT '逻辑删除标记',

  INDEX IDX_LOAN_ACCOUNT (LOAN_ACCOUNT),
  INDEX IDX_CUSTOMER_ID (CUSTOMER_ID),
  INDEX IDX_STATUS_CODE (STATUS_CODE),
  INDEX IDX_UPDATED_AT (UPDATED_AT),
```

INDEX IDX_IN_LITIGATION (IN_LITIGATION)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='诉讼信息表';

列名	类型	约束	默认值	描述
LITIGATION_ID	VARCHAR(32)	PK	—	诉讼ID
LOAN_ACCOUNT	VARCHAR(32)	NOT NULL	—	贷款账号
CUSTOMER_ID	VARCHAR(32)	NOT NULL	—	客户ID
CUSTOMER_NAME	VARCHAR(100)	—	—	客户姓名
STATUS_CODE	VARCHAR(20)	NOT NULL	—	诉讼状态编码
STATUS_TEXT	VARCHAR(200)	—	—	诉讼状态文本
IN_LITIGATION	BOOLEAN	—	FALSE	是否在诉
SUBMIT_TO_LAW_FIRM_DATE	VARCHAR(20)	—	—	提交律所日期
SUBMIT_TO_COURT_DATE	VARCHAR(20)	—	—	提交法院日期
FILING_CASE_NO	VARCHAR(100)	—	—	立案案号
IS_HEARING	BOOLEAN	—	FALSE	是否已开庭
HEARING_DATE	VARCHAR(20)	—	—	开庭日期
JUDGMENT_DATE	VARCHAR(20)	—	—	判决日期
EXECUTION_APPLY_TO_COURT_DATE	VARCHAR(20)	—	—	申请执行日期
EXECUTION_FILING_DATE	VARCHAR(20)	—	—	执行立案日期
EXECUTION_CASE_NO	VARCHAR(100)	—	—	执行案号
AUCTION_STATUS	VARCHAR(50)	—	—	拍卖状态
LITIGATION_FEE	DECIMAL(18,2)	—	0	诉讼费
LITIGATION_FEE_PAID_BY_CUSTOMER	BOOLEAN	—	FALSE	诉讼费客户承担
PRESERVATION_FEE	DECIMAL(18,2)	—	0	保全费
PRESERVATION_FEE_PAID_BY_CUSTOMER	BOOLEAN	—	FALSE	保全费客户承担
APPRAISAL_FEE	DECIMAL(18,2)	—	0	评估费
LITIGATION_PRESERVATION_PAID_AT	VARCHAR(20)	—	—	诉讼保全缴纳时间
LITIGATION_PRESERVATION_WRITE_OFF_AT	VARCHAR(20)	—	—	诉讼保全核销时间
LAWYER_FEE	DECIMAL(18,2)	—	0	律师费
LAWYER_FEE_PAID_BY_CUSTOMER	BOOLEAN	—	FALSE	律师费客户承担
COURT_NAME	VARCHAR(200)	—	—	法院名称
LAW_FIRM	VARCHAR(200)	—	—	律所名称
REMARK	VARCHAR(500)	—	—	备注
EXTRA_DATA	TEXT	—	—	扩展字段(JSON)
CREATED_AT	TIMESTAMP	—	CURRENT_TIMESTAMP	创建时间
UPDATED_AT	TIMESTAMP	—	自动更新	更新时间

列名	类型	约束	默认值	描述
IS_DELETED	TINYINT	—	0	逻辑删除

4. NOTICE (系统通知表)

```
CREATE TABLE IF NOT EXISTS NOTICE (  
  NOTICE_ID    VARCHAR(32) PRIMARY KEY COMMENT '通知ID（业务主键）',  
  TITLE         VARCHAR(200) NOT NULL  COMMENT '标题',  
  LEVEL         VARCHAR(20)             COMMENT '级别：high/medium/low',  
  MESSAGE       VARCHAR(1000)           COMMENT '消息内容',  
  CUSTOMER_ID   VARCHAR(32)             COMMENT '客户ID',  
  LOAN_ACCOUNT  VARCHAR(32)             COMMENT '贷款账号',  
  CUSTOMER_NAME VARCHAR(100)            COMMENT '客户姓名（冗余）',  
  PRODUCT_CODE  VARCHAR(32)             COMMENT '产品代码',  
  NOTICE_TYPE  VARCHAR(50)             COMMENT '通知类型，如 new_overdue/  
collecting_completed',  
  OVERDUE_DAYS  INT                     COMMENT '逾期天数',  
  IS_READ       BOOLEAN DEFAULT FALSE   COMMENT '是否已读',  
  BRANCH_CODE   VARCHAR(20)             COMMENT '所属分支行号，用于业务员消息隔离',  
  EXTRA_DATA    TEXT                    COMMENT '扩展字段（JSON格式）',  
  CREATED_AT    TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  UPDATED_AT    TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP,  
  IS_DELETED    TINYINT DEFAULT 0        COMMENT '逻辑删除标记',  
  
  INDEX IDX_CUSTOMER_ID (CUSTOMER_ID),  
  INDEX IDX_LOAN_ACCOUNT (LOAN_ACCOUNT),  
  INDEX IDX_IS_READ (IS_READ),  
  INDEX IDX_CREATED_AT (CREATED_AT)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='系统通知表';
```

列名	类型	约束	默认值	描述
NOTICE_ID	VARCHAR(32)	PK	—	通知ID
TITLE	VARCHAR(200)	NOT NULL	—	标题
LEVEL	VARCHAR(20)	—	—	级别: HIGH/MEDIUM/LOW
MESSAGE	VARCHAR(1000)	—	—	消息内容
CUSTOMER_ID	VARCHAR(32)	—	—	客户ID
LOAN_ACCOUNT	VARCHAR(32)	—	—	贷款账号
CUSTOMER_NAME	VARCHAR(100)	—	—	客户姓名
PRODUCT_CODE	VARCHAR(32)	—	—	产品代码
NOTICE_TYPE	VARCHAR(50)	—	—	通知类型
OVERDUE_DAYS	INT	—	—	逾期天数
IS_READ	BOOLEAN	—	FALSE	是否已读
BRANCH_CODE	VARCHAR(20)	—	—	分支行号
EXTRA_DATA	TEXT	—	—	扩展字段(JSON)
CREATED_AT	TIMESTAMP	—	CURRENT_TIMESTAMP	创建时间
UPDATED_AT	TIMESTAMP	—	自动更新	更新时间
IS_DELETED	TINYINT	—	0	逻辑删除

通知类型: NEW_OVERDUE （新增逾期） / COLLECTING_COMPLETED （催收完成） / TASK_ASSIGN （任务分配）

5. JURISDICTION_ORG (管辖行表)

```
CREATE TABLE IF NOT EXISTS JURISDICTION_ORG (  
  ID          BIGINT PRIMARY KEY AUTO_INCREMENT COMMENT '主键ID',  
  ORG_CODE    VARCHAR(20) NOT NULL UNIQUE          COMMENT '机构号',  
  ORG_NAME    VARCHAR(100)                        COMMENT '机构名称',  
  
  INDEX IDX_ORG_CODE (ORG_CODE)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='管辖行表';
```

列名	类型	约束	描述
ID	BIGINT	PK, AUTO_INCREMENT	内部主键
ORG_CODE	VARCHAR(20)	NOT NULL, UNIQUE	管辖行机构号
ORG_NAME	VARCHAR(100)	—	管辖行名称

GaussDB: BIGSERIAL 替代 BIGINT AUTO_INCREMENT ，额外包含 CREATED_AT / UPDATED_AT 列。

6. BRANCH_ORG (分支行表)

```
CREATE TABLE IF NOT EXISTS BRANCH_ORG (  
  ID          BIGINT PRIMARY KEY AUTO_INCREMENT COMMENT '主键ID',  
  BRANCH_CODE VARCHAR(20) NOT NULL              COMMENT '分支行号',  
  BRANCH_NAME VARCHAR(100)                      COMMENT '分支行名称',  
  ORG_CODE    VARCHAR(20) NOT NULL              COMMENT '所属管辖行号',  
  
  UNIQUE KEY UK_BRANCH_ORG (BRANCH_CODE, ORG_CODE),  
  INDEX IDX_ORG_CODE (ORG_CODE),  
  INDEX IDX_BRANCH_CODE (BRANCH_CODE)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COMMENT='分支行表';
```

列名	类型	约束	描述
ID	BIGINT	PK, AUTO_INCREMENT	内部主键
BRANCH_CODE	VARCHAR(20)	NOT NULL, 复合唯一键	分支行号
BRANCH_NAME	VARCHAR(100)	—	分支行名称
ORG_CODE	VARCHAR(20)	NOT NULL, 复合唯一键	所属管辖行号

约束: UNIQUE(BRANCH_CODE, ORG_CODE) — 同一分支行可关联多个管辖行，删除一侧关联波及另一侧。

GaussDB: BIGSERIAL 替代 BIGINT AUTO_INCREMENT ，额外包含 CREATED_AT / UPDATED_AT 列。

索引汇总

表	索引名	列	用途
LOAN_ACCOUNT	IDX_CUSTOMER_ID	CUSTOMER_ID	客户查询
LOAN_ACCOUNT	IDX_STATUS	STATUS	状态过滤
LOAN_ACCOUNT	IDX_OVERDUE_DAYS	OVERDUE_DAYS	逾期排序
LOAN_ACCOUNT	IDX_PRODUCT_CODE	PRODUCT_CODE	产品过滤
LOAN_ACCOUNT	IDX_BRANCH_CODE	BRANCH_CODE	机构过滤
COLLECTION_RECORD	IDX_LOAN_ACCOUNT	LOAN_ACCOUNT	按账户查记录
COLLECTION_RECORD	IDX_CUSTOMER_ID	CUSTOMER_ID	按客户查记录
COLLECTION_RECORD	IDX_OPERATE_TIME	OPERATE_TIME	按时间排序
COLLECTION_RECORD	IDX_METHOD	METHOD	按方式过滤
COLLECTION_RECORD	IDX_TARGET_TYPE	TARGET_TYPE	按对象类型过滤
COLLECTION_RECORD	IDX_ACTUAL_COLLECTION_TIME	ACTUAL_COLLECTION_TIME	按实际催收时间排序
LITIGATION	IDX_LOAN_ACCOUNT	LOAN_ACCOUNT	按账户查诉讼
LITIGATION	IDX_CUSTOMER_ID	CUSTOMER_ID	按客户查诉讼
LITIGATION	IDX_STATUS_CODE	STATUS_CODE	按状态过滤
LITIGATION	IDX_UPDATED_AT	UPDATED_AT	最近更新排序
LITIGATION	IDX_IN_LITIGATION	IN_LITIGATION	过滤进行中
NOTICE	IDX_CUSTOMER_ID	CUSTOMER_ID	客户通知
NOTICE	IDX_LOAN_ACCOUNT	LOAN_ACCOUNT	按账户查通知
NOTICE	IDX_IS_READ	IS_READ	未读过滤
NOTICE	IDX_CREATED_AT	CREATED_AT	按时间排序
JURISDICTION_ORG	IDX_ORG_CODE	ORG_CODE	机构号查询
BRANCH_ORG	UK_BRANCH_ORG	(BRANCH_CODE, ORG_CODE)	唯一约束
BRANCH_ORG	IDX_ORG_CODE	ORG_CODE	按管辖行查分支
BRANCH_ORG	IDX_BRANCH_CODE	BRANCH_CODE	按分支号查关联

文档更新时间: 2026-05-26