Daily Briefing - November 06, 2026

Your Daily Tech & Programming Digest

Friday, November 06, 2026

1000	129993	1186	38
ARTICLES	WORDS	MIN READ	SOURCES

📰 Today's Top Stories

Category differences in similarity between fixation density maps and psychological potential fields for sketches

👤 Naoyuki Awano, Yuki Hayashi

📅 2026-11-06 📖 1 min 📝 249 words ARXIV CS HC

Summary: arXiv:2611.06930v1 Announce Type: cross Abstract: When an object comes into view, humans can instantaneously recognize it if known to them. However, assessing how this recognition takes place remains challenging. A few studies using simple sketches have reported varying degrees of image similarity ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06930

Category differences in similarity between fixation density maps and psychological potential fields for sketches

Naoyuki Awano, Yuki Hayashi
2026-11-06 1 min 249 words ARXIV CS HC

Summary: arXiv:2611.06930v1 Announce Type: cross Abstract: When an object comes into view, humans can instantaneously recognize it if known to them. However, assessing how this recognition takes place remains challenging. A few studies using simple sketches have reported varying degrees of image similarity ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06930

Souffleur: A Glanceable Display for Mobile Voice Conversations

Anton Wolter, William Benjamin, Niklas Elmqvist
2026-11-06 1 min 124 words ARXIV CS HC

Summary: arXiv:2611.08443v1 Announce Type: new Abstract: The speech capabilities of mobile devices have grown, but their displays still rely on a text-based chat. When resuming a voice chat after a context switch, the last messages may not convey the key points of the conversation. Autobiographical use and ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.08443

ControlAnything: Generative UI and On-Demand Device Integration for Mixed-Reality Hand Interaction by a Coding Agent

Bektur Ryskeldiev

2026-11-06 1 min 252 words ARXIV CS HC

Summary: arXiv:2611.08321v1 Announce Type: new Abstract: Connecting hand input in mixed reality (MR) to a nearby physical device typically requires an integration written in advance for that device, its transport and the mapping. ControlAnything defers this integration to the moment of use and assigns it to...

🔗 **Read full article:**
https://arxiv.org/abs/2611.08321

IntentWeaver: Sustaining Coherence across Evolving Intents in Human-AI Co-Writing

Yuanhao Zhang, Xinru Cheng, Baiqiao Zhang, Xinqi Zhang, Assem Zhunis, Shuai Ma, Xiaojuan Ma

2026-11-06 1 min 154 words ARXIV CS HC

Summary: arXiv:2611.08214v1 Announce Type: new Abstract: Writers hold intents at many levels, from overarching goals to concrete wording, and evolve them by periodically popping back up from the text to higher-level intents. Generative AI co-writing disrupts this practice. Dense drafts capture attention and...

🔗 **Read full article:**
https://arxiv.org/abs/2611.08214

Reflective Nature Experiences in Virtual Reality

Shiva Ghasemi, Maddie Oehler, Annie Xenakis, Jeffrey Jiarui Yang, Scott McCrickard

2026-11-06

1 min | 122 words | ARXIV CS HC

Summary: arXiv:2611.08167v1 Announce Type: new Abstract: This paper presents the design and evaluation of an accessible virtual reality (VR) nature experience developed to promote mindfulness, reduce stress, and support emotional well-being. The system immerses users in a calming natural environment through...

Read full article:
https://arxiv.org/abs/2611.08167

Tasteply: Externalizing Stable and Situational Preference as Manipulable Spatial Objects

DaEun Choi, Daniel Lee

2026-11-06 | 1 min | 137 words | ARXIV CS HC

Summary: arXiv:2611.07851v1 Announce Type: new Abstract: Most recommender systems treat user preferences as a single signal to infer and optimize, yet human preferences are a mix of a stable preference and situational preferences that turn on and off depending on context. Through Tasteply, we externalize th...

Read full article:
https://arxiv.org/abs/2611.07851

VocabulARy 2.0: A Generative AR System Enabling Personalised 3D Mnemonics for Vocabulary Learning in Context

👤 Karolina Trajkovska, Matja\v{z} Kljun, Maheshya Weerasinghe, Klen \v{C}opi\v{c} Pucihar

📅 2026-11-06 📖 1 min 📝 108 words ARXIV CS HC

Summary: arXiv:2611.07798v1 Announce Type: new Abstract: Mnemonics support vocabulary learning by linking unfamiliar words to familiar concepts through memorable verbal and visual associations. We present a generative AR system that enables learners to create personalised 3D mnemonics by transforming famili...

🔗 **Read full article:**
https://arxiv.org/abs/2611.07798

Thinking Is Not Writing: Designing AI Chatbots to Connect Reasoning and Revision

Lucile Favero, Tanja K\"aser, Juan Antonio P\'erez-Ortiz, Nuria Oliver

2026-11-06 1 min

157 words

ARXIV CS HC

Summary: arXiv:2611.07792v1 Announce Type: new Abstract: Supporting students' argumentative writing with AI requires connecting reflection to their revision processes. We present Maike, a Socratic chatbot supporting writing through argument diagnosis, targeted questioning, and a student model across Think a...

🔗 **Read full article:**
https://arxiv.org/abs/2611.07792

Breaking the Modality Barrier: Multimodal Fusion With Missing Modalities for Cybersickness Prediction

Purnata Saha, Rifatul Islam, John Quarles

2026-11-06 1 min 154 words

ARXIV CS HC

Summary: arXiv:2611.07386v1 Announce Type: new Abstract: Cybersickness is a major barrier to comfortable VR use, and reliable prediction often requires multiple physiological and behavioral sensors. However, existing models typically assume a fixed set of modalities, making them vulnerable when sensors are ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.07386

Slide to Report: Continuous Reporting Symptom-Specific Cybersickness in VR

👤 Purnata Saha, Rifatul Islam, Qiliang He, John Quarles

📅 2026-11-06 📖 1 min 📝 156 words

ARXIV CS HC

Summary: arXiv:2611.07345v1 Announce Type: new Abstract: Cybersickness is often assessed during VR exposure through discrete overall sickness, which cannot capture specific symptoms or their changes over time. Post-exposure questionnaires such as the Simulator Sickness Questionnaire provide symptom-specific...

🔗 **Read full article:**
https://arxiv.org/abs/2611.07345

BrainPFN: Amortized Brain-Behaviour Prediction via Prior-Data Fitted Networks

👤 Carlo Alberto Barbano (MIND), Demian Wassermann (MIND)

📅 2026-11-06 📖 1 min 📝 244 words

ARXIV QBIO NC

Summary: arXiv:2611.06934v1 Announce Type: new Abstract: The standard approach to predicting behavioral phenotypes from functional MRI is represented by Kernel Ridge Regression (KRR) applied on functional connectivity (FC) matrices. However, this approach is limited: separate models must be fit and tuned fo...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06934

Capturing Membrane Dynamics and Spike Timing of Human Neurons at Scale using Neural Operators

Luca Ghafourpour, Cindy Zhao, Valentin Duruisseaux, Bahareh Tolooshams, Philip H. Wong, Costas A. Anastassiou, Anima Anandkumar

2026-11-06 1 min 211 words ARXIV QBIO NC

Summary: arXiv:2611.06933v1 Announce Type: new Abstract: Characterizing the properties of neuronal cell types is central to understanding brain function. Yet, biophysically realistic neuron models remain difficult to scale to large populations while preserving the richness of cellular dynamics and within-ce...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06933

Oscillatory Phase Coding Emerges in Adaptive RNNs for Flexible Working Memory

Kehan Lu, Tianhao Chu, Aiersi Tuerhong, Yiwen Sun, Huan Luo, Fang Fang, Si Wu

2026-11-06 1 min 215 words ARXIV QBIO NC

Summary: arXiv:2611.06932v1 Announce Type: new Abstract: Oscillatory phase coding (OPC) is widely observed in neural systems and has been implicated in cognitive functions such as memory and sequence processing. However, its computational role and neural substrates remain largely unclear. Here, we studied O...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06932

Distilling Neural Population Geometry into Transformers and GRUs for Motor Control

Maryna Kapitonova, Tonio Ball
2026-11-06 1 min 197 words ARXIV QBIO NC

Summary: arXiv:2611.06931v1 Announce Type: new Abstract: We introduce neuro-distillation (Neuro-Dist), a technique designed to directly transfer computationally useful neural population structure from biological brains into artificial controllers. Using three macaque motor-cortical datasets as neuro-distill...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06931

ApproxBrain: Certified Sufficiency Frontiers in Connectome-Constrained Neural Systems

Ali Mahdavi, Azadeh Zamanifar, Amirfarhad Farhadi, Omid Kashefi
2026-11-06 1 min 268 words ARXIV QBIO NC

Summary: arXiv:2611.06929v1 Announce Type: new Abstract: Background. A connectome specifies the substrate available to a nervous system, not how much of it a given computation requires. Reported compact sufficient circuits are point estimates: one subset, one task, one fidelity threshold, one parameterisati...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06929

A minimal dynamical model of human-AI cognitive coevolution

Petar Jolakoski, Dimitar Trajanov, Qiyu Sun, Zhen Wu, Ljupco Kocarev

2026-11-06 1 min

244 words

ARXIV QBIO NC

Summary: arXiv:2611.06928v1 Announce Type: new Abstract: The rapid deployment of generative AI raises the question of whether pervasive cognitive offloading drives a measurable, potentially irreversible decline in unassisted human reasoning. We examine this question with a phenomenological dynamical model b...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06928

Reading a neuron's tuning from its correlations with other neurons

Francesco L\"assig

2026-11-06 1 min 303 words

ARXIV QBIO NC

Summary: arXiv:2611.06927v1 Announce Type: new Abstract: What a neuron represents is usually established by relating its activity to a stimulus. We ask whether the same facts are contained in the correlation matrix of a recorded population, which keeps the pairwise relations among the neurons and discards t...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06927

Foundation Models as Modular Tools for fMRI Analysis

👤 Joseph Kilgore, Noemia Mahmud, Shinjae Yoo, David Keetae Park

📅 2026-11-06 📖 1 min

📝 259 words

ARXIV QBIO NC

Summary: arXiv:2611.06926v1 Announce Type: new Abstract: Foundation models (FMs) for the brain are rapidly growing in number and each captures a different aspect of the same data. A single scientific question often needs several of them at once, alongside classical analysis and the literature, but no establ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06926

No Support Beyond Reach: The Measure Centrality Index 2.0 and Adversarial Comparisons of Consciousness Theories

👤 Robert Chis-Ciure

📅 2026-11-06 📖 1 min 📝 249 words

ARXIV QBIO NC

Summary: arXiv:2611.06925v1 Announce Type: new Abstract: A success in adversarial testing of scientific theories reaches only as deep as its matching failure would have cut. I call this the Reach Principle, and the goal of this chapter is to build the instrument that enforces it. Adversarial tests of consci...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06925

CAG repeat length shapes bidirectional functional connectome alterations in spinocerebellar ataxia type 3: a multimodal MRI study

📖 1 min 📝 32 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Xianfei Yang, Haishuo Xia, Yuwei Hu, Can Xu, Xingang Wang, Qingxin Deng, Qian Xie, Limeng Dai, Qifang Yang, Changying Li, Li Gui, Chen Liu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226007013?dgcid=rss_sd_all

Coarse motor-state structure across paired preoperative fMRI and intraoperative ECoG in patients with brain tumors

📖 1 min 📝 36 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Jingxi Hu, Jie Ma, Wanwan Guo, Yang Jiao, Jiaqi Yang, Hongwei Wang, Yiheng Yin, Renke He, Gang Cheng, Hongmin Bai, Hairong Zheng, Dong Liang, Jianning Zhang, Zhanli Hu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006257?dgcid=rss_sd_all

Learning dynamic affinity diffusion for multi-contrast MRI super-resolution via implicit neural representations

📖 1 min 📝 24 words NEUROIMAGE

Summary: Publication date: 1 December 2026 Source: NeuroImage, Volume 343 Author(s): Huajie Wen, Lixin Liang, Rashid Khan, Inayatul Haq, Kai Chen, Lin Lin, YongSheng Liang, Bingding Huang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006397?dgcid=rss_sd_all

Use of Integrative Proteomic Analysis to Uncover Shared Molecular Signatures Across Distinct Forms of Hydrocephalus

👤 Mahendran, G., Kirupaharan, P., Audu, D., Blazer-Yost, B. L. 📅 2026-11-05 📖 1 min 📝 250 words

BIORXIV NEUROSCIENCE

Summary: Hydrocephalus is a heterogeneous disease characterized by disruption of cerebrospinal fluid (CSF) dynamics and can arise from diverse etiologies, including post-hemorrhagic hydrocephalus (PHH), hydrocephalus following subarachnoid hemorrhage (SAH), post-infectious hydrocephalus (PIH), and idiopathic...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.05.764703v1?rss=1

Auditory Evoked Potentials Differ from Controls and Correlate with Aspects of Cognition in Kabuki Syndrome and Rubinstein-Taybi Syndrome

👤 Kalinousky, A., Bucklin, E., Ng, R., Meier, L., Jiddou, H., Fanara, P., Ewen, J. B., Harris, J.

📅 2026-11-06 📖 1 min 📝 268 words BIORXIV NEUROSCIENCE

Summary: Objective Kabuki syndrome (KS) and Rubinstein-Taybi syndrome (RSTS) are two disorders caused by dysfunctional components of the epigenetic machinery and both result in intellectual disability. Mouse models of both KS and RSTS have seen reversal of cognitive impairment with epigenetic treatments. How...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764287v1?rss=1

Modeling circadian rhythm splitting under chronic light and the asymmetric transition kinetics between lighting conditions

👤 Goltsev, A. V., Mendes, J. F.

📅 2026-11-06 📖 1 min 📝 231 words BIORXIV NEUROSCIENCE

Summary: In various vertebrates, chronic light splits the single daily 24-h circadian activity bout into two 12-h behavioral components per cycle, yet the underlying mechanism remains unresolved. Here, we develop a two-lobe biophysical model of the suprachiasmatic nucleus (SCN) to understand this phenomenon....

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764283v1?rss=1

Beyond Terrestrial Carnivores: Olfactory Bulb Anatomy in a Semi-Aquatic Mammal

Fraga-Abelleira, S. A., Torres, M. V., Canales, R., Ruiz-Rubio, S., Sanchez-Quinteiro, P., Ortiz-Leal, I.

2026-11-06 1 min 246 words BIORXIV NEUROSCIENCE

Summary: The organization of the olfactory systems remains poorly understood in mustelids, particularly in lutrines adapted to semiaquatic environments. This study provides the first detailed anatomical, histological, lectin-histochemical, and immunohistochemical characterization of the main (MOB) and access...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.04.764355v1?rss=1

Distinct lifespan trajectories of cortical intrinsic timescales and neural oscillations

Liu, X., Harris, B., Lu, R., Wang, S., Yu, Q., Zhang, M., Cui, R., Liang, X., Fan, T.

2026-11-06 1 min 189 words BIORXIV NEUROSCIENCE

Summary: The brain integrates information over time through the persistence of neural activity, yet how this persistence changes across the human lifespan and the mechanisms underlying these changes remain unclear. Using resting-state magnetoencephalography from three independent cohorts (n = 1,156; ages 6-8...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.04.764097v1?rss=1

Single-cell multi-omics identify OTP and NOVA1 as regulators of leptin action in hypothalamic feeding circuits

👤 Tan, H. L., Tan, Y., Ruiz-Ortiz, J., Paul, M., Han, Z., Kelly, L., Toci, A., Plucinska, K., Tajima, Y., Shiao, R., Lee, B., Ilanges, A., Darnell, R. B., Cohen, P., Friedman, J. M.

📅 2026-11-06 📖 1 min 📝 280 words BIORXIV NEUROSCIENCE

Summary: Leptin acts directly and indirectly on multiple neuronal populations to regulate feeding and numerous other physiologic functions. However, our understanding of how a single circulating signal coordinates diverse neuronal populations across multiple circuits is limited. To further elucidate how lept...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764326v1?rss=1

Early AAV9-mediated SLC9A6 gene replacement preserves cerebellar structure and motor function in the shaker rat model of Christianson syndrome

👤 Dahiya, K., Sekaran, K., Hu, L., Bloomfield, A., Kapasakis, E., Henning-Smith, S., Riley, L. G., Evans, M., Haslam, S., Katakowski, J., Anderson, D. N., Gold, W., Anderson, C. J.

📅 2026-11-06 📖 1 min 📝 200 words BIORXIV NEUROSCIENCE

Summary: Christianson syndrome (CS) is an X-linked neurodevelopmental and neurodegenerative disorder caused by SLC9A6 loss of function, resulting in NHE6 deficiency and epilepsy, intellectual disability, cerebellar atrophy, and ataxia. Following on our prior gene replacement therapeutic development, we precl...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764455v1?rss=1

Personalized Prediction of Differences in fMRI Connectivity Estimates Across Preprocessing Pipelines

👤 Maximov, Y., Volkov, A., Chattopadhyay, T., Thompson, P. M., Gabitov, I.

📅 2026-11-06 📖 1 min

📝 221 words

BIORXIV NEUROSCIENCE

Summary: Longitudinal functional MRI of the human brain is valuable for tracking changes in functional connectivity (FC) associated with disease progression or treatment response. Even so, measured FC values depend on preprocessing, and nuisance regression and temporal filtering affect individuals differentl...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763874v1?rss=1

Temporal Structure in Resting-State fMRI under Marginal and Cross-Spectral Surrogate Controls

👤 Volkov, A., Maximov, Y., Chattopadhyay, T., Thompson, P. M., Gabitov, I.

📅 2026-11-06 📖 1 min

📝 269 words

BIORXIV NEUROSCIENCE

Summary: Resting-state functional MRI is commonly analyzed using correlations between regional signals and their frequency spectra, which characterize average connectivity and spectral properties but may miss other aspects of temporal organization. Measures of temporal complexity offer complementary informat...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763876v1?rss=1

An expansive internal chemosensory system in the insect abdomen implicates Gustatory Receptors in diverse aspects of interoception

Fujii, S., Amrein, H.
2026-11-06 1 min 223 words BIORXIV NEUROSCIENCE

Summary: Taste and olfactory receptors are gatekeepers that convey chemical information about the external environment. Their role in chemosensory systems has been extensively studied in several model system, which established their role in triggering discrete behavioral as well as physiological responses re...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764383v1?rss=1

Test-retest reliability of resting-state functional connectivity: a methodological investigation with implications for aggression research

2026-11-06 1 min 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77588-1

Effects of chronic oxytocin administration on white matter microstructure in autistic adults: a pilot pharmaco-neuroimaging DTI study

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41398-026-04542-0

Novel mechanism and genetic association of graft-induced dyskinesia in CRISPR rs6265 BDNF polymorphism rats

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41531-026-01605-3

The hidden impact of cage position on behavioral phenotyping and reproducibility

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-79912-1

Motor imagery EEG signal classification using SAGAN-based data augmentation and ResNet-18 for brain–computer interface applications

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-78683-z

Sympathetic neurons remodel the extracellular matrix for thermogenesis

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s42255-026-01659-w

Triiodothyronine modulates LAT2 vesicle dynamics and potentiates β-adrenergic cAMP responses in astrocytes

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41420-026-03462-8

NAD+ precursor fails in Parkinson’s disease

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s43587-026-01277-x

Orexin and pupillary modulation for hunger control

👤 Seher KosarEva BraceyNikola GrujicYihui DuDaria Peleg-RaibsteinDenis Burdakovahttps://ror.org/02q2nz798ETH Zürich, Department of Health Sciences and Technology, Neuroscience Center Zürich, Institute for Neuroscience, Schwerzenbach 8603, Switzerland

📅 2026-10-28 📖 1 min 📝 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceThis study reveals a genetically defined arousal-hunger circuit that enables mental engagement or external sensory input to naturally interrupt the urge to eat. These findings in mice suggest that...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2619759123?af=R

Dlx1&2 directly promote expression of Cxcl14 to control synapse development and interneuron survival

👤 Teng GuoSusan LindtnerJia Sheng HuSiavash Fazel DarbandiYurong WangEmily Ling-Lin PaiAthéna R. YpsilantiCindy T. J. van VelthovenAlex S. NordJohn L. R. RubensteinaNina Ireland Laboratory of Developmental Neurobiology, Department of Psychiatry and Behavioral Sciences, University of California San Francisco, San Francisco, CA 94143bDepartment of Neurobiology, Physiology, and Behavior, Center for Neuroscience, University of California Davis, Davis, CA 95618cDepartment of Psychiatry and Behavioral Sciences, Center for Neuroscience, University of California Davis, Davis, CA 95618dhttps://ror.org/03cpe7c52Allen Institute for Brain Science, Seattle, WA 98109

📅 2026-10-28 📖 1 min 📝 46 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceDlxgenes control multiple steps in the development of cortical interneurons (CIN), including synapse development and cell survival. Here we explore molecular mechanisms how theDlxgenes promote neo...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2616055123?af=R

Lysine crotonylation acts as an epigenetic switch for glutamate neurotransmission and spatial memory

👤 Utsav MukherjeeBudhaditya BasuPratyush SuryavanshiStacy E. BeyerSaaman GhodsiNathan RobillardYann VanrobaeysEric B. TaylorJoseph GlykysTed AbelSnehajyoti Chatterjeeahttps://ror.org/036jqmy94Department of Neuroscience and Pharmacology, Carver College of Medicine, University of Iowa, Iowa City, IA 52242bhttps://ror.org/036jqmy94Iowa Neuroscience Institute, University of Iowa, Iowa City, IA 52242chttps://ror.org/036jqmy94Interdisciplinary Graduate Program in Neuroscience, University of Iowa, Iowa City, IA 52242dhttps://ror.org/036jqmy94Stead Family Department of Pediatrics, Carver College of Medicine, University of Iowa, Iowa City, IA 52242ehttps://ror.org/036jqmy94Interdisciplinary Graduate Program in Genetics, University of Iowa, Iowa City, IA 52242fhttps://ror.org/036jqmy94Fraternal Order of Eagles Diabetes Research Center, University of Iowa, Iowa City, IA 52242ghttps://ror.org/036jqmy94Department of Molecular Physiology and Biophysics, Carver College of Medicine, University of Iowa, Iowa City, IA 52242

📅 2026-10-28 📖 1 min 📝 47 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceAlthough histone acetylation has long been considered a principal regulator of gene expression events underlying memory storage, the role of non-acetyl histone acyl modifications on long-term memo...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2608460123?af=R

Forniceal deep brain stimulation improves memory in Rett syndrome mice by promoting the maturation of newborn hippocampal neurons

Qi WangBin TangZhenyu WuHuda Y. ZoghbiJianrong Tangahttps://ror.org/05cz92x43Jan and Dan Duncan Neurological Research Institute at Texas Children's Hospital, Houston, TX 77030bhttps://ror.org/02pttbw34Department of Pediatrics, Division of Neurology, Baylor College of Medicine, Houston, TX 77030chttps://ror.org/02pttbw34Department of Molecular and Human Genetics, Baylor College of Medicine, Houston, TX 77030dhttps://ror.org/02pttbw34Program in Developmental Biology, Baylor College of Medicine, Houston, TX 77030ehttps://ror.org/02pttbw34Department of Neuroscience, Baylor College of Medicine, Houston, TX 77030fhttps://ror.org/02pttbw34HHMI, Baylor College of Medicine, Houston, TX 77030

📅 2026-10-28 📖 1 min 📝 52 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceDeep brain stimulation (DBS) has long been known for its efficacy in mitigating movement disorders. More recently, it has shown promise for addressing disorders of learning and memory: for example...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2535887123?af=R

Defining and measuring proximity to criticality based on univariate time series

J. Samuel SooterAntonio J. FonteneleAndrea K. BarreiroCheng LyKeith B. HengenWoodrow L. ShewaDepartment of Physics, University of Arkansas, Fayetteville, AR 72701bhttps://ror.org/042tdr378Department of Mathematics, Southern Methodist University, Dallas, TX 75205chttps://ror.org/02nkdxk79Department of Mathematics and Applied Mathematics, Virginia Commonwealth University, Richmond, VA 23284dhttps://ror.org/01yc7t268Department of Biology, Washington University, St. Louis, MO 63130

2026-10-28 1 min 56 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceKnowledge of many complex systems comes from time series measurements of one or a few parts of the system. These dynamics depend on many detailed properties; must we keep track every detail to und...

Read full article:
https://www.pnas.org/doi/abs/10.1073/pnas.2526984123?af=R

Computational approaches to deep learning–driven EEG analysis for neurological disease diagnosis: a systematic review

Jisu Elsa Jacob 2026-10-13 1 min 229 words FRONTIERS NEUROINFORMATICS

Summary: Electroencephalography (EEG) is a widely used non-invasive neurophysiological technique for analyzing brain dynamics and diagnosing neurological diseases. However, the non-stationary nature, low signal-to-noise ratio, and inter-subject variability of EEG signals cause significant challenges to tradi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1778980

Short excitatory projections promote burst activity and modular functional organization in neural networks

Claus C. Hilgetag 2026-11-03 1 min 165 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Physical constraints in the brain favor short, distance-dependent connections. However, short-range projections are not merely a structural compromise; they also serve essential functional roles. Here, we explore networks with balanced excitation and inhibition, demonstrating that short excitatory p...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1965686

Editorial: Machine learning integration in computational neuroscience: enhancing neural data decoding and prediction

George Giakos 2026-11-03 1 min 0 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.2030505

Exploratory evaluation of electroencephalogram-derived features for classification of mild cognitive impairment in two independent datasets

Makoto Nakane 2026-11-03 1 min 347 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: A proper diagnosis of mild cognitive impairment (MCI) is one of the important challenges in the early detection of dementia. For the classification of MCI patients and healthy controls, some electroencephalogram (EEG)-derived indices were calculated and compared. Some studies have been conducted on ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1940507

Persistent memory through triple-loop consolidation under stochastic unit turnover

👤 Jianwei Lou 📅 2026-11-03 📖 1 min 📝 366 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Dissipative cognitive architectures maintain computation through continuous energy expenditure, where units that exhaust their energy are stochastically replaced with fresh random state. This creates a fundamental challenge: how can persistent, context-specific memory survive when all learnable stat...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1845213

Editorial: Advances in perceptual decision making and brain oscillations

👤 Francesco Di Gregorio 📅 2026-11-03 📖 1 min 📝 0 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.2023605

Temporal dissociation across the eye-brain-muscle cascade delineates a preparation window before muscle activation in subacute stroke

Jing Tao 2026-11-06 1 min 238 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Upper-limb motor impairment after stroke is compounded by a disrupted sensorimotor cascade linking visual attention, cortical motor preparation, and peripheral muscle activation. Whether these stages are temporally dissociated in subacute stroke, and whether their timing carries information about th...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2002490

Effectiveness of bimanual kinesthetic teaching through different controller settings

Andrej Gams 2026-10-21 1 min 94 words FRONTIERS NEUROROBOTICS

Summary: Physical human-robot interaction (pHRI) through kinesthetic teaching enables intuitive robot programming, but extending this approach to bimanual systems introduces challenges in synchronized control. Thus, the best way to control bimanual robot systems for kinesthetic teaching remains unclear. In t...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1960197

From beat to syntax: evolutionary and developmental paths of a shared neural resource for hierarchical processing in music and language

Tao Gong 2026-11-03 1 min 268 words FRONTIERS NEUROSCIENCE

Summary: Children who track a musical beat well tend to have stronger grammatical skills, and brief exposure to a regular rhythm can transiently improve grammatical processing. These findings raise the possibility of a shared underlying mechanism, and with it two questions: where did the link come from, and ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1967182

Vagus nerve stimulation in obesity: a systematic review and meta-analysis

Matthew A. Schiefer 2026-11-03 1 min 333 words FRONTIERS NEUROSCIENCE

Summary: BackgroundVagus nerve stimulation (VNS) has been investigated as a potential therapy for obesity because of the vagus nerve’s role in satiety, gastrointestinal signaling, autonomic regulation, and metabolic homeostasis. However, studies vary substantially in stimulation site, interface, parameters, ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1955378

Editorial: Expanding the therapeutic dose range of cannabinoid-based therapy

Babak Baban 2026-11-03 1 min 0 words FRONTIERS NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.2028326

Analysis and improvement of surface electromyography-based American Sign Language hand gesture recognition

Yasuharu Koike 2026-11-03 1 min 243 words FRONTIERS NEUROSCIENCE

Summary: Surface electromyography (sEMG) allows sign language gestures to be recognized from forearm muscle activity without visual access to the hand. Gestures that produce similar forearm activation patterns, however, remain difficult to distinguish. This study examined how these similarities relate to cla...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1978950

Cybertissue neuroprosthetics: a new implantable neuroprosthetics paradigm to achieve seamless lifetime integration

Liang Guo
2026-10-27 1 min 234 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Despite decades of advances in neural interface technology, the long-term instability of implantable neuroprostheses remains a major barrier to achieving reliable lifetime performance. Chronic foreign-body reactions and fibrotic encapsulation progressively degrade the electrode-tissue int...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb442

Combined voltammetry and optical brain imaging: toward high resolution neurochemical measurements

Vladislav Zavialov, Vassiliy Tsytsarev, Anna B Volnova, Raul R Gainetdinov and Mikhail Inyushin

2026-10-27 1 min 316 words JOURNAL NEURAL ENGINEERING

Summary: The question of the mechanisms by which cellular interactions in the brain are converted into integrative behavioral phenomena is closely related to functional localization, and also to the relationship between spatial and temporal resolution when interpreting experimental data. Classical electrophy...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb32e

CORRIGENDUM: In silico development and validation of Bayesian methods for optimizing deep brain stimulation parameters (2023 J. Neural Eng. 20 036015)

Sumedh S Nagrale, Ali Yousefi, Theoden I Netoff and Alik S Widge

2026-10-29 1 min

0 words

JOURNAL NEURAL ENGINEERING

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb32d

REFS: robust EEG feature selection with incomplete labels for multi-dimensional emotion recognition

Xueyuan Xu, Wenjia Dong, Fulin Wei and Li Zhuo

2026-11-06 1 min 268 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Compared to single-type features, multi-type electroencephalography (EEG) features provide a multi-level representation for analyzing multi-dimensional emotions. However, the high dimensionality of multi-type EEG features, combined with the relatively small number of high-quality EEG samp...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb97e

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

> **Summary:** Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

> **Summary:** Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261106065240&v=2.20.1

Contrast Sensitivity Functions in ON and OFF Visual Pathways in Myopia

👤 Jiawei Zhou 📅 2026-11-05 📖 1 min 📝 49 words LOW VISION

Summary: CONCLUSIONS: High myopia exhibited reduced ordinary and ON pathway CS. The ON pathway-selective CS deficits were significantly correlated with myopia severity and predominantly observed at low SFs. These findings provide a theoretical basis for understanding visual function in myopia, developing eff...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986172/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Semimetallic PtSe2 Phototransistors with Back-to-Back Ohmic Contacts for Low-Power Neuromorphic Vision and Polarization-Selective Detection

👤 Pengfei Hou 📅 2026-11-05 📖 1 min 📝 56 words LOW VISION

Summary: The rapid advancement of artificial intelligence has created an urgent demand for energy-efficient neuromorphic vision, positioning phototransistors as a promising platform for next-generation artificial visual synapses. However, conventional phototransistors are limited by interfacial defects—inclu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986252/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Multisegment spectacles for prevention of myopia progression

Bettina Wabbels 2026-11-05 1 min 57 words LOW VISION

Summary: BACKGROUND: The prevalence of myopia is postulated to be rising worldwide, along with the risk of secondary complications, such as maculopathy; however, the evidence for this remains inconclusive, particularly for Europe. The focus is on reducing the increased axial length growth in childhood. To th...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986343/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

The epidemiology of frailty in urban and rural KwaZulu Natal, South Africa; a cross-sectional study

Bilkish Cassim 2026-11-05 1 min 29 words LOW VISION

Summary: CONCLUSION: Frailty is common and associated with poorer HRQoL. The identified clinical risk factors can be used to prioritise individuals for referral for clinical assessment of frailty in SA.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986747/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

A lightweight vision-based framework for automated aero-engine blade damage inspection

Zhengwei Zhang 2026-11-05 1 min 71 words LOW VISION

Summary: Automated visual inspection of aero-engine blades is central to aviation safety, yet it is challenged by damage that is small and low-contrast against a strongly textured metal surface, and by the need for models that are light enough for edge deployment. This paper presents a lightweight vision-bas...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986887/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Prevalence of Burnout in Cardiothoracic Surgery From Training to Consultancy: A Meta-Analysis

Tomasz Płonek 2026-11-05 1 min 30 words LOW VISION

Summary: CONCLUSIONS: Burnout is highly prevalent across all stages of a cardiothoracic surgical career. The observed geographic variation warrants further investigation into whether systemic and cultural factors may contribute to burnout.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42987707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Surface Glare Suppression in Retinal Imaging With a Cross-Polarized Line-Scanning Color Fundus Camera

👤 Yaochun Shen 📅 2026-11-05 📖 1 min 📝 68 words LOW VISION

Summary: Fundus imaging is critical for the early detection and management of retinal diseases, yet cost and technical limitations remain barriers to broad implementation, especially in resource-limited settings. Conventional fundus photography and scanning laser ophthalmoscopy (SLO) involve trade-offs in co...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42987802/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Multisensory interactions between nociception and vision through the looking glass

👤 Lieve Filbrich 📅 2026-11-05 📖 1 min 📝 77 words LOW VISION

Summary: To efficiently react to a potential threat to protect the body's integrity, it is not only crucial to localize nociceptive stimuli on the body, but also the position of the potentially harmful objects in external space. It is therefore essential to coordinate the representation of the body and that ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42988064/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

Combined Versus Monotherapy Anti-Complement and Anti-Vascular Endothelial Growth Factor Intravitreal Injections for Age-Related Macular Degeneration: Safety Outcomes in the Real World

👤 Edward H Wood
📅 2026-11-05 📖 1 min 📝 59 words LOW VISION

Summary: CONCLUSION: In this analysis of outcomes from routine clinical practice, dual anti-VEGF and anti-complement therapy was not associated with higher overall rates of serious ocular adverse events compared with monotherapy. Serious ocular adverse events were rare across all treatment strategies. Additi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42988264/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

First-in-Human Regulatory T Cell-Derived Exosomes Plus Ranibizumab for Refractory nAMD

👤 Yong Tao 📅 2026-11-05 📖 1 min 📝 59 words LOW VISION

Summary: Persistent fluid despite intravitreal anti-vascular endothelial growth factor (VEGF) treatment remains common in neovascular age-related macular degeneration (nAMD). Regulatory T cell-derived exosomes (TregExo) have preclinical immunomodulatory activity. To evaluate the safety and maximum tolerated ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42988724/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261106065238&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

👤 Liu Yang 📅 2026-08-19 📖 1 min 📝 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

👤 Hideaki Onishi 📅 2026-09-25 📖 1 min 📝 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

👤 Hannes P Saal 📅 2026-09-25 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

👤 Walter S Carr 📅 2026-10-01 📖 1 min 📝 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261106065235&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

Benjamin Ward-Cherrier 2026-10-31 1 min 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261106065233&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

Jianhua Chen
2026-11-04 1 min 61 words TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Targeting cognitive control and affective processing in aggression: neuromodulation approaches in CRC/TRR 379

Jana Zweerings 2026-11-04 1 min 63 words TDCS TACS TRNS

Summary: Interventions aimed at reducing aggression in mental disorders remain insufficiently addressed by current research, despite the substantial individual and societal burden associated with aggressive behavior. Consequently, strategies for modulating aggressive behavior are of high clinical relevance b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980804/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Anisotropic conductivity modeling for tDCS in Parkinson's disease using multidimensional diffusion MRI

Christoffer Olsson 2026-11-05 1 min 63 words TDCS TACS TRNS

Summary: INTRODUCTION: Predictions of the electric field (E-field) induced by transcranial direct current stimulation (tDCS) depend on how brain conductivity is modeled. White matter anisotropy is conventionally estimated from single-shell diffusion tensor imaging (DTI). Multidimensional diffusion MRI (MD-dM...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984609/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Obsessive-Compulsive Disorder: Comorbidity, Biomarkers, Circuits, and Treatment Strategies

👤 Jing-Ning Zhu 📅 2026-11-05 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Obsessive-compulsive disorder (OCD), characterized by intrusive thoughts and repetitive behaviors, frequently co-occurs with anxiety disorders, contributing to greater diagnostic complexity, more severe symptoms, and poorer treatment outcomes. In this review, we consider OCD in the context of its co...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984875/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Correction: Transcranial direct current stimulation to improve cognitive function in patients with vascular cognitive impairment: a literature review

👤 Ling Guan 📅 2026-11-05 📖 1 min 📝 6 words TDCS TACS TRNS

Summary: [This corrects the article DOI: 10.3389/fnagi.2026.1829594.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985445/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Feasibility and tolerability of combining 6 Hz transcranial alternating current stimulation (tACS) at 3.2 mA and digital cognitive training in older adults with mild cognitive impairment

👤 Rogério Panizzutti
📅 2026-11-05 📖 1 min 📝 41 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Higher-intensity tACS plus DCT was feasible and well tolerated in older adults with MCI. Exploratory findings suggest that active stimulation may improve inhibitory control and facilitate transfer to selected cognitive domains. Confirmation in the ongoing randomized controlled trial is ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986480/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

The Non-Invasive Brain Stimulation Side Effect Scale (NIBS-SES): development of a brief, multilingual questionnaire for monitoring adverse effects in transcranial magnetic, electrical and ultrasound stimulation

👤 Maximilian Kiebs
📅 2026-11-05 📖 1 min 📝 59 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Our findings support the feasibility of repeated session-level assessment with the initial version, from which the final NIBS-SES was derived. This multilingual, open-access instrument comprises 10 within-session and 9 between-session items developed for monitoring across TMS, tES, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42988110/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Concurrent Prefrontal Neurochemical Effects of High-Definition Transcranial Direct Current Stimulation: Directional E-field Associations with GABA+ and Glx

👤 Jianqi Li 📅 2026-11-05 📖 1 min 📝 58 words TDCS TACS TRNS

Summary: Transcranial direct current stimulation (tDCS) is a promising neuromodulatory technique for treating neuropsychiatric disorders. However, its neurochemical mechanisms remain poorly characterized, and clinical efficacy is limited by substantial inter-individual variability. This study used concurrent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42988289/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261106065230&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory 📅 2026-11-03 📖 1 min 📝 63 words FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

👤 Heather M Joseph
📅 2026-11-04 📖 1 min 📝 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

The interplay of neural networks enabling social interaction: Protocol of a multi-level, mixed-methods study of empathy and theory of mind

Lara Z Maliske
2026-11-05 1 min 73 words FNIRS

Summary: BACKGROUND: The quality and frequency of social interactions are among the best predictors of long-term mental and physical health. So how do good social interactions arise? Social neuroscience has focused on a number of affective and cognitive functions including empathy and Theory of Mind (ToM) as...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983863/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Penetrating needling from Qiuxu (GB40) to Zhaohai (KI6) versus separate needling for post-stroke lower-limb motor dysfunction: an assessor-blinded randomized controlled trial protocol

👤 Chunxiao Wan
📅 2026-11-05 📖 1 min 📝 63 words FNIRS

Summary: Post-stroke lower-limb motor dysfunction limits mobility, balance, and independence and remains a major target of neurorehabilitation. Acupuncture is widely used as an adjunctive intervention after stroke, but direct randomized evidence comparing penetrating needling with conventional separate needl...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985079/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Advancing Repetitive Transcranial Magnetic Stimulation for Depression: Novel Protocols, Precision Targeting, and Future Directions

👤 Youguo Tan 📅 2026-11-05 📖 1 min 📝 57 words FNIRS

Summary: Major depressive disorder (MDD) remains a significant global health challenge, with substantial limitations inherent in current pharmacotherapeutic and psychotherapeutic approaches. Repetitive transcranial magnetic stimulation (rTMS) has emerged as a safe, effective, and non-invasive neuromodulation...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985312/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Transforming neurophysiological data into measurable stress metric using machine learning-based stress quantification framework for smart factory workers

Azfar Khalid 2026-11-05 1 min 67 words FNIRS

Summary: INTRODUCTION: Mental stress is a common issue in demanding occupational setups, such as smart industrial settings, particularly when working with robots, being one of the primary reasons for decreased performance and productivity. Estimating and evaluating stress are critical for worker safety, perf...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985511/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Prefrontal Activation and Cognitive Heterogeneity in Pediatric Sleep-Disordered Breathing

Amal Isaiah 2026-11-05 1 min 39 words FNIRS

Summary: CONCLUSIONS AND RELEVANCE: In this cross-sectional study, task-related PFC activation was associated with SDB severity and moderated the severity-cognition association. fNIRS may help identify children whose cognitive profiles deviate from conventional severity metrics, thereby supporting individual...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986636/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Mirror Neural System in Hands Motor Imagery with Pictures and Videos Guidance: An EEG-fNIRS Study

👤 Mohamad Sawan 📅 2026-11-05 📖 1 min 📝 64 words FNIRS

Summary: Brain-computer interfaces (BCIs) achieved by motor imagery (MI) have been widely accepted as an effective tool in rehabilitative applications. Functional near-infrared spectroscopy (fNIRS) and electroencephalography (EEG) are two common implementation forms of BCIs, capable of monitoring neuronal po...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986730/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Quality-aware mask-propagation graph attention for fNIRS-based bipolar disorder classification without channel interpolation

👤 Yajing Meng 📅 2026-11-05 📖 1 min 📝 58 words FNIRS

Summary: Bipolar disorder (BD) remains difficult to characterise objectively, motivating a neural marker to complement clinical assessment. Functional near-infrared spectroscopy (fNIRS) offers portable cortical haemodynamic measurement, but channel availability can vary across recordings because of bad chann...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42987435/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261106065228&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

👤 Jie Wu 📅 2026-11-04 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

👤 Mads Jochumsen 📅 2026-11-04 📖 1 min 📝 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

A high robustness decoding technique for ultrasound modulated electroencephalogram

👤 Dong Ming 📅 2026-11-04 📖 1 min 📝 60 words BRAIN COMPUTER INTERFACE

Summary: Ultrasound-modulated electroencephalography (USMEEG) has become a vital tool in neuroscience because it integrates millimeter-level spatial resolution with millisecond-level temporal resolution. However, under extremely complex scenarios, excessively strong or weak acoustoelectric signal coupling le...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981385/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Augmented reality paradigm and EA-DGCNN decoding algorithm for motor imagery in stroke patients

Tzyy-Ping Jung 2026-11-04 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: Stroke represents one of the leading causes of long-term motor dysfunction on a global scale. Existing motor imagery (MI) brain-computer interface (BCI) rehabilitation training systems face critical challenges of suboptimal patient engagement and limited electroencephalography (EEG) featu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981608/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Perception gaps between patients and practitioners regarding safety, data security, and ethics of intracranial electrode implantation: a multi-center study

Huanguang Liu 2026-11-04 1 min 44 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: DBS patients systematically underestimate risks compared to practitioners, driven partly by knowledge deficits that current informed consent processes do not address. These findings provide empirical evidence for redesigning consent practices and developing governance frameworks for DBS...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983501/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

A human rheumatoid arthritis bone-cartilage interface organoid recapitulates bone, cartilage, and immune interactions

👤 Jessica Cottrell 📅 2026-11-05 📖 1 min 📝 55 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: This modular, human-derived RA BCI organoid reproduced key features of RA pathogenesis that can enable direct assessment of therapeutic mechanisms at the bone-cartilage-synovial interface. The RA BCI organoid provides a physiologically relevant, scalable platform for preclinical drug di...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983776/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Next-generation control strategies for lower-extremity exoskeletons: State-of-the-art, limitations, and future directions

Theodore A Kung
2026-11-05 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Wearable powered exoskeletons are emerging rehabilitation tools for restoring gait in individuals with neurologic or motor impairments, including stroke, spinal cord injury, myopathy, and cerebral palsy. Lower-extremity exoskeleton-assisted walking can improve motor function, gait parameters, balanc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984434/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Research advances in brain-computer interfaces in oncology: from cancer pain management to neuroengineering for brain tumors and tumor-neural-immune interactions

👤 Ximo Wang 📅 2026-11-05 📖 1 min 📝 69 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces (BCIs) have made significant progress in fields such as neurorehabilitation, motor reconstruction, and alternative communication by capturing, decoding, and providing feedback on brain activity. In contrast, the application of BCI in oncology has a relatively late start, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984888/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Letter to the Editor: "Bladder Contractility Classification Before Bladder Outlet Surgery: Do BCI, Wmax and the Maastricht-Hannover Nomogram Agree and Does It Matter for Outcome?"

👤 Johnsi Inbakumari 📅 2026-11-05 📖 1 min 📝 2 words BRAIN COMPUTER INTERFACE

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985742/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Mirror Neural System in Hands Motor Imagery with Pictures and Videos Guidance: An EEG-fNIRS Study

Mohamad Sawan 2026-11-05 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces (BCIs) achieved by motor imagery (MI) have been widely accepted as an effective tool in rehabilitative applications. Functional near-infrared spectroscopy (fNIRS) and electroencephalography (EEG) are two common implementation forms of BCIs, capable of monitoring neuronal po...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986730/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261106065225&v=2.20.1

Guys i am thinking to create a Microsoft-office-like Application with python

/u/ Onyxl_build 2026-11-06 1 min 66 words REDDIT PYTHON

Summary: <!-- SC_OFF --> So everybody knows that Python has Tkinter and other libraries like tksheet for improving it i am thinking to push it to the max by creating a FULL Office starting of with Excel and major apps and then diving into cloud storage and web services <!-- SC_ON ...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xp2j1u/guys_i_am_thinking_to_create_a/

What will we become in the end?

👤 /u/scartfife 📅 2026-11-06 📖 1 min 📝 100 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> "Is there anything that is hard for AI to do in Python? To be honest, coding by yourself is fun, but that doesn't matter to the job market. We'll just settle for building our own projects, but it's frustrating to see AI outperform you... And since the jo...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xp75ls/what_will_we_become_in_the_end/

I struggle to believe that AI R&D is ingenious

👤 porridgeraisin 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.lesswrong.com/posts/DALNiKBjMGMF8grme/arjun-panickssery-s-shortform?commentId=fJtaHHHfx45tD7BSL Comments URL: <a href="https://news.ycombinator...

🔗 **Read full article:**
https://www.lesswrong.com/posts/DALNiKBjMGMF8grme/arjun-panickssery-s-shortform?commentId=fJtaHHHfx45tD7BSL

Britain to make salary disclosure in job ads mandatory

👤 1659447091 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.reuters.com/business/world-at-work/britain-make-salary-disclosure-job-ads-mandatory-2026-11-05/ Comments URL: <a href="https://news.ycombinator...

🔗 **Read full article:**
https://www.reuters.com/business/world-at-work/britain-make-salary-disclosure-job-ads-mandatory-2026-11-05/

Hardcoded credentials and other issues in Tata Motors App

👤 qtqtqt 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.cert-in.org.in/s2cMainServlet?pageid=PUBVLNOTES01&VLCODE=CIVN-2026-0537 Comments URL: <a href="https://news.ycombinator.com/item?id=50389260">https://news.ycom...

🔗 **Read full article:**
https://www.cert-in.org.in/s2cMainServlet?pageid=PUBVLNOTES01&VLCODE=CIVN-2026-0537

Blender's UI and Runtime: Much Faster Than GPUI

👤 ppmpreetham 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/ppmpreetham/BUI Comments URL: https://news.ycombinator.com/item?id=50389333 Points: 265 # Comments: 105

🔗 **Read full article:**
https://github.com/ppmpreetham/BUI

Kugelblitz – Mac-Native Google Earth Alternative

👤 luoc 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://apps.metaebene.me/en/kugelblitz Comments URL: https://news.ycombinator.com/item?id=50389370 Points: 103 # Comments: 26

🔗 **Read full article:**
https://apps.metaebene.me/en/kugelblitz

Multiplayer tanks that demolish real buildings from OpenStreetMap

👤 n4ze3m 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://worldstrike.fun/ Comments URL: https://news.ycombinator.com/item?id=50389420 Points: 65 # Comments: 45

🔗 **Read full article:**
https://worldstrike.fun/

App Store 2026 in numbers: AI, pricing, abandoned apps

👤 Peter216 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://obelisk.club/research/app-store-2026 Comments URL: https://news.ycombinator.com/item?id=50389448 Points: 49 # Comments: 44

🔗 **Read full article:**
https://obelisk.club/research/app-store-2026

Chomsky and the Two Cultures of Statistical Learning

👤 andsoitis 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.norvig.com/chomsky.html Comments URL: https://news.ycombinator.com/item?id=50389570 Points: 6 # Comments: 1

🔗 **Read full article:**
https://www.norvig.com/chomsky.html

Dutch 'idealist' bank ASN blocks non-Google Android, including GrapheneOS

👤 microtonal 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/PrivSec-dev/banking-apps-compat-report/issues/105 Comments URL: https://news.ycombinator.com/item?id=50390124 <...

🔗 **Read full article:**
https://github.com/PrivSec-dev/banking-apps-compat-report/issues/105

Living beyond the limits of survival: wood ants trapped in a gigantic pitfall (2016)

👤 hitekker 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://jhr.pensoft.net/articles.php?id=9096 Comments URL: https://news.ycombinator.com/item?id=50390525 Points: 39 # Comments: 11

🔗 **Read full article:**
https://jhr.pensoft.net/articles.php?id=9096

Easily download files from the Open Science Framework with Papercheck

👤 noreply@blogger.com (Daniel Lakens) 📅 2025-07-22 📖 3 min 📝 765 words

TWENTY PERCENT STATISTICIAN

> **Summary:** Researchers increasingly use the Open Science Framework (OSF) to share files, such as data and code underlying scientific publications, or presentations and materials for scientific workshops. The OSF is an amazing service that has contributed immensely to a changed ...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/07/easily-download-files-from-open-science.html

How I use AI in my work

noreply@blogger.com (Daniel Lakens)
2026-10-11 21 min 4292 words

TWENTY PERCENT STATISTICIAN

Summary: Tomorrow we will have a discussion in our lab about how to use AI as a scientist. I have increasingly started to use AI, having moved from Copilot Chat that our university provides last year, to some free credit on GitHub Copilot under their educational program, to Claude Pro integrated in Visual...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/10/how-i-use-ai-in-my-work.html

Visuospatial attention modulates audiovisual temporal perception: Context-dependent associations between prestimulus alpha lateralization and perceptual reports

1 min 30 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Zeliang Jiang, Yuqing Zhao, Weicong Ren, Jie Zhang, Xinyuan Liu, Fei Yu, Xingwei An, Wenxiao Zhong, Di Wu, Pan Zhang, Zhijie Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S105381192600635X?dgcid=rss_sd_all

The visual cortex and beyond: investigating long-term cortical plasticity following monocular deprivation

📖 1 min 📝 29 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Franziska Wagner, Lukas Grajewski, Alexander Schmidt, Ulrike Teschner, Markus Ullsperger, Kathrin Finke, Christian Gaser, Robert Dahnke, Carsten M. Klingner, Stefan Brodoehl

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S105381192600604X?dgcid=rss_sd_all

Distinct neural patterns of valence and arousal in the developing brain: A representational similarity analysis of MEG

📖 1 min 📝 12 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Ioannis Ntoumanis, Christos Papadelis

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006324?dgcid=rss_sd_all

Dementia Severity Is Associated with Resting-State fMRI Network Responses to Nuisance Regression

👤 Gabitov, I., Volkov, A., Chattopadhyay, T., Thompson, P. M., Maximov, Y.

📅 2026-11-05 📖 1 min

📝 252 words

BIORXIV NEUROSCIENCE

Summary: Apparent disease effects in resting-state fMRI may be confounded by the effects of preprocessing, making it essential to understand whether nuisance removal affects patients differently across levels of clinical severity. Yet few studies directly examine whether sensitivity to preprocessing is itsel...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764368v1?rss=1

Simple, static, spiking nonlinearities can account for seemingly complex interactions between visual, motor and cognitive variables in the visual cortex.

👤 Zajkowski, W. K., Quinn, K., Seillier, L., Bellet, M. E., Butts, D. A., Nienborg, H.

📅 2026-11-05

📖 1 min

📝 197 words

BIORXIV NEUROSCIENCE

Summary: Neural activity in the visual cortex is driven by the stimulus and modulated by multiple task-related variables, including spatial attention, eye movements, and perceptual decisions. These multiple influences are each typically described as nonlinear interactions such as gain or normalization, raisi...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.01.763479v1?rss=1

Acute nicotine exposure produces a spatially organized transcriptional response in mouse olfactory cortex

Griffioen, M. K., Lombardi, A., Milstead, R., Borski, C., Zou, S., Stitzel, J., Ehringer, M. A., Hoeffer, C. A.

2026-11-05 1 min 240 words BIORXIV NEUROSCIENCE

Summary: Nicotine acts on nicotinic receptors throughout the forebrain. Most molecular studies of its effects, however, have focused on reward circuitry and have used bulk tissue, which cannot show which cells respond or how responding cells are arranged relative to one another. We previously found that a si...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.04.764395v1?rss=1

Infant Sensory Over-Responsivity: Relations to Early Life Adversity, Emerging Behavioral Problems, and Sensory Functional Connectivity

👤 Overschmidt, S., Luo, H., Smyser, T. A., Latham, A., Warner, B. B., Rogers, C. E., Barch, D., Sylvester, C., Smyser, C. D., Luby, J., Schwarzlose, R. F.

📅 2026-11-05 📖 1 min 📝 250 words BIORXIV NEUROSCIENCE

Summary: Background. Sensory over-responsivity (SOR) in mid- to late childhood is associated with early-life adversity (ELA) and psychopathology, yet the developmental origins and timing of these relationships remain unknown. This work leverages a longitudinal pediatric dataset enriched for ELA to characteri...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764317v1?rss=1

Temporal Variability in Brain Connectivity for Estimating Two-Year Clinical Severity in Mild Cognitive Impairment

👤 Maximov, Y., Volkov, A., Chattopadhyay, T., Thompson, P. M., Gabitov, I.

📅 2026-11-05 📖 1 min

📝 213 words

BIORXIV NEUROSCIENCE

Summary: Resting-state functional MRI measures coordinated activity across brain networks and may reveal early changes relevant to cognitive decline. Conventional static functional connectivity analyses often compute time-series correlations across an entire scan, missing informative fluctuations over short...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764369v1?rss=1

Individualized AI-driven Neuromodulation Selectively Enhances and Reorganizes Human Tongue Sensorimotor Networks.

👤 Papageorgiou, T. D., Webb, J., Allam, A., Reddy, S., Noorbakhsh, C., Huynh, D., Hekmati, R., Rohren, E. M., Sturgis, E. M., Hilsenbeck, S. G., Hutcheson, K. A., Heilbronner, S. R., Thompson, A. M., Neblett, C. R., Froudarakis, E.

📅 2026-11-05 📖 1 min 📝 149 words BIORXIV NEUROSCIENCE

Summary: Precise modulation of brain networks for tongue motor and sensory control (TMSC) is critical for neruorehabilitation. Existing neuromodulation approaches use fixed targets, ignoring individual network architecture. We present an AI-driven, individualized fMRI neuromodulation (iNM) platform adaptivel...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764393v1?rss=1

MAST1 is neuron-specific regulator of mitochondrial trafficking and abundance in human brain tissue

👤 Ullah, H. M. A., NAPAN, K. L., KHIMACH, I., CUEVAS, M. A., KIM, Y., TAYLOR, E. B., SERRANO, M. A., RICCIARDULLI, A. S., ANDREADIS, S., JIN, Z., LOSURDO, N., HARRAHILL, A., MAGUIRE, C., KIM, J. J., BAJIC, A., SHEN, W., MAO, R., TOYDEMIR, P. B.-, YOST, H. J., IKEUCHI, Y., RUTTER, J., BOTTO, L. D., CAREY, J. C., LINK, N., SHCHEGLOVITOV, A.

📅 2026-11-05 📖 1 min 📝 155 words BIORXIV NEUROSCIENCE

Summary: In human neurons, energy-demanding axonal and dendritic development requires sufficient mitochondrial distribution at distal locations, and the responsible mechanisms remain largely unknown. Here, we characterize rare de novo mutations in microtubule-associated serine/threonine kinase 1 (MAST1) in p...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764401v1?rss=1

Sex-specific gene and isoform expression characterizes hippocampal aging in rhesus macaques

Harper-Alexander, V., Peterson, S., Sadikova, S., Kohama, S. G., Ram, D. R.

2026-11-05 1 min

265 words

BIORXIV NEUROSCIENCE

Summary: Aging produces widespread transcriptomic alterations that extend beyond changes in gene expression to include changes at the isoform level. Declining splicing fidelity, including increased intron retention and aberrant isoform expression, has been proposed to contribute to cellular dysfunction; howe...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764396v1?rss=1

Author Correction: Hippocampal-prefrontal orchestration supports higher-order learning for creative ideation

2026-11-05 1 min

0 words

NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78748-7

Everyday Instagram behavior maps distinct facets of loneliness in young adults

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s44184-026-00252-z

The amplification effect is not driven by perceptual sampling bias

📅 2026-11-06 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-76543-4

Safety of lecanemab in real-world patients with Alzheimer’s disease: a prospective, observational case series supported by FAERS signal analysis

Erhao Bao 2026-10-02 1 min 354 words FRONTIERS NEUROINFORMATICS

Summary: ObjectiveLecanemab, a humanized immunoglobulin monoclonal antibody, has been approved for the treatment of Alzheimer’s disease (AD). Although clinical trials have demonstrated its favorable safety profile, real-world studies are crucial for identifying rare adverse events (AEs) and evaluating post-m...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1977226

Correction: The PREP pipeline: standardized preprocessing for large-scale EEG analysis

Kay A. Robbins 2026-10-12 1 min 0 words FRONTIERS NEUROINFORMATICS

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.2015651

EEG emotion-recognition datasets for neuroarchitecture: an appraisal of openness, AI-readiness and ontology maturity

Han Jong Jun 2026-10-20 1 min 341 words FRONTIERS NEUROINFORMATICS

Summary: IntroductionNeuroarchitecture studies how designed space shapes emotion, often with electroencephalography (EEG), and computational models that decode emotion from EEG must be trained on labelled recordings. Yet none of the widely shared EEG emotion datasets was recorded while people moved through d...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1971441

Efficient neuroanalytic local–global learning with dual-branch CNN–lightweight Swin Transformer for Alzheimer's disease analysis

Arshad Ali 2026-10-29 1 min 287 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Alzheimer's disease (AD) is one of the main causes of dementia, where early detection is critical for postponing the progression of the disease and timely treatment. Recent computer-aided diagnosis using deep learning with structural MRI has shown optimal performance; however, the rising number of m...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1972923

Virtual brain models: a roadmap towards effective brain digital twins

👤 Viktor Jirsa 📅 2026-10-29 📖 1 min 📝 205 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Virtual Brain Models (VBMs) are emerging computational tools promising to revolutionize personalised and precision medicine. VBMs reproduce brain functional dynamics through a generative model that can be constructed and optimized against single subject data, thereby generating what is called a brai...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1973956

A unified fixed-wavelet transformer decodes eight EEG classes across motor imagery, P300, and SSVEP paradigms

👤 Hong-Gi Yeom 📅 2026-10-29 📖 1 min 📝 314 words FRONTIERS HUMAN NEUROSCIENCE

Summary: IntroductionMotor imagery (MI) can support self-initiated control, whereas brain–computer interfaces (BCIs) based on the P300 or the steady-state visual evoked potential (SSVEP) rely on ongoing visual stimulation. Repetitive visual stimulation can cause visual fatigue; when the stimuli are suspended...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1973838

Simulation-based neural dynamics of stress-related negative cognitive bias in depressive symptoms: a dynamical EEG/ERP framework

Jianping Liu 2026-10-29 1 min 192 words FRONTIERS HUMAN NEUROSCIENCE

Summary: IntroductionThis simulation-based computational study develops a non-linear state-space framework for stress-related negative cognitive bias and multivariate EEG/ERP observations.MethodsA three-state model represents negative bias, cognitive control, and arousal, while symptom load and normalized mo...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1972914

Dolphin-inspired adaptive coordination for online multi-robot path planning in dynamic environments

Lijuan Chen 2026-10-29 1 min 200 words FRONTIERS NEUROROBOTICS

Summary: IntroductionOnline multi-robot path planning requires repeated joint motion decisions amid static obstacles, moving obstacles, and other robots.MethodsThis study introduces the Dolphin Cooperative Foraging Optimizer (DCFO), a population-based method that adapts its search strategy within each replan...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1993109

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

Robert Oostenveld 2025-08-13 1 min 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

Suzy J Styles 2025-12-08 1 min 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

Julia-Katharina Pfarr 2026-02-12 1 min 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

Robert Oostenveld 2026-02-12 1 min 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105223351&v=2.20.1

ReadCT: Parameter-Efficient 3D Chest CT Findings Generation Using Low- Rank Adaptation

👤 Fahad Mahmoud Monshi 📅 2026-11-04 📖 1 min 📝 35 words LOW VISION

Summary: CONCLUSION: ReadCT provides a research-stage demonstration of compact, parameter-efficient findings generation from 3D chest CT volumes. Prospective workflow evaluation, structured factual assessment, and sufficiently powered multi-reader studies are required before clinical use can be considered.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983219/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Evaluating Individual Infection Risk: The Interplay between Air Mixing Intensities and Occupant Dynamics

👤 Jelena Srebric 📅 2026-11-05 📖 1 min 📝 65 words LOW VISION

Summary: Aerosol transmission remains a critical route for the spread of respiratory infectious diseases, yet real-time exposure mapping in complex public spaces is computationally demanding. This study presents a robust and adaptable framework for estimating dynamic individual exposure (i.e., viral dose) by...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Postoperative Visual Quality Analysis of DFT015 Intraocular Lens Implantation in Cataract patients

Yang Zhao 2026-11-05 1 min 45 words LOW VISION

Summary: CONCLUSION: In this single-arm cohort, implantation of the DFT015 IOL was associated with improved full-range visual acuity and favorable postoperative visual quality, with a low incidence of visually significant photic phenomena. Randomized or comparative studies with appropriate control groups are...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985105/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Foundational principles of family medicine and a vision for future primary care policy

Antoine St-Amant 2026-11-05 1 min 60 words LOW VISION

Summary: Primary care is widely recognized as the foundation of high-performing health systems, yet the principles that have historically underpinned family medicine are increasingly challenged by demographic change, multimorbidity, workforce pressures, and rapid technological innovation. This Policy Inquiry...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985517/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Catalytic DNA for Precision Diagnostics: DNAzyme-Based Approaches to Single-Nucleotide Polymorphism Detection

Kristen Dellinger 2026-11-05 1 min 62 words LOW VISION

Summary: Single-nucleotide polymorphisms (SNPs) are the most abundant form of human genetic variation and serve as important biomarkers in disease risk assessment, therapeutic stratification, and precision medicine. Yet accurate detection of low-abundance SNPs in complex biological samples remains difficult ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985945/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Contrast Sensitivity Functions in ON and OFF Visual Pathways in Myopia

Jiawei Zhou 2026-11-05 1 min 49 words LOW VISION

Summary: CONCLUSIONS: High myopia exhibited reduced ordinary and ON pathway CS. The ON pathway-selective CS deficits were significantly correlated with myopia severity and predominantly observed at low SFs. These findings provide a theoretical basis for understanding visual function in myopia, developing eff...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986172/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Semimetallic PtSe2 Phototransistors with Back-to-Back Ohmic Contacts for Low-Power Neuromorphic Vision and Polarization-Selective Detection

👤 Pengfei Hou 📅 2026-11-05 📖 1 min 📝 56 words LOW VISION

Summary: The rapid advancement of artificial intelligence has created an urgent demand for energy-efficient neuromorphic vision, positioning phototransistors as a promising platform for next-generation artificial visual synapses. However, conventional phototransistors are limited by interfacial defects—inclu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986252/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

Multisegment spectacles for prevention of myopia progression

👤 Bettina Wabbels 📅 2026-11-05 📖 1 min 📝 57 words LOW VISION

Summary: BACKGROUND: The prevalence of myopia is postulated to be rising worldwide, along with the risk of secondary complications, such as maculopathy; however, the evidence for this remains inconclusive, particularly for Europe. The focus is on reducing the increased axial length growth in childhood. To th...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986343/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

The epidemiology of frailty in urban and rural KwaZulu Natal, South Africa; a cross-sectional study

Bilkish Cassim 2026-11-05 1 min 29 words LOW VISION

Summary: CONCLUSION: Frailty is common and associated with poorer HRQoL. The identified clinical risk factors can be used to prioritise individuals for referral for clinical assessment of frailty in SA.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986747/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

A lightweight vision-based framework for automated aero-engine blade damage inspection

Zhengwei Zhang 2026-11-05 1 min 71 words LOW VISION

Summary: Automated visual inspection of aero-engine blades is central to aviation safety, yet it is challenged by damage that is small and low-contrast against a strongly textured metal surface, and by the need for models that are light enough for edge deployment. This paper presents a lightweight vision-bas...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986887/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105223348&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105223345&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105223343&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

👤 Haibin Zhang 📅 2026-11-03 📖 1 min 📝 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

The application of transcranial magnetic stimulation in treatment-resistant depression: insights from omics

Tianhao Bao 2026-11-04 1 min 59 words TDCS TACS TRNS

Summary: Treatment-resistant depression (TRD) is a refractory form of major depressive disorder (MDD) for which conventional antidepressant strategies are often insufficient. Transcranial magnetic stimulation (TMS) has demonstrated clinical efficacy in TRD, but its biological mechanisms remain incompletely u...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979394/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

Jianhua Chen
2026-11-04 1 min 61 words TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Targeting cognitive control and affective processing in aggression: neuromodulation approaches in CRC/TRR 379

Jana Zweerings 2026-11-04 1 min 63 words TDCS TACS TRNS

Summary: Interventions aimed at reducing aggression in mental disorders remain insufficiently addressed by current research, despite the substantial individual and societal burden associated with aggressive behavior. Consequently, strategies for modulating aggressive behavior are of high clinical relevance b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980804/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Anisotropic conductivity modeling for tDCS in Parkinson's disease using multidimensional diffusion MRI

Christoffer Olsson 2026-11-05 1 min 63 words TDCS TACS TRNS

Summary: INTRODUCTION: Predictions of the electric field (E-field) induced by transcranial direct current stimulation (tDCS) depend on how brain conductivity is modeled. White matter anisotropy is conventionally estimated from single-shell diffusion tensor imaging (DTI). Multidimensional diffusion MRI (MD-dM...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984609/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Obsessive-Compulsive Disorder: Comorbidity, Biomarkers, Circuits, and Treatment Strategies

Jing-Ning Zhu 2026-11-05 1 min 61 words TDCS TACS TRNS

Summary: Obsessive-compulsive disorder (OCD), characterized by intrusive thoughts and repetitive behaviors, frequently co-occurs with anxiety disorders, contributing to greater diagnostic complexity, more severe symptoms, and poorer treatment outcomes. In this review, we consider OCD in the context of its co...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984875/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Correction: Transcranial direct current stimulation to improve cognitive function in patients with vascular cognitive impairment: a literature review

Ling Guan 2026-11-05 1 min 6 words TDCS TACS TRNS

Summary: [This corrects the article DOI: 10.3389/fnagi.2026.1829594.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985445/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

Feasibility and tolerability of combining 6 Hz transcranial alternating current stimulation (tACS) at 3.2 mA and digital cognitive training in older adults with mild cognitive impairment

👤 Rogério Panizzutti
📅 2026-11-05 📖 1 min 📝 41 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Higher-intensity tACS plus DCT was feasible and well tolerated in older adults with MCI. Exploratory findings suggest that active stimulation may improve inhibitory control and facilitate transfer to selected cognitive domains. Confirmation in the ongoing randomized controlled trial is ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986480/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105223341&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

Lam Ghai Lim 2026-11-03 1 min 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

Simone Shamay-Tsoory 2026-11-03 1 min 63 words FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

Heather M Joseph
2026-11-04 1 min 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

The interplay of neural networks enabling social interaction: Protocol of a multi-level, mixed-methods study of empathy and theory of mind

Lara Z Maliske
2026-11-05 1 min 73 words FNIRS

Summary: BACKGROUND: The quality and frequency of social interactions are among the best predictors of long-term mental and physical health. So how do good social interactions arise? Social neuroscience has focused on a number of affective and cognitive functions including empathy and Theory of Mind (ToM) as...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983863/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Penetrating needling from Qiuxu (GB40) to Zhaohai (KI6) versus separate needling for post-stroke lower-limb motor dysfunction: an assessor-blinded randomized controlled trial protocol

Chunxiao Wan
2026-11-05 1 min 63 words FNIRS

Summary: Post-stroke lower-limb motor dysfunction limits mobility, balance, and independence and remains a major target of neurorehabilitation. Acupuncture is widely used as an adjunctive intervention after stroke, but direct randomized evidence comparing penetrating needling with conventional separate needl...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985079/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Advancing Repetitive Transcranial Magnetic Stimulation for Depression: Novel Protocols, Precision Targeting, and Future Directions

👤 Youguo Tan 📅 2026-11-05 📖 1 min 📝 57 words FNIRS

Summary: Major depressive disorder (MDD) remains a significant global health challenge, with substantial limitations inherent in current pharmacotherapeutic and psychotherapeutic approaches. Repetitive transcranial magnetic stimulation (rTMS) has emerged as a safe, effective, and non-invasive neuromodulation...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985312/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Transforming neurophysiological data into measurable stress metric using machine learning-based stress quantification framework for smart factory workers

Azfar Khalid 2026-11-05 1 min 67 words FNIRS

Summary: INTRODUCTION: Mental stress is a common issue in demanding occupational setups, such as smart industrial settings, particularly when working with robots, being one of the primary reasons for decreased performance and productivity. Estimating and evaluating stress are critical for worker safety, perf...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985511/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Prefrontal Activation and Cognitive Heterogeneity in Pediatric Sleep-Disordered Breathing

Amal Isaiah 2026-11-05 1 min 39 words FNIRS

Summary: CONCLUSIONS AND RELEVANCE: In this cross-sectional study, task-related PFC activation was associated with SDB severity and moderated the severity-cognition association. fNIRS may help identify children whose cognitive profiles deviate from conventional severity metrics, thereby supporting individual...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986636/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Mirror Neural System in Hands Motor Imagery with Pictures and Videos Guidance: An EEG-fNIRS Study

Mohamad Sawan 2026-11-05 1 min 64 words FNIRS

Summary: Brain-computer interfaces (BCIs) achieved by motor imagery (MI) have been widely accepted as an effective tool in rehabilitative applications. Functional near-infrared spectroscopy (fNIRS) and electroencephalography (EEG) are two common implementation forms of BCIs, capable of monitoring neuronal po...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986730/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105223338&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

Jie Wu 2026-11-04 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

👤 Mads Jochumsen 📅 2026-11-04 📖 1 min 📝 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

A high robustness decoding technique for ultrasound modulated electroencephalogram

👤 Dong Ming 📅 2026-11-04 📖 1 min 📝 60 words BRAIN COMPUTER INTERFACE

Summary: Ultrasound-modulated electroencephalography (USMEEG) has become a vital tool in neuroscience because it integrates millimeter-level spatial resolution with millisecond-level temporal resolution. However, under extremely complex scenarios, excessively strong or weak acoustoelectric signal coupling le...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981385/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Augmented reality paradigm and EA-DGCNN decoding algorithm for motor imagery in stroke patients

Tzyy-Ping Jung 2026-11-04 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: Stroke represents one of the leading causes of long-term motor dysfunction on a global scale. Existing motor imagery (MI) brain-computer interface (BCI) rehabilitation training systems face critical challenges of suboptimal patient engagement and limited electroencephalography (EEG) featu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981608/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Perception gaps between patients and practitioners regarding safety, data security, and ethics of intracranial electrode implantation: a multi-center study

Huanguang Liu 2026-11-04 1 min 44 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: DBS patients systematically underestimate risks compared to practitioners, driven partly by knowledge deficits that current informed consent processes do not address. These findings provide empirical evidence for redesigning consent practices and developing governance frameworks for DBS...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983501/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

A human rheumatoid arthritis bone-cartilage interface organoid recapitulates bone, cartilage, and immune interactions

👤 Jessica Cottrell 📅 2026-11-05 📖 1 min 📝 55 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: This modular, human-derived RA BCI organoid reproduced key features of RA pathogenesis that can enable direct assessment of therapeutic mechanisms at the bone-cartilage-synovial interface. The RA BCI organoid provides a physiologically relevant, scalable platform for preclinical drug di...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983776/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Next-generation control strategies for lower-extremity exoskeletons: State-of-the-art, limitations, and future directions

👤 Theodore A Kung
📅 2026-11-05 📖 1 min 📝 62 words

BRAIN COMPUTER INTERFACE

Summary: Wearable powered exoskeletons are emerging rehabilitation tools for restoring gait in individuals with neurologic or motor impairments, including stroke, spinal cord injury, myopathy, and cerebral palsy. Lower-extremity exoskeleton-assisted walking can improve motor function, gait parameters, balanc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984434/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Research advances in brain-computer interfaces in oncology: from cancer pain management to neuroengineering for brain tumors and tumor-neural-immune interactions

Ximo Wang 2026-11-05 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces (BCIs) have made significant progress in fields such as neurorehabilitation, motor reconstruction, and alternative communication by capturing, decoding, and providing feedback on brain activity. In contrast, the application of BCI in oncology has a relatively late start, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984888/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Letter to the Editor: "Bladder Contractility Classification Before Bladder Outlet Surgery: Do BCI, Wmax and the Maastricht-Hannover Nomogram Agree and Does It Matter for Outcome?"

Johnsi Inbakumari 2026-11-05 1 min 2 words BRAIN COMPUTER INTERFACE

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985742/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

Mirror Neural System in Hands Motor Imagery with Pictures and Videos Guidance: An EEG-fNIRS Study

Mohamad Sawan 2026-11-05 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces (BCIs) achieved by motor imagery (MI) have been widely accepted as an effective tool in rehabilitative applications. Functional near-infrared spectroscopy (fNIRS) and electroencephalography (EEG) are two common implementation forms of BCIs, capable of monitoring neuronal po...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986730/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105223336&v=2.20.1

A research on the typical images of animals in the dreams of Naxi.

2026-09-10 1 min 157 words DREAMING

Summary: Animal images in dreams have long been studied, yet existing research is not systematic or in-depth. The Naxi, a small Chinese ethnic group (about 320,000), possess a rich cultural heritage. In their belief, animals mediate between humans, deities, and nature, while dreams are key communication chan...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000353

Philosophical and medical analysis of dreams in avicenna's perspective: Nature, mechanism, and functions.

📅 2026-06-15 📖 1 min 📝 218 words DREAMING

Summary: Avicenna was an eminent Islamic philosopher and physician. Drawing primarily on The Book of Healing and The Canon of Medicine, this article presents a systematic account of his theory of dreaming within the framework of his psychology and natural philosophy. Avicenna conceives drea...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000341

Threatening events and other themes in COVID-19-related dreams: Examining pandemic dreams from the perspective of current dream simulation theories.

📅 2026-06-25 📖 1 min 📝 218 words DREAMING

Summary: In this study on pandemic dream experiences in rural Nepal, 54 interviews were collected 1 year into the COVID-19 pandemic and compared with 62 interviews collected some years earlier. As in comparable studies, the dream narratives were categorized and analyzed according to their content, employing ...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000348

Correction to “Big-five personality traits and dream experiences: A systematic review and meta-analysis” by Marin et al. (2026).

📅 2026-09-10 📖 1 min 📝 399 words DREAMING

Summary: Reports an error in "Big-Five personality traits and dream experiences: A systematic review and meta-analysis" by Jai Marin, Noah Thomas, Lan Nguyen and Jared Walters (Dreaming, Advanced Online Publication, Mar 26, 2026, np; see record 2027-47158-001). The article is being made available op...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000349

When the body suffers, the mind dreams: The lived experience of cancer.

📅 2026-09-10 📖 1 min 📝 194 words DREAMING

Summary: Dreams have intrigued humanity across centuries, serving as portals to the unconscious, reflections of lived experiences, and sources of spiritual guidance. The study of dreaming spans neuroscience, psychology, anthropology, sociology, and religious thoughts, with each discipline offering unique ins...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000355

Big-Five personality traits and dream experiences: A systematic review and meta-analysis.

📅 2026-03-26 📖 1 min 📝 369 words DREAMING

Summary: [Correction Notice: An Erratum for this article was reported in Vol 36(3) of Dreaming (see record 2028-23196-002). The article is being made available open access under the CC-BY license following the Griffith University opt-in to the CAUL/ APA Read and Publish agreement. The correct copyrig...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000336

The dream insight framework: Harnessing the power of dreams in leadership.

📅 2026-08-20 📖 1 min 📝 80 words DREAMING

Summary: This article introduces the Dream Insight Framework, an approach for integrating dreamwork into leadership development. It explores how dreams, often dismissed in existing leadership approaches, can be powerful tools for enhancing creativity, decision-making, and problem-solving. By reviewing existi...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000354

Interpretability of dreams elicited by progressive-interval rapid-eye-movement and fixed-schedule awakening methods: Trajectories of dream affect, themes, and insight across the night.

📅 2026-07-30 📖 1 min 📝 201 words DREAMING

> **Summary:** This study examined whether interpreting REM dream reports elicited using a REM-cycle-accommodating awakening protocol yielded more associations and greater insight than interpreting REM and non-REM dream reports obtained through a fixed-schedule awakening method. It also explored how interpretabili...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000350

Monthly Updates [March]

📅 2026-03-01 📖 2 min 📝 571 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/mar-2026

Monthly Updates [June]

📅 2026-06-01 📖 4 min 📝 954 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/june-2026

Monthly Updates [August]

📅 2026-08-01 📖 3 min 📝 700 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/aug-2026

Monthly Updates [Sept]

📅 2026-08-31 📖 5 min 📝 1079 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/sept-2026

Has anyone moved document parsing off their own Python workers?

👤 /u/danielmartinez22 📅 2026-11-05 📖 1 min 📝 120 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> pdf parsing in python is just good as long as youre using it but when someone uploads a 700 page file the worker runs out of memory so splitting it into 50 to 100 page chunks with docling or marker on celery gets you past that but tables get cut at the boundaries an...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xop2ap/has_anyone_moved_document_parsing_off_their_own/

Friday Daily Thread: r/Python Meta and Free-Talk Fridays

👤 /u/ AutoModerator 📅 2026-11-06 📖 1 min 📝 212 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> <h1>Weekly Thread: Meta Discussions and Free Talk Friday 🎙️</h1> Welcome to Free Talk Friday on /r/Python! This is the place to discuss the r/Python community (meta discussions), Python news, projects, or anything else...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xoydtc/friday_daily_thread_rpython_meta_and_freetalk/

Introducing Pangram Image 1.0

👤 gmays 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.pangram.com/blog/introducing-pangram-image-1-0 Comments URL: https://news.ycombinator.com/item?id=50383294 Points: 72 ...

🔗 **Read full article:**
https://www.pangram.com/blog/introducing-pangram-image-1-0

Goodbye from Salon

👤 mkeeter 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.salon.com/2026/11/05/goodbye-from-salon/ Comments URL: https://news.ycombinator.com/item?id=50383739 Points: 477 # Comments:...

🔗 **Read full article:**
https://www.salon.com/2026/11/05/goodbye-from-salon/

Search for everyone

👤 elashri 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://kagi.com/changelog#11820 Comments URL: https://news.ycombinator.com/item?id=50383740 Points: 580 # Comments: 281

🔗 **Read full article:**
https://kagi.com/changelog#11820

Tencent Launches Hy4, One of the Leading Open-Source AI Models

👤 gmays 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.tencent.com/tencent-launches-hy4-joining-the-ranks-of-the-worlds-leading-open-source-ai-models/ Comments URL: <a href="https://news.ycombinator...

🔗 **Read full article:**
https://www.tencent.com/tencent-launches-hy4-joining-the-ranks-of-the-worlds-leading-open-source-ai-models/

MS Paint Remote Code Execution Vulnerability

👤 kuberwastaken 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.cve.org/CVERecord?id=CVE-2026-83844 Comments URL: https://news.ycombinator.com/item?id=50384233 Points: 358 # Comments: 135

🔗 **Read full article:**
https://www.cve.org/CVERecord?id=CVE-2026-83844

Claude Code sends your email address to websites

👤 motoroco 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/anthropics/claude-code/issues/107757 Comments URL: https://news.ycombinator.com/item?id=50385272 Points: 637 # Com...

🔗 **Read full article:**
https://github.com/anthropics/claude-code/issues/107757

Cuban: Facebook knowingly runs AI deepfake scam ads; docs say $16B fraud revenue

👤 randycupertino 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://finance.yahoo.com/technology/ai/articles/mark-cuban-says-facebook-knowingly-213000020.html Comments URL: <a href="https://news.ycombinator.com/item?id=50385...

🔗 **Read full article:**
https://finance.yahoo.com/technology/ai/articles/mark-cuban-says-facebook-knowingly-213000020.html

Brazilian Credit Guarantor Fund Data Breach Affecting PII and Payout Data

👤 doodlesdev 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.fgc.org.br/comunicado Comments URL: https://news.ycombinator.com/item?id=50386104 Points: 26 # Comments: 5

🔗 **Read full article:**
https://www.fgc.org.br/comunicado

Inkling 2 Small

👤 Philpax 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://thinkingmachines.ai/news/inkling-2-small/ Comments URL: https://news.ycombinator.com/item?id=50386338 Points: 92 # Comments: 41

🔗 **Read full article:**
https://thinkingmachines.ai/news/inkling-2-small/

MoofTCP – A modern replacement for MacTCP on 68k Macs

👤 marcusbasant 📅 2026-11-06 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/matthewmrichter/mooftcp Comments URL: https://news.ycombinator.com/item?id=50386789 Points: 15 # Comments: 10

🔗 **Read full article:**
https://github.com/matthewmrichter/mooftcp

Dogmatic Bayesianism Disorder

👤 noreply@blogger.com (Daniel Lakens) 📅 2025-12-06 📖 4 min 📝 910 words

TWENTY PERCENT STATISTICIAN

> **Summary:** Note: This humorously intended sarcastic blog post directly mimics classifications of psychological disorders in the Diagnostic and Statistical Manual of the American Psychological Association, but Dogmatic Bayesianism is not in the DSM-5 as an actual psychologic...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/12/dogmatic-bayesianism-disorder.html

On the reliability and reproducibility of qualitative research

noreply@blogger.com (Daniel Lakens)
2026-02-08 14 min 2928 words

TWENTY PERCENT STATISTICIAN

Summary: <p class="MsoNormal">With my collaborators, I am increasingly performing qualitative research. I find qualitative research projects a useful way to improve my understanding of behaviors that I want to explore with other methods in the future. For example, some years ago I performe...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/02/on-reliability-and-reproducibility-of.html

New Papers: Optimal Filter Settings for ERP Research

Steve Luck
2024-02-04 2 min 569 words

ERP BOOT CAMP

Summary: <p class="">Zhang, G., Garrett, D. R., & Luck, S. J. (in press). Optimal filters for ERP research I: A general approach for selecting filter settings. Psychophysiology. https://doi.org/10.1111/psyp.14531 [<a href="https://www...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/2/4/optimal-filters

Q&A with Dr. Richard Carson, Professor of Biomedical Engineering and Radiology & Biomedical Imaging, Yale University and Yale School of Medicine

Adriel Carridice 2025-11-04 1 min 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-richard-carson-professor-of-biomedical-engineering-and-radiology-biomedical-imaging-yale-university-and-yale-school-of-medicine/

Disrupted imagery, disrupted scenes: mental scene construction in behavioural-variant frontotemporal dementia

1 min 18 words BRAIN RESEARCH

Summary: Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Mohamad El Haj, Guillaume Chapelet, Dimitrios Kapogiannis, Claire Boutoleau-Bretonnière

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S000689932600483X?dgcid=rss_sd_all

Paclitaxel induces region-specific microglial remodeling associated with chronic behavioral deficits and modulated by electroacupuncture in rats

📖 1 min 📝 19 words BRAIN RESEARCH

Summary: Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Shinya Hiraiwa, Taiga Muramoto, Masahiro Umeda, Satomi Ebara, Fumihiko Fukuda

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004828?dgcid=rss_sd_all

Individualized structural brain network and transcriptomic characterization of heterogeneity in type 2 diabetes mellitus

📖 1 min 📝 36 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Haolin Wang, Jinglei Xu, Yue Wu, Xin Du, Yang Zhang, Ying Zhai, Zhihui Zhang, Qian Wu, Minghuan Lei, Qi An, Wenjie Cai, Yanmin Peng, Feng Liu, Quan Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226007207?dgcid=rss_sd_all

Impact of hearing loss on visual selective attention: Evidence from N2pc and resting-state networks

📖 1 min 📝 28 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Tongao Zeng, Xiaoou Bu, Han Zhu, Ziyao Liu, Hongli Xiao, Fuxiang Li, Wenjun Zhang, Fuyi Yang, Jie Chen, Hailin Ma

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006361?dgcid=rss_sd_all

An open-access neuroimaging-compatible virtual town task for assessing human spatial navigation

👤 Thornberry, C., Lieu, S., Bradshaw Bernacchi, J. K., Quinn, D. M., Sutton, L., Osagie, R., Walsh, A., Zhang, L., Ward, T., Lopez Valdes, A., Whelan, R.

📅 2026-11-05 📖 1 min 📝 190 words BIORXIV NEUROSCIENCE

> **Summary:** Spatial navigation is a cognitive skill that draws on multiple processes such as learning, decision-making and memory, which are often updated on a second-by-second timescale. However, many existing virtual paradigms designed to assay spatial navigation cannot target these processes as they unfold o...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763058v1?rss=1

A Kernel-Spectral Index for Single-Neuron Input-Output Complexity

Huang, Z., Chen, W., Lei, B., Chen, G.
2026-11-05 1 min 214 words

BIORXIV NEUROSCIENCE

Summary: The computational capacity of individual neurons in the brain is a central problem in computational neuroscience and an increasingly relevant link between neuroscience and AI. Recent work fitting artificial neural networks to detailed cortical pyramidal neurons showed that reproducing their millisec...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764153v1?rss=1

Traveling waves in attention networks inherit the rhythms of sensory systems

Kong, Y., Petras, K., Alexander, D. M., Rohaut, B., Dugue, L.
2026-11-05 1 min 246 words

BIORXIV NEUROSCIENCE

Summary: Attention emerges from coordinated activity across distributed brain regions, each with their own intrinsic rhythm: alpha (7-12Hz) in visual cortex and theta (3-7Hz) in auditory cortex. When attention is sustained on a visual location, alpha power increases over the corresponding ipsilateral hemisph...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763906v1?rss=1

Parallel descending neurons differentially encode target and looming information in the hoverfly visual system

Nicholas, S., Nordstrom, K.

2026-11-05 1 min 205 words BIORXIV NEUROSCIENCE

Summary: Detecting small, fast-moving objects is crucial for behaviors such as pursuit, territorial defence, and predator avoidance. At long range, however, potential mates, rivals, and predators produce remarkably similar visual signals, potentially making them difficult to distinguish. Nevertheless, many f...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764150v1?rss=1

ACTIVATION OF THE ARYL HYDROCARBON RECEPTOR REDUCES VISCERAL HYPERSENSITIVITY IN A MOUSE MODEL OF COLITIS IN REMISSION

Habibyan, Y. B., Mackenzie, C., Mohan, A., Baggio, C. H., Gordon, N., Mohon, M. A. N., SHUTT, T., Defaye, M., Thornton, C., McDonald, B., Altier, C., Sharkey, K. A., Nasser, Y.

2026-11-05 1 min 232 words BIORXIV NEUROSCIENCE

Summary: The aryl hydrocarbon receptor (AhR) is expressed on gut-projecting transient receptor potential vanilloid-1 (TRPV1)+ nociceptors, but whether it has a role in regulating abdominal pain remains to be determined. Approximately 50% of inflammatory bowel disease (IBD) patients experience chronic abdomin...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763733v1?rss=1

Early Increases in Hippocampal Synchrony Predict Chronic Epileptiform Burden in a Temporal Lobe Epilepsy Model

👤 Gasmi, N., Tobin, H., Ahmadpour, D., Tahmasebi, G., Koohfar, A., Kalnitsky, S., Rogers-Carter, M., Icardi, J., Roehrs, S., Bhatia, S., Shindler, H., Manworren, J., Agochiya, P., Singh, S., Stanko, S., Richards, C., Suh, H., Alexopoulos, A., Serletis, D., Najm, I., Dana, H., Davalos, D.

📅 2026-11-05 📖 1 min 📝 177 words BIORXIV NEUROSCIENCE

Summary: Temporal lobe epilepsy (TLE), the most common focal epilepsy, is often drug-resistant and arises predominantly in the hippocampus. Disease severity is conventionally assessed by seizure frequency and duration, yet epileptiform activity outside discrete seizures may also track disease progression. Wh...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763700v1?rss=1

Feedback Valence, Prediction Error, and the Limits of Computational Attribution in Symptom-Related EEG

👤 Sinha, V., Ravindra, V.

📅 2026-11-05 📖 1 min 📝 215 words BIORXIV NEUROSCIENCE

Summary: Feedback-locked electroencephalography (EEG) responses are often interpreted using model-derived prediction errors (PEs), although signed PE can be strongly coupled to feedback valence in binary-outcome tasks. We revisited a published anxiety-related EEG association using two open probabilistic-lear...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.762513v1?rss=1

Evaluating State-Transition Models in Short Resting-State fMRI with Continuous-Dynamics Controls

Volkov, A., Maximov, Y., Chattopadhyay, T., Thompson, P. M., Gabitov, I.

2026-11-05 1 min

240 words

BIORXIV NEUROSCIENCE

Summary: Hidden Markov models (HMMs) are widely used to describe changes in resting-state functional MRI as transitions between a finite set of inferred brain states. However, continuously varying brain activity can produce similar apparent transitions, raising questions about their biological validity. We t...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.763846v1?rss=1

Asymmetric detection of relative speed during motion-based figure-ground segregation

Cao, Y., Arseneau, B. A., Huang, X.

2026-11-05 1 min 249 words

BIORXIV NEUROSCIENCE

Summary: Visual motion can support figure-ground segregation when a local region moves at a different speed from its background, but whether faster- and slower-than-background targets are detected equally well, and how any asymmetry depends on background speed and motion reliability remains incompletely unde...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764403v1?rss=1

Dendrite Control Theory: A Unifying Framework Bridging Neuronal Morphology And Dendritic Voltage Behavior

👤 Lagzi, F., Bird, A., Cuntz, H., Caze, R., Rosenow, F., Gidon, A., Gutkin, B., Jedlicka, P.

📅 2026-11-05

📖 1 min 📝 150 words BIORXIV NEUROSCIENCE

Summary: Control theory and dendritic computation have revolutionized their respective fields, yet they rarely converge. Here, we use control theory as a framework to reveal how dendritic morphology and synaptic input organization constrain structural resilience and energy cost. Treating diverse dendritic tr...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764328v1?rss=1

Distal electrical stimulation produces facial nerve regenerative and anti-synkinetic effects comparable to proximal electrical stimulation

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-79431-z

Sleep duration, depressive symptoms, and memory aging: longitudinal patterns and temporal network evidence from four-wave CHARLS study (2011–2018)

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77847-1

Collaborative generalist-specialist AI for safe worklist deprioritization of non-contrast brain computed tomography

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41746-026-03447-y

Multiscale neural dynamics reveal how striatal subregions shape stress vulnerability and resilience

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-79170-9

Disrupting the semantic network shifts activity to domain-general brain regions

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-79266-2

Single-cell atlas uncovers layer 4 heterogeneity and functional gradients in rhesus macaque visual cortex

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78543-4

Human responses to graded light exposure in the temporal visual field during central visual tasks

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-78408-2

Distributed range adaptation in human parietal encoding of numbers

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78851-9

A brain of many microglia origins

👤 Ioana A. Marin 📅 2026-11-02 📖 1 min 📝 14 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 02 November 2026; doi:10.1038/s41593-026-02509-4 A brain of many microglia origins

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02509-4

Correcting automatic decisions

Luis A. Mejia 2026-11-02 1 min 11 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 02 November 2026; doi:10.1038/s41593-026-02510-x Correcting automatic decisions

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02510-x

Misfolded tau propagates via templated seeding

Qingzhong Ren 2026-11-02 1 min 14 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 02 November 2026; doi:10.1038/s41593-026-02512-9 Misfolded tau propagates via templated seeding

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02512-9

Publisher Correction: Network geometry shapes the transformation of task representations across the human cortex

Michael W. Cole 2026-11-02 1 min 22 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 02 November 2026; doi:10.1038/s41593-026-02530-7 Publisher Correction: Network geometry shapes the transformation of task representations across the human cortex

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02530-7

Editorial Expression of Concern: NgR1 and NgR3 are receptors for chondroitin sulfate proteoglycans

Roman J. Giger 2026-11-05 1 min 21 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 05 November 2026; doi:10.1038/s41593-026-02534-3 Editorial Expression of Concern: NgR1 and NgR3 are receptors for chondroitin sulfate proteoglycans

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02534-3

From pose estimation accuracy to motor biomarker reliability: a reliability-centred evaluation framework for markerless movement analysis

Christine Fernandez-Maloigne 2026-10-01 1 min 246 words

FRONTIERS NEUROINFORMATICS

Summary: Markerless pose estimation has become an essential tool for quantitative movement analysis in neuroscience. However, current evaluation frameworks primarily rely on frame-wise spatial accuracy metrics, which provide only limited information about the reliability of the downstream kinematic biomarker...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1790241

Altered interictal alpha-band organization in childhood absence epilepsy

Justyna Paprocka 2026-10-23 1 min 318 words FRONTIERS NEUROINFORMATICS

Summary: ObjectiveInterictal background EEG in childhood absence epilepsy (CAE) may appear normal. We asked whether drug-naive children with CAE differ from controls in alpha frequency and the regional distribution of phase-lagged synchronization, and how these differences depend on participant-specific surr...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1875377

Short-term synaptic plasticity modulates the outcome of neurodegenerative diseases

Chi Chung Alan Fung 2026-10-23 1 min 264 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionAlzheimer's disease (AD) is characterized by progressive neuronal loss and synaptic dysfunction that disrupt memory-encoding neural circuits. Short-term synaptic plasticity (STP), which governs transient activity-dependent changes in synaptic efficacy on millisecond-to-second timescales,...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1923602

Immediate effect of gait training using the hybrid assistive limb in patients in the acute phase of stroke: a prospective pilot study

Yasushi Takagi 2026-10-23 1 min 360 words FRONTIERS NEUROROBOTICS

Summary: IntroductionThe effectiveness of Hybrid Assistive Limb (HAL) gait training in patients in the acute phase of stroke remains unclear. We prospectively assessed the immediate effects of HAL gait training in this patient population.MethodsIn this prospective pilot study, four patients with acute-phase ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1985500

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

Julia-Katharina Pfarr 2026-02-12 1 min 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

Robert Oostenveld 2026-02-12 1 min 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105123400&v=2.20.1

Participant-Level Cross-Fit Ensemble Disagreement for Reliability-Aware Vision-Based Infant Respiratory-Rate Estimation

Hanbeom Yoon 2026-11-04 1 min 62 words LOW VISION

Summary: Contactless video-based respiratory-rate (RR) estimates may be unreliable for individual infant recordings even when overall accuracy is acceptable. We examined whether disagreement among participant-separated models could rank estimation reliability in public AIR-125/AIR-400 data (15 infants, 374 a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981606/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Retinoblastoma

Helen Dimaras 2026-11-04 1 min 69 words LOW VISION

Summary: Retinoblastoma, the most common primary intraocular malignancy of childhood, represents a substantial global health equity concern, exemplifying profound disparities in global burden and outcome despite being a largely curable cancer. Retinoblastoma is thought to arise from cone photoreceptor precur...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42982077/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

ReadCT: Parameter-Efficient 3D Chest CT Findings Generation Using Low- Rank Adaptation

Fahad Mahmoud Monshi
2026-11-04 1 min 35 words LOW VISION

Summary: CONCLUSION: ReadCT provides a research-stage demonstration of compact, parameter-efficient findings generation from 3D chest CT volumes. Prospective workflow evaluation, structured factual assessment, and sufficiently powered multi-reader studies are required before clinical use can be considered.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983219/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Evaluating Individual Infection Risk: The Interplay between Air Mixing Intensities and Occupant Dynamics

Jelena Srebric
2026-11-05 1 min 65 words LOW VISION

Summary: Aerosol transmission remains a critical route for the spread of respiratory infectious diseases, yet real-time exposure mapping in complex public spaces is computationally demanding. This study presents a robust and adaptable framework for estimating dynamic individual exposure (i.e., viral dose) by...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Postoperative Visual Quality Analysis of DFT015 Intraocular Lens Implantation in Cataract patients

Yang Zhao 2026-11-05 1 min 45 words LOW VISION

Summary: CONCLUSION: In this single-arm cohort, implantation of the DFT015 IOL was associated with improved full-range visual acuity and favorable postoperative visual quality, with a low incidence of visually significant photic phenomena. Randomized or comparative studies with appropriate control groups are...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985105/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Foundational principles of family medicine and a vision for future primary care policy

Antoine St-Amant 2026-11-05 1 min 60 words LOW VISION

Summary: Primary care is widely recognized as the foundation of high-performing health systems, yet the principles that have historically underpinned family medicine are increasingly challenged by demographic change, multimorbidity, workforce pressures, and rapid technological innovation. This Policy Inquiry...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985517/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Catalytic DNA for Precision Diagnostics: DNAzyme-Based Approaches to Single-Nucleotide Polymorphism Detection

👤 Kristen Dellinger 📅 2026-11-05 📖 1 min 📝 62 words LOW VISION

Summary: Single-nucleotide polymorphisms (SNPs) are the most abundant form of human genetic variation and serve as important biomarkers in disease risk assessment, therapeutic stratification, and precision medicine. Yet accurate detection of low-abundance SNPs in complex biological samples remains difficult ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985945/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Contrast Sensitivity Functions in ON and OFF Visual Pathways in Myopia

👤 Jiawei Zhou 📅 2026-11-05 📖 1 min 📝 49 words LOW VISION

Summary: CONCLUSIONS: High myopia exhibited reduced ordinary and ON pathway CS. The ON pathway-selective CS deficits were significantly correlated with myopia severity and predominantly observed at low SFs. These findings provide a theoretical basis for understanding visual function in myopia, developing eff...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986172/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Semimetallic PtSe2 Phototransistors with Back-to-Back Ohmic Contacts for Low-Power Neuromorphic Vision and Polarization-Selective Detection

👤 Pengfei Hou 📅 2026-11-05 📖 1 min 📝 56 words LOW VISION

Summary: The rapid advancement of artificial intelligence has created an urgent demand for energy-efficient neuromorphic vision, positioning phototransistors as a promising platform for next-generation artificial visual synapses. However, conventional phototransistors are limited by interfacial defects—inclu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986252/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

Multisegment spectacles for prevention of myopia progression

👤 Bettina Wabbels 📅 2026-11-05 📖 1 min 📝 57 words LOW VISION

Summary: BACKGROUND: The prevalence of myopia is postulated to be rising worldwide, along with the risk of secondary complications, such as maculopathy; however, the evidence for this remains inconclusive, particularly for Europe. The focus is on reducing the increased axial length growth in childhood. To th...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42986343/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105123358&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

👤 Liu Yang 📅 2026-08-19 📖 1 min 📝 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

👤 Hideaki Onishi 📅 2026-09-25 📖 1 min 📝 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105123355&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton
2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong
2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

An accessible pregnancy test for blind and low-vision users

👤 Vanja Garaj 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

👤 Jarred Yasuhara-Bell 📅 2026-10-27 📖 1 min 📝 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105123352&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

👤 Jinwu Wang 📅 2026-11-03 📖 1 min 📝 30 words TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

Haibin Zhang 2026-11-03 1 min 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

The application of transcranial magnetic stimulation in treatment-resistant depression: insights from omics

Tianhao Bao 2026-11-04 1 min 59 words TDCS TACS TRNS

Summary: Treatment-resistant depression (TRD) is a refractory form of major depressive disorder (MDD) for which conventional antidepressant strategies are often insufficient. Transcranial magnetic stimulation (TMS) has demonstrated clinical efficacy in TRD, but its biological mechanisms remain incompletely u...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979394/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words

TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

👤 Jianhua Chen
📅 2026-11-04 📖 1 min 📝 61 words

TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Targeting cognitive control and affective processing in aggression: neuromodulation approaches in CRC/TRR 379

Jana Zweerings 2026-11-04 1 min 63 words TDCS TACS TRNS

Summary: Interventions aimed at reducing aggression in mental disorders remain insufficiently addressed by current research, despite the substantial individual and societal burden associated with aggressive behavior. Consequently, strategies for modulating aggressive behavior are of high clinical relevance b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980804/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Anisotropic conductivity modeling for tDCS in Parkinson's disease using multidimensional diffusion MRI

Christoffer Olsson 2026-11-05 1 min 63 words TDCS TACS TRNS

Summary: INTRODUCTION: Predictions of the electric field (E-field) induced by transcranial direct current stimulation (tDCS) depend on how brain conductivity is modeled. White matter anisotropy is conventionally estimated from single-shell diffusion tensor imaging (DTI). Multidimensional diffusion MRI (MD-dM...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984609/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Obsessive-Compulsive Disorder: Comorbidity, Biomarkers, Circuits, and Treatment Strategies

Jing-Ning Zhu 2026-11-05 1 min 61 words TDCS TACS TRNS

Summary: Obsessive-compulsive disorder (OCD), characterized by intrusive thoughts and repetitive behaviors, frequently co-occurs with anxiety disorders, contributing to greater diagnostic complexity, more severe symptoms, and poorer treatment outcomes. In this review, we consider OCD in the context of its co...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984875/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Correction: Transcranial direct current stimulation to improve cognitive function in patients with vascular cognitive impairment: a literature review

Ling Guan 2026-11-05 1 min 6 words TDCS TACS TRNS

Summary: [This corrects the article DOI: 10.3389/fnagi.2026.1829594.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985445/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105123350&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

Xiuyun Lin 2026-11-03 1 min 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

Lam Ghai Lim 2026-11-03 1 min 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

Simone Shamay-Tsoory 2026-11-03 1 min 63 words FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

👤 Heather M Joseph
📅 2026-11-04 📖 1 min 📝 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

The interplay of neural networks enabling social interaction: Protocol of a multi-level, mixed-methods study of empathy and theory of mind

Lara Z Maliske
2026-11-05 1 min 73 words FNIRS

Summary: BACKGROUND: The quality and frequency of social interactions are among the best predictors of long-term mental and physical health. So how do good social interactions arise? Social neuroscience has focused on a number of affective and cognitive functions including empathy and Theory of Mind (ToM) as...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983863/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Penetrating needling from Qiuxu (GB40) to Zhaohai (KI6) versus separate needling for post-stroke lower-limb motor dysfunction: an assessor-blinded randomized controlled trial protocol

Chunxiao Wan
2026-11-05 1 min 63 words FNIRS

Summary: Post-stroke lower-limb motor dysfunction limits mobility, balance, and independence and remains a major target of neurorehabilitation. Acupuncture is widely used as an adjunctive intervention after stroke, but direct randomized evidence comparing penetrating needling with conventional separate needl...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985079/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Advancing Repetitive Transcranial Magnetic Stimulation for Depression: Novel Protocols, Precision Targeting, and Future Directions

👤 Youguo Tan 📅 2026-11-05 📖 1 min 📝 57 words FNIRS

Summary: Major depressive disorder (MDD) remains a significant global health challenge, with substantial limitations inherent in current pharmacotherapeutic and psychotherapeutic approaches. Repetitive transcranial magnetic stimulation (rTMS) has emerged as a safe, effective, and non-invasive neuromodulation...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985312/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

Transforming neurophysiological data into measurable stress metric using machine learning-based stress quantification framework for smart factory workers

👤 Azfar Khalid
📅 2026-11-05 📖 1 min 📝 67 words FNIRS

Summary: INTRODUCTION: Mental stress is a common issue in demanding occupational setups, such as smart industrial settings, particularly when working with robots, being one of the primary reasons for decreased performance and productivity. Estimating and evaluating stress are critical for worker safety, perf...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985511/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105123347&v=2.20.1

taVNS for uterine contraction pain and early recovery after spontaneous vaginal birth: a three-arm randomized controlled trial protocol

Tai-Pin Guo
2026-11-03 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: BACKGROUND: Uterine contraction pain after spontaneous vaginal birth (SVB) hinders early maternal recovery. Transcutaneous auricular vagus nerve stimulation (taVNS), as a safe, and non-invasive alternative therapy, can alleviate pain and improve sleep and emotion. Although a recent trial has confirm...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

👤 Jie Wu 📅 2026-11-04 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

👤 Mads Jochumsen 📅 2026-11-04 📖 1 min 📝 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

A high robustness decoding technique for ultrasound modulated electroencephalogram

👤 Dong Ming 📅 2026-11-04 📖 1 min 📝 60 words BRAIN COMPUTER INTERFACE

Summary: Ultrasound-modulated electroencephalography (USMEEG) has become a vital tool in neuroscience because it integrates millimeter-level spatial resolution with millisecond-level temporal resolution. However, under extremely complex scenarios, excessively strong or weak acoustoelectric signal coupling le...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981385/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Augmented reality paradigm and EA-DGCNN decoding algorithm for motor imagery in stroke patients

Tzyy-Ping Jung 2026-11-04 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: Stroke represents one of the leading causes of long-term motor dysfunction on a global scale. Existing motor imagery (MI) brain-computer interface (BCI) rehabilitation training systems face critical challenges of suboptimal patient engagement and limited electroencephalography (EEG) featu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981608/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Perception gaps between patients and practitioners regarding safety, data security, and ethics of intracranial electrode implantation: a multi-center study

Huanguang Liu 2026-11-04 1 min 44 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: DBS patients systematically underestimate risks compared to practitioners, driven partly by knowledge deficits that current informed consent processes do not address. These findings provide empirical evidence for redesigning consent practices and developing governance frameworks for DBS...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983501/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

A human rheumatoid arthritis bone-cartilage interface organoid recapitulates bone, cartilage, and immune interactions

👤 Jessica Cottrell
📅 2026-11-05 📖 1 min 📝 55 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: This modular, human-derived RA BCI organoid reproduced key features of RA pathogenesis that can enable direct assessment of therapeutic mechanisms at the bone-cartilage-synovial interface. The RA BCI organoid provides a physiologically relevant, scalable platform for preclinical drug di...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42983776/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Next-generation control strategies for lower-extremity exoskeletons: State-of-the-art, limitations, and future directions

👤 Theodore A Kung
📅 2026-11-05 📖 1 min 📝 62 words

BRAIN COMPUTER INTERFACE

Summary: Wearable powered exoskeletons are emerging rehabilitation tools for restoring gait in individuals with neurologic or motor impairments, including stroke, spinal cord injury, myopathy, and cerebral palsy. Lower-extremity exoskeleton-assisted walking can improve motor function, gait parameters, balanc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984434/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Research advances in brain-computer interfaces in oncology: from cancer pain management to neuroengineering for brain tumors and tumor-neural-immune interactions

👤 Ximo Wang 📅 2026-11-05 📖 1 min 📝 69 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces (BCIs) have made significant progress in fields such as neurorehabilitation, motor reconstruction, and alternative communication by capturing, decoding, and providing feedback on brain activity. In contrast, the application of BCI in oncology has a relatively late start, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42984888/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Letter to the Editor: "Bladder Contractility Classification Before Bladder Outlet Surgery: Do BCI, Wmax and the Maastricht-Hannover Nomogram Agree and Does It Matter for Outcome?"

👤 Johnsi Inbakumari 📅 2026-11-05 📖 1 min 📝 2 words BRAIN COMPUTER INTERFACE

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42985742/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105123345&v=2.20.1

Coping strategies and dreams—The impact of waking-life distress on negative dream emotions.

📅 2026-05-18 📖 1 min 📝 183 words DREAMING

Summary: The relationship between waking life and dreaming seems complex, and various studies show that dreams are influenced by waking-life experiences. However, only a few studies deal with the interactions between coping strategies in waking life and dream emotions. The main goal of this study is to inves...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000346

qs.filter(...) on its own line does nothing. Patterns like this across 44 open-source repos: 62 app

👤 /u/ jeonghun917 📅 2026-11-05 📖 1 min 📝 225 words REDDIT PYTHON

Summary: <!-- SC_OFF --> Most bugs that survive into production in mature codebases are not syntax errors. They are clean, idiomatic lines that quietly drop their result or skip a check. <code>python qs = Order.objects.filter(shop=shop) if not user.is_staff: qs.filter(owner=user) # r...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xoh5m4/qsfilter_on_its_own_line_does_nothing_patterns/

Feasibility check: Writing a constrained Python-to-Rust transpiler for numeric code

/u/Thin-Parsley-1660 | 2026-11-05 | 1 min | 94 words | REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> so i would want to know about the feasibility of such a tool/project and whether it has any real uses or is it the equivalent of re inventing a worse wheel , basically core idea is to somehow transpile python to rust but not all of python ,instead more similar to nu...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xoeowp/feasibility_check_writing_a_constrained/

PyCharm 2026.3 released (IDE)

/u/greenrobot_de | 2026-11-05 | 1 min | 23 words | REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> https://blog.jetbrains.com/pycharm/2026/11/what-s-new-in-pycharm-2026-3/ <!-- SC_ON -->   submitted by   <a href="https://www.reddit.com/user/greenrobot_de"> /u/...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xol7yf/pycharm_20263_released_ide/

Exporting tables from a SQL Server backup (.bak) to Parquet without restoring it

👤 rferraton 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://blog.arpe.io/fastbcp-1-6-export-sql-server-backup-to-parquet Comments URL: https://news.ycombinator.com/item?id=50380410 <...

🔗 **Read full article:**
https://blog.arpe.io/fastbcp-1-6-export-sql-server-backup-to-parquet

Building a Multi-Agent System from Scratch: Architecture Patterns

👤 kadharmfn 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://kadhar.dev/blog/multi-agent-systems-from-scratch Comments URL: https://news.ycombinator.com/item?id=50380658 Points: 17 # Co...

🔗 **Read full article:**
https://kadhar.dev/blog/multi-agent-systems-from-scratch

Show HN: Stroq – a local audit of what your coding agent did and why

👤 agybay_07 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/AGGIB/Stroq Comments URL: https://news.ycombinator.com/item?id=50380704 Points: 11 # Comments: 3

🔗 **Read full article:**
https://github.com/AGGIB/Stroq

OCAP Bounded Authority: Edera's Managed Approach to Object Capabilities

👤 virtio_vixen 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://edera.dev/stories/ocap-bounded-authority Comments URL: https://news.ycombinator.com/item?id=50380808 Points: 14 # Comments: 0

🔗 **Read full article:**
https://edera.dev/stories/ocap-bounded-authority

Motorola Signature 27 with GrapheneOS support

👤 monneyboi 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://motorolanews.com/motorola-signature-27-2/ Comments URL: https://news.ycombinator.com/item?id=50380810 Points: 103 # Comments: 32</p...

🔗 **Read full article:**
https://motorolanews.com/motorola-signature-27-2/

The Stacks Project, Formalized in Lean

👤 namanbnsl 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://axiommath.ai/research/the-stacks-project-formalized/ Comments URL: https://news.ycombinator.com/item?id=50380979 Points: 13 ...

🔗 **Read full article:**
https://axiommath.ai/research/the-stacks-project-formalized/

My psychophysics as a bilateral cochlear implant user

👤 mi-rae 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://claude.ai/artifact/L8qsMc3SorytGW3LA81nYf Comments URL: https://news.ycombinator.com/item?id=50381033 Points: 48 # Comments: 7

🔗 **Read full article:**
https://claude.ai/artifact/L8qsMc3SorytGW3LA81nYf

Vibe Coding Keypad

👤 ta988 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.keychron.com/products/keychron-f4-he-8k-vibe-coding-keypad Comments URL: https://news.ycombinator.com/item?id=50381302</...

🔗 **Read full article:**
https://www.keychron.com/products/keychron-f4-he-8k-vibe-coding-keypad

Bild AI (YC W25) Is Hiring Founding Product Engineers

👤 rooppal 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.ycombinator.com/companies/bild-ai/jobs Comments URL: https://news.ycombinator.com/item?id=50381512 Points: 0 # Comments: 0

🔗 **Read full article:**
https://www.ycombinator.com/companies/bild-ai/jobs

Launch HN: Rivet (YC F25) – Scale and Orchestrate Agents on S3

👤 NathanFlurry 📅 2026-11-05 📖 3 min 📝 768 words HACKER NEWS

> **Summary:** Hey HN, this is Nathan and Nicholas from Rivet (https://rivet.dev). Rivet is a fast, high-density, and scalable orchestrator for agentic workloads using the actor model. Rather than running a heavyweight sandbox per agent, each agent gets a lightweight actor back...

🔗 **Read full article:**
https://github.com/rivet-dev/rivet

There are 13 ways to analyse a replication study, but only one of them is coherent.

noreply@blogger.com (Daniel Lakens)

📅 2026-05-03 📖 6 min 📝 1361 words

TWENTY PERCENT STATISTICIAN

Summary: Paul Simon’s says there are 50 ways to leave your lover, and a similar abundance characterizes the contemporary literature on how to analyse a replication study. The recent SCORE replication project in Nature makes this explicit by reporting “13 replication success metrics along with the number o...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/05/there-are-13-ways-to-analyse.html

Evaluating Dr. Cuddy’s Claim that the Debunking of Power Posing is a Myth

noreply@blogger.com (Daniel Lakens)

📅 2026-05-25 📖 30 min 📝 6008 words

TWENTY PERCENT STATISTICIAN

Summary: In this blog post I will analyse the arguments that Dr. Amy Cuddy provided in a LinkedIn post “The "Power Posing Was Debunked" Myth: What the Research Actually Shows — and Why Scientific Discourse Matters” on February 26. You can find the LinkedIn post here: <span lang="...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/05/evaluating-dr-cuddys-claim-that.html

Which Data Repository Should You Use?

noreply@blogger.com (Daniel Lakens)
2026-08-15 17 min 3434 words

TWENTY PERCENT STATISTICIAN

Summary: Update 28-10-2026: ResearchBox now has an API. This new information has been incorporated in the text below. The Center for Open Science has announced that from November 16, 2026, no new projects can be created on the Open Sci...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/08/which-data-repository-should-you-use.html

Episode 29: Q&A with Dr. Anahita Kyani, Director of Neuroscience, Data Science and Digital Health at Johnson & Johnson Innovative Medicine

Adriel Carridice
2026-06-22 1 min 0 words

BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/episode-29-qa-with-dr-anahita-kyani-director-of-neuroscience-data-science-and-digital-health-at-johnson-johnson-innovative-medicine/

Q&A with Felix Schwock, PhD student at University of Washington and Best Poster Award Winner at the 2025 IEEE Brain Discovery and Neurotechnology Workshop

👤 ieeebrain 📅 2026-06-22 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-felix-schwock-phd-student-at-university-of-washington-and-best-poster-award-winner-at-the-2025-ieee-brain-discovery-and-neurotechnology-workshop/

Neuroethical Perspectives on Neurotechnology in Latin America

👤 Adriel Carridice 📅 2026-09-23 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/publications/research-and-white-papers/neuroethical-perspectives-on-neurotechnology-in-latin-america/

Transactions on Neural Systems and Rehabilitation Engineering (TNSRE) Editor in Chief Search

Deidre Artis 2026-07-17 1 min 34 words EMBS

Summary: Transactions on Neural Systems and Rehabilitation Engineering (TNSRE) Editor-in-Chief Search Submit your Application The post <a href="https://www.embs.org/featured-news/transactions-on-neural-systems-and-rehabilitation-engineering-tnsre-editor-in-chief-search/">Transactions on Neural Syst...

🔗 **Read full article:**
https://www.embs.org/featured-news/transactions-on-neural-systems-and-rehabilitation-engineering-tnsre-editor-in-chief-search/

Understanding the Perception of Transliterated Offensive Social Media Posts Among Banglish and Hinglish Users

Dhiman Goswami, Zhicong Lu, Sanchari Das 2026-11-05 1 min 222 words ARXIV CS HC

Summary: arXiv:2611.06226v1 Announce Type: new Abstract: Effective content moderation depends on understanding not just what harmful content looks like, but how users perceive and respond to it. When offensive language is written in transliterated forms such as Banglish or Hinglish (Bangla or Hindi in Latin...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06226

ProGram: A Grammar for Progressive Computation Pipelines

Seunghoon Jung, Jaemin Jo 2026-11-05 1 min 146 words ARXIV CS HC

Summary: arXiv:2611.06188v1 Announce Type: new Abstract: Progressive Visual Analytics (PVA) systems have demonstrated the effectiveness of time-bounded, incremental computation for exploring large-scale data. However, our survey reveals that existing PVA implementations are often difficult to reuse and exte...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06188

Growing One's AI Tools: A Paradigm of Practice-Grown Tools

Zeming Zhao 2026-11-05 1 min 158 words ARXIV CS HC

Summary: arXiv:2611.06132v1 Announce Type: new Abstract: Professionals have long used software built for them by others. This article reports the growth of a professional computer-assisted interpreting (CAI) tool built by its own user, a conference interpreter without programming training. Drawing on an eig...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06132

Fluidic Body: Swarm Robots as a Fluid Extension of the Hand

Michikuni Eguchi, Shigeo Yoshida, Mai Nishimura, Takefumi Hiraki

2026-11-05 1 min

274 words

ARXIV CS HC

Summary: arXiv:2611.06068v1 Announce Type: new Abstract: Swarm robots have attracted growing interest as a physical interface for human--computer interaction, since a swarm can reshape its formation to fit the objects and surroundings it works with. For a human operator, however, adapting the swarm's behavi...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06068

Robots in the City: Persona-Based Perceptions of Urban Robots

Keonhee Jang, Kanghoon Lee, Seokwoo Yun, Namwoo Kim, Yoonjin Yoon

2026-11-05 1 min

219 words

ARXIV CS HC

Summary: arXiv:2611.05954v1 Announce Type: new Abstract: Pedestrians increasingly encounter robots in urban public spaces without interacting with them, but how robots change the perceived safety of a street remains unclear. We examine how robot presence and type affect perceived safety across urban context...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05954

Compiling, Validating, and Using Human Reference Atlas Cell Type Annotation Crosswalks

👤 Nicole Vasilevsky, Aleix Puig-Barbe, Andreas Bueckle, Ellen M. Quardokus, Yongxin Kong, Divya Prasanth Paraman, Jie Zheng, Yongqun He, Yashvardhan Jain, Bruce W. Herr II, Katy B\"orner

📅 2026-11-05 📖 1 min 📝 176 words ARXIV CS HC

Summary: arXiv:2611.05888v1 Announce Type: new Abstract: The Human Reference Atlas (HRA) v2.5 includes 4,807 anatomical structures, 1,347 cell types, and 2,215 biomarkers (genes, proteins, lipids); 81 organs with 1,392 anatomical structures modeled in three dimensions (3D). Mapping new data into the HRA req...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05888

Sure Enough to Share? Overconfidence in GenAI Video Discernment is Associated with Sharing Intentions

👤 Haoning Xue, Sijia Qian, Christopher Calabrese, Cuihua Shen, Laramie Taylor, Yixuan Wang

📅 2026-11-05 📖 1 min 📝 150 words ARXIV CS HC

Summary: arXiv:2611.05844v1 Announce Type: new Abstract: Generative Artificial Intelligence (GenAI) is blurring the line between synthesized and recorded videos, but less is known about people's awareness of their discernment abilities and the consequences of miscalibration. This study examines three forms ...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05844

Pairing Expert Critique with LLM-Driven Refinement: An Iterative Approach for Curating Quality AI Evaluation Datasets

Honson Ling, Kidus Admassu, Stephanie Rosenthal

2026-11-05 1 min 219 words

ARXIV CS HC

Summary: arXiv:2611.05749v1 Announce Type: new Abstract: Evaluating and improving domain-specific LLM responses requires high-quality reference data and rubrics, yet expert authoring is slow and expensive, and synthetic datasets may fail to capture practitioner preferences unless they are grounded in expert...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05749

Personalized Visual Support After Automatic Speech Recognition

Beatriz Calero, Duarte Neves, Carlos Bruno, Luis Ricardo Santos, Mario Egea

2026-11-05 1 min 91 words

ARXIV CS HC

Summary: arXiv:2611.05625v1 Announce Type: new Abstract: Many spoken-language interfaces stop at producing a transcript. This project examines how a second layer of optional text and pictorial support can be adapted to individual needs. We specify four presentation levels and a behavior-based selection poli...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05625

Just the Facts: How Dialogues with AI Reduce Conspiracy Beliefs

Thomas H. Costello, Gordon Pennycook, David G. Rand

2026-11-05 1 min 151 words

ARXIV CS HC

Summary: arXiv:2611.05572v1 Announce Type: new Abstract: Personalized dialogues with AI substantially reduce conspiracy beliefs. To identify why, we conducted two experiments with U.S. adults recruited online (total N = 2,193) that removed possible causes one at a time. The debunking effect was robust to di...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05572

A Bayesian Optimized Biquad Filter-Burg Model for Real-Time EEG Phase Estimation

Ivan Martinez-Kay, Tatiana Kardashina, ShiNung Ching, Eric C. Leuthardt, Benjamin T. Acland

2026-11-05 1 min 184 words

ARXIV QBIO NC

Summary: arXiv:2611.05374v2 Announce Type: replace-cross Abstract: Real-time phase estimation on stimulus-aligned transient EEG is critical for closed-loop neuromodulation systems targeting the theta-band, yet most real-time phase estimation methods have been developed and validated on resting-state, high-f...

🔗 **Read full article:**
https://arxiv.org/abs/2611.05374

Beauty is in the ELBO of the Beholder: A Variational Account of Processing Fluency in Face Perception

Francisco M. L\'opez, Jochen Triesch

2026-11-05 1 min 157 words ARXIV QBIO NC

Summary: arXiv:2608.24219v3 Announce Type: replace-cross Abstract: Facial attractiveness has been linked to statistical regularities such as symmetry and averageness, suggesting that beauty may depend on the ease with which a face is perceived. We empirically test this hypothesis by training variational aut...

🔗 **Read full article:**
https://arxiv.org/abs/2608.24219

Flow Matching with In-Context Priors for Out-of-Distribution Brain Dynamics

Sam Gijsen, Micha{\l} {\L}ukomski, Marc-Andr\'e Schulz, Kerstin Ritter

2026-11-05 1 min 186 words ARXIV QBIO NC

Summary: arXiv:2606.11833v2 Announce Type: replace-cross Abstract: Flow matching and diffusion models enable conditional generation across domains ranging from images to proteins, with recent extensions to out-of-distribution contexts. Yet generative models of neural time series have largely remained restri...

🔗 **Read full article:**
https://arxiv.org/abs/2606.11833

Cell-type-specific modularity in E/I networks shapes dynamical regimes and computational capabilities

👤 Emmanouil Giannakakis, Victor Buend\'ia, Oleg Vinogradov, Anna Levina

📅 2026-11-05 📖 1 min

📝 149 words

ARXIV QBIO NC

Summary: arXiv:2611.06720v1 Announce Type: cross Abstract: Structural modularity is a ubiquitous feature of brain networks that shapes neural dynamics and information processing. Yet excitatory and inhibitory populations can differ in their modular organization, and it remains unclear how this asymmetry aff...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06720

PINR-ESI: Physics-Informed Self-Supervised Implicit Neural Representation Framework for EEG Extended-Source Imaging

👤 Zhiyong Zhou, Sheng Liao, Youshen Xiao, Xiaolin Li, Yakang Dai

📅 2026-11-05 📖 1 min

📝 176 words

ARXIV QBIO NC

Summary: arXiv:2611.06700v1 Announce Type: cross Abstract: EEG extended-source imaging aims to localize active cortical regions and characterize their spatial extent, yet supervised inverse networks typically depend on synthetic EEG-source pairs and may be sensitive to synthetic-to-real mismatch. We propose...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06700

Time-Division Multiplexing: The Operational Rhythm and Temporal Organization Layer of Digital Life

👤 Haibin Tong, Luming Guo, Nana Cui, Jiang Yu

📅 2026-11-05 📖 1 min 📝 198 words

ARXIV QBIO NC

Summary: arXiv:2611.06603v1 Announce Type: cross Abstract: Continual agents must handle urgent interaction while retaining alternatives, replaying errors, and committing safe long-term changes. A previous digital-life framework distinguishes online (busy) and offline (idle) channels, but leaves open whether...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06603

Learning Time-Varying Connectomes for Stable Behavior Across Development

Christof Fehrman, Jacob J. Morra, Eva A. Naumann

2026-11-05 1 min 232 words

ARXIV QBIO NC

Summary: arXiv:2611.06895v1 Announce Type: new Abstract: Neural circuits must maintain functionality to drive effective behavior while their size, topology, geometry, and intrinsic dynamics change across development. To model developing visuomotor circuits and behavior, we investigated whether a single comp...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06895

Synchronized Hearts, Desynchronized Brains: A Nonlinear Dynamics Perspective for Function and Failure

Irene Pellini, Simon Bauer, Seba Contreras, Ruben Fern\'andez Busnadiego, Anushka Deb, Sophia Hartmann, Sayedeh Hussaini, D\"orte M. Katschinski, Sarah K\"oster, Stephan E. Lehnart, Tobias Moser, Andreas Neef, Ulrich Parlitz, Silvio Rizzoli, Maria-Patapia Zafeiriou, Wolfram-Hubertus Zimmermann, Johannes Zierenberg, Philip Bittihn, Viola Priesemann

2026-11-05 1 min 199 words

ARXIV QBIO NC

Summary: arXiv:2611.06618v1 Announce Type: new Abstract: Both the heart and the brain are built from electrically excitable cells, yet the emergent dynamics of these organs could not differ more. In the myocardium, a coherent traveling wave of action potentials ensures coordinated contraction; in the cerebr...

🔗 **Read full article:**
https://arxiv.org/abs/2611.06618

Mind Control of LLMs via Closed-Loop Stimulation: Out-of-Distribution Robustness

Kasra Fallah, Rudramani Singha, Hannah Ghanei, Paul Sajda, James Anderson, Erfan Zabeh

2026-11-05 1 min 263 words ARXIV QBIO NC

Summary: arXiv:2611.06418v1 Announce Type: new Abstract: Brains and large language models need not be considered equivalent systems to reveal an interpretable commonality: both exhibit high-dimensional, nonlinear dynamics whose behavior can only be modeled imperfectly. This creates a shared challenge whenev...

Read full article:
https://arxiv.org/abs/2611.06418

A minimal E/I circuit model explains differential recovery from amblyopia under TTX and reverse occlusion

Lawrence Udeigwe

2026-11-05 1 min 210 words ARXIV QBIO NC

Summary: arXiv:2611.06189v1 Announce Type: new Abstract: Recovery from amblyopia beyond the critical period remains a major challenge in visual neuroscience. Experimental studies show that transient inactivation of the fellow eye with tetrodotoxin (TTX) produces stronger and more persistent recovery than re...

Read full article:
https://arxiv.org/abs/2611.06189

Restorative urban soundscapes

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s44384-026-00080-7

Evaluation of an audio-based monitoring system for detecting retching and vomiting in gastroparesis: an observational cohort study

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s44355-026-00086-8

Psilocybin modulates nucleus accumbens activity via astrocytic transcriptional regulation

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s12276-026-01872-3

Modular control of gait under visual deprivation using muscle-mode UCM analysis of COM and foot trajectory

📅 2026-11-05 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-79052-6

Epigenetic modification of neurotransmitter pathways during fasting: a systematic review

👤 Majd A. AbuAlrob 📅 2026-11-05 📖 1 min 📝 293 words FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundDietary restriction, encompassing intermittent fasting and caloric restriction, represents a prominent non-pharmacological approach to modulating brain aging and neuronal resilience. Emerging evidence links metabolism to long-term neural plasticity through epigenetic mechanisms, yet findin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1969439

Dynamical disorders: synchronization dynamics in complex emotional conditions

S. S. Høgenhaug 2026-11-05 1 min 207 words FRONTIERS HUMAN NEUROSCIENCE

Summary: IntroductionMental health conditions present a particular challenge to categorical nosology. We propose that such conditions are better understood as Dynamical Disorders, defined not only by symptom cluster profiles but by underlying disrupted patterns of coordination across bio-psycho-social scales...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1878289

Path planning algorithm based on pulse-coupled neural network with dual constraints of heading-deviation and node penalty

Xiaoyan Wang 2026-11-05 1 min 321 words FRONTIERS NEUROROBOTICS

Summary: Path planning for mobile robots is a crucial aspect of robot navigation. Traditional search algorithms are limited by heuristic design and search strategies, often struggling to balance search efficiency and path quality in intricate obstacle environments. The Pulse-Coupled Neural Network (PCNN) off...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1907089

Research progress and prospects of cochlear implant technology

Xiang Yao 2026-11-05 1 min 251 words FRONTIERS NEUROSCIENCE

Summary: Traditional cochlear implant systems depend on external devices and face challenges related to convenience, esthetics, and auditory performance in complex soundscapes. Recently, research has shifted from “functional substitution” to “functional enhancement” and “biological fusion.” However, most eme...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.2002803

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

Fanny Quandt 2025-01-09 1 min 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

> **Summary:** Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

> **Summary:** For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261105040318&v=2.20.1

A review of deep learning applications on histopathologic and genomic data in focal segmental glomerulosclerosis

Sasanko Sekhar Gantayat 2026-11-03 1 min 66 words LOW VISION

Summary: Focal segmental glomerulosclerosis explains the histological pattern of injury seen through light microscopy in kidney biopsy specimens and is the end result of different injuries to podocytes. The clinical classification of patients by FSGS lesion is challenging because of a broad spectrum of etiol...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976573/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Effects of balance training with electrical muscle stimulation on ankle joint muscle on sensory reweighting and motor strategy

Naoya Hasegawa 2026-11-03 1 min 60 words LOW VISION

Summary: CONCLUSIONS: EMS-based balance training was associated with the induction of visual reweighting dynamics and adaptive postural strategies involving multiple joints. Specifically, EMS-induced involuntary ankle assistance elicited hip-centered adjustments in postural control, contributing to upper-tru...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978008/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Reproxalap 0.25% in dry eye disease: A meta-analysis of randomized controlled trials

Hashem Abu Serhan 2026-11-04 1 min 62 words LOW VISION

Summary: CONCLUSION: Reproxalap was associated with consistent improvements across key clinical outcomes in DED. Exploratory allergic conjunctivitis findings should be considered hypothesis-generating rather than clinically conclusive. Interpretation of the overall evidence is limited by exclusive industry s...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978862/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

State-of-the-art in automated image-based species identification systems

Adrian Egli 2026-11-04 1 min 64 words LOW VISION

Summary: Accurate and rapid species-level identification of bacteria and fungi from culture plates are longstanding challenges in diagnostic microbiology. Visual assessment of colony morphology lacks sufficient specificity for definitive identification, while biochemical profiling is often too slow for routi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979152/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

What we can learn from nature to restore human vision

Boris Baziyan 2026-11-04 1 min 72 words LOW VISION

Summary: Irreversible vision loss, affecting millions of people worldwide, most often ends in the death of retinal neurons that the human eye cannot replace. Across the tree of life, however, evolution has repeatedly produced strategies that address the core problems of vision restoration: zebrafish and sala...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979557/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Adverse Events Associated with Trabecular Meshwork Bypass Devices from 2020-2025

👤 Dilru C Amarasekera 📅 2026-11-04 📖 1 min 📝 54 words LOW VISION

Summary: CONCLUSIONS: A low number of AEs were submitted for HM, ISW, and ISI in MAUDE from 2020-2025. Common complications were stent malposition, inflammation, break, and bleeding, with more frequent inflammation with HM and injector breaks with ISW. Similar AE numbers were described for HM and ISW, with a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980141/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Treatment-induced changes in higher-order aberrations after ray-tracing-guided vs. wavefront-optimized laser in situ keratomileusis

👤 Ramin Khoramnia 📅 2026-11-04 📖 1 min 📝 43 words LOW VISION

Summary: CONCLUSIONS: Wavefront-optimized LASIK increased total HOAs, spherical aberration and coma, while no increase in HOAs was detected after wavelight plus. Spherical aberration decreased (negative change) after wavelight plus. The benefit of ray-tracing-guided LASIK tended to be larger in patients with...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980602/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

MindExplore+: Towards Long-Horizon Vision-Language-Action System

👤 Yunsong Li 📅 2026-11-04 📖 1 min 📝 59 words LOW VISION

Summary: Vision-Language-Action (VLA) is crucial for autonomous decision-making in embodied systems. While current methods have advanced single-skill abilities, their short-horizon capability limits applicability in real-world scenarios. To address this challenge, we propose MindExplore+, a hierarchical VLA ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981244/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Participant-Level Cross-Fit Ensemble Disagreement for Reliability-Aware Vision-Based Infant Respiratory-Rate Estimation

👤 Hanbeom Yoon 📅 2026-11-04 📖 1 min 📝 62 words LOW VISION

Summary: Contactless video-based respiratory-rate (RR) estimates may be unreliable for individual infant recordings even when overall accuracy is acceptable. We examined whether disagreement among participant-separated models could rank estimation reliability in public AIR-125/AIR-400 data (15 infants, 374 a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981606/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

Retinoblastoma

Helen Dimaras 2026-11-04 1 min 69 words LOW VISION

Summary: Retinoblastoma, the most common primary intraocular malignancy of childhood, represents a substantial global health equity concern, exemplifying profound disparities in global burden and outcome despite being a largely curable cancer. Retinoblastoma is thought to arise from cone photoreceptor precur...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42982077/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261105040315&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

Paul W Hodges 2026-07-30 1 min 53 words TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261105040312&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261105040310&v=2.20.1

What are the neural networks that have been modulated by anatomically targeted therapies to promote recovery of consciousness? A scoping review

👤 Konstantinos Margetis 📅 2026-11-03 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: Disorders of Consciousness (DoC) arise from insults to neural networks responsible for awareness and arousal. DoC subtypes are frequently misdiagnosed, as mechanisms underlying consciousness remain poorly understood. Neurostimulation has been investigated as a potential therapy for DoC recovery; how...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973973/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field

Prinpida Sonthiphand 2026-11-03 1 min 68 words TDCS TACS TRNS

Summary: Due to climate change and increasing food demand, conventional agriculture relies heavily on chemical fertilizers. This study investigated the effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field. Metag...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974438/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Transcranial Pulse Stimulation in Parkinson's Disease: A Systematic Review

Marcelo Lourenço da Silva 2026-11-03 1 min 41 words TDCS TACS TRNS

Summary: CONCLUSIONS: TPS shows preliminary potential to modulate sensorimotor networks and improve selected motor outcomes in PD. However, evidence remains insufficient to establish overall clinical efficacy. Larger, rigorously controlled trials are required to determine sustained benefits, optimal stimulat...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975199/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

Haibin Zhang 2026-11-03 1 min 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

The application of transcranial magnetic stimulation in treatment-resistant depression: insights from omics

Tianhao Bao 2026-11-04 1 min 59 words TDCS TACS TRNS

Summary: Treatment-resistant depression (TRD) is a refractory form of major depressive disorder (MDD) for which conventional antidepressant strategies are often insufficient. Transcranial magnetic stimulation (TMS) has demonstrated clinical efficacy in TRD, but its biological mechanisms remain incompletely u...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979394/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

Jianhua Chen
2026-11-04 1 min 61 words TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Targeting cognitive control and affective processing in aggression: neuromodulation approaches in CRC/TRR 379

👤 Jana Zweerings 📅 2026-11-04 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: Interventions aimed at reducing aggression in mental disorders remain insufficiently addressed by current research, despite the substantial individual and societal burden associated with aggressive behavior. Consequently, strategies for modulating aggressive behavior are of high clinical relevance b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980804/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261105040307&v=2.20.1

Interbrain synchrony analysis for fNIRS: A signal processing primer

👤 Kathrin Kostorz 📅 2026-10-31 📖 1 min 📝 65 words FNIRS

Summary: Interbrain synchrony (IBS), also referred to as interpersonal neural synchrony (INS), has become a central construct in social neuroscience and beyond. It describes the temporal alignment of neural activity across individuals and has been studied in a range of paradigms, including sequential interac...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964840/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Differences in Near-Infrared Light Spectral Characteristics and Cranial MRI Parameters in Patients with Major Depressive Disorder

👤 Dandan Wan 📅 2026-10-31 📖 1 min 📝 17 words FNIRS

> **Summary:** CONCLUSION: Near-infrared light spectroscopy imaging parameters and cranial MRI cerebral blood flow differ in patients with MDD.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Age-related patterns in local spontaneous activity measured by fNIRS: Greater unpredictability in infancy, local reorganization in childhood

👤 Kanghui Li 📅 2026-10-31 📖 1 min 📝 68 words FNIRS

> **Summary:** The maturation of the brain is typically described at the whole-brain scale, whereas age-related changes in spontaneous activity within local brain regions have received comparatively little attention. Resting-state regional dynamics (RSRD) are defined as the temporal variability characteristics of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966412/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh 2026-11-02 1 min 48 words FNIRS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

👤 Xiuyun Lin 📅 2026-11-03 📖 1 min 📝 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

👤 Lam Ghai Lim 📅 2026-11-03 📖 1 min 📝 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory
📅 2026-11-03 📖 1 min 📝 63 words FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

Heather M Joseph
2026-11-04 1 min 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261105040305&v=2.20.1

The application of brain-computer interface on cognitive function and activities of daily living in stroke patients: a systematic review and meta-analysis

Xuan Gong 2026-11-03 1 min 52 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-based training shows preliminary promise for improving cognitive function and ADL in stroke patients. Current evidence remains insufficient to recommend BCI for emotion or speech rehabilitation. However, the GRADE certainty of evidence was rated as low for cognitive function and very...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973952/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Mapping Brain-Computer Interface Research in Depression (1995-2026): A Bibliometric Analysis

Xianlun Duan 2026-11-03 1 min 31 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: The field has evolved from EEG-based characterization toward network-level and real-time neurofeedback research. These findings identify emerging research directions while highlighting the need for further methodological standardization and clinical validation.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

A comprehensive review of biosignal foundation models

Stefanos Zafeiriou 2026-11-03 1 min 71 words BRAIN COMPUTER INTERFACE

Summary: Foundation models are emerging as a promising approach to biosignal analysis, offering solutions to common challenges in learning from biosignal data, such as high variability, noise or limited annotations. This survey provides a comprehensive review of the state-of-the-art in this rapidly advancing...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976382/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Learning-dependent hippocampal-striatal reorganization during sequential decision-making in pigeons

Zhigang Shang 2026-11-03 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Adaptive sequential decision-making requires animals to learn how actions shape future states and rewards while adjusting behavioral strategies as experience accumulates. Although the hippocampus is implicated in state-structure representation and the striatum in value learning, how learning strateg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977519/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

taVNS for uterine contraction pain and early recovery after spontaneous vaginal birth: a three-arm randomized controlled trial protocol

Tai-Pin Guo 2026-11-03 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: BACKGROUND: Uterine contraction pain after spontaneous vaginal birth (SVB) hinders early maternal recovery. Transcutaneous auricular vagus nerve stimulation (taVNS), as a safe, and non-invasive alternative therapy, can alleviate pain and improve sleep and emotion. Although a recent trial has confirm...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

Jie Wu 2026-11-04 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

👤 Mads Jochumsen 📅 2026-11-04 📖 1 min 📝 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

A high robustness decoding technique for ultrasound modulated electroencephalogram

👤 Dong Ming 📅 2026-11-04 📖 1 min 📝 60 words BRAIN COMPUTER INTERFACE

Summary: Ultrasound-modulated electroencephalography (USMEEG) has become a vital tool in neuroscience because it integrates millimeter-level spatial resolution with millisecond-level temporal resolution. However, under extremely complex scenarios, excessively strong or weak acoustoelectric signal coupling le...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981385/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Augmented reality paradigm and EA-DGCNN decoding algorithm for motor imagery in stroke patients

👤 Tzyy-Ping Jung 📅 2026-11-04 📖 1 min 📝 64 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: Stroke represents one of the leading causes of long-term motor dysfunction on a global scale. Existing motor imagery (MI) brain-computer interface (BCI) rehabilitation training systems face critical challenges of suboptimal patient engagement and limited electroencephalography (EEG) featu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981608/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261105040303&v=2.20.1

Lemmings CSS Animation

👤 MarkBlah 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

Summary: Article URL: https://markblah.github.io/lemmings/ Comments URL: https://news.ycombinator.com/item?id=50375354 Points: 140 # Comments: 28

🔗 **Read full article:**
https://markblah.github.io/lemmings/

Altera Announces Agilex 2X, a Complete FPGA and SoC Portfolio

👤 gmays 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.altera.com/newsroom/agilex-2x Comments URL: https://news.ycombinator.com/item?id=50375653 Points: 21 # Comments: 9

🔗 **Read full article:**
https://www.altera.com/newsroom/agilex-2x

Want to Rent an Internet Address at the White House?

👤 zdw 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://krebsonsecurity.com/2026/11/want-to-rent-an-internet-address-at-the-white-house/ Comments URL: <a href="https://news.ycombinator.com/item?id=50375728">https://news.yc...

🔗 **Read full article:**
https://krebsonsecurity.com/2026/11/want-to-rent-an-internet-address-at-the-white-house/

T-MRB Call for Nominations for Associate Editors

👤 Deidre Artis 📅 2026-04-22 📖 1 min 📝 16 words EMBS

> **Summary:** The post T-MRB Call for Nominations for Associate Editors appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/t-mrb-call-for-nominations-ae/#new_tab

2026 Adcom Petition is Open

👤 Deidre Artis 📅 2026-09-11 📖 1 min 📝 14 words EMBS

> **Summary:** The post 2026 Adcom Petition is Open appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/about/embs-officers/2026-embs-administrative-committee-adcom-election-2/#new_tab

Analysis of the dynamic evolution and immunosuppressive functions of myeloid cells in gliomas based on single-cell transcriptomics

📖 1 min 📝 23 words BRAIN RESEARCH

Summary: Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Hao Yuan, Jingyi Yang, Zili Bai, Hongyan Wang, Jiaxuan Tong, Peng Chen, Shouping Gong

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S000689932600466X?dgcid=rss_sd_all

A red fluorescent sensor for intensity-and lifetime imaging of cAMP in living cells

👤 Ivanicic, M., Tiroshi, L., Gourinchas, G., Adachi, K., Yasuda, R., Griesbeck, O., Dombeck, D. A.

📅 2026-11-04 📖 1 min 📝 123 words BIORXIV NEUROSCIENCE

Summary: cAMP (cyclic adenosine monophosphate) is a crucial intracellular messenger involved in neuromodulation and plasticity, but more information on its spatiotemporal regulation is desirable. Here we constructed a red fluorescent indicator based on a truncated cAMP binding site derived from a regulatory ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.04.764060v1?rss=1

Calcium permeability–enhancing mutations in GluRIIC suppress sustained presynaptic homeostatic plasticity triggered by loss of GluRIIA

Olfat A. MalakLindsay GrayAmmar AlyRobin W. BallJessica Gustin-MurrayMyriam MoujahidineGuadalupe CarrascoAndrew RoskoEhud Y. IsacoffA. Pejmun Haghighiahttps://ror.org/050sv4x28Buck Institute for Research on Aging, Novato, CA 94945bhttps://ror.org/04b6nzv94Brigham and Women's Hospital, Harvard Medical School, Boston, MA 02115cInscopix Inc., Mountain View, CA 94043dhttps://ror.org/03taz7m60Leonard Davis School of Gerontology, University of Southern California, Los Angeles, CA 90089ehttps://ror.org/01pxwe438Department of Physiology, McGill University, Montreal, QC H3G1Y6, Canadafhttps://ror.org/01an7q238Helen Wills Neuroscience Institute, University of California, Berkeley, CA 94720ghttps://ror.org/01an7q238Department of Neuroscience, University of California, Berkeley, CA 94720hhttps://ror.org/01an7q238Department of Molecular and Cell Biology, University of California, Berkeley, CA 94720

📅 2026-10-27 📖 1 min 📝 43 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceAccumulating experimental evidence indicates that neurons adjust their synaptic strength, in response to genetic or environmental/ pharmacological perturbations, to ensure stability in neural circu...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2625954123?af=R

VAP organizes presynaptic Ca2+ signaling and synaptic vesicle mobilization through Kv2 membrane contact sites

👤 Cameron D. PatonIn Ha ChoMichael B. Hoppaahttps://ror.org/049s0rh22Division of Arts and Sciences, Department of Biological Sciences, Dartmouth College, Hanover, NH 03755

📅 2026-10-27 📖 1 min 📝 47 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceThe endoplasmic reticulum (ER) supports neuronal function by regulating Ca2+, lipid, and protein homeostasis, yet how ER–plasma membrane contact sites contribute to synaptic transmission remains p...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2602106123?af=R

Intraventricular clindamycin enhances interstitial brain fluid drainage and the blood–brain barrier after a traumatic brain injury

👤 Landon S. AshbyMegan G. CroweDaveraj ChakravartySanjeev MedamGabriel FramptonAyesha B. DasDavid A. HormuthThomas E. YankeelovVincent Y. C. WangLinda J. Noble-HaeussleinBenjamin J. Umlaufahttps://ror.org/00hj54h04Department of Neurosurgery, The University of Texas at Austin, Austin, TX 78712bhttps://ror.org/00hj54h04Department of Biomedical Engineering, The University of Texas at Austin, Austin, TX 78712chttps://ror.org/00hj54h04Oden Institute for Computational Engineering and Sciences, The University of Texas at Austin, Austin, TX 78712dhttps://ror.org/00hj54h04Cancer Research Center, The University of Texas at Austin, Austin, TX 78712ehttps://ror.org/00hj54h04Department of Diagnostic Medicine, The University of Texas at Austin, Austin, TX 78712fDepartment of Imaging Physics, The University of Texas M.D. Anderson Cancer Center, Houston, TX 77030ghttps://ror.org/00hj54h04Department of Neurology, The University of Texas at Austin, Austin, TX 78712hhttps://ror.org/00hj54h04Department of Psychology, The University of Texas at Austin, Austin, TX 78712ihttps://ror.org/00hj54h04Mulva Clinic for the Neurosciences, The University of Texas at Austin, Austin, TX 78712

📅 2026-10-27 📖 1 min 📝 44 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 44, November 2026.
SignificanceDespite advances in the acute clinical management of severe traumatic brain injuries, treating injury-derived secondary pathogenesis remains a major challenge. We describe an alternative strategy ...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2536755123?af=R

Digital health meets Parkinson’s disease: a bibliometric exploration of wearable sensors research and emerging frontiers (2005–2026)

Lan Xiong 2026-10-08 1 min 228 words FRONTIERS NEUROINFORMATICS

Summary: BackgroundWearable and sensor-based monitoring technologies are increasingly used to support objective, longitudinal assessment in Parkinson’s disease (PD). However, the global development, knowledge structure, and emerging research frontiers of this interdisciplinary field remain incompletely mappe...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1937585

Bite-block effects on native s/ʃ and English r/l in child speakers of a language with/without this contrast

F. Sayako Earle 2026-11-02 1 min 171 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Learning to produce non-native speech contrasts requires developing new phonological categories as well as new articulatory-perceptual mappings for these new categories. However, within the same speakers, it remains unclear how these new categories compare to contrasts that are already fully establi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1949253

From biomechanical data to robotic execution: design and control of an intelligent Tuina system

Wei Yao
2026-11-02 1 min 181 words
FRONTIERS NEUROROBOTICS

Summary: IntroductionTraditional Chinese medicine (TCM) Tuina (massage) relies heavily on practitioners' physical stamina and subjective experience, leading to operational variability that hinders therapeutic standardization and scalable rehabilitation service delivery. To address this limitation, this study...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1937295

Multimodal regulation of neurite extension by extracellular matrix composition and electrical stimulation on aligned collagen fiber scaffolds

Madalynn J Thompson, Joanna Borowska-Fielding, Ivy A Murphy, Ying Zhang, Victor Rafuse and John P Frampton

2026-10-26 1 min 279 words
JOURNAL NEURAL ENGINEERING

Summary: Objective. Peripheral nerve regeneration is regulated by structural, biochemical, and electrical cues, yet their combined effects on neurite outgrowth remain unclear. In this study, an aligned fibrous scaffold was developed to evaluate how extracellular matrix (ECM) composition and electrical stimul...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb32c

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

Julia-Katharina Pfarr 2026-02-12 1 min 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

Robert Oostenveld 2026-02-12 1 min 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104204114&v=2.20.1

An open-source eye-tracking system adaptable to diverse terrestrial vertebrates reveals state-dependent visual acquisition in lizards

Mark Shein-Idelson 2026-11-03 1 min 68 words LOW VISION

Summary: Gaze shifts are fundamental to visual exploration and processing, yet empirical knowledge is largely confined to a small number of model species, limiting our understanding of general principles of visual acquisition across animals. Here, we introduce a versatile, low-cost, and open-source framework...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976203/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

Ocular Considerations for the Department of War's New Testosterone Initiative

Harkaran S Rana 2026-11-03 1 min 75 words LOW VISION

Summary: On 15 July 2026, the Secretary of War announced that the Department of War will begin annual testosterone deficiency screening for male Active Duty and Reserve Component personnel aged 30 and older as part of the periodic health assessment, with screening available on request to younger servicemembe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976237/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

A review of deep learning applications on histopathologic and genomic data in focal segmental glomerulosclerosis

Sasanko Sekhar Gantayat 2026-11-03 1 min 66 words LOW VISION

> **Summary:** Focal segmental glomerulosclerosis explains the histological pattern of injury seen through light microscopy in kidney biopsy specimens and is the end result of different injuries to podocytes. The clinical classification of patients by FSGS lesion is challenging because of a broad spectrum of etiol...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976573/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

Effects of balance training with electrical muscle stimulation on ankle joint muscle on sensory reweighting and motor strategy

Naoya Hasegawa 2026-11-03 1 min 60 words LOW VISION

> **Summary:** CONCLUSIONS: EMS-based balance training was associated with the induction of visual reweighting dynamics and adaptive postural strategies involving multiple joints. Specifically, EMS-induced involuntary ankle assistance elicited hip-centered adjustments in postural control, contributing to upper-tru...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978008/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

Reproxalap 0.25% in dry eye disease: A meta-analysis of randomized controlled trials

Hashem Abu Serhan 2026-11-04 1 min 62 words LOW VISION

Summary: CONCLUSION: Reproxalap was associated with consistent improvements across key clinical outcomes in DED. Exploratory allergic conjunctivitis findings should be considered hypothesis-generating rather than clinically conclusive. Interpretation of the overall evidence is limited by exclusive industry s...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978862/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

State-of-the-art in automated image-based species identification systems

Adrian Egli 2026-11-04 1 min 64 words LOW VISION

Summary: Accurate and rapid species-level identification of bacteria and fungi from culture plates are longstanding challenges in diagnostic microbiology. Visual assessment of colony morphology lacks sufficient specificity for definitive identification, while biochemical profiling is often too slow for routi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979152/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

What we can learn from nature to restore human vision

Boris Baziyan 2026-11-04 1 min 72 words LOW VISION

Summary: Irreversible vision loss, affecting millions of people worldwide, most often ends in the death of retinal neurons that the human eye cannot replace. Across the tree of life, however, evolution has repeatedly produced strategies that address the core problems of vision restoration: zebrafish and sala...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979557/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

Adverse Events Associated with Trabecular Meshwork Bypass Devices from 2020-2025

Dilru C Amarasekera 2026-11-04 1 min 54 words LOW VISION

Summary: CONCLUSIONS: A low number of AEs were submitted for HM, ISW, and ISI in MAUDE from 2020-2025. Common complications were stent malposition, inflammation, break, and bleeding, with more frequent inflammation with HM and injector breaks with ISW. Similar AE numbers were described for HM and ISW, with a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980141/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

Treatment-induced changes in higher-order aberrations after ray-tracing-guided vs. wavefront-optimized laser in situ keratomileusis

Ramin Khoramnia 2026-11-04 1 min 43 words LOW VISION

Summary: CONCLUSIONS: Wavefront-optimized LASIK increased total HOAs, spherical aberration and coma, while no increase in HOAs was detected after wavelight plus. Spherical aberration decreased (negative change) after wavelight plus. The benefit of ray-tracing-guided LASIK tended to be larger in patients with...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980602/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

MindExplore+: Towards Long-Horizon Vision-Language-Action System

Yunsong Li 2026-11-04 1 min 59 words LOW VISION

Summary: Vision-Language-Action (VLA) is crucial for autonomous decision-making in embodied systems. While current methods have advanced single-skill abilities, their short-horizon capability limits applicability in real-world scenarios. To address this challenge, we propose MindExplore+, a hierarchical VLA ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981244/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104204111&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104204108&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104204106&v=2.20.1

What are the neural networks that have been modulated by anatomically targeted therapies to promote recovery of consciousness? A scoping review

👤 Konstantinos Margetis 📅 2026-11-03 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: Disorders of Consciousness (DoC) arise from insults to neural networks responsible for awareness and arousal. DoC subtypes are frequently misdiagnosed, as mechanisms underlying consciousness remain poorly understood. Neurostimulation has been investigated as a potential therapy for DoC recovery; how...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973973/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field

Prinpida Sonthiphand 2026-11-03 1 min 68 words TDCS TACS TRNS

Summary: Due to climate change and increasing food demand, conventional agriculture relies heavily on chemical fertilizers. This study investigated the effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field. Metag...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974438/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Transcranial Pulse Stimulation in Parkinson's Disease: A Systematic Review

Marcelo Lourenço da Silva 2026-11-03 1 min 41 words TDCS TACS TRNS

Summary: CONCLUSIONS: TPS shows preliminary potential to modulate sensorimotor networks and improve selected motor outcomes in PD. However, evidence remains insufficient to establish overall clinical efficacy. Larger, rigorously controlled trials are required to determine sustained benefits, optimal stimulat...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975199/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

👤 Jinwu Wang 📅 2026-11-03 📖 1 min 📝 30 words TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

👤 Haibin Zhang 📅 2026-11-03 📖 1 min 📝 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

The application of transcranial magnetic stimulation in treatment-resistant depression: insights from omics

Tianhao Bao 2026-11-04 1 min 59 words TDCS TACS TRNS

Summary: Treatment-resistant depression (TRD) is a refractory form of major depressive disorder (MDD) for which conventional antidepressant strategies are often insufficient. Transcranial magnetic stimulation (TMS) has demonstrated clinical efficacy in TRD, but its biological mechanisms remain incompletely u...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979394/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

👤 Jianhua Chen
📅 2026-11-04 📖 1 min 📝 61 words

TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Targeting cognitive control and affective processing in aggression: neuromodulation approaches in CRC/TRR 379

Jana Zweerings 2026-11-04 1 min 63 words TDCS TACS TRNS

Summary: Interventions aimed at reducing aggression in mental disorders remain insufficiently addressed by current research, despite the substantial individual and societal burden associated with aggressive behavior. Consequently, strategies for modulating aggressive behavior are of high clinical relevance b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980804/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104204103&v=2.20.1

Interbrain synchrony analysis for fNIRS: A signal processing primer

Kathrin Kostorz 2026-10-31 1 min 65 words FNIRS

Summary: Interbrain synchrony (IBS), also referred to as interpersonal neural synchrony (INS), has become a central construct in social neuroscience and beyond. It describes the temporal alignment of neural activity across individuals and has been studied in a range of paradigms, including sequential interac...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964840/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Differences in Near-Infrared Light Spectral Characteristics and Cranial MRI Parameters in Patients with Major Depressive Disorder

👤 Dandan Wan 📅 2026-10-31 📖 1 min 📝 17 words FNIRS

> **Summary:** CONCLUSION: Near-infrared light spectroscopy imaging parameters and cranial MRI cerebral blood flow differ in patients with MDD.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Age-related patterns in local spontaneous activity measured by fNIRS: Greater unpredictability in infancy, local reorganization in childhood

👤 Kanghui Li 📅 2026-10-31 📖 1 min 📝 68 words FNIRS

> **Summary:** The maturation of the brain is typically described at the whole-brain scale, whereas age-related changes in spontaneous activity within local brain regions have received comparatively little attention. Resting-state regional dynamics (RSRD) are defined as the temporal variability characteristics of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966412/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh 2026-11-02 1 min 48 words FNIRS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

👤 Xiuyun Lin 📅 2026-11-03 📖 1 min 📝 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

👤 Lam Ghai Lim 📅 2026-11-03 📖 1 min 📝 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory
📅 2026-11-03 📖 1 min 📝 63 words

FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

Heather M Joseph
2026-11-04 1 min 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

👤 Xiaolong Liu
📅 2026-11-04 📖 1 min 📝 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104204100&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

The application of brain-computer interface on cognitive function and activities of daily living in stroke patients: a systematic review and meta-analysis

Xuan Gong 2026-11-03 1 min 52 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-based training shows preliminary promise for improving cognitive function and ADL in stroke patients. Current evidence remains insufficient to recommend BCI for emotion or speech rehabilitation. However, the GRADE certainty of evidence was rated as low for cognitive function and very...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973952/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

Mapping Brain-Computer Interface Research in Depression (1995-2026): A Bibliometric Analysis

Xianlun Duan 2026-11-03 1 min 31 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: The field has evolved from EEG-based characterization toward network-level and real-time neurofeedback research. These findings identify emerging research directions while highlighting the need for further methodological standardization and clinical validation.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

A comprehensive review of biosignal foundation models

Stefanos Zafeiriou 2026-11-03 1 min 71 words BRAIN COMPUTER INTERFACE

Summary: Foundation models are emerging as a promising approach to biosignal analysis, offering solutions to common challenges in learning from biosignal data, such as high variability, noise or limited annotations. This survey provides a comprehensive review of the state-of-the-art in this rapidly advancing...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976382/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

Learning-dependent hippocampal-striatal reorganization during sequential decision-making in pigeons

Zhigang Shang 2026-11-03 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Adaptive sequential decision-making requires animals to learn how actions shape future states and rewards while adjusting behavioral strategies as experience accumulates. Although the hippocampus is implicated in state-structure representation and the striatum in value learning, how learning strateg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977519/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

taVNS for uterine contraction pain and early recovery after spontaneous vaginal birth: a three-arm randomized controlled trial protocol

Tai-Pin Guo 2026-11-03 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: BACKGROUND: Uterine contraction pain after spontaneous vaginal birth (SVB) hinders early maternal recovery. Transcutaneous auricular vagus nerve stimulation (taVNS), as a safe, and non-invasive alternative therapy, can alleviate pain and improve sleep and emotion. Although a recent trial has confirm...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

👤 Jie Wu 📅 2026-11-04 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

👤 Mads Jochumsen 📅 2026-11-04 📖 1 min 📝 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

A high robustness decoding technique for ultrasound modulated electroencephalogram

👤 Dong Ming 📅 2026-11-04 📖 1 min 📝 60 words BRAIN COMPUTER INTERFACE

Summary: Ultrasound-modulated electroencephalography (USMEEG) has become a vital tool in neuroscience because it integrates millimeter-level spatial resolution with millisecond-level temporal resolution. However, under extremely complex scenarios, excessively strong or weak acoustoelectric signal coupling le...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42981385/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104204058&v=2.20.1

Implicit learning of melodic structure: A role for pitch?

📅 2024-01-22 📖 1 min 📝 180 words PSYCHOMUSICOLOGY

Summary: Growing evidence suggests that pitch influences musical processing, with melodic processing being enhanced in higher pitch ranges (e.g., Fujioka et al., 2005) and rhythmic processing being enhanced in lower pitches, and these effects may have a basis in elementary properties of the auditory system (...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000303

To those who feel unloved, misunderstood, or afraid

📅 2026-09-22 📖 3 min 📝 687 words FMHY

Summary: I understand the world can feel devoid of love, but I swear, there is a spark within humanity that has the capability to care deeply. To love unconditionally. It doesn't always shine through us all, but it exists, it's real, it's tangible, and no one is exempt from it. We often see it shin...

🔗 **Read full article:**
https://fmhy.net/posts/love

Thursday Daily Thread: Python Careers, Courses, and Furthering Education!

👤 /u/AutoModerator 📅 2026-11-05 📖 1 min 📝 219 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> <h1>Weekly Thread: Professional Use, Jobs, and Education 🏢</h1> <p>Welcome to this week's discussion on Python in the professional world! This is your spot to talk about job hunting, career growth, and educational resources in Python. Please note, this thread is <stron...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xo41r2/thursday_daily_thread_python_careers_courses_and/

Show HN: Gauge – Open-Source CLI to recursively improve your docs

👤 0x63_Problems 📅 2026-11-04 📖 2 min 📝 591 words HACKER NEWS

> **Summary:** <p>Hi HN, I’m Evan from Gauge. We’re open-sourcing our CLI to recursively improve your docs for coding agents. The CLI includes a local execution backend, so you don't need an account to try it. Explainer video here: <a href="https://youtu.be/zhLUllKB1Mg" rel="nofollow">https://youtu.be/zhLUllKB1Mg<...

🔗 **Read full article:**
https://github.com/gauge-sh/gauge-cli

Death Comes for XSLT

👤 colejohnson66 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://dbushell.com/2026/11/03/xslt-rip/ Comments URL: https://news.ycombinator.com/item?id=50371408 Points: 43 # Comments: 26

🔗 **Read full article:**
https://dbushell.com/2026/11/03/xslt-rip/

Hacking the Xbox 360 Hypervisor Part 3: Bad Update Improvements

👤 muricula 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://icode4.coffee/?p=1746 Comments URL: https://news.ycombinator.com/item?id=50372164 Points: 61 # Comments: 2

🔗 **Read full article:**
https://icode4.coffee/?p=1746

A thousand fewer paths to root

👤 dangelosaurus 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://openai.com/index/a-thousand-fewer-paths-to-root/ Comments URL: https://news.ycombinator.com/item?id=50372929 Points: 77 # Co...

🔗 **Read full article:**
https://openai.com/index/a-thousand-fewer-paths-to-root/

Images 2.6

👤 davidbarker 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://openai.com/index/introducing-images-2-6/ Comments URL: https://news.ycombinator.com/item?id=50372945 Points: 79 # Comments: 68

🔗 **Read full article:**
https://openai.com/index/introducing-images-2-6/

You'll need nerves of steel to work with AI agents

👤 theorchid 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://orchidfiles.com/youll-need-nerves-of-steel-to-work-with-ai-agents/ Comments URL: <a href="https://news.ycombinator.com/item?id=50373149">https://news.ycombinator.com/item?id=503731...

🔗 **Read full article:**
https://orchidfiles.com/youll-need-nerves-of-steel-to-work-with-ai-agents/

Starfall – Affordable, routine access to microgravity

👤 gmays 📅 2026-11-05 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.spacex.com/starfall Comments URL: https://news.ycombinator.com/item?id=50373308 Points: 49 # Comments: 19

🔗 **Read full article:**
https://www.spacex.com/starfall

Type S and M errors as a “rhetorical tool”

👤 noreply@blogger.com (Daniel Lakens)
📅 2025-09-28 📖 17 min 📝 3572 words

TWENTY PERCENT STATISTICIAN

> **Summary:** Update 30/09/2025: I have added a reply by Andrew Gelman below my original blog post. We recently posted a preprint criticizing the idea of Type S and M errors (https://osf.io/2phzb_v1). From our abstract: “While these concepts have been pr...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/09/type-s-and-m-errors-as-rhetorical-tool.html

Why we should stop using statistical techniques that have not been adequately vetted by experts in psychology

👤 noreply@blogger.com (Daniel Lakens)
📅 2025-10-29 📖 27 min 📝 5516 words

TWENTY PERCENT STATISTICIAN

> **Summary:** In a recent post on Bluesky, where Richard Morey reflects on a paper he published with Clintin Davis-Stober that points out concerns with the p-curve method (Morey & Davis-Stober, 2025), he writes: <p cla...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/10/why-we-should-stop-using-statistical.html

ERP Decoding for Everyone: Software and Webinar

👤 Steve Luck 📅 2023-06-23 📖 2 min 📝 420 words ERP BOOT CAMP

Summary: You can access the recording h.
You can access the final PDF of the slides <a href="https://ucdavis.box.com/s/f...

🔗 **Read full article:**
https://erpinfo.org/blog/2023/6/23/decoding-webinar

Important Changes to the 2024 ERP Boot Camp

👤 Steve Luck 📅 2024-03-05 📖 2 min 📝 444 words ERP BOOT CAMP

Summary: We are disappointed to announce that we will not be holding a regular 10-day ERP Boot Camp this summer. We have held Boot Camps nearly every summer since 2007, supported by a series of generous grants from NIMH that allowed us to provide scholarships for all attendees. Unf...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/3/5/changes-to-the-2024-erp-boot-camp

Standardized Measurement Error now available in BrainVision Analyzer and MNE-Python

👤 Steve Luck 📅 2025-12-19 📖 1 min 📝 253 words ERP BOOT CAMP

> **Summary:** <p class="">A few years ago, we developed a universal metric of data quality for averaged ERPs called the standardized measurement error (click here for more information or watch our <a href="https://www.youtube.com/watch?v=tEKsx0p53rs" t...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/12/19/sme-now-available-in-bva-and-mne-python

Transcranial Focused Ultrasound: A Transformative Tool for Intracranial Ablation, Drug Delivery, and Neuromodulation

📅 2025-11-11 📖 1 min 📝 136 words REVIEWS BIOMEDICAL ENGINEERING

> **Summary:** Transcranial focused ultrasound (tFUS) is an emerging neuromodulation and therapeutic technology offering noninvasive, submillimeter precision for targeting deep brain structures. Unlike transcranial magnetic stimulation (TMS) and transcranial electric stimulation (tES), which are limited by depth-f...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11241049

Network Models of Neurodegeneration: Bridging Neuronal Dynamics and Disease Progression

📅 2026-01-16 📖 1 min 📝 196 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Neurodegenerative diseases are characterized by the accumulation of misfolded proteins and widespread disruptions in brain function. Computational modeling has advanced our understanding of these processes, but efforts have traditionally focused on either neuronal dynamics or the biological processe...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11357276

Optogenetics: Pinpoint Light on Precise Neuromodulation

📅 2025-11-06 📖 1 min 📝 137 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Optogenetics has emerged as a pivotal tool in neuroscience, enabling intricate modulation of targeted neurons within the nervous system. Despite its transformative potential, achieving high spatiotemporal resolution in neuromodulation remains a significant challenge, particularly in free-behaving an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11230544

Emerging Noninvasive Approaches for the Suppression of Pathological Tremor

📅 2025-12-16 📖 1 min 📝 215 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Pathological tremor affects over 40 million people worldwide, significantly impairing daily activities and quality of life. Pharmacological treatments show limited efficacy, with up to 30% discontinuation rates, while surgical interventions like deep brain stimulation achieve significant tremor redu...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11301615

Assistive Trajectory Planning for Lower Limb Exoskeletons: Strategies From Laboratory-Optimized Gait to Environmentally-Adaptive Locomotion Through Multimodal Parameter Awareness

📅 2025-12-30 📖 1 min 📝 182 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Lower limb assistive exoskeletons (LLEs) show great potential to reduce metabolic cost, improve walking performance, and correct abnormal gait patterns. Among their core control architectures, assistive trajectory planning is key to determining system responsiveness and effectiveness under varying l...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11319164

Join the Mailing List

👤 dziura 📅 2025-12-10 📖 1 min 📝 13 words EMBS

> **Summary:** The post Join the Mailing List appeared first on IEEE EMBS.

🔗 **Read full article:**
https://embc.embs.org/2026/#new_tab

EMBS MentorLink: Fostering Careers Together

👤 Deidre Artis 📅 2026-08-18 📖 1 min 📝 14 words EMBS

> **Summary:** The post EMBS MentorLink: Fostering Careers Together appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/embs-mentorlink-fostering-careers-together/

Do neuroimaging data have higher-order interactions?

📖 1 min 📝 16 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Rikkert Hindriks, Fernando Santos, Matteo Neri, Prejaas Tewarie

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006117?dgcid=rss_sd_all

Context-dependent effects of ketamine on emotional evidence integration

👤 Rascu, M., Grohn, J., Costi, S., Zangani, C., Agyapong, S., Smith, K. A., Cowen, P. J., Hunt, L. T., Klein-Flügge, M. C., Weber, L. A.

📅 2026-11-04 📖 1 min 📝 200 words BIORXIV NEUROSCIENCE

Summary: Understanding others' emotions requires continuously integrating noisy affective information as emotional states change over time. Research on emotion processing, however, has thus far focused on static environments or discrete events. Here, we developed a continuous emotional evidence integration t...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.30.762604v1?rss=1

Disrupted mannosidase enzymes in C9orf72 ALS/FTD

Ondatje, B. N., Gittings, L. M., Preller, K. R., Alsop, E., Garcia-Mansfield, K., Hansen, N., Lovell, B., Sharma, R., Piras, I. S., Martinez, M., Meechoovet, B., Bonfitto, A., Song, S., Levy, J., Huentelman, M., Pirrotte, P., Van Keuren-Jensen, K., Sattler, R.

2026-11-04 1 min 116 words BIORXIV NEUROSCIENCE

Summary: Amyotrophic lateral sclerosis (ALS) is an age-related neurodegenerative disorder resulting from the loss of motor neurons in the brain and spinal cord. Neuroinflammation, induced by glial cells including microglia (MG) and astrocytes, is an acknowledged aspect of this neurodegeneration. Generating i...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.30.763135v1?rss=1

Loneliness as a modulator of intersubject neural alignment across social and nonsocial contexts

Jeong, B., Kim, M. J.

2026-11-04 1 min 189 words BIORXIV NEUROSCIENCE

Summary: Loneliness is associated with cognitive biases that diverge from normative patterns of understanding and may be reflected in altered neural responses to the world. Here, we examined how loneliness modulates neural synchrony across individuals during the processing of social and nonsocial information...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.03.763905v1?rss=1

Disentangling visual and motor contributions to continuous psychophysics

👤 Pisu, V., Koselevs, A., Lam, C., Mamassian, P., Straub, D., Rothkopf, C. A., Maiello, G.

📅 2026-11-04

📖 1 min 📝 278 words

BIORXIV NEUROSCIENCE

Summary: Continuous psychophysics measures visual function by asking observers to track a randomly moving target. Because continuous responses provide more information than traditional discrete judgements, a few minutes of tracking can estimate visual sensitivity, making the approach attractive for testing c...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.763761v1?rss=1

Inosine Triphosphate Pyrophosphatase as a Candidate Associated with White Matter Abnormalities in Chronic Heart Failure

👤 Takeuchi, K., Suzuki, H., Sumiyoshi, A., Kurosawa, R., Sugano, A., Urushihata, T., Arai, M., Nochioka, K., Ito, K., Satoh, A., Nakazawa, T., Yasuda, S.

📅 2026-11-04 📖 1 min 📝 298 words BIORXIV NEUROSCIENCE

Summary: Background: White matter hyperintensities (WMHs) are common with normal brain aging and frequently observed also in chronic heart failure (CHF). However, the relationship between CHF and white matter abnormalities and the biological factors remain unclear. We investigated WMH and associated white ma...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.764123v1?rss=1

Monoaminergic changes are associated with impaired neurogenesis along the longitudinal axis of the hippocampus in ageing and dementia

Mathews, K. J., Abdeen, A. H., Mor, D., Cottam, V., Dalton, M. A., Kwok, J., Double, K. L.

2026-11-04 1 min 214 words BIORXIV NEUROSCIENCE

Summary: Neurogenesis persists in the adult human hippocampus and is thought to support memory and emotional regulation. Both normal ageing and Parkinson disease dementia (PDD) are associated with reduced hippocampal neurogenesis, but why this occurs and how this might change across the across the hippocampa...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.764096v1?rss=1

An Eyewear-Based EEG Interface for Temporal-Region Monitoring and Emotion Recognition

Li, X., Chai, L., Xu, S., Ni, J., So, K.-F.

2026-11-04 1 min 200 words BIORXIV NEUROSCIENCE

Summary: Conventional electroencephalography (EEG) devices are often impractical for ambulatory settings due to their reliance on specialized hardware and expert operation. To address this, we developed a user-friendly eyewear-based EEG system featuring dry titanium electrodes positioned approximately 5 mm i...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.02.763849v1?rss=1

Locomotor activity enhances environmental representation by boosting visuo-frontal communication

Milton, R., Slapik, M., Egranov, S., Parajuli, A., Franch, M., McConnell, A., Dragoi, V.

2026-11-04

1 min

188 words

BIORXIV NEUROSCIENCE

Summary: During environment exploration we rapidly acquire visual information to identify targets of interest. Here, we discovered that locomotion limits how long natural scenes are viewed dur- ing free exploration. Whether the brain has developed compensatory mechanisms to ensure that sensory information is...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.02.763783v1?rss=1

Unilateral naris occlusion with custom-made plugs for reversible olfactory deprivation in juvenile and adult mice

Dorrego-Rivas, A., Peedikayil-Kurien, S., Huang, L., Stanley, T. C., Galliano, E.

2026-11-04

1 min

138 words

BIORXIV NEUROSCIENCE

Summary: Deprivation paradigms that reduce environmental input have been successfully applied across multiple species and sensory modalities, including vision, audition, somatosensation, and olfaction in order to understand how neurons and circuits respond to loss of sensory input. One notable advantage of s...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.03.763032v1?rss=1

Naturalistic recall preserves temporal specificity despite cortical feature reorganization

Peng, S., Levine, B., Buchsbaum, B. R.
2026-11-04 1 min 142 words

BIORXIV NEUROSCIENCE

Summary: Although sensory input arrives in a largely continuous stream, recall is temporally compressed, discontinuous, and often structured as events. However, the temporal specificity of recall-related neural activity within events, and the separation and cortical organization of recalled features relative...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.763513v1?rss=1

Spider snooze stages

2026-11-04 1 min 0 words

NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03487-0

Aggression experience and observation drive shared behavioural and neural changes

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41586-026-11217-9

Physiological APP processing is required for synaptic plasticity and cognition

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41419-026-09378-6

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104162640&v=2.20.1

Intrastromal Antibiotic Therapy for Recalcitrant Bacterial Keratitis

👤 Mark Chehade 📅 2026-11-03 📖 1 min 📝 52 words LOW VISION

Summary: CONCLUSIONS: Adjunctive intrastromal antibiotic therapy achieved a high rate of infection resolution in this cohort of recalcitrant bacterial keratitis, with a low complication rate. This approach may be considered in refractory cases or when unable to utilize conventional topical therapy. However, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975988/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

An open-source eye-tracking system adaptable to diverse terrestrial vertebrates reveals state-dependent visual acquisition in lizards

👤 Mark Shein-Idelson 📅 2026-11-03 📖 1 min 📝 68 words LOW VISION

Summary: Gaze shifts are fundamental to visual exploration and processing, yet empirical knowledge is largely confined to a small number of model species, limiting our understanding of general principles of visual acquisition across animals. Here, we introduce a versatile, low-cost, and open-source framework...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976203/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

Ocular Considerations for the Department of War's New Testosterone Initiative

Harkaran S Rana 2026-11-03 1 min 75 words LOW VISION

Summary: On 15 July 2026, the Secretary of War announced that the Department of War will begin annual testosterone deficiency screening for male Active Duty and Reserve Component personnel aged 30 and older as part of the periodic health assessment, with screening available on request to younger servicemembe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976237/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

A review of deep learning applications on histopathologic and genomic data in focal segmental glomerulosclerosis

Sasanko Sekhar Gantayat 2026-11-03 1 min 66 words LOW VISION

Summary: Focal segmental glomerulosclerosis explains the histological pattern of injury seen through light microscopy in kidney biopsy specimens and is the end result of different injuries to podocytes. The clinical classification of patients by FSGS lesion is challenging because of a broad spectrum of etiol...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976573/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

Effects of balance training with electrical muscle stimulation on ankle joint muscle on sensory reweighting and motor strategy

Naoya Hasegawa 2026-11-03 1 min 60 words LOW VISION

Summary: CONCLUSIONS: EMS-based balance training was associated with the induction of visual reweighting dynamics and adaptive postural strategies involving multiple joints. Specifically, EMS-induced involuntary ankle assistance elicited hip-centered adjustments in postural control, contributing to upper-tru...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978008/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

Reproxalap 0.25% in dry eye disease: A meta-analysis of randomized controlled trials

Hashem Abu Serhan 2026-11-04 1 min 62 words LOW VISION

Summary: CONCLUSION: Reproxalap was associated with consistent improvements across key clinical outcomes in DED. Exploratory allergic conjunctivitis findings should be considered hypothesis-generating rather than clinically conclusive. Interpretation of the overall evidence is limited by exclusive industry s...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978862/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

State-of-the-art in automated image-based species identification systems

Adrian Egli 2026-11-04 1 min 64 words LOW VISION

Summary: Accurate and rapid species-level identification of bacteria and fungi from culture plates are longstanding challenges in diagnostic microbiology. Visual assessment of colony morphology lacks sufficient specificity for definitive identification, while biochemical profiling is often too slow for routi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979152/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

What we can learn from nature to restore human vision

Boris Baziyan 2026-11-04 1 min 72 words LOW VISION

Summary: Irreversible vision loss, affecting millions of people worldwide, most often ends in the death of retinal neurons that the human eye cannot replace. Across the tree of life, however, evolution has repeatedly produced strategies that address the core problems of vision restoration: zebrafish and sala...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979557/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

Adverse Events Associated with Trabecular Meshwork Bypass Devices from 2020-2025

👤 Dilru C Amarasekera 📅 2026-11-04 📖 1 min 📝 54 words LOW VISION

Summary: CONCLUSIONS: A low number of AEs were submitted for HM, ISW, and ISI in MAUDE from 2020-2025. Common complications were stent malposition, inflammation, break, and bleeding, with more frequent inflammation with HM and injector breaks with ISW. Similar AE numbers were described for HM and ISW, with a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980141/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

Treatment-induced changes in higher-order aberrations after ray-tracing-guided vs. wavefront-optimized laser in situ keratomileusis

👤 Ramin Khoramnia 📅 2026-11-04 📖 1 min 📝 43 words LOW VISION

Summary: CONCLUSIONS: Wavefront-optimized LASIK increased total HOAs, spherical aberration and coma, while no increase in HOAs was detected after wavelight plus. Spherical aberration decreased (negative change) after wavelight plus. The benefit of ray-tracing-guided LASIK tended to be larger in patients with...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980602/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104162638&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104162635&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104162633&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao 📅 2026-11-03 📖 1 min 📝 69 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

What are the neural networks that have been modulated by anatomically targeted therapies to promote recovery of consciousness? A scoping review

👤 Konstantinos Margetis
📅 2026-11-03 📖 1 min 📝 63 words

TDCS TACS TRNS

Summary: Disorders of Consciousness (DoC) arise from insults to neural networks responsible for awareness and arousal. DoC subtypes are frequently misdiagnosed, as mechanisms underlying consciousness remain poorly understood. Neurostimulation has been investigated as a potential therapy for DoC recovery; how...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973973/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field

Prinpida Sonthiphand 2026-11-03 1 min 68 words TDCS TACS TRNS

Summary: Due to climate change and increasing food demand, conventional agriculture relies heavily on chemical fertilizers. This study investigated the effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field. Metag...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974438/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Transcranial Pulse Stimulation in Parkinson's Disease: A Systematic Review

Marcelo Lourenço da Silva 2026-11-03 1 min 41 words TDCS TACS TRNS

Summary: CONCLUSIONS: TPS shows preliminary potential to modulate sensorimotor networks and improve selected motor outcomes in PD. However, evidence remains insufficient to establish overall clinical efficacy. Larger, rigorously controlled trials are required to determine sustained benefits, optimal stimulat...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975199/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

👤 Jinwu Wang 📅 2026-11-03 📖 1 min 📝 30 words TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

👤 Haibin Zhang 📅 2026-11-03 📖 1 min 📝 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

The application of transcranial magnetic stimulation in treatment-resistant depression: insights from omics

Tianhao Bao 2026-11-04 1 min 59 words TDCS TACS TRNS

Summary: Treatment-resistant depression (TRD) is a refractory form of major depressive disorder (MDD) for which conventional antidepressant strategies are often insufficient. Transcranial magnetic stimulation (TMS) has demonstrated clinical efficacy in TRD, but its biological mechanisms remain incompletely u...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979394/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

A Neuro-endocrine-immune Network Perspective on Transcranial Direct Current Stimulation for Metabolic Dysregulation in Schizophrenia

Jianhua Chen
2026-11-04 1 min 61 words TDCS TACS TRNS

Summary: Individuals with schizophrenia (SCZ) frequently exhibit glycolipid metabolic disorders. This clinical issue cannot be fully explained by the high metabolic risk associated with antipsychotic medications alone. It is increasingly recognized to involve complex multi-system interactions, particularly t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Effects of Different Stimulation Parameters on the Efficacy of Transcranial Direct Current Stimulation for Post-Stroke Dysphagia: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials

👤 Yuan Lin
📅 2026-11-04 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: tDCS yields favorable effects on swallowing function in patients with PSD when administered to the lesional hemisphere, the contralesional hemisphere, or bilaterally, and there are no differences in efficacy among the three stimulation modes. An intensity of 1.8 mA represents a potential...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104162631&v=2.20.1

Interbrain synchrony analysis for fNIRS: A signal processing primer

Kathrin Kostorz 2026-10-31 1 min 65 words FNIRS

Summary: Interbrain synchrony (IBS), also referred to as interpersonal neural synchrony (INS), has become a central construct in social neuroscience and beyond. It describes the temporal alignment of neural activity across individuals and has been studied in a range of paradigms, including sequential interac...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964840/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Differences in Near-Infrared Light Spectral Characteristics and Cranial MRI Parameters in Patients with Major Depressive Disorder

Dandan Wan 2026-10-31 1 min 17 words FNIRS

Summary: CONCLUSION: Near-infrared light spectroscopy imaging parameters and cranial MRI cerebral blood flow differ in patients with MDD.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Age-related patterns in local spontaneous activity measured by fNIRS: Greater unpredictability in infancy, local reorganization in childhood

👤 Kanghui Li 📅 2026-10-31 📖 1 min 📝 68 words FNIRS

Summary: The maturation of the brain is typically described at the whole-brain scale, whereas age-related changes in spontaneous activity within local brain regions have received comparatively little attention. Resting-state regional dynamics (RSRD) are defined as the temporal variability characteristics of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966412/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh 2026-11-02 1 min 48 words FNIRS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

👤 Xiuyun Lin 📅 2026-11-03 📖 1 min 📝 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

👤 Lam Ghai Lim 📅 2026-11-03 📖 1 min 📝 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory
📅 2026-11-03 📖 1 min 📝 63 words FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

Heather M Joseph
2026-11-04 1 min 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Neural Mechanisms of Smartphone Addiction: A Systematic Review of Neuroimaging and Related Neurophysiological/ Neurostimulation Studies

Xiaolong Liu 2026-11-04 1 min 34 words FNIRS

Summary: CONCLUSION: These findings collectively underscore the pressing need for further research into the neurobiological mechanisms of smartphone addiction and the development of targeted interventions to mitigate its adverse effects. The PROSPERO Registration: CRD420261369691, https://www.crd.york.ac.uk/...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42979930/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104162629&v=2.20.1

Functional electrical stimulation and brain-machine interfaces for simultaneous control of wrist and finger flexion

Cynthia A Chestek 2026-11-02 1 min 22 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: We outline a method using an artificial brain-to-body interface that could restore continuous wrist and finger movements after spinal cord injury.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42972338/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

The application of brain-computer interface on cognitive function and activities of daily living in stroke patients: a systematic review and meta-analysis

Xuan Gong 2026-11-03 1 min 52 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-based training shows preliminary promise for improving cognitive function and ADL in stroke patients. Current evidence remains insufficient to recommend BCI for emotion or speech rehabilitation. However, the GRADE certainty of evidence was rated as low for cognitive function and very...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973952/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

Mapping Brain-Computer Interface Research in Depression (1995-2026): A Bibliometric Analysis

Xianlun Duan 2026-11-03 1 min 31 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: The field has evolved from EEG-based characterization toward network-level and real-time neurofeedback research. These findings identify emerging research directions while highlighting the need for further methodological standardization and clinical validation.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

A comprehensive review of biosignal foundation models

Stefanos Zafeiriou 2026-11-03 1 min 71 words BRAIN COMPUTER INTERFACE

Summary: Foundation models are emerging as a promising approach to biosignal analysis, offering solutions to common challenges in learning from biosignal data, such as high variability, noise or limited annotations. This survey provides a comprehensive review of the state-of-the-art in this rapidly advancing...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976382/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

Learning-dependent hippocampal-striatal reorganization during sequential decision-making in pigeons

Zhigang Shang 2026-11-03 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Adaptive sequential decision-making requires animals to learn how actions shape future states and rewards while adjusting behavioral strategies as experience accumulates. Although the hippocampus is implicated in state-structure representation and the striatum in value learning, how learning strateg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977519/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

taVNS for uterine contraction pain and early recovery after spontaneous vaginal birth: a three-arm randomized controlled trial protocol

Tai-Pin Guo 2026-11-03 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: BACKGROUND: Uterine contraction pain after spontaneous vaginal birth (SVB) hinders early maternal recovery. Transcutaneous auricular vagus nerve stimulation (taVNS), as a safe, and non-invasive alternative therapy, can alleviate pain and improve sleep and emotion. Although a recent trial has confirm...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

👤 Jie Wu 📅 2026-11-04 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

A Comparison Between Movement-Related Brain Activity Modalities for Increasing Corticospinal Excitability Using an Associative Brain-Computer Interface

Mads Jochumsen 2026-11-04 1 min 39 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: An associative BCI using either motor execution or motor imagery effectively increases corticospinal excitability. These findings suggest that both forms of efferent activity are viable, allowing flexibility in selecting the modality based on user capability or clinical context.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42980617/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104162626&v=2.20.1

The sound of manufactured music: Reviewing the role of artificial stimuli in music cognition research.

2024-01-22 1 min 259 words PSYCHOMUSICOLOGY

Summary: Having participants listen and react to musical stimuli is one of music cognition's foundational methods. Whereas most researchers have used stimuli adapted from existing musical traditions in such work, others have incorporated artificial stimuli (i.e., stimuli generated specifically for research t...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000304

Music-evoked nostalgia and charitable giving: A cross-cultural study in the United States and Mexico.

📅 2024-01-22 📖 1 min 📝 192 words PSYCHOMUSICOLOGY

Summary: Nostalgia, a past-oriented emotion characterized by complex affective responses, is a pervasive and fundamental human experience. Prior research has demonstrated that nostalgia serves various socioemotional functions, such as promoting a sense of belonging, enhancing one's perception of meaning in l...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000302

Preferred music listening does not affect cognitive inhibition in young and older adults.

📅 2023-10-12 📖 1 min 📝 227 words PSYCHOMUSICOLOGY

Summary: Previous literature has found links between music listening and cognitive performance. Specifically, background music may play a role in modulating cognitive inhibition. However, determining what type of background music affects cognitive inhibition throughout the lifespan has not been studied. The ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000300

Absolute pitch: A literature review of underlying factors, with special regard to music pedagogy.

📅 2023-07-10 📖 1 min 📝 202 words PSYCHOMUSICOLOGY

Summary: Absolute pitch (AP) is a fairly rare and special phenomenon that has relevance for musicology, psychology, genetics, and neuroscience. AP possessors are able to identify the pitch of an isolated sound or to produce that sound without a reference point. The authors' aim is to review the literature on...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000298

Capturing coordination and intentionality in joint musical improvisation.

📅 2023-08-03 📖 1 min 📝 217 words PSYCHOMUSICOLOGY

Summary: Humans collaborate with each other on a wide variety of tasks that are often largely improvised and unscripted. In this study, we investigated the dynamics of coordination in a joint musical improvisation task, what the effect of intentions is on coordination, and how musicians propagate these inten...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000299

Continuous affect responses to a large diverse set of unfamiliar music: Bayesian time-series and cluster analyses.

📅 2023-04-20 📖 1 min 📝 252 words PSYCHOMUSICOLOGY

Summary: Sixty-nine participants made continuous response judgments of perceived arousal and valence while listening to 30-s extracts of 100 unfamiliar pieces within a novel recommender system. Our purpose was to take advantage of the relatively large number of participants and pieces studied (compared with ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000295

Monthly Updates [July]

📅 2026-07-01 📖 3 min 📝 640 words FMHY

Summary: <h1 id="wiki-updates" tabindex="-1">Wiki Updates </h1>   <p>Added FMHY Plugin to <a href="https://www.flowlau...

🔗 **Read full article:**
https://fmhy.net/posts/july-2026

Showcase Thread

👤 /u/ AutoModerator 📅 2026-11-04 📖 1 min 📝 33 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> Post all of your code/projects/showcases/ AI slop here. Recycles once a month. <!-- SC_ON -->   submitted by   /u/AutoModerator
 <a href="https://www.reddit.com/r/Python/c...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xntm2j/showcase_thread/

Conductor Is Joining Meta

👤 kenrose 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.conductor.build/announcement Comments URL: https://news.ycombinator.com/item?id=50369503 Points: 35 # Comments: 20

🔗 **Read full article:**
https://www.conductor.build/announcement

From wild to mild: Friendly foxes show changes in brain region

👤 gmays 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://news.cornell.edu/stories/2026/11/wild-mild-friendly-foxes-show-changes-brain-region Comments URL: <a href="https://news.ycombinator.com/item?id=50369527">https://n...

🔗 **Read full article:**
https://news.cornell.edu/stories/2026/11/wild-mild-friendly-foxes-show-changes-brain-region

Have I Befriended a Murderer?

👤 gmays 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://longreads.com/2026/11/03/murder-friendship-doubt/ Comments URL: https://news.ycombinator.com/item?id=50369754 Points: 66 # ...

🔗 **Read full article:**
https://longreads.com/2026/11/03/murder-friendship-doubt/

Show HN: After a decade of reversing, I got co-op working in DOS Wing Commander

👤 daniel_rh 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://fireflyk64.github.io/wcmulti/ Comments URL: https://news.ycombinator.com/item?id=50369895 Points: 26 # Comments: 4

🔗 **Read full article:**
https://fireflyk64.github.io/wcmulti/

Ripple-65B Preview: U.S. Open-Weight SOTA on Agentic Coding

👤 Philpax 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.ricursive.com/ripple Comments URL: https://news.ycombinator.com/item?id=50369925 Points: 121 # Comments: 45

🔗 **Read full article:**
https://www.ricursive.com/ripple

Insects Don't Swarm at LED Lights

👤 speckx 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.birdsoutsidemywindow.org/2026/11/03/insects-dont-swarm-at-led-lights/ Comments URL: <a href="https://news.ycombinator.com/item?id=50370610">https://news.ycombinator.com/...

🔗 **Read full article:**
https://www.birdsoutsidemywindow.org/2026/11/03/insects-dont-swarm-at-led-lights/

Qualcomm Cloud AI 100 Ultra – 150W AI Accelerator Card with 128GB at 548GB/s

👤 peter_d_sherman 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.qualcomm.com/data-center/products/cloud-ai-100-ultra Comments URL: https://news.ycombinator.com/item?id=50370654 Points...

🔗 **Read full article:**
https://www.qualcomm.com/data-center/products/cloud-ai-100-ultra

Residential Proxies Detected on White House Network

👤 Rasbora 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://layer3intel.com/blog/residential-proxies-white-house-network Comments URL: https://news.ycombinator.com/item?id=50371246 <...

🔗 **Read full article:**
https://layer3intel.com/blog/residential-proxies-white-house-network

AR guitar with just a laptop and scissors

👤 castlew 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.arguitar.com/ Comments URL: https://news.ycombinator.com/item?id=50371370 Points: 5 # Comments: 1

🔗 **Read full article:**
https://www.arguitar.com/

Everything is an AI scam now

👤 speckx 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.davidralphlewis.co.uk/posts/everything-is-an-ai-scam-now/ Comments URL: https://news.ycombinator.com/item?id=50371508 ...

🔗 **Read full article:**
https://www.davidralphlewis.co.uk/posts/everything-is-an-ai-scam-now/

Automatic computational reproducibility checks with Metacheck

👤 noreply@blogger.com (Daniel Lakens) 📅 2026-10-30 📖 19 min 📝 3854 words

TWENTY PERCENT STATISTICIAN

> **Summary:** When authors share their data and analysis code, the idea is that anyone should be able to run that code on that data and get the results reported in the paper. But sharing data and code in a way that results are reproducible is difficult, and researchers have often not received tr...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/10/automatic-computational-reproducibility.html

Registration is now full for the 2024 ERP Boot Camp

👤 Steve Luck 📅 2024-03-16 📖 1 min 📝 106 words ERP BOOT CAMP

> **Summary:** The demand for the 2024 ERP Boot Camp was far beyond our expectations, and we reached our maximum registration of 30 people within one day. We already have a waiting list of over 30 people, so we have closed the registration site. <...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/3/15/registration-full

New Paper: Using Multivariate Pattern Analysis to Increase Effect Sizes for ERP Amplitude Comparisons

👤 Steve Luck 📅 2024-06-10 📖 2 min 📝 521 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Bahle, B., Simmons, A. M., & Luck, S. J. (2024). Using multivariate pattern analysis to increase effect sizes for event-related potential analyses. Psychophysiology, 61, e14570. https://doi.org/10.1111/psyp.14570 [<a h...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/10/erp-core-decoding-paper

Call for Student/YP Deputy Editor

Deidre Artis 2026-09-29 1 min 14 words EMBS

Summary: The post Call for Student/YP Deputy Editor appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/call-for-student-yp-deputy-editor/

Stage-specific exposure to an activity-permissive medium enhances neuronal activity in oligodendrocyte-enriched cortical organoids

1 min 34 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Clara Chung, Michelle J. Kim, Grace Field, Konstantina Pilarinos, Elizabeth K. Kharitonova, Natalie Baker Campbell, Marie Shi, Christopher V. Gabel, Joseph L. Orofino, Ella Zeldich

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004634?dgcid=rss_sd_all

Investigating fatigability and cortical activation during prolonged foot tapping in multiple sclerosis

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Zuhal Abasiyanik, Lousin Moumdjian, Natalia Skorupa, Daphne Kos, Bart Van Wijmeersch, Miguel D'Haeseleer, Inge Zijdewind, Peter Feys, Felipe Balistieri Santinelli

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006949?dgcid=rss_sd_all

Neural dynamics of auditory attention: Interactions between top-down and bottom-up processes

📖 1 min 📝 12 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): S. Graceffo, M. Elhilali

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006002?dgcid=rss_sd_all

Neurovascular coupling in simultaneous EEG-fNIRS studies: A scoping review of analytical frameworks and clinical applications

📖 1 min 📝 18 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Yu Wu, Rajamanickam Yuvaraj, Stéphane Perrey, Hasan Ayaz, Wei-Peng Teo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006130?dgcid=rss_sd_all

A single day of natural daylight exposure and physical activity does not conclusively change circadian phase: A Bayesian crossover experiment

👤 Loock, A.-S., Milanesi, M., Schwendinger, F., Garbazza, C., Schmidt-Trucksaess, A., Lang, U., Blume, C.

📅 2026-11-04 📖 1 min 📝 280 words BIORXIV NEUROSCIENCE

Summary: Among the environmental signals that shape human physiology, the daily light-dark cycle is the primary zeitgeber of the human circadian system. Physical activity may provide an additional non-photic time cue and frequently co-occurs with daylight in everyday life. However, their independent and comb...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.763886v1?rss=1

Recruitment of intrasegmental and propriospinal interneuron networks of forelimb motor circuitry in chronic cervical contusion spinal cord injury

👤 Crowther, K., Harbeck, A., Middlesworth, M., Bosch, M., Lyttle, M. A., MacGibbon, C., Jaffe, D. A., Michel-Flutot, P., Fitchett, E., Li, S., Lepore, A. C.

📅 2026-11-04 📖 1 min 📝 250 words BIORXIV NEUROSCIENCE

Summary: Cervical spinal cord injury (SCI) disrupts descending supraspinal input and spinal networks controlling upper extremity motor function, making recovery of arm and hand function a major priority for affected individuals. The vast majority of regenerative strategies have been studied during the acute ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.02.763629v1?rss=1

Mechanisms of impaired cerebral hemodynamics and memory resilience differ by sex: A role for mineralocorticoid receptors in VCID

DeMarco, G. M., Bernstein, G. A., Chen, D., Bloete, J., Schellinger, E. D., Westbrook, M. E., Baumoel, E. J., Luchetta, J., Chapman, A. C.

2026-11-04 1 min 190 words BIORXIV NEUROSCIENCE

Summary: INTRODUCTION: Chronic hypertension is associated with cerebral hypoperfusion and is a primary risk factor for vascular contributions to cognitive impairment and dementia (VCID). Aldosterone, a key mediator of hypertension, causes cerebrovascular dysfunction via its mineralocorticoid receptor (MR). M...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.31.763340v1?rss=1

Immersion as inference: An active inference account of induced realities and its relation to the two-competitor model

Renz, L., GauthierDickey, K. L., Vibell, J., Francis, A. L., Corona-Strauss, F. I., Strauss, D. J.

2026-11-04 1 min 339 words BIORXIV NEUROSCIENCE

Summary: Immersive technologies are designed for a single target: the human perceptual system. Engineers of virtual and augmented reality have long recognized that a display does not have to replicate the physical world, it only has to provide the inputs that satisfy the senses at the level at which the brai...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.764079v1?rss=1

Differential modulation of the neurocomputational signature of early and late mismatch responses to spoken words by awareness and task relevance

Harenbrock, J., Straube, T., Dellert, T., Schlossmacher, I.

2026-11-04 1 min 249 words BIORXIV NEUROSCIENCE

Summary: Mismatch responses (MMRs), including the mismatch negativity (MMN) and the P3, are a hallmark of the brains capacity to detect unexpected events. They are discussed to be generated by two main processes: adaptation and prediction error (PE). However, MMR research on underlying mechanisms has mostly ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.757859v1?rss=1

Physical sensorimotor contingencies facilitate learning in monkeys

An, S.-J., Gabel, J., Jazayeri, M., Sohn, H.

2026-11-04 1 min 150 words

BIORXIV NEUROSCIENCE

Summary: Animal studies in neuroscience routinely use virtual tasks that deviate significantly from the animals' natural behavioral repertoire. This choice is often necessary for conducting careful and controlled experimentation. However, this approach raises a fundamental question: do virtual tasks expose n...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.01.763380v1?rss=1

One digit too many: brain rhythms and autonomic responses at the limits of working memory capacity

Kotyusov, A. I., Kasanov, D. A., Zaitseva, A. I., Kotchoubey, B., Pavlov, Y. G.

2026-11-04 1 min 250 words

BIORXIV NEUROSCIENCE

Summary: Physiological measures vary with working memory load, but whether they identify when demands exceed a person's working memory capacity remains unclear. We assessed neural and autonomic responses to exceeding digit span by one digit. During an adaptive digit span task, we recorded EEG, pupillometry, ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.01.763481v1?rss=1

Integrative Transcriptomic Meta-Analysis Reveals SIRT1-SNCA Correlation in Parkinson's Disease

Cimen, H., Sonmez, E., Hotaslier, F.
2026-11-04 1 min 169 words

BIORXIV NEUROSCIENCE

Summary: Parkinson's disease (PD) is a progressive neurodegenerative disorder that affects midbrain dopaminergic neurons without any approved therapy. Candidate molecular targets identified in one model are not always traceable across the postmortem, induced pluripotent stem cell (iPSC), and cell-based syste...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.763624v1?rss=1

The behaviour bends, the code holds: working-memory category information in the multiple-demand network across graded interruption

Leticevscaia, O., Feredoes, E.
2026-11-04 1 min 279 words

BIORXIV NEUROSCIENCE

Summary: Protecting working memory (WM) from interference is essential for goal-directed behaviour, yet its neural mechanisms remain unclear. The multiple-demand (MD) network - a set of frontoparietal regions recruited by diverse cognitive demands - is a candidate system for maintaining WM content under inte...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.03.763342v1?rss=1

Contributions of Site Heterogeneity in Multi-site Brain-Phenotype Predictions

👤 Chen, G., Jones, M., Gadiyar, I., Satterthwaite, T. D., Chen, A., Vandekar, S.

📅 2026-11-04 📖 1 min

📝 264 words

BIORXIV NEUROSCIENCE

Summary: Machine learning studies of brain-phenotype associations typically summarize accuracy with a single Pearson correlation, yet in harmonized multi-site data this metric is shaped by training-set size, feature and outcome variability, and true effect heterogeneity. We analyzed structural MRI data from ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.01.763540v1?rss=1

Fine-tuning brain stimulation to fight Parkinson’s disease

📅 2026-11-04 📖 1 min 📝 0 words

NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03168-y

How a once-controversial idea is advancing understanding of Parkinson’s disease

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03169-x

Reward-related memory benefits cannot be explained by post-encoding stimulus-related thought

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-78089-x

The human claustrum tracks uncertainty and prediction error

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02471-1

Could chemicals contribute to Parkinson’s?

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03170-4

Six highlights from Parkinson’s disease research

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03172-2

Progress accelerates in Parkinson’s treatments

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03165-1

How the brain protects itself from Parkinson’s disease

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03171-3

Single-neuron encoding of rapidly learned visual information reshapes human perception

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02496-6

Parkinson’s: beyond the brain

📅 2026-11-04 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/d41586-026-03173-1

Single-neuron encoding of rapidly learned visual information reshapes human perception

Gabriel Kreiman 2026-11-04 1 min 38 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 04 November 2026; doi:10.1038/s41593-026-02496-6 The authors show that rapid learning modulates neuronal activity in the human visual cortex, requiring extra processing time to support recog...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02496-6

The human claustrum tracks uncertainty and prediction error

2026-11-04 1 min 54 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 04 November 2026; doi:10.1038/s41593-026-02471-1 Single-neuron recordings provide direct evidence that the human claustrum tracks uncertainty and prediction errors during adaptive behavior. ...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02471-1

C1ql2 gates stress vulnerability by regulating microglia-mediated synaptic pruning in the BLA-vHPC circuit

Chun-Yan WangWei-Zhu LiuShuang-Mei LiaoJing NiuHan-Qing PanWen-Jie YouKe ZhaoBao MaMing-Fen LuJia-Xin ZouPing HuWen-Hua ZhangBing-Xing Panahttps://ror.org/042v6xz23Jiangxi Institute of Respiratory Diseases and Department of Pathology, The First Affiliated Hospital, School of Basic Medical Sciences and Institute of Biomedical Innovation, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinabhttps://ror.org/042v6xz23Jiangxi Provincial Key Laboratory of Brain Science and Brain Health, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinachttps://ror.org/042v6xz23Postdoctoral Research Station, The First Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinadhttps://ror.org/042v6xz23Institute of Translational Medicine, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinaehttps://ror.org/042v6xz23Department of Neurology, The Second Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, China

📅 2026-10-21 📖 1 min 📝 43 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceStress-related emotional disorders involve maladaptive synaptic remodeling in the basolateral amygdala (BLA), which is highly heterogeneous across neurons projecting to distinct downstream targets....

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2600854123?af=R

BVLab-analyzer: a unified visual toolbox for terabyte-scale whole-brain cell detection, neuron reconstruction, and vascular network extraction

Tingwei Quan 2026-10-07 1 min 139 words FRONTIERS NEUROINFORMATICS

Summary: BVLab-Analyzer is a standalone graphical software tool for end-to-end analysis of terabyte-scale whole-brain microscopy images. Operating through a zero-code interface, it handles data import (TIFF, BioImageVision, OME-Zarr), deep learning-based semantic segmentation, 3D skeleton reconstruction, and...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1925112

Natural language processing for suicidal behavior detection in short Spanish clinical notes from first-contact interviews

Ansel Y. Rodríguez-González 2026-10-07 1 min 267 words

FRONTIERS NEUROINFORMATICS

Summary: IntroductionSuicide is a multifactorial phenomenon influenced by social, cultural, biological, and psychological factors, whose early detection remains challenging. According to the World Health Organization, suicide is the third leading cause of death among individuals aged 15–29 years, representin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1919962

Transformers for fMRI analysis: from spatiotemporal modeling to brain foundation models

Bocheng Wang 2026-10-07 1 min 217 words FRONTIERS NEUROINFORMATICS

Summary: Functional magnetic resonance imaging (fMRI) serves as a pivotal tool for investigating the functional organization and dynamic connectivity of the human brain, indirectly reflecting neural activity through blood oxygen level-dependent (BOLD) signals. However, the high-dimensional spatiotemporal str...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1869687

Multi-receptor whole-brain modeling reveals affinity-driven chemoarchitectural mechanism of virtual atomoxetine action

Gustavo Deco 2026-11-04 1 min 219 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Linking molecular mechanisms with large-scale brain dynamics remains a fundamental challenge in computational psychiatry. Receptor-informed whole-brain models have provided mechanistic insights into pharmacological interventions, yet they have largely relied on single-receptor topographies that cann...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1854866

Music with monaural beats for anxiety reduction and mood enhancement in individuals with moderate trait-anxiety

👤 Gianluca Micchi 📅 2026-11-04 📖 1 min 📝 279 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Monaural beats embedded in music are a popular anxiety-relief intervention, yet implementation parameters and efficacy remain poorly understood. Across two studies of online participants with moderate trait anxiety, we tested whether theta-frequency (4–7 Hz) monaural beats in music produce anxiolyti...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1980343

Brain-inspired predictive visual attention for spatiotemporal semantic understanding of complex film and television videos

👤 Peng Han 📅 2026-10-22 📖 1 min 📝 275 words FRONTIERS NEUROROBOTICS

Summary: Due to the unique characteristics of film and television, such as montage editing and narrative structure jumps, semantically salient targets frequently experience temporal feature drift, making it difficult for existing models to maintain stable semantic understanding output when keyframes are lost...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1934032

MS-3D-CNN with quantum-inspired chaotic hybrid adaptive wolf-particle swarm optimization for tactical pattern classification in basketball from player tracking data

Haoyan Liu 2026-10-30 1 min 229 words FRONTIERS NEUROROBOTICS

Summary: IntroductionAI sport analysis methods have been considerably improved by developments in knowledge of tactically information and its codification. Nevertheless, methods for capturing multi-levels spatio-temporal information for complex team-sport behaviors are still limited. In opposed to motion rec...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1910261

Reliability-aware multimodal sensor fusion for human motion monitoring with safety-constrained neurorobotic feedback in sports training

Jiaoyu Wang 2026-11-04 1 min 247 words FRONTIERS NEUROROBOTICS

Summary: IntroductionEmbodied intelligent systems require reliable perception and safety-constrained feedback mechanisms for human motion understanding under heterogeneous sensing conditions. In this study, volleyball training is considered as a representative dynamic human-motion scenario rather than the so...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1973789

Deep reinforcement learning–driven model-based adaptive PID strategy for six-wheeled rocker–bogie mobile platform

Hongxue Feng 2026-11-04 1 min 202 words FRONTIERS NEUROROBOTICS

Summary: IntroductionSix-wheel rocker–bogie rovers encounter nonlinear dynamics, variable traction, and wheel slip that can degrade the performance of fixed-gain proportional–integral–derivative (PID) controllers. This study develops a hybrid deep reinforcement learning–PID framework to improve steering and ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1905372

Retraction: Hypothermia impairs glymphatic drainage in traumatic brain injury as assessed by dynamic contrast-enhanced MRI with intrathecal contrast

2026-11-04 1 min 0 words FRONTIERS NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.2046766

TEMPO-taVNS: a multimodal platform optimizing thermal, electrical, and mechanical auricular stimulation

Matthew P. Ward 2026-11-04 1 min 176 words FRONTIERS NEUROSCIENCE

Summary: Transcutaneous auricular vagus nerve stimulation (taVNS) is typically delivered electrically, while alternative stimulation modalities and their potential for personalization remain underexplored. We present TEMPO-taVNS (Thermal, Electrical, and Mechanical Parameter Optimization for taVNS), a human-...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1983186

Baseline cognition accounts for most predictive information on cognitive recovery during rehabilitation after carbon monoxide poisoning

Peihui Liu 2026-11-04 1 min 271 words FRONTIERS NEUROSCIENCE

Summary: BackgroundCognitive change during rehabilitation after carbon monoxide (CO) poisoning may differ from prognosis at acute presentation. We examined whether information recorded in a rehabilitation pathway added predictive information beyond baseline cognition.MethodsThis single-center retrospective c...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1975750

NeuroTest: a benchtop testbed for evaluating sensing-capable electrophysiology and neurostimulation systems

Morrow JK, H Cho, M Benjaber, Denison TJ, Widge AS and Herron JA

2026-11-04 1 min

247 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. The development of increasingly complex implantable neuromodulation devices requires extensive benchtop validation and testing prior to in vivo implementation. Our goal is to enable this in vitro testing by creating a benchtop system that is accessible, easy-to-use, and functions reliably...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb82d

Towards semantic brain-computer interfacing: the graded inventory of semantic triggers (GIST) paradigm

Joshua James Podmore, Moein Radman, Riccardo Poli, Silke Paulmann and Ian Daly

2026-11-04

1 min

299 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Semantic brain-computer interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual p...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb724

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104101053&v=2.20.1

Suprachoroidal hemorrhage and detachment in the non-laser photocoagulation posterior pole after intravitreal Anti-VEGF injection: A case report

Xionggao Huang 2026-11-03 1 min 63 words LOW VISION

Summary: Intravitreal anti-vascular endothelial growth factor (anti-VEGF) injections are widely used for diabetic macular edema (DME) and neovascular ocular diseases. Suprachoroidal hemorrhage and detachment (SCHD) in the posterior pole non-laser photocoagulation area is an extremely rare complication after ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973923/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Visual Perceptual Learning Based on Adaptive Contrast Detection Training Enhances Vision and Contrast Sensitivity in Diabetic Retinopathy

Lixia Feng 2026-11-03 1 min 37 words LOW VISION

Summary: CONCLUSIONS: The results reveal significant plasticity in the visual system in DR and suggest that contrast detection training may extend to motion perception tasks. Our study provides additional support for VPL as a potential treatment for DR.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Reading disability in glaucoma: A neglected dimension of visual disability

Michele Figus 2026-11-03 1 min 62 words LOW VISION

Summary: Reading disability is a common and clinically relevant, yet under-recognized, functional impairment in glaucoma, with significant impact on independence, daily activities, and quality of life, particularly in an increasingly digital environment. Reading performance is influenced by a complex interpl...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

The Amsler Grid Use Study (AGUS): Amsler Grid Nonadherence is Driven by Forgetfulness and Health Beliefs But Not Age

Lisa Nivison-Smith 2026-11-03 1 min 33 words LOW VISION

Summary: CONCLUSIONS: Amsler grid nonadherence was primarily unintentional and mostly due to forgetfulness. Poor adherence was associated with greater concerns in Amsler grid use, indicating modifiable factors that can be addressed to improve adherence.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975851/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Intrastromal Antibiotic Therapy for Recalcitrant Bacterial Keratitis

👤 Mark Chehade 📅 2026-11-03 📖 1 min 📝 52 words LOW VISION

Summary: CONCLUSIONS: Adjunctive intrastromal antibiotic therapy achieved a high rate of infection resolution in this cohort of recalcitrant bacterial keratitis, with a low complication rate. This approach may be considered in refractory cases or when unable to utilize conventional topical therapy. However, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975988/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

An open-source eye-tracking system adaptable to diverse terrestrial vertebrates reveals state-dependent visual acquisition in lizards

👤 Mark Shein-Idelson 📅 2026-11-03 📖 1 min 📝 68 words LOW VISION

Summary: Gaze shifts are fundamental to visual exploration and processing, yet empirical knowledge is largely confined to a small number of model species, limiting our understanding of general principles of visual acquisition across animals. Here, we introduce a versatile, low-cost, and open-source framework...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976203/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Ocular Considerations for the Department of War's New Testosterone Initiative

Harkaran S Rana 2026-11-03 1 min 75 words LOW VISION

Summary: On 15 July 2026, the Secretary of War announced that the Department of War will begin annual testosterone deficiency screening for male Active Duty and Reserve Component personnel aged 30 and older as part of the periodic health assessment, with screening available on request to younger servicemembe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976237/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

A review of deep learning applications on histopathologic and genomic data in focal segmental glomerulosclerosis

Sasanko Sekhar Gantayat 2026-11-03 1 min 66 words LOW VISION

Summary: Focal segmental glomerulosclerosis explains the histological pattern of injury seen through light microscopy in kidney biopsy specimens and is the end result of different injuries to podocytes. The clinical classification of patients by FSGS lesion is challenging because of a broad spectrum of etiol...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976573/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Effects of balance training with electrical muscle stimulation on ankle joint muscle on sensory reweighting and motor strategy

Naoya Hasegawa 2026-11-03 1 min 60 words LOW VISION

Summary: CONCLUSIONS: EMS-based balance training was associated with the induction of visual reweighting dynamics and adaptive postural strategies involving multiple joints. Specifically, EMS-induced involuntary ankle assistance elicited hip-centered adjustments in postural control, contributing to upper-tru...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978008/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

Reproxalap 0.25% in dry eye disease: A meta-analysis of randomized controlled trials

Hashem Abu Serhan 2026-11-04 1 min 62 words LOW VISION

Summary: CONCLUSION: Reproxalap was associated with consistent improvements across key clinical outcomes in DED. Exploratory allergic conjunctivitis findings should be considered hypothesis-generating rather than clinically conclusive. Interpretation of the overall evidence is limited by exclusive industry s...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978862/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104101050&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104101047&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

Benjamin Ward-Cherrier 2026-10-31 1 min 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104101045&v=2.20.1

Spatial multi-omics of mouse incisor mesenchyme reveals metabolic remodeling during the MSC-to-TAC transition

Hu Zhao 2026-11-01 1 min 61 words TDCS TACS TRNS

Summary: The continuously growing mouse incisor provides a useful model for investigating stem cell niche organization and the MSC-to-TAC transition because it contains spatially distinct mesenchymal stem/stromal cell (MSC)-enriched and transit-amplifying cell (TAC)-enriched compartments and abundant TAC pop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966754/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

A phase-calibrated combined electrical-sensory neuromodulation platform for short-Term frontoparietal network modulation and cognitive fatigue resistance

👤 Qianxiang Zhou
📅 2026-11-02 📖 1 min 📝 57 words

TDCS TACS TRNS

Summary: Non-invasive multimodal neuromodulation is often limited by cross-modal temporal misalignment caused by modality-specific conduction delays. To address this challenge, we developed a microcontroller-based multiphysics stimulation platform integrating transcranial alternating current stimulation (tAC...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42970833/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh

2026-11-02 | 1 min | 48 words

TDCS TACS TRNS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Repeated prefrontal transcranial direct current stimulation improves behavioral regulation and modulates resting-state EEG microstate dynamics in young adults with problematic smartphone use: a randomized sham-controlled longitudinal study

👤 Yingying Zeng
📅 2026-11-03 📖 1 min 📝 62 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Repeated prefrontal tDCS produced concurrent behavioral improvement and selective reorganization of resting-state EEG microstate dynamics in young adults with PSU. These findings provide preliminary evidence that repeated prefrontal tDCS is associated with concurrent behavioral changes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973820/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

What are the neural networks that have been modulated by anatomically targeted therapies to promote recovery of consciousness? A scoping review

Konstantinos Margetis
2026-11-03 1 min 63 words TDCS TACS TRNS

Summary: Disorders of Consciousness (DoC) arise from insults to neural networks responsible for awareness and arousal. DoC subtypes are frequently misdiagnosed, as mechanisms underlying consciousness remain poorly understood. Neurostimulation has been investigated as a potential therapy for DoC recovery; how...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973973/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field

Prinpida Sonthiphand 2026-11-03 1 min 68 words TDCS TACS TRNS

Summary: Due to climate change and increasing food demand, conventional agriculture relies heavily on chemical fertilizers. This study investigated the effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field. Metag...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974438/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Transcranial Pulse Stimulation in Parkinson's Disease: A Systematic Review

Marcelo Lourenço da Silva 2026-11-03 1 min 41 words TDCS TACS TRNS

Summary: CONCLUSIONS: TPS shows preliminary potential to modulate sensorimotor networks and improve selected motor outcomes in PD. However, evidence remains insufficient to establish overall clinical efficacy. Larger, rigorously controlled trials are required to determine sustained benefits, optimal stimulat...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975199/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

👤 Jinwu Wang 📅 2026-11-03 📖 1 min 📝 30 words TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

First mitogenome-based phylogenetic analysis and divergence time estimation of deep-sea elasipodid sea cucumbers (Holothuroidea: Elasipodida)

👤 Haibin Zhang 📅 2026-11-03 📖 1 min 📝 29 words TDCS TACS TRNS

Summary: CONCLUSIONS: Collectively, this study establishes a foundational mitogenomic dataset and provide a robust scientific foundation for future studies on the temporal divergence and evolutionary history of elasipodid sea cucumbers.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977899/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104101041&v=2.20.1

Rapid estimation of photon measurement density functions using a deep convolutional neural network for functional near-infrared spectroscopy

👤 Lei Zhang 📅 2026-10-31 📖 1 min 📝 63 words FNIRS

Summary: The photon measurement density function (PMDF) plays a fundamental role in both pre-experimental optode arrangement and post-experimental data analysis in functional near-infrared spectroscopy (fNIRS). Conventionally, PMDFs are derived from structural MR images through tissue segmentation and photon...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Interbrain synchrony analysis for fNIRS: A signal processing primer

👤 Kathrin Kostorz 📅 2026-10-31 📖 1 min 📝 65 words FNIRS

Summary: Interbrain synchrony (IBS), also referred to as interpersonal neural synchrony (INS), has become a central construct in social neuroscience and beyond. It describes the temporal alignment of neural activity across individuals and has been studied in a range of paradigms, including sequential interac...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964840/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Differences in Near-Infrared Light Spectral Characteristics and Cranial MRI Parameters in Patients with Major Depressive Disorder

👤 Dandan Wan 📅 2026-10-31 📖 1 min 📝 17 words FNIRS

> **Summary:** CONCLUSION: Near-infrared light spectroscopy imaging parameters and cranial MRI cerebral blood flow differ in patients with MDD.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Age-related patterns in local spontaneous activity measured by fNIRS: Greater unpredictability in infancy, local reorganization in childhood

👤 Kanghui Li 📅 2026-10-31 📖 1 min 📝 68 words FNIRS

> **Summary:** The maturation of the brain is typically described at the whole-brain scale, whereas age-related changes in spontaneous activity within local brain regions have received comparatively little attention. Resting-state regional dynamics (RSRD) are defined as the temporal variability characteristics of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966412/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh 2026-11-02 1 min 48 words FNIRS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

👤 Xiuyun Lin 📅 2026-11-03 📖 1 min 📝 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

👤 Lam Ghai Lim 📅 2026-11-03 📖 1 min 📝 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory
📅 2026-11-03 📖 1 min 📝 63 words

FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

Familial risk for attention-deficit/hyperactivity disorder and related behaviors in toddlerhood are preliminarily associated with altered frontoparietal development in infancy measured by functional near-infrared spectroscopy

Heather M Joseph
2026-11-04 1 min 66 words FNIRS

Summary: INTRODUCTION: Attention-Deficit/Hyperactivity Disorder (ADHD) is a common childhood neurodevelopmental disorder associated with impairments across the lifespan. Children with ADHD have been found to have delayed brain maturation. These delays may be present and detectable with functional near-infrar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978909/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104101039&v=2.20.1

State-dependent effects of rTMS on cognitive function in bipolar II disorder: A randomized, double-blind, sham-controlled trial

Shaohua Hu 2026-11-01 1 min 46 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: This exploratory trial did not provide statistically robust evidence that concurrent complex cognitive engagement enhanced the acute working-memory effects of IPL-targeted 10-Hz rTMS in euthymic bipolar II disorder, suggesting that task type, cognitive load, and stimulation-task couplin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966748/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Functional electrical stimulation and brain-machine interfaces for simultaneous control of wrist and finger flexion

Cynthia A Chestek 2026-11-02 1 min 22 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: We outline a method using an artificial brain-to-body interface that could restore continuous wrist and finger movements after spinal cord injury.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42972338/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

The application of brain-computer interface on cognitive function and activities of daily living in stroke patients: a systematic review and meta-analysis

Xuan Gong 2026-11-03 1 min 52 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-based training shows preliminary promise for improving cognitive function and ADL in stroke patients. Current evidence remains insufficient to recommend BCI for emotion or speech rehabilitation. However, the GRADE certainty of evidence was rated as low for cognitive function and very...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973952/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Mapping Brain-Computer Interface Research in Depression (1995-2026): A Bibliometric Analysis

Xianlun Duan 2026-11-03 1 min 31 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: The field has evolved from EEG-based characterization toward network-level and real-time neurofeedback research. These findings identify emerging research directions while highlighting the need for further methodological standardization and clinical validation.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

A comprehensive review of biosignal foundation models

Stefanos Zafeiriou 2026-11-03 1 min 71 words BRAIN COMPUTER INTERFACE

Summary: Foundation models are emerging as a promising approach to biosignal analysis, offering solutions to common challenges in learning from biosignal data, such as high variability, noise or limited annotations. This survey provides a comprehensive review of the state-of-the-art in this rapidly advancing...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976382/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Learning-dependent hippocampal-striatal reorganization during sequential decision-making in pigeons

Zhigang Shang 2026-11-03 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Adaptive sequential decision-making requires animals to learn how actions shape future states and rewards while adjusting behavioral strategies as experience accumulates. Although the hippocampus is implicated in state-structure representation and the striatum in value learning, how learning strateg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977519/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

taVNS for uterine contraction pain and early recovery after spontaneous vaginal birth: a three-arm randomized controlled trial protocol

Tai-Pin Guo 2026-11-03 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: BACKGROUND: Uterine contraction pain after spontaneous vaginal birth (SVB) hinders early maternal recovery. Transcutaneous auricular vagus nerve stimulation (taVNS), as a safe, and non-invasive alternative therapy, can alleviate pain and improve sleep and emotion. Although a recent trial has confirm...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Engineering Neural Interface Materials for Brain-Computer Interfaces: Toward Reliable Neural Information and Functional Recovery

Jie Wu 2026-11-04 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Motor dysfunction is a major disabling outcome of neurological disorders, including stroke, spinal cord injury, and cerebral palsy. By establishing direct communication between neural activity and external effectors, brain-computer interfaces (BCIs) offer a promising strategy for neural functional r...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42978770/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104101036&v=2.20.1

Advancing neuropsychology training: Insights and advice from a qualitative analysis in 102 brain-behavior experts.

2026-07-30 1 min 266 words NEUROPSYCHOLOGY

Summary: Objective: Neuropsychologists possess knowledge that could benefit trainees as they navigate important career decisions within their unique training pathways. This wisdom is typically passed down in an individual mentorship model wherein supervisors and advisors relay advice directly. While this mod...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001116

Sex-specific differences in amygdala resting-state functional connectivity with trait anxiety.

📅 2026-06-04 📖 1 min 📝 267 words NEUROPSYCHOLOGY

Summary: Objective: Anxiety disorders are the most common mental health conditions in the world, disproportionately affecting females and associated with significant morbidity. Neuroimaging can help us to understand the underpinnings of anxiety behaviors. The amygdala and its subnuclei have been strongly imp...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001100

Effects of simulated hearing loss on cognitive task performance: A scoping review.

📅 2026-07-30 📖 1 min 📝 235 words NEUROPSYCHOLOGY

Summary: Objective: Hearing loss (HL) and cognitive decline often co-occur in older adults. Many cognitive tests are administered using spoken instructions or stimuli, potentially biasing test results. The current scoping review aimed to provide an overview of studies using simulated HL in cognitively health...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001111

Normative cognitive test performance and typical error patterns among American Indian older adults: The Strong Heart Study.

📅 2026-06-15 📖 1 min 📝 245 words NEUROPSYCHOLOGY

Summary: Objective: The Strong Heart Study, a large cohort of American Indians from three U.S. regions, collected standardized neuropsychological assessments from participants aged 65–95 years at two visits (2010–2019), with prior documentation of lower overall score distributions and higher prevalence of co...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001093

The unity and diversity of executive functions across adulthood in a diverse Brazilian sample with varying educational attainment.

📅 2026-04-16 📖 1 min 📝 261 words NEUROPSYCHOLOGY

Summary: Objective: Executive functions (EFs) are a set of cognitive abilities associated with many social and clinical outcomes that are believed to be sensitive to culture, age, and educational attainment. Yet, this was determined using EF theoretical models and tests developed for highly educated young ad...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001085

Everyday executive functions in children with neurofibromatosis type 1: Data from nine institutions.

📅 2026-04-16 📖 1 min 📝 278 words NEUROPSYCHOLOGY

Summary: Objective: Executive function (EF) difficulties are prevalent in neurogenetic syndromes such as Neurofibromatosis Type 1 (NF1), the most common autosomal dominant condition associated with nervous system tumors. However, age-related differences in EF problems in children with NF1 remain poorly under...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001087

Integrity in six key brain regions predicts numeric working memory performance in 30,000 middle-aged and older adults: A UK Biobank magnetic resonance imaging study.

📅 2026-06-18 📖 1 min 📝 262 words NEUROPSYCHOLOGY

Summary: Objective: This study investigated the neuroanatomical correlates of working memory using the UK Biobank Numeric Memory Test (NMT; a visual backward digit-span task) in a large sample of middle-aged and older adults. Volumes of brain regions previously implicated in digit-span tasks were hypothesize...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001096

What Python project taught you the most about real world development?

/u/ Sonu_Jana | 2026-11-04 | 1 min | 44 words | REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> I'm interested in hearing about projects that genuinely improved your programming skills. Not necessarily huge projects, but ones that taught you something valuable <!-- SC_ON -->   submitted by   <a href="https://www.reddit.com/user/Sonu_Jana"> /u...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xnp9kl/what_python_project_taught_you_the_most_about/

Kitty 0.50

porridgeraisin | 2026-11-04 | 1 min | 13 words | HACKER NEWS

> **Summary:** Article URL: https://sw.kovidgoyal.net/kitty/changelog/# Comments URL: https://news.ycombinator.com/item?id=50362980 Points: 260 # Comments: 160

🔗 **Read full article:**
https://sw.kovidgoyal.net/kitty/changelog/#

Verification Is Not Knowledge: Science needs more than answers

👤 ersinesen 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://blog.cosmos-institute.org/p/verification-is-not-knowledge Comments URL: https://news.ycombinator.com/item?id=50363019 Poin...

🔗 **Read full article:**
https://blog.cosmos-institute.org/p/verification-is-not-knowledge

Incident with Pull Requests, Git Operations and Issues

👤 kevcampb 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.githubstatus.com/incidents/smtdswd1h2w4 Comments URL: https://news.ycombinator.com/item?id=50363378 Points: 164 # Comments: 8...

🔗 **Read full article:**
https://www.githubstatus.com/incidents/smtdswd1h2w4

Tell HN: Gemini trains on chat history, even for subscribers (personal accounts)

👤 jameslk 📅 2026-11-04 📖 1 min 📝 218 words HACKER NEWS

> **Summary:** If you have a personal Google AI subscription, all your saved chat history in Gemini can be used for training and there is no way to opt out unless you turn off chat history or use temporary chat sessions. These chat transcripts may even be read by human reviewers. Although Google claims to disco...

🔗 **Read full article:**
https://news.ycombinator.com/item?id=50363461

Geoffrey Hinton: it might turn out we were better off without AI

👤 alkyon 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theguardian.com/uk-news/2026/nov/03/ai-godfather-geoffrey-hinton-better-off-without-ai Comments URL: <a href="https://news.ycombinator.com/item?id=50363...

🔗 **Read full article:**
https://www.theguardian.com/uk-news/2026/nov/03/ai-godfather-geoffrey-hinton-better-off-without-ai

Synaptics Appears to Use Legal Threats to Block Open-Source DisplayLink Driver

👤 snvzz 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.phoronix.com/news/Synaptics-Blocks-Vino-Driver Comments URL: https://news.ycombinator.com/item?id=50363968 Points: 71 ...

🔗 **Read full article:**
https://www.phoronix.com/news/Synaptics-Blocks-Vino-Driver

AI is forcing us to pay off 40 years of technical debt

👤 pseudolus 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://spectrum.ieee.org/ai-in-cybersecurity-php2shell-vulnerability Comments URL: https://news.ycombinator.com/item?id=50364336 ...

🔗 **Read full article:**
https://spectrum.ieee.org/ai-in-cybersecurity-php2shell-vulnerability

North Korean fake job interview led to $6.3B Binance heist

👤 smalltech 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theregister.com/security/2026/11/03/north-korean-fake-job-interview-led-to-63b-binance-heist/5307398 Comments URL: <a href="https://news.y...

🔗 **Read full article:**
https://www.theregister.com/security/2026/11/03/north-korean-fake-job-interview-led-to-63b-binance-heist/5307398

Jaron Lanier on parallels between AI and social media

👤 musha68k 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.youtube.com/watch?v=WxaRn8kX2eI Comments URL: https://news.ycombinator.com/item?id=50365760 Points: 12 # Comments: 0

🔗 **Read full article:**
https://www.youtube.com/watch?v=WxaRn8kX2eI

US voters roundly reject data centers in ballot measures

👤 justonepost2 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.semafor.com/article/11/04/2026/us-voters-roundly-reject-data-centers-in-ballot-measures Comments URL: <a href="https://news.ycombinator.com/item?id=503...

🔗 **Read full article:**
https://www.semafor.com/article/11/04/2026/us-voters-roundly-reject-data-centers-in-ballot-measures

Charitable giving with earned and windfall money: behavioral and ERP responses to donation-risk information

📖 1 min 📝 17 words BRAIN RESEARCH

> **Summary:** Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Jing Wang, Xiaoya Li, Siqi Jian, Peng Li

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004750?dgcid=rss_sd_all

Transcutaneous auricular vagus nerve stimulation attenuates post-stroke dysphagia by modulating microglial polarization via the endothelial VWF/PI3K-Akt axis

📖 1 min 📝 17 words BRAIN RESEARCH

> **Summary:** Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Fan Yu, Yi Feng, Yun Miao, Guangxu Xu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004671?dgcid=rss_sd_all

TDP-43 dysfunction destabilizes glial homeostatic identity in ALS/FTD

📖 1 min 📝 14 words BRAIN RESEARCH

> **Summary:** Publication date: 15 January 2027 Source: Brain Research, Volume 1895 Author(s): Anna E Dale, Rita Sattler

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004804?dgcid=rss_sd_all

Cannabidiol’s prosexual effects in sexually active and sexually inhibited male rats

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Gabriela Rodríguez-Manzo, Ana Canseco-Alba, Jorge Rojas-Hernández

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006998?dgcid=rss_sd_all

Machine learning of connectome-wide functional connectivity in spinal muscular atrophy

📖 1 min 📝 36 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Yufen Li, Huasong Cai, Mengyu Zhang, Mengzhen Yan, Shasha Lan, Huirong Nie, Wanqing Shen, Cui Yan, Boyan Xu, Yujian Liang, Wen Tang, Yijuan Li, Pei Xiang, Yingqian Chen

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226007037?dgcid=rss_sd_all

Spectral-spatial modeling of neural couplings in functional connectivity of motor networks

📖 1 min 📝 25 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Hamidreza Abbaspour, Melissa H. Wade, Christopher P. Hurt, Christopher L. Gonzalez, Harrison C. Walker, Zachary T. Irwin

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006294?dgcid=rss_sd_all

Impact of acoustic property uncertainty on transcranial ultrasound simulation

👤 Kosciessa, J. Q., Webb, T. D., Martin, E., Treeby, B., Butts Pauly, K., Verhagen, L., Pichardo, S.

📅 2026-11-03 📖 1 min 📝 241 words BIORXIV NEUROSCIENCE

> **Summary:** Subject-specific simulations of wave propagation are commonly used to plan and report acoustic and thermal exposure during transcranial ultrasound (TUS) interventions. Their accuracy depends on acoustic and thermal tissue property assumptions, including sound speed, density, and attenuation. Reporte...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.30.763065v1?rss=1

Facing the waves of negative mood: Trait mindfulness moderates the links between physiology and emotion

Campos, A. M., Batchalli Maruthy, G., Cumming, G., Rodriguez, S., Himes, L., Rypma, B.

2026-11-03 1 min 197 words BIORXIV NEUROSCIENCE

Summary: Trait mindfulness is a dispositional ability characterized by awareness, non-judgment, and acceptance of internal and external experiences. Stress is associated with numerous psychological and physical health concerns including depression and anxiety. Mindfulness-based interventions (MBIs) have cons...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.30.760637v1?rss=1

Epilepsy: epidemiology, risk factors, classification, pathophysiology, clinical features, diagnosis and management

2026-11-04 1 min 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41392-026-03104-6

Editorial: Exploring the role of criticality in neural systems

Tiago L. Ribeiro 2026-11-04 1 min 0 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.2036015

Editorial: BCIs for monitoring and treating mental health conditions

Andrei Dragomir 2026-11-04 1 min 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2039121

The association between dietary protein intake and mental disorders in older adults: a scoping review

Aliza Haslinda Hamirudin 2026-11-04 1 min 280 words

FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundMental disorders are increasingly prevalent among older adults, significantly affecting their quality of life and overall wellbeing. Recent evidence suggests that dietary factors, particularly protein intake, may play a role in mental health outcomes. However, the association between dieta...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1949231

Editorial: Women in speech and language 2025

Anastasia M. Raymer 2026-11-04 1 min 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2009604

Editorial: Understanding consciousness: neural, cognitive, and philosophical perspectives

Joachim Keppler 2026-11-04 1 min 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2006518

MA-Pose and DMMS-GCN: skeleton-based martial-arts category recognition with edge-device deployment

Shilin Guo 2026-11-04 1 min 238 words FRONTIERS NEUROROBOTICS

Summary: With the development of visual sensor technology and human pose estimation algorithms, skeleton-based action recognition has received extensive attention in sports analysis and training systems. The recognition of martial-arts actions is difficult because different styles can share similar poses whi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1967140

A purinergic receptor dominance model for microglial state transitions: balancing perturbation and restraint during neuroinflammation

Minke Tang 2026-11-04 1 min 183 words FRONTIERS NEUROSCIENCE

Summary: Microglia show substantial functional heterogeneity during neuroinflammatory responses, yet the upstream mechanisms through which they interpret extracellular perturbation-associated signals and transition between functional states remain incompletely understood. Purinergic signaling is well positio...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1943067

The butyrate-m6A-BDNF axis: a hypothesis of gut-brain signal transduction in PSD

Dajun Gu 2026-11-04 1 min 151 words FRONTIERS NEUROSCIENCE

Summary: A reduction in brain-derived neurotrophic factor (BDNF) protein levels has been reported in post-stroke depression (PSD). However, whether transcript abundance and translation efficiency change in parallel or become uncoupled in PSD remains to be determined. In addition to classical transcriptional ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1869522

Delineating neural contributions to electroencephalogram-based speech decoding

Motoshige Sato, Eri Hatakeyama, Masakazu Inoue, Yasuo Kabe, Sensho Nobe, Akito Yoshida, Atsushi Yamamoto, Yuya Kita, Mayumi Shimizu, Kenichi Tomeoka, Michael X Cohen and Shuntaro Sasai

2026-10-30 1 min 249 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Speech brain–computer interfaces (BCIs) have emerged as a pivotal technology in facilitating communication for individuals with speech impairments. Utilizing electroencephalography (EEG) for noninvasive speech BCIs offers an accessible and affordable solution, potentially benefiting a bro...

Read full article:
https://iopscience.iop.org/article/10.1088/1741-2552/aeb68d

Diff-ADN: a diffusion-guided artifact denoising network with deterministic residual refinement for EEG

Mudasir Jamil, Muhammad Zulkifal Aziz, Binwen Huang and Xiaojun Yu

2026-10-30 1 min 241 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Physiological artifacts degrade electroencephalographic (EEG) recordings and can affect downstream brain–computer interface (BCI) analysis. This study develops a compact single-channel framework for ocular, muscular, cardiac, and mixed-artifact removal. Approach. The Diffusion-Guided Arti...

Read full article:
https://iopscience.iop.org/article/10.1088/1741-2552/aeab36

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261104015304&v=2.20.1

Foveal Crowding and Reduced Binocular Advantage In Myopic Anisometropia Under Brief Stimulus Presentation

👤 Jianfeng Wu 📅 2026-11-03 📖 1 min 📝 32 words LOW VISION

> **Summary:** CONCLUSIONS: In optically corrected MA patients, brief stimulus presentation revealed abnormal foveal crowding in response time and a reduced binocular advantage, suggesting decreased efficiency in processing visual information under high perceptual demand.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973381/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Blinded by inequity: a scoping review of income-related and structural disparities in eye care in the United States

👤 Carrie B Dolan 📅 2026-11-03 📖 1 min 📝 67 words LOW VISION

> **Summary:** CONCLUSION: Income-related disparities in eye care access are associated with structural and financial barriers linked to reduced access to timely services. Addressing these inequities may require greater alignment among recognized needs, promising interventions, and policy priorities, as well as en...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973523/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Suprachoroidal hemorrhage and detachment in the non-laser photocoagulation posterior pole after intravitreal Anti-VEGF injection: A case report

Xionggao Huang 2026-11-03 1 min 63 words LOW VISION

Summary: Intravitreal anti-vascular endothelial growth factor (anti-VEGF) injections are widely used for diabetic macular edema (DME) and neovascular ocular diseases. Suprachoroidal hemorrhage and detachment (SCHD) in the posterior pole non-laser photocoagulation area is an extremely rare complication after ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973923/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Visual Perceptual Learning Based on Adaptive Contrast Detection Training Enhances Vision and Contrast Sensitivity in Diabetic Retinopathy

Lixia Feng 2026-11-03 1 min 37 words LOW VISION

Summary: CONCLUSIONS: The results reveal significant plasticity in the visual system in DR and suggest that contrast detection training may extend to motion perception tasks. Our study provides additional support for VPL as a potential treatment for DR.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975101/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Reading disability in glaucoma: A neglected dimension of visual disability

Michele Figus 2026-11-03 1 min 62 words LOW VISION

Summary: Reading disability is a common and clinically relevant, yet under-recognized, functional impairment in glaucoma, with significant impact on independence, daily activities, and quality of life, particularly in an increasingly digital environment. Reading performance is influenced by a complex interpl...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

The Amsler Grid Use Study (AGUS): Amsler Grid Nonadherence is Driven by Forgetfulness and Health Beliefs But Not Age

Lisa Nivison-Smith 2026-11-03 1 min 33 words LOW VISION

Summary: CONCLUSIONS: Amsler grid nonadherence was primarily unintentional and mostly due to forgetfulness. Poor adherence was associated with greater concerns in Amsler grid use, indicating modifiable factors that can be addressed to improve adherence.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975851/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Intrastromal Antibiotic Therapy for Recalcitrant Bacterial Keratitis

👤 Mark Chehade 📅 2026-11-03 📖 1 min 📝 52 words LOW VISION

Summary: CONCLUSIONS: Adjunctive intrastromal antibiotic therapy achieved a high rate of infection resolution in this cohort of recalcitrant bacterial keratitis, with a low complication rate. This approach may be considered in refractory cases or when unable to utilize conventional topical therapy. However, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975988/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

An open-source eye-tracking system adaptable to diverse terrestrial vertebrates reveals state-dependent visual acquisition in lizards

👤 Mark Shein-Idelson 📅 2026-11-03 📖 1 min 📝 68 words LOW VISION

Summary: Gaze shifts are fundamental to visual exploration and processing, yet empirical knowledge is largely confined to a small number of model species, limiting our understanding of general principles of visual acquisition across animals. Here, we introduce a versatile, low-cost, and open-source framework...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976203/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

Ocular Considerations for the Department of War's New Testosterone Initiative

Harkaran S Rana 2026-11-03 1 min 75 words LOW VISION

Summary: On 15 July 2026, the Secretary of War announced that the Department of War will begin annual testosterone deficiency screening for male Active Duty and Reserve Component personnel aged 30 and older as part of the periodic health assessment, with screening available on request to younger servicemembe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976237/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

A review of deep learning applications on histopathologic and genomic data in focal segmental glomerulosclerosis

Sasanko Sekhar Gantayat 2026-11-03 1 min 66 words LOW VISION

Summary: Focal segmental glomerulosclerosis explains the histological pattern of injury seen through light microscopy in kidney biopsy specimens and is the end result of different injuries to podocytes. The clinical classification of patients by FSGS lesion is challenging because of a broad spectrum of etiol...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976573/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261104015302&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

The Relationship Between Occlusal Tactile Acuity, Bite Force and Tooth Wear

Birgitta Häggman-Henrikson 2026-11-03 1 min 52 words TACTILE ACUITY

Summary: CONCLUSIONS: Bite force may be a clinically relevant factor associated with accumulated tooth wear, whereas OTA was not independently associated with tooth wear. Longitudinal studies are needed to determine whether bite force can predict tooth wear progression and whether more comprehensive assessme...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973391/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261104015259&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Genome-Informed Loop-Mediated Isothermal Amplification (LAMP) Assays for Detection and Differentiation of Ralstonia pseudosolanacearum Phylotypes I and III

Jarred Yasuhara-Bell 2026-10-27 1 min 76 words BRAILLE

Summary: The Ralstonia solanacearum species complex (RSSC) causes bacterial wilt in a broad range of economically important hosts. The RSSC has been reclassified into three species, of which R. solanacearum sequevars 1 and 2 in phylotype IIB are designated as Select Agents in the U.S. Many rapid tests for "R...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42941752/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Encoding tactile stimuli for Braille recognition with organoids

👤 Benjamin Ward-Cherrier 📅 2026-10-31 📖 1 min 📝 62 words BRAILLE

Summary: This study proposes a transferable encoding strategy that maps tactile sensor data to electrical stimulation patterns, enabling neural organoids to perform an open-loop artificial tactile Braille classification task. Human forebrain organoids cultured on a low-density microelectrode array (MEA) are ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964296/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261104015257&v=2.20.1

Intensity-Dependent Effects of 4-Week Transcranial Direct Current Stimulation on Motor Learning in Healthy Young Adults

👤 Fengxue Qi 📅 2026-10-31 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42965860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Spatial multi-omics of mouse incisor mesenchyme reveals metabolic remodeling during the MSC-to-TAC transition

Hu Zhao 2026-11-01 1 min 61 words TDCS TACS TRNS

Summary: The continuously growing mouse incisor provides a useful model for investigating stem cell niche organization and the MSC-to-TAC transition because it contains spatially distinct mesenchymal stem/stromal cell (MSC)-enriched and transit-amplifying cell (TAC)-enriched compartments and abundant TAC pop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966754/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

A phase-calibrated combined electrical-sensory neuromodulation platform for short-Term frontoparietal network modulation and cognitive fatigue resistance

Qianxiang Zhou 2026-11-02 1 min 57 words TDCS TACS TRNS

Summary: Non-invasive multimodal neuromodulation is often limited by cross-modal temporal misalignment caused by modality-specific conduction delays. To address this challenge, we developed a microcontroller-based multiphysics stimulation platform integrating transcranial alternating current stimulation (tAC...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42970833/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

👤 Roi Cohen Kadosh
📅 2026-11-02 📖 1 min 📝 48 words

TDCS TACS TRNS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Repeated prefrontal transcranial direct current stimulation improves behavioral regulation and modulates resting-state EEG microstate dynamics in young adults with problematic smartphone use: a randomized sham-controlled longitudinal study

👤 Yingying Zeng
📅 2026-11-03 📖 1 min 📝 62 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Repeated prefrontal tDCS produced concurrent behavioral improvement and selective reorganization of resting-state EEG microstate dynamics in young adults with PSU. These findings provide preliminary evidence that repeated prefrontal tDCS is associated with concurrent behavioral changes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973820/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

TDCS TACS TRNS

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

What are the neural networks that have been modulated by anatomically targeted therapies to promote recovery of consciousness? A scoping review

👤 Konstantinos Margetis
📅 2026-11-03 📖 1 min 📝 63 words

TDCS TACS TRNS

Summary: Disorders of Consciousness (DoC) arise from insults to neural networks responsible for awareness and arousal. DoC subtypes are frequently misdiagnosed, as mechanisms underlying consciousness remain poorly understood. Neurostimulation has been investigated as a potential therapy for DoC recovery; how...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973973/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field

Prinpida Sonthiphand 2026-11-03 1 min 68 words TDCS TACS TRNS

Summary: Due to climate change and increasing food demand, conventional agriculture relies heavily on chemical fertilizers. This study investigated the effects of chemical fertilizer application on soil properties, banana (Musa paradisiaca) yields, and soil microbiomes in a long-term cultivation field. Metag...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974438/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Transcranial Pulse Stimulation in Parkinson's Disease: A Systematic Review

Marcelo Lourenço da Silva 2026-11-03 1 min 41 words TDCS TACS TRNS

Summary: CONCLUSIONS: TPS shows preliminary potential to modulate sensorimotor networks and improve selected motor outcomes in PD. However, evidence remains insufficient to establish overall clinical efficacy. Larger, rigorously controlled trials are required to determine sustained benefits, optimal stimulat...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975199/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

👤 Jinwu Wang
📅 2026-11-03 📖 1 min 📝 30 words

TDCS TACS TRNS

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261104015254&v=2.20.1

Offline and simulated-online fNIRS decoding of ankle movements for prospective exo-ankle control: a pilot study in healthy adults and ankle-impaired patients

None Kai-Yu Tong
2026-10-31 1 min 64 words FNIRS

Summary: This study developed and evaluated a non-invasive brain-computer interface (BCI) framework that decodes functional near-infrared spectroscopy (fNIRS) signals from the motor cortex to generate offline and simulated-online exo-ankle control commands, as a proof-of-concept step toward future prospectiv...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964133/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Rapid estimation of photon measurement density functions using a deep convolutional neural network for functional near-infrared spectroscopy

👤 Lei Zhang 📅 2026-10-31 📖 1 min 📝 63 words FNIRS

Summary: The photon measurement density function (PMDF) plays a fundamental role in both pre-experimental optode arrangement and post-experimental data analysis in functional near-infrared spectroscopy (fNIRS). Conventionally, PMDFs are derived from structural MR images through tissue segmentation and photon...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Interbrain synchrony analysis for fNIRS: A signal processing primer

👤 Kathrin Kostorz 📅 2026-10-31 📖 1 min 📝 65 words FNIRS

Summary: Interbrain synchrony (IBS), also referred to as interpersonal neural synchrony (INS), has become a central construct in social neuroscience and beyond. It describes the temporal alignment of neural activity across individuals and has been studied in a range of paradigms, including sequential interac...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964840/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Differences in Near-Infrared Light Spectral Characteristics and Cranial MRI Parameters in Patients with Major Depressive Disorder

👤 Dandan Wan 📅 2026-10-31 📖 1 min 📝 17 words FNIRS

> **Summary:** CONCLUSION: Near-infrared light spectroscopy imaging parameters and cranial MRI cerebral blood flow differ in patients with MDD.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964949/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Age-related patterns in local spontaneous activity measured by fNIRS: Greater unpredictability in infancy, local reorganization in childhood

👤 Kanghui Li 📅 2026-10-31 📖 1 min 📝 68 words FNIRS

> **Summary:** The maturation of the brain is typically described at the whole-brain scale, whereas age-related changes in spontaneous activity within local brain regions have received comparatively little attention. Resting-state regional dynamics (RSRD) are defined as the temporal variability characteristics of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966412/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

State-Dependent EEG Markers of Excitation/Inhibition and Hemodynamic State Are Associated with Random Noise Stimulation Effects

Roi Cohen Kadosh 2026-11-02 1 min 48 words FNIRS

Summary: CONCLUSIONS: The findings argue against a simple tonic-shift account of tRNS and support a state-dependent framework in which stimulation effects depend on ongoing electrophysiological and hemodynamic context. EEG and fNIRS provided complementary information about variability in learning and stimula...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42971375/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Correction: EBA-related body-preferring responses in the occipitotemporal cortex measured with functional near-infrared spectroscopy

Min Wang 2026-11-03 1 min 6 words FNIRS

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1914488.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42974132/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Supportive parenting moderates the association between neural synchrony and irritability: Evidence from mother-son dyads

👤 Xiuyun Lin 📅 2026-11-03 📖 1 min 📝 62 words FNIRS

Summary: While research on parent-child neural synchrony using fNIRS hyperscanning has expanded, its association with child psychopathology, especially transdiagnostic symptoms such as irritability, remains poorly understood. Moreover, no prior studies have explored the potential contextual factors that may ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975680/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

An fNIRS investigation of cortical responses to expressed emotion in bipolar disorder

👤 Lam Ghai Lim 📅 2026-11-03 📖 1 min 📝 49 words FNIRS

Summary: CONCLUSION: The findings indicate region- and context-specific differences in cortical hemodynamic responses and functional coupling in individuals with BD during EE processing. These fNIRS-derived measures may serve as candidate features for further investigation in larger and independent studies, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976437/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Training Interbrain Synchrony through Dyadic Neurofeedback Modulates Empathy-for-Pain

👤 Simone Shamay-Tsoory
📅 2026-11-03 📖 1 min 📝 63 words

FNIRS

Summary: Dyadic neurofeedback offers a socially grounded approach for modulating neural processes that unfold between interacting individuals. While recent work demonstrates that dyadic neurofeedback can enhance inter-brain synchrony during interaction, whether its effects extend beyond the trained dyad rema...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977201/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261104015252&v=2.20.1

Comparative efficacy of brain-computer interface training with different feedback modalities for post-stroke upper-limb motor recovery: a systematic review and network meta-analysis of randomized controlled trials

👤 Lixia Deng
📅 2026-10-31 📖 1 min 📝 46 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-Robot and BCI-MM showed statistically significant FMA-UE benefits versus UR, although certainty was low. As non-BCI robotic training also showed benefit, the BCI-Robot effect cannot be attributed to BCI alone. No BCI feedback modality was statistically superior to another. Further hi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42964381/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Enhanced P300-based brain-computer interface decoding via region-weighted multiscale temporal-spatial representation learning method

👤 Jing Jin 📅 2026-10-31 📖 1 min 📝 61 words BRAIN COMPUTER INTERFACE

Summary: P300-based brain-computer interface (BCI) systems provide a vital communication channel for individuals with severe physical disabilities. While deep learning has achieved significant progress in signal processing, P300 recognition remains hindered by low signal-to-noise ratios and non-stationary dy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966015/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

State-dependent effects of rTMS on cognitive function in bipolar II disorder: A randomized, double-blind, sham-controlled trial

Shaohua Hu 2026-11-01 1 min 46 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: This exploratory trial did not provide statistically robust evidence that concurrent complex cognitive engagement enhanced the acute working-memory effects of IPL-targeted 10-Hz rTMS in euthymic bipolar II disorder, suggesting that task type, cognitive load, and stimulation-task couplin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42966748/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Functional electrical stimulation and brain-machine interfaces for simultaneous control of wrist and finger flexion

Cynthia A Chestek 2026-11-02 1 min 22 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: We outline a method using an artificial brain-to-body interface that could restore continuous wrist and finger movements after spinal cord injury.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42972338/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Effects of combined non-invasive brain stimulation and brain-computer interface on upper extremity motor function after stroke: a systematic review and meta-analysis

👤 Qiang Gao
📅 2026-11-03 📖 1 min 📝 69 words

BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: Current evidence does not demonstrate a clear additional benefit of NIBS as an adjunct to BCI for upper extremity rehabilitation after stroke. Given the limited number of studies and the instability of the pooled result in sensitivity analysis, these findings should be interpreted cautio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973849/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

The application of brain-computer interface on cognitive function and activities of daily living in stroke patients: a systematic review and meta-analysis

Xuan Gong 2026-11-03 1 min 52 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: BCI-based training shows preliminary promise for improving cognitive function and ADL in stroke patients. Current evidence remains insufficient to recommend BCI for emotion or speech rehabilitation. However, the GRADE certainty of evidence was rated as low for cognitive function and very...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42973952/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Mapping Brain-Computer Interface Research in Depression (1995-2026): A Bibliometric Analysis

Xianlun Duan 2026-11-03 1 min 31 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: The field has evolved from EEG-based characterization toward network-level and real-time neurofeedback research. These findings identify emerging research directions while highlighting the need for further methodological standardization and clinical validation.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42975207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

A comprehensive review of biosignal foundation models

Stefanos Zafeiriou 2026-11-03 1 min 71 words BRAIN COMPUTER INTERFACE

Summary: Foundation models are emerging as a promising approach to biosignal analysis, offering solutions to common challenges in learning from biosignal data, such as high variability, noise or limited annotations. This survey provides a comprehensive review of the state-of-the-art in this rapidly advancing...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42976382/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Comparative Effects of Neurostimulation- and Technology-Augmented Robot-Assisted Training on Upper-Limb Motor Recovery After Stroke: A Systematic Review and Network Meta-Analysis

Jinwu Wang 2026-11-03 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: rTMS plus RAT yielded the largest FMA-UE estimate, followed by LFES plus RAT. Sparse head-to-head evidence, heterogeneity, and very low-to-moderate certainty preclude a definitive hierarchy and warrant comparative trials.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977063/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Learning-dependent hippocampal-striatal reorganization during sequential decision-making in pigeons

Zhigang Shang 2026-11-03 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Adaptive sequential decision-making requires animals to learn how actions shape future states and rewards while adjusting behavioral strategies as experience accumulates. Although the hippocampus is implicated in state-structure representation and the striatum in value learning, how learning strateg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42977519/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261104015249&v=2.20.1

Psychomusicology: A resounding closing cadence.

2024-01-22 1 min 256 words PSYCHOMUSICOLOGY

Summary: From 2012 to 2023, the American Psychological Association served as publisher of Psychomusicology: Music, Mind, and Brain. Annabel Cohen and Mark Schmuckler were the successive editors-in-chiefs during this time. As the journal is ceasing publication, the two editors reflect on the developm...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000305

Suggestibility and psychedelics: From therapeutics to social context.

📅 2024-12-12 📖 1 min 📝 175 words CLINICAL NEUROSCIENCE

Summary: Suggestibility is an important aspect of the psychedelic experience that merits greater attention in the expanding field of psychedelic research. This article provides a comprehensive road map for exploring the critical questions and issues at the intersection of suggestion, suggestibility, and psyc...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000412

Evaluating dispositional emotion-related factors in the effect of acceptance on affect reactivity: A secondary analysis of an experimental study.

📅 2024-12-30 📖 1 min 📝 257 words CLINICAL NEUROSCIENCE

Summary: Acceptance as a self-regulation strategy has beneficial effects on affect reactivity in response to stressors via reducing negative affect and state anxiety as well as improving positive affect. However, dispositional emotion-related factors, namely, experiential avoidance, emotional dysregulation, ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000416

Open monitoring meditation defined as the nonreactive meta-awareness of mind wandering.

📅 2024-12-12 📖 1 min 📝 128 words CLINICAL NEUROSCIENCE

Summary: Open monitoring meditation is generally defined as the nonreactive, meta-aware observation of moment-by-moment phenomenal experiences associated with mental contents without focusing on predetermined mental or physical objects. However, in the current literature, neither general definitions nor more...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000411

Multisensory interplay and theories of consciousness.

📅 2024-11-25 📖 1 min 📝 174 words CLINICAL NEUROSCIENCE

Summary: Sensory interplay typically refers to cases where the content of one sensory modality affects the content of another sensory modality. Although there is much evidence today of such interplay, it is unknown how to interpret them. Is it a one-way causal function between two separate states (e.g., a vi...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000407

How ghosting and stress impact vulnerable narcissism and maladaptive daydreaming: The role of mindfulness and rumination.

📅 2024-09-12 📖 1 min 📝 204 words CLINICAL NEUROSCIENCE

Summary: The present study aims to explore the influence of ghosting and stress on maladaptive daydreaming and vulnerable narcissism within a multivariate framework, using mindfulness and rumination as mediators. We employed a cross-sectional design and conducted it among 301 university students (M<...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000403

The conscious experience of thinking aloud: Are positive feelings associated with better think-aloud performance?

📅 2024-12-30 📖 1 min 📝 216 words CLINICAL NEUROSCIENCE

Summary: The think-aloud interview is a psychological procedure used to measure an individual’s cognition in solving a task. However, very little is known about how an individual’s conscious experience of the interview might be associated with their performance during the interview. This is consequential as ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000410

Mystical experiences in virtual reality.

📅 2024-04-04 📖 1 min 📝 176 words CLINICAL NEUROSCIENCE

Summary: Virtual reality (VR) has shown promise as a psychological means of inducing mystical experiences. Here, we compared the subjective responses of 48 undergraduate volunteers to script-guided multiuser perceptual experiences in VR (VR perception [VR-P]) with their responses to a control condit...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000396

Effect of a peer-led meditation club on adolescents' well-being, empathy, and compassion.

📅 2024-09-09 📖 1 min 📝 197 words CLINICAL NEUROSCIENCE

Summary: Many studies have examined the effect of meditation sessions led by experienced teachers on personal benefits for adults. The present study investigated the effect of broad-based mindfulness practices with an adolescent peer facilitator on prosocial outcomes in addition to individual gains. The 20 s...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000400

Prefrontal cortex activity of adolescents with problematic smartphone use in response to gains and losses: A functional near-infrared spectroscopy study.

📅 2026-09-10 📖 1 min 📝 237 words BEHAVIORAL NEUROSCIENCE

Summary: Problematic smartphone use (PSU) has become a widespread problem that is highly prevalent in adolescent population. Previous studies suggest that PSU is associated with impairment in reward processing system. Thus, increased sensitivity to rewards could make individuals more vulnerable to abusive be...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000668

Topiramate and anterior cingulate cortex high-frequency stimulation mitigate aggression and promote sociability in socially isolated male mice.

📅 2026-08-10 📖 1 min 📝 230 words BEHAVIORAL NEUROSCIENCE

Summary: Excessive aggression induced by social isolation (SI) has been closely linked to dysfunction in prefrontal circuits, particularly the anterior cingulate cortex (ACC). Topiramate, an antiepileptic drug known to enhance GABAergic and inhibit glutamatergic transmission, has demonstrated antiaggressive ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000663

Is memory spared in monkeys with selective lesions of the hippocampus?

📅 2026-08-03 📖 1 min 📝 239 words BEHAVIORAL NEUROSCIENCE

Summary: Normal explicit/declarative memory requires a system of anatomically related structures in the medial temporal lobe that includes the hippocampus and the entorhinal, perirhinal, and parahippocampal cortex. Although extensive medial temporal lobe damage in primates causes robust anterograde amnesia, ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000658

Distal pup cues attenuate defensive reactivity and fear-potentiated startle magnitude in postpartum rats without altering sensorimotor gating.

📅 2026-07-09 📖 1 min 📝 241 words BEHAVIORAL NEUROSCIENCE

Summary: Using a novel behavioral paradigm that integrates fear-potentiated startle (FPS) and prepulse inhibition testing, this study examined how motherhood and infant cues impact innate defensive reactivity (as measured by the magnitude of basal startle reflex), attentional processing (as measured by prepu...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000661

A novel rat spatial inference task reveals rapid deduction of transitive relationships using schemas and deliberation.

📅 2026-07-13 📖 1 min 📝 264 words BEHAVIORAL NEUROSCIENCE

Summary: Inferential reasoning is a vital cognitive ability that enables animals to navigate novel situations by leveraging existing relational knowledge of memory schema, with hypothesized roles of prefrontal cortical—hippocampal circuits. Transitive inference (TI) tasks test the ability of subjects to infe...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000660

Monthly Updates [April]

📅 2026-04-01 📖 4 min 📝 885 words FMHY

Summary: INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/april-2026

Monthly Updates [May]

📅 2026-05-01 📖 4 min 📝 892 words FMHY

Summary: INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/may-2026

Monthly Updates [November]

📅 2026-11-01 📖 5 min 📝 1034 words FMHY

Summary: INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/nov-2026

Show HN: Uncracked City, detective game where you question LLM suspects that lie

👤 passkey1510 📅 2026-11-03 📖 1 min 📝 171 words HACKER NEWS

> **Summary:** To give you some context on the project. I'm a solo founder and I use AI heavily in my work. The idea came from wanting players to discover cities. Each city has its own history, so every case is set in a real city with real public places. The crime and the people are on other hand invented. The ...

🔗 **Read full article:**
https://uncracked.city

C++26 Disapproved

👤 thatxliner 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://andreasfertig.com/blog/2026/11/cpp26-dis-failed-how-does-cpp-survive/ Comments URL: <a href="https://news.ycombinator.com/item?id=50360164">https://news.ycombinator.com/item?id=...

🔗 **Read full article:**
https://andreasfertig.com/blog/2026/11/cpp26-dis-failed-how-does-cpp-survive/

Giant canyon on Mars is still tectonically active

👤 gmays 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://lamont.columbia.edu/news/giant-canyon-mars-still-tectonically-active-today Comments URL: <a href="https://news.ycombinator.com/item?id=50360573">https://news.ycombinator.co...

🔗 **Read full article:**
https://lamont.columbia.edu/news/giant-canyon-mars-still-tectonically-active-today

Arrows to arrows, categories to queries (2025)

👤 firstbase 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://reasonablypolymorphic.com/blog/arrows-to-arrows/ Comments URL: https://news.ycombinator.com/item?id=50361107 Points: 26 # Co...

🔗 **Read full article:**
https://reasonablypolymorphic.com/blog/arrows-to-arrows/

Distinct cellular and genetic differences in colorectal cancer in young patients

👤 gmays 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: <a href="https://www.dana-farber.org/newsroom/news-releases/2026/study-reveals-distinct-cellular-and-genetic-differences-in-colorectal-cancer-in-younger-patients">https://www.dana-farber.org/newsroom/news-releases/2026/study-reveals-distinct-cellular-and-genetic-differences-in-colore...

🔗 **Read full article:**
https://www.dana-farber.org/newsroom/news-releases/2026/study-reveals-distinct-cellular-and-genetic-differences-in-colorectal-cancer-in-younger-patients

Jelly Sheet

👤 memalign 📅 2026-11-04 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://mrdoob.github.io/codevember-2026/01/ Comments URL: https://news.ycombinator.com/item?id=50361268 Points: 102 # Comments: 20

🔗 **Read full article:**
https://mrdoob.github.io/codevember-2026/01/

New software package: ERPLAB Studio

Steve Luck 2024-06-12 2 min 449 words ERP BOOT CAMP

Summary: We are excited to announce the release of a new EEG/ERP analysis package, ERPLAB Studio. We think it’s a huge improvement over the classic EEGLAB user interface. See our cheesy <a href="https://www.youtube.com/watch?v=lIaKVQ9DD6E">...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/11/erplab-studio

Recording and slides now available for ERPLAB Studio webinar

Steve Luck 2024-06-28 1 min 30 words ERP BOOT CAMP

Summary: We held a webinar to demonstration ERPLAB Studio on 28 June 2024. Click here to access a recording. Click here to access a PDF of the slides.<...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/28/recording-and-slides-now-available-for-erplab-studio-webinar

New Paper: Does the P3b component reflect working memory updating?

👤 Steve Luck 📅 2025-03-21 📖 7 min 📝 1540 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Simmons, A. M., Kiat, J. E., & Luck, S. J. (in press). Enhanced working memory representations for rare events. Psychophysiology. https://doi.org/10.1111/psyp.70038 [<a href="https://doi.org/10.1101/2024.03.20...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/3/20/new-paper-oddball

10-Day ERP Boot Camp to be held June 15-24, 2026 in Davis, California

👤 Steve Luck 📅 2025-08-20 📖 1 min 📝 125 words ERP BOOT CAMP

> **Summary:** We have received another 5 years of funding from the National Institute of Mental Health, so we plan to hold ERP Boot Camps in each of the next 5 summers. The next one will be June 15-24, 2026 in Davis, California. The application portal will open around January 1, 2026. A...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/8/20/boot-camp-summer-2026

Call for Papers: IEEE Brain Special Issue

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 36 words BRAIN

Summary: In a unique interdisciplinary collaboration with the IEEE's Society on Social Implications of Technology (SSIT) and IEEE Brain, J-FLEX is joining forces to explore both the technology of the Internet-of-Medical-Things (IoMT) solutions and medical wearables/ implantables.

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-journal-on-flexible-electronics/

IEEE Brain Joins the American Brain Coalition

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 61 words BRAIN

Summary: IEEE Brain is pleased to announce its acceptance as a nonprofit member of the American Brain Coalition (ABC), a prestigious alliance of over 150 organizations dedicated to advancing brain research, advocacy, and improving treatments for individuals affected by brain conditions. The ABC Board has ent...

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-brain-joins-the-american-brain-coalition-as-a-nonprofit-member/

Call for Papers: IEEE Transactions on Human-Machine Systems

👤 Adriel Carridice 📅 2025-06-18 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/call-for-papers-ieee-transactions-on-human-machine-systems/

Q&A with Dr. Alain Dagher, Neurologist and Professor at McGill University and the Montreal Neurological Institute

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-alain-dagher-neurologist-and-professor-at-mcgill-university-and-the-montreal-neurological-institute/

IEEE Advances Responsible Neurotechnology Standard

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/news-and-insights/ieee-brain-news/ieee-advances-responsible-neurotechnology-standard/

Q&A with Dhruv Vaish, PhD student at UC Berkeley and Best Poster Award Winner at the 2025 IEEE Brain Discovery and Neurotechnology Workshop

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dhruv-vaish-phd-student-at-uc-berkeley-and-best-poster-award-winner-at-the-2025-ieee-brain-discovery-and-neurotechnology-workshop/

Active Lubrication Brakes in Tabletop and Hand-Held Haptic Surgical Drilling Simulators

📅 2026-06-29 📖 1 min 📝 222 words TRANSACTIONS HAPTICS

Summary: Haptic user interfaces that provide both kinesthetic and vibrotactile feedback have strong potential to enhance a wide range of medical training simulations. Yet, designing such devices remains challenging due to constraints related to integration, workspace, cost, and the need for diverse feedback ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11585967

Reconciling Reduced the Sense of Ownership and Agency Toward a Virtual Keypad With Enhanced Haptic Experience Using Visually Adjusted Self-Haptics for Key-Input Interaction

📅 2026-07-06 📖 1 min 📝 250 words TRANSACTIONS HAPTICS

Summary: Self-Haptics is a tactile feedback technique where users utilize their own body to generate tactile sensations. This method allows the body to act purely as a prop, making it useful for virtual objects and user interfaces not directly related to the body. However, any method for maintaining the sens...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11595768

VibGrasp: Spatiotemporal Vibration Based Multimodal Haptic Rendering With a Lightweight Exo-Glove for 3D Shape Perception

📅 2026-04-20 📖 1 min 📝 173 words TRANSACTIONS HAPTICS

Summary: Haptic feedback has been employed to enhance shape perception during grasp interactions, improving immersion and task performance in extended reality (XR). Although wearable devices offer precise multi-phalangeal haptic feedback, their bulkiness and complexity often hinder practicality. In addition,...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11488477

Propeller-Based Handheld Force-Feedback Device for Navigation

📅 2026-04-22 📖 1 min 📝 168 words TRANSACTIONS HAPTICS

Summary: This article presents an evaluation of CrazyJoystick, a propeller-based handheld force-feedback device, for spatial navigation tasks in real-world and virtual reality environments. Building upon prior work validating the device's on-demand aerial deployment and directional cue discriminability, we i...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11493624

A Wearable Shoulder Skin-Deformation Device Generating Illusory Forces for Posture Correction

📅 2026-04-22 📖 1 min 📝 208 words TRANSACTIONS HAPTICS

Summary: The hanger reflex is a haptic illusion in which skin-shear deformation elicits a directional force sensation. This study presents a wearable haptic device that uses four pneumatic airbags to apply controlled skin shear to both shoulders for posture guidance. Although previous work has shown that sho...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11489488

Sensitivity at the Edges of the Finger Enables Mixed Reality Force Feedback

📅 2026-04-06 📖 1 min 📝 155 words TRANSACTIONS HAPTICS

Summary: We introduce a new paradigm for rendering high-force sensations by stimulating the edges of the fingerpad rather than the central contact surface. This non-blocking approach preserves natural finger use, enabling simultaneous physical and virtual interactions. To investigate its feasibility, we prop...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11475177

ThermalTexture: Temperature-Integrated Surface Rendering Using Thermal Referral Induced by Texture Slip-Feedback

📅 2026-03-23 📖 1 min 📝 204 words TRANSACTIONS HAPTICS

Summary: Thermal–vibration feedback has been reported to elicit the thermal referral phenomenon, offering new possibilities for enhancing user experience. Yet, little research has explored whether thermal referral occurs in the presence of texture-slip feedback. To address this, we developed a custom haptic ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11454471

Guest Editorial: World Haptics Conference 2025

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716332

Table of Contents

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716327

Front Cover

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716326

Multi-Channel Electromagnetic Interference Elimination for Shielding-Free MRI Using Null Operations

📅 2026-01-23 📖 1 min 📝 184 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Emerging technologies for electromagnetic interference (EMI) elimination have enabled radio frequency (RF) shielding-free magnetic resonance imaging (MRI), significantly reduced costs and increased accessibility. Existing methods often rely on multiple external sensors for EMI elimination...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11361141

Double Banking on Knowledge: A Unified All-in-One Framework for Unpaired Multi-Modality Semi-Supervised Medical Image Segmentation

📅 2026-01-21 📖 1 min 📝 231 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Multi-modality (MM) semi-supervised learning (SSL) based medical image segmentation has recently gained increasing attention for its ability to utilize MM data and reduce reliance on labeled images. However, current methods face several challenges: (1) Multiple networks assignment hinder scalability...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359738

Virtual Imaging-Guided Harmonization of Chest X-Rays Using a Generative Adversarial Neural Network

📅 2026-01-26 📖 1 min 📝 247 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: To reduce variability in chest radiography (CXR) from acquisition and post-processing, and assess whether harmonization improves image quality and downstream diagnostic performance. Methods: A generative adversarial network (GAN) was trained exclusively on virtual images produced by a Vir...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11364153

Self-Supervised Speech Representations for Sleep Apnea Severity Prediction

📅 2026-01-20 📖 1 min 📝 253 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Obstructive sleep apnea (OSA) is a prevalent yet underdiagnosed condition characterized by repetitive upper airway obstruction during sleep. Current gold standard diagnostic standards rely on polysomnography (PSG), which is resource-intensive. Since upper airway characteristics impact bot...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359456

Rectification of Cornea Induced Distortions in Microscopic Images for Assisted Ophthalmic Surgery

📅 2026-01-20 📖 1 min 📝 240 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Image distortions induced by the high refractive power of the eye's optical components challenge the accuracy of geometric information derived from intra-operative sensor data in ophthalmic surgery. Correcting these distortions is vital for advancing surgical assistance systems that rely ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359487

Table of Contents

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743499

IEEE Transactions on Biomedical Engineering Handling Editors Information

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743497

IEEE Transactions on Biomedical Engineering Information for Authors

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743498

IEEE Engineering in Medicine and Biology Society Publication Information

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743496

Front Cover

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743514

Technical Parameters and Feedback Control for Blood-Brain Barrier Permeability Enhancement by Focused Ultrasound

📅 2025-12-02 📖 1 min 📝 166 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Focused ultrasound combined with intravenously infused microbubbles has been shown to effectively enhance the permeability of the blood-brain barrier, facilitating drug delivery to the brain. A wide range of technical parameters has been evaluated through preclinical studies and clinical trials. Gen...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11272135

Decoding Spikes From Multiunit Data

📅 2026-01-22 📖 1 min 📝 250 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Communication and control in biological systems is mediated by the timing of discharges –spikes– from excitable cells such as neurons and muscle fibers. Each spike is associated to a characteristic waveform that can be captured by sensors. The waveform's characteristics depend on the cell's biophysi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11361153

Table of Contents

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368645

IEEE Engineering in Medicine and Biology Society

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368668

Front Cover

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368638

Distinct Patterns of Syntactic Errors Doubly Dissociate in Chronic Poststroke Aphasia

📅 2026-10-20 📖 1 min 📝 195 words COGNITIVE NEUROSCIENCE

Summary: The lesion correlates of syntactic deficits in aphasia remain poorly understood. Previous studies have suggested that distinct error types in expressive syntax may be associated with damage to different brain regions, but the specific lesion correlates of these errors have not been fully delineated....

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743155

Neural Distinctions between Social and Nonsocial Reward Anticipation: An Examination of Activation Magnitude, Representational Patterns, Individual Differences, and Functional Connectivity

📅 2026-10-19 📖 1 min 📝 235 words COGNITIVE NEUROSCIENCE

Summary: Prevailing theories emphasize a “common neural currency” for social and nonsocial rewards, particularly during reward anticipation. However, direct comparisons of social and nonsocial reward anticipation remain limited, and clinical observations suggest that social reward processing can be selective...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741003

Exploring Neural Mechanisms Underlying Error-related Impairments in Active Working Memory Suggests an Adaptive Shielding of Contents during Cognitive Control

📅 2026-10-19 📖 1 min 📝 302 words COGNITIVE NEUROSCIENCE

Summary: Goal-directed behavior relies on cognitive flexibility—the ability to rapidly adapt ongoing thoughts and behaviors while preserving task-relevant information. The performance monitoring system optimizes such behavior by detecting and evaluating errors, whereas the working memory (WM) system maintain...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741004

Slow Oscillations Modulate Overnight Brain Changes in Working Memory Function

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Working memory (WM), the transient storage and manipulation of information, is a cognitive function that can improve with training. Accumulating evidence suggests that sleep, particularly slow oscillations (SOs) that occur during nonrapid eye movement sleep, supports this improvement. Yet, how sleep...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741002

Transformer Mechanisms Mimic Frontostriatal Gating Operations When Trained on Human Working Memory Tasks

📅 2026-10-20 📖 1 min 📝 237 words COGNITIVE NEUROSCIENCE

Summary: Working memory (WM) is thought to rely on sophisticated frontostriatal mechanisms for selective gating, supporting updating and readout of information to and from distinct memory “addresses” (neural populations). According to computational models, capacity limitations in WM arise due to challenges i...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743154

Visual Perspective Shapes Subjective Experience: Dissociable Parietal Contributions to the Constructive Nature of Memory

📅 2026-10-19 📖 1 min 📝 223 words COGNITIVE NEUROSCIENCE

Summary: Subjective features of memory are often treated as secondary to the objective content of remembered events. However, growing evidence suggests that these features actively shape how memories are constructed, experienced, and used. Rather than treating visual perspective as a peripheral correlate of ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740941

Memory Traces Reflect How They Were Last Accessed

📅 2026-10-19 📖 1 min 📝 216 words COGNITIVE NEUROSCIENCE

Summary: Episodic memories are known to change with each act of retrieval. We hypothesize that accessing semantic knowledge in different ways during episodic retrieval—from unique perceptual features to taxonomic and thematic context—shapes how those memories are subsequently represented during recognition. ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740999

The Temporal Dynamics of Attentional Allocation during Counterfactual Learning

📅 2026-10-19 📖 1 min 📝 194 words COGNITIVE NEUROSCIENCE

Summary: Counterfactual learning, the ability to learn from what could have happened under different circumstances, is a key cognitive mechanism supporting behavioral adaptation. While its neural and computational underpinnings are increasingly understood, the temporal dynamics of attention toward factual an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741005

Theta and High-alpha Phase-locking Dynamics Unveil Face Perception in Ambiguous Stimuli

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Previous studies emphasize phase synchronization as a fundamental mechanism for integrating local features into coherent percepts. We employed a novel paradigm and dynamic graph analysis based on EEG to track neural dynamics associated with perceiving a face (or not) while keeping the stimuli identi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741000

Capturing the Attentional Trade-off between Speech Planning and Comprehension

📅 2026-10-19 📖 1 min 📝 255 words COGNITIVE NEUROSCIENCE

Summary: In conversation, future speakers often plan speech simultaneously with comprehension, which means that they must divide attentional resources between these processes. In this EEG study, we used responses to linguistic attention probes (i.e., syllable “BA” presented during spoken sentences) to track ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740942

Welcoming the Newly Elected EMBS AdCom Members for 2026–2028

👤 dziura 📅 2025-12-10 📖 1 min 📝 18 words EMBS

Summary: The post Welcoming the Newly Elected EMBS AdCom Members for 2026–2028 appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-the-newly-elected-embs-adcom-members-for-2026-2028/

Welcoming & Congratulating Our Newly Elected EMBS ExCom Members

👤 Nancy Zimmerman 📅 2025-12-14 📖 1 min 📝 18 words EMBS

Summary: The post Welcoming & Congratulating Our Newly Elected EMBS ExCom Members appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-congratulating-our-newly-elected-embs-excom-members/

EMBS AdCom Nominations Open

👤 Nancy Zimmerman 📅 2026-05-04 📖 1 min 📝 51 words EMBS

> **Summary:** Nominate volunteers for terms starting Jan 1, 2027: Asia Pacific Rep (3 yr), Technical Rep (3 yr), Student Rep (2 yr), Young Professional Rep (2 yr). Help shape the future… <a class="continue" href="https://www.embs.org/uncategorized/adcom-nominations-2027/">Continue Reading EMBS AdCo...

🔗 **Read full article:**
https://www.embs.org/uncategorized/adcom-nominations-2027/

IEEE Pulse Editor-in-Chief Search – Submit an Application!

👤 Deidre Artis 📅 2026-08-28 📖 1 min 📝 17 words EMBS

> **Summary:** The post IEEE Pulse Editor-in-Chief Search – Submit an Application! appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/ieee-pulse-editor-in-chief-search-submit-and-application/

Exploratory bone–brain transcriptomic associations and an ODE-based digital-twin framework for fracture healing

📖 1 min 📝 15 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Chao Ma, Wei Lu, Ruipeng Guo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004592?dgcid=rss_sd_all

A Hierarchical-Dynamic integration model for the formation of interpersonal neural synchrony during spoken communication

📖 1 min 📝 13 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Yating Bai, Qingfang Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004567?dgcid=rss_sd_all

Dynamic multi-scale topology learning and cross-modal graph fusion for autism spectrum disorder diagnosis

📖 1 min 📝 22 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Huadong Zhang, Junyong Zhao, Shaoqi Wu, Krisztián Szigeti, Kellermayer Miklós, Jiande Sun, Jianping Qiao

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226007050?dgcid=rss_sd_all

Diagnostic classification of ASD improves with positively sparsified DTI inter-regional correlation and graph-theoretical artificial intelligence

📖 1 min 📝 22 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Ravi Ratnaik, Sriram Kumar P., Lavanya Selvaganesh, Sandeep Singh Sengar, Jac Fredo Agastinose Ronickom

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006937?dgcid=rss_sd_all

Fast rate coding in heterogeneous spiking networks

Smeets, K., Wang, S., Schmutz, V., Gerstner, W.

2026-11-03 1 min 165 words

BIORXIV NEUROSCIENCE

Summary: A network of spiking neurons is said to operate in the rate coding regime if its dynamics can be accurately described by a continuous rate network. But how can discrete spike-based communication between neurons give rise to continuous rate-based dynamics? Computational studies showing that heterogen...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.30.763048v1?rss=1

Self-Other Neural Representational Distinction is Associated with Distorted Social Predictions in Social Anxiety

Qi, Y., Chen, Y., Hu, Y., Fan, Q., Wang, L., Yang, G., Hein, G., Wu, H.

2026-11-03 1 min 250 words

BIORXIV NEUROSCIENCE

Summary: Background: Social anxiety (SA) is characterized by distorted negative expectations about the future. Because optimism bias is inherently comparative, the extent to which these predictions reflect a fundamental disruption in self- versus other-referential processing remains poorly understood. Method...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.29.762906v1?rss=1

Diagnose Harmonisation (DHARM): An open-source tool for the harmonisation and analysis of batch effects in MRI-derived measures.

👤 Turnbull, J., Bhalerao, G., Nichols, T. E., McCarthy, P., Gillis, G., Blane, J., Zhaoyi Mo, B., Warrington, S., Sotiropoulos, S. N., Besenczi, R., Alfaro-Almagro, F., Smith, S. M., Griffanti, L.

📅 2026-11-03 📖 1 min 📝 321 words BIORXIV NEUROSCIENCE

Summary: Technical differences between scanners, acquisition protocols, machine hardware and processing pipelines can introduce systematic variation into MRI-derived measures. Numerous harmonisation methods have been developed to reduce these effects. However, validation of these methods is often performed u...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.30.763051v1?rss=1

Strategy-dependent causal relationships between large-scale cortical activity and perceptual decisions

👤 Mohammadi, Z., Pillow, J. W., Pinto, L., Glaser, J. I.

📅 2026-11-03 📖 1 min 📝 178 words

BIORXIV NEUROSCIENCE

Summary: Animals can adopt different internally generated strategies to solve decision-making tasks, but whether cortical regions distinctly contribute to decisions under different strategies remains unknown. To address this problem, we analyzed three datasets comprising either cortical widefield imaging, or...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.31.763327v1?rss=1

Differential effects of chronic hypertension and sex on vascular density along the septotemporal axis of the hippocampus in a rat model of VCID

Luchetta, J., Schellinger, E. D., Bolton, Z., DeMarco, G. M., Chapman, A. C.

2026-11-03 1 min

207 words

BIORXIV NEUROSCIENCE

Summary: Background: Chronic hypertension is a major modifiable risk factor for vascular contributions to cognitive impairment and dementia (VCID), yet vascular changes that precede cognitive dysfunction remain poorly understood. This is particularly relevant for the hippocampus, a deep brain structure criti...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.31.763336v1?rss=1

Metabolic complexity in the human brain supports metastable network dynamics and declines in normative ageing

Deery, H., Liang, E., Moran, C., Egan, G. F., Jamadar, S. D.

2026-11-03 1 min 253 words

BIORXIV NEUROSCIENCE

Summary: The adaptive capacity of the brain is tied to the complexity of its neural activity. While entropy of brain signals has been used to characterise this complexity in haemodynamic and electrophysiological systems, it remains unknown whether entropy contributes to the temporal dynamics of the metabolic...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.11.02.763776v1?rss=1

Norepinephrine inhibits Afferent activation of NTS Catecholamine Neurons in Mice

Fernandes, L. G., Jara, J. I., Appleyard, S. M.

2026-11-03 1 min 180 words

BIORXIV NEUROSCIENCE

Summary: The nucleus tractus solitarius (NTS) integrates visceral sensory input to regulate feeding behavior, with catecholaminergic (CA) and neuropeptide Y (NPY)-expressing neurons playing key roles in energy homeostasis. Recent evidence suggests functional heterogeneity among CA-NTS neurons, including dist...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.02.763765v1?rss=1

A Preventive Effect of Exercise in a Mouse Model of Essential Tremor

Constantopoulos, S., Bergdahl, A., Courtemanche, R.

2026-11-03 1 min 222 words

BIORXIV NEUROSCIENCE

Summary: The effects of exercise have not been widely studied for potential benefits in essential tremor (ET), while this has been growing for other neurodegenerative disorders. This study examines the effects of two types of exercise [high-intensity interval training (HIIT) and resistance training (RT)] on ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.11.02.763708v1?rss=1

🪣 **Bucket Newsletter**

Generated automatically from 38 RSS feeds

Powered by GitHub Actions • Updated every 30 minutes

Visit: yuckyman.github.io/bucket