Daily Briefing - October 24, 2026

Your Daily Tech & Programming Digest

Saturday, October 24, 2026

1000	112107	1123	38
ARTICLES	WORDS	MIN READ	SOURCES

📰 Today's Top Stories

Registration is now full for the 2024 ERP Boot Camp

👤 Steve Luck 📅 2024-03-16 📖 1 min 📝 106 words ERP BOOT CAMP

> **Summary:** The demand for the 2024 ERP Boot Camp was far beyond our expectations, and we reached our maximum registration of 30 people within one day. We already have a waiting list of over 30 people, so we have closed the registration site. <...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/3/15/registration-full

New Paper: Using Multivariate Pattern Analysis to Increase Effect Sizes for ERP Amplitude Comparisons

👤 Steve Luck 📅 2024-06-10 📖 2 min 📝 521 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Bahle, B., Simmons, A. M., & Luck, S. J. (2024). Using multivariate pattern analysis to increase effect sizes for event-related potential analyses. Psychophysiology, 61, e14570. https://doi.org/10.1111/psyp.14570 [<a h...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/10/erp-core-decoding-paper

Call for Student/YP Deputy Editor

👤 Deidre Artis 📅 2026-09-29 📖 1 min 📝 14 words EMBS

> **Summary:** The post Call for Student/YP Deputy Editor appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/call-for-student-yp-deputy-editor/

Vitamin B6 augments antidepressant activity of venlafaxine by restoring cortical EEG oscillations, behavior and oxidative biomarkers in chronic unpredictable mild stress (CUMS)-induced model of depression-like behavior

📖 1 min 📝 30 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Fashwa Khan Tareen, Sana Javaid, Waseem Ashraf, Syed Muhammad Muneeb Anjum, Rana Muhammad Zahid Mushtaq, Asad Abrar, Faleh Alqahtani, Imran Imran

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004506?dgcid=rss_sd_all

Stage-specific exposure to an activity-permissive medium enhances neuronal activity in oligodendrocyte-enriched cortical organoids

📖 1 min 📝 34 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Clara Chung, Michelle J. Kim, Grace Field, Konstantina Pilarinos, Elizabeth K. Kharitonova, Natalie Baker Campbell, Marie Shi, Christopher V. Gabel, Joseph L. Orofino, Ella Zeldich

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004634?dgcid=rss_sd_all

Neurodegenerative diseases in Sub-Saharan Africa: diagnostic invisibility, biological heterogeneity and a precision-neuroscience agenda

📖 1 min 📝 11 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Maulilio John Kipanyula

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006962?dgcid=rss_sd_all

Investigating fatigability and cortical activation during prolonged foot tapping in multiple sclerosis

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Zuhal Abasiyanik, Lousin Moumdjian, Natalia Skorupa, Daphne Kos, Bart Van Wijmeersch, Miguel D’Haeseleer, Inge Zijdewind, Peter Feys, Felipe Balistieri Santinelli

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006949?dgcid=rss_sd_all

Interplay of action-based prediction and top-down attention: EEG evidence for joint modulation of late perceptual processing

📖 1 min 📝 16 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Thomas Holstein, Jean-Christophe Sarrazin, Bruno Berberian, Andrea Desantis

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006087?dgcid=rss_sd_all

Multivariate prediction of white matter BOLD activity and its relationship to marginal connectivity

📖 1 min 📝 15 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Muwei Li, Zhaohua Ding, John C Gore

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006129?dgcid=rss_sd_all

Amplitude-conditioned brain dynamics reveal widespread negative modulation and targeted positive modulation of functional networks

📖 1 min 📝 15 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Mohammad Reza Salehi, Ali BashirGonbadi, Hamid Soltanian-Zadeh

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006191?dgcid=rss_sd_all

Precise modeling of task-related sensorimotor activation based on simultaneous surface electromyography

📖 1 min 📝 22 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Monika Jasenská, Pavel Hok, Martin Kojan, Ondřej Burkot, Barbora Kolářová, Aleš Holobar, Petr Hluštík

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006154?dgcid=rss_sd_all

Neural dynamics of auditory attention: Interactions between top-down and bottom-up processes

📖 1 min 📝 12 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): S. Graceffo, M. Elhilali

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006002?dgcid=rss_sd_all

Neurovascular coupling in simultaneous EEG-fNIRS studies: A scoping review of analytical frameworks and clinical applications

📖 1 min 📝 18 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Yu Wu, Rajamanickam Yuvaraj, Stéphane Perrey, Hasan Ayaz, Wei-Peng Teo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006130?dgcid=rss_sd_all

Classic and novel features of the dentate gyrus vascular niche quantified through 3D vessel reconstruction

👤 Carter, I., Smith, B. M., Kirby, E. D.

📅 2026-10-24 📖 1 min 📝 331 words

BIORXIV NEUROSCIENCE

Summary: Adult neurogenesis, the continued generation of new neurons throughout life, supports a variety of emotional and cognitive functions in mammals. Lifelong neurogenesis occurs in the dentate gyrus (DG) of the hippocampus, where a neurogenic niche supports the survival and growth of neural stem cells (...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.20.760295v1?rss=1

Nanoscale remodeling of synaptic glutamate receptors and calcium channels in temporal lobe epilepsy

👤 Kaufmann, W. A., Venturino, A., Kleindienst, D., Roessler, K., Czech, T., Janssen, J. M., Engelhardt, M., Stefanits, H., Watanabe, M., Siegert, S., Shigemoto, R.

📅 2026-10-24 📖 1 min 📝 372 words

BIORXIV NEUROSCIENCE

Summary: Temporal lobe epilepsy (TLE) is the most common form of focal epilepsy and remains drug-resistant in approximately one-third of patients, for whom surgical resection of the epileptogenic zone is currently the most effective treatment option. One strategy to improve therapeutic outcomes involves iden...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.21.760440v1?rss=1

Limb-localized induction of regeneration reshapes brain and amputation-site transcriptional states in adult Xenopus laevis

Murugan, N. J., Russell, S., Kaplan, D., Levin, M., Miller, K.

2026-10-24 1 min 215 words

BIORXIV NEUROSCIENCE

Summary: Limb regeneration requires coordinated tissue reconstruction and nervous system reintegration, yet whether regenerative induction alters brain responses to limb loss remains unclear. We analyzed transcriptomics from the paired brains and amputation sites of adult Xenopus laevis after hindlimb amputa...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.761414v1?rss=1

Muscarinic signaling sustains delay-period selectivity in prefrontal cortex by preserving thalamic drive

Kim, Y., Kim, J., Choi, I. S., Lee, J., Yang, Y.-S., Choi, J. H., Choi, J.-W., Rah, J.-C.

2026-10-24

1 min 164 words

BIORXIV NEUROSCIENCE

Summary: Short-term memory (STM) requires the temporary maintenance of task-relevant information in prefrontal cortex (PFC). Reciprocal interactions between the mediodorsal thalamus (MD) and PFC have been implicated in sustaining this activity, but how thalamofrontal communication is maintained despite the b...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.20.760355v1?rss=1

Engineered proteins to restore and enhance neurotransmitter release

👤 Chin, M., Yang, K., Lopez, R. C., Tan, C., Kaeser, P. S.

📅 2026-10-24 📖 1 min 📝 158 words

BIORXIV NEUROSCIENCE

Summary: Synapse dysfunction is a hallmark feature of many neurological diseases. Synaptic transmission is initiated in nerve terminals, where active zone protein complexes control vesicle fusion for neurotransmitter release. Here, we engineer proteins that mediate active zone functions and demonstrate their...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.761409v1?rss=1

A genome-wide catalog of sites where peripheral DNA methylation reflects the brain

👤 Nishitani, S., Han, S., Ishii, T., Shimura, A., Phuong, N. J., Kato, A., Chambers, M., Wang, T., Isozaki, M., Higashino, Y., Yamauchi, T., Kawajiri, S., Arishima, H., Kodera, T., Imoto, H., Nomura, S., Yamanishi, K., Aoyama, B., Genc, I., Sakuma, R., Nguyen, H. D., Gorantla, N., Ghasemi, E., Yao, A., Kurata, S., Fujisawa, T. X., Braun, P. R., Nagao, T., Yamanashi, T., Tomoda, A., Kikuta, K., Ooka, T., Grant, G. A., Hooper, J. E., Howard, M. A., Kawasaki, H., Potash, J. B., Snyder, M. P., Shinozaki, G.

📅 2026-10-24 📖 1 min 📝 150 words BIORXIV NEUROSCIENCE

Summary: Epigenetic studies of psychiatric and neurological disorders rely largely on peripheral tissues, yet where peripheral DNA methylation (DNAm) reflects the brain remains unclear. We generated a paired brain and peripheral DNAm dataset from 148 donors in three cohorts and combined it with five publishe...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.761276v1?rss=1

Sound-Driven Motion of Human Cochlear Structures Depends on Organ of Corti Integrity

👤 Secchia, P., McHugh, C. I., Cho, N. H., Zosuls, A., Tubelli, A., Puria, S., Nakajima, H. H.

📅 2026-10-24

📖 1 min 📝 153 words

BIORXIV NEUROSCIENCE

Summary: Optical coherence tomography (OCT) was used to image and measure the passive sound-driven displacements of cochlear structures in situ through the intact round window membrane of fresh human cadaveric specimens at 12 to 30 hours postmortem. We find that the anatomical integrity of the organ of Corti...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.759683v1?rss=1

Modelling prodromal Parkinson's disease- gastrointestinal pathology and early motor deficits in mice after transient rotenone exposure

👤 Selvaraji, S., Mosberger, J., Pang, K. K. L., Eberly, G. L., Kim, Y. J., Mondal, R., Leomi, R., Anikeeva, P.

📅 2026-10-24 📖 1 min 📝 150 words BIORXIV NEUROSCIENCE

Summary: Early gastrointestinal (GI) dysfunction is a hallmark feature of Parkinson's disease (PD), yet models capturing prodromal gut and brain pathology in PD remain limited. Motivated by the increased PD risk associated with pesticide exposure, we monitored motor behavior, brain pathology, and GI structur...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.761386v1?rss=1

Alzheimer's Disease-Associated Proteomic Changes in Olfactory Stem Cells Show Pathway-Level Transcriptomic Overlap

👤 Rantanen, L. M., Robinson, H., DutraVoigt, D., Diaz, X., Lampinen, R., Mykkanen, S., Kalapudas, J., Koivisto, A. M., Penttila, E., Oikari, L. E., Quek, H., Kanninen, K. M., White, A. R.

📅 2026-10-24 📖 1 min 📝 255 words BIORXIV NEUROSCIENCE

Summary: Alzheimer's disease (AD) is a progressive, neurodegenerative disorder and the leading cause of dementia worldwide. Although recent therapeutic advances have provided some disease-modifying potential, there is currently no curative treatment for AD, highlighting the need for improved disease models a...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.760270v1?rss=1

Brain pericytes are an oxidative stress-sensitive cell population damaged through ROS-1 dependent TRPA1 activation.

👤 Groten, C. J., Kwan, J., Groening, J., Belleville, M., Weilinger, N., Bai, Y., Wendt, S., Kortje, Z., Olarinde, F., Chung, I., Choi, H. B., Bernier, L.-P., Rungta, R., MacVicar, B. A.

📅 2026-10-24 📖 1 min 📝 200 words BIORXIV NEUROSCIENCE

Summary: Oxidative stress is a pathological process driven by an imbalance between the production and clearance of reactive oxygen species (ROS). It is a hallmark of numerous brain disorders, driving neuroinflammation, blood-brain barrier (BBB) disruption, and neurodegeneration. Here, we used two-photon micr...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.760199v1?rss=1

Altered brain-body activity during emotional mental imagery in major depressive disorder

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75968-1

Psychosocial stress is associated with lipidomic gut microbial and brain connectivity differences relevant to cardiometabolic vulnerability

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75747-y

Physical exercise and esports performance: an updated systematic review and study-level meta-analysis

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-74442-2

Dynamic construction behavior recognition through domain-adaptive multimodal evidence fusion

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-74823-7

A synaptic mitochondrion–ribbon–vesicle complex organizes photoreceptor neurotransmission

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78869-z

Correction for Liu et al., A spinoreticular pathway mediates nocifensive responses to noxious mechanical stimuli

📅 2026-10-21 📖 1 min 📝 15 words PNAS NEUROSCIENCE

> **Summary:** Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2635736123?af=R

Compensation of the effects of temperature on a motor system in the crab, Cancer borealis

👤 Kathleen JacquerieJames M. DiMartinoAnanya DalalJi ZengEve Marderahttps://ror.org/05abbep66Volen Center and Biology Department, Brandeis University, Waltham, MA 02454

📅 2026-10-21 📖 1 min 📝 50 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceCold-blooded animals that live in climates with significant seasonal changes in ambient temperature must have myriad mechanisms to function over a wide range of environmental conditions. We explore...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2625185123?af=R

Action features dominate cortical representation during natural vision

Heejung JungHunar JainXiaochun HanMa FeilongJane HanDeepanshi ShokeenCara Van UdenIsabella HansonAndrew C. ConnollyTor D. WagerJames V. HaxbySamuel A. Nastaseahttps://ror.org/049s0rh22Department of Psychological and Brain Sciences, Dartmouth College, Hanover, NH 03755bIndependent Researcher, Sunnyvale, CA 94085chttps://ror.org/03taz7m60Department of Psychology, Center for Computational Language Sciences, University of Southern California, Los Angeles, CA 90089

2026-10-23 1 min 51 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceHuman cortex is functionally organized to prioritize the most important features of our external world. In perceiving the natural world, however, these features are often overlapping and intermixed...

Read full article:
https://www.pnas.org/doi/abs/10.1073/pnas.2625018123?af=R

Translational control of microglial metabolism, inflammatory responses, and survival by the eIF4E-binding proteins

Sara BermudezJung-Hyun ChoiNiaz MahmoodJacob W. VogelHashem AlmousaZiying HuangSung-Hoon KimVivian Yuchan ZhuLinqiao ZhouDiana Casas-AntillonMoein YaqubiDanielle CozachencoJo Anne StrattonOskar HanssonLuke HealyArgel Aguilar-Valles Nahum Sonenbergahttps://ror.org/01pxwe438Department of Biochemistry and Goodman Cancer Institute, McGill University, Montreal, QC H3A 1A3, Canadabhttps://ror.org/02wnxgj78Department of Biochemistry, Chungbuk National University, Cheongju 28644, South Koreachttps://ror.org/012a77v79Department of Clinical Sciences, Lund University, Lund 221 84, SwedendSciLifeLab, Lund 221 00, Swedenehttps://ror.org/0227as991Department of Microbiology and Molecular Biology, Chungnam National University, Daejeon 34134, South Koreafhttps://ror.org/03rmrcq20Department of Pathology and Laboratory Medicine, Faculty of Medicine, University of British Columbia, Vancouver, BC V5Z 1M9, CanadagThe Hospital for Sick Children, Toronto, ON M5G 1E8, Canadahhttps://ror.org/01pxwe438Department of Neurology and Neurosurgery, Montreal Neurological Institute, McGill University, Montreal, QC H3A 1A1, Canadaihttps://ror.org/03490as77Institute of Biophysics Carlos Chagas Filho, Federal University of Rio de Janeiro, Rio de Janeiro 21941-170, Braziljhttps://ror.org/02qtvee93Department of Neuroscience, Carleton University, Ottawa, ON K1S 5B6, Canada

📅 2026-10-21 📖 1 min 📝 47 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceThe link between Alzheimer’s disease (AD) risk and microglial function is well-known, yet the mechanisms governing microglial responses remain unclear. Postmortem and experimental studies demonstra...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2610766123?af=R

Naturalistic spatial education engages distinct neural processes for mental rotation, cognitive load, and linguistic demands

Eloise B. GacettaMarissa L. LawsLauren S. AuletTeoman S. OzaydinJonathan S. TsayConrad ZapantaJessica F. Cantlonahttps://ror.org/05x2bcf33Department of Psychology, Carnegie Mellon University, Pittsburgh, PA 15213bhttps://ror.org/01an3r305Center for the Neural Basis of Cognition, Carnegie Mellon University and University of Pittsburgh, Pittsburgh, PA 15213chttps://ror.org/0072zz521Department of Psychological and Brain Sciences, University of Massachusetts Amherst, Amherst, MA 01003dhttps://ror.org/05x2bcf33Neuroscience Institute, Carnegie Mellon University, Pittsburgh, PA 15213ehttps://ror.org/05x2bcf33Department of Biomedical Engineering, Carnegie Mellon University, Pittsburgh, PA 15213

📅 2026-10-21 📖 1 min 📝 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceSpatial visualization skill is a foundational component of human intelligence and a powerful lever for success in science, technology, engineering, and mathematics (STEM). Yet little is known about...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2601206123?af=R

C1ql2 gates stress vulnerability by regulating microglia-mediated synaptic pruning in the BLA-vHPC circuit

👤 Chun-Yan WangWei-Zhu LiuShuang-Mei LiaoJing NiuHan-Qing PanWen-Jie YouKe ZhaoBao MaMing-Fen LuJia-Xin ZouPing HuWen-Hua ZhangBing-Xing Panahttps://ror.org/042v6xz23Jiangxi Institute of Respiratory Diseases and Department of Pathology, The First Affiliated Hospital, School of Basic Medical Sciences and Institute of Biomedical Innovation, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinabhttps://ror.org/042v6xz23Jiangxi Provincial Key Laboratory of Brain Science and Brain Health, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinachttps://ror.org/042v6xz23Postdoctoral Research Station, The First Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinadhttps://ror.org/042v6xz23Institute of Translational Medicine, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinaehttps://ror.org/042v6xz23Department of Neurology, The Second Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, China

📅 2026-10-21 📖 1 min 📝 43 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceStress-related emotional disorders involve maladaptive synaptic remodeling in the basolateral amygdala (BLA), which is highly heterogeneous across neurons projecting to distinct downstream targets....

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2600854123?af=R

BVLab-analyzer: a unified visual toolbox for terabyte-scale whole-brain cell detection, neuron reconstruction, and vascular network extraction

Tingwei Quan 2026-10-07 1 min 139 words FRONTIERS NEUROINFORMATICS

Summary: BVLab-Analyzer is a standalone graphical software tool for end-to-end analysis of terabyte-scale whole-brain microscopy images. Operating through a zero-code interface, it handles data import (TIFF, BioImageVision, OME-Zarr), deep learning-based semantic segmentation, 3D skeleton reconstruction, and...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1925112

Transformers for fMRI analysis: from spatiotemporal modeling to brain foundation models

Bocheng Wang 2026-10-07 1 min 217 words FRONTIERS NEUROINFORMATICS

Summary: Functional magnetic resonance imaging (fMRI) serves as a pivotal tool for investigating the functional organization and dynamic connectivity of the human brain, indirectly reflecting neural activity through blood oxygen level-dependent (BOLD) signals. However, the high-dimensional spatiotemporal str...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1869687

Natural language processing for suicidal behavior detection in short Spanish clinical notes from first-contact interviews

👤 Ansel Y. Rodríguez-González
📅 2026-10-07 📖 1 min 📝 267 words

FRONTIERS NEUROINFORMATICS

Summary: IntroductionSuicide is a multifactorial phenomenon influenced by social, cultural, biological, and psychological factors, whose early detection remains challenging. According to the World Health Organization, suicide is the third leading cause of death among individuals aged 15–29 years, representin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1919962

Mechanonociceptive tactile feedback enhances prosthetic grasp control during repeated human-in-the-loop interaction

👤 Elif Hocaoglu
📅 2026-10-15 📖 1 min 📝 215 words

FRONTIERS NEUROROBOTICS

Summary: Upper-limb prosthetic systems continue to face a fundamental challenge in providing sensory feedback that remains functionally effective during repeated interaction. This study investigates innocuous painful feedback (IPF), a controlled mechanonociceptive tactile modality intended to provide salient...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1910158

Brain-inspired predictive visual attention for spatiotemporal semantic understanding of complex film and television videos

Peng Han
2026-10-22
1 min
275 words
FRONTIERS NEUROROBOTICS

Summary: Due to the unique characteristics of film and television, such as montage editing and narrative structure jumps, semantically salient targets frequently experience temporal feature drift, making it difficult for existing models to maintain stable semantic understanding output when keyframes are lost...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1934032

Single-channel EEG denoising and artifact removal: a systematic scoping review of methods, benchmarking, and reproducibility

Usman Qamar Shaikh, Anubha Manju Kalra, Andrew Lowe and Imran Khan Niazi
2026-10-14
1 min
239 words
JOURNAL NEURAL ENGINEERING

Summary: Objective. Single-channel and wearable electroencephalography (EEG) reduce acquisition burden but limit the spatial information available to conventional multichannel artifact-removal methods. We conducted a systematic scoping review of single-channel-compatible EEG artifact removal, linking method ...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb0ce

Phase-locked closed-loop ultrasound stimulation of hippocampal slow gamma modulates CA3-CA1 coherence and improves spatial memory in APP/PS1 mice

Zhenyu Xie, Hui Ji, Mürsel Karadas, Yiyao Zhang and Yi Yuan

2026-10-14 1 min 235 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Impaired hippocampal slow gamma oscillations and CA3-CA1 dysfunction may contribute to spatial memory deficits in early Alzheimer's disease (AD). This study examined whether phase-locked closed-loop transcranial ultrasound stimulation (TUS) could modulate CA3-CA1 activity and improve memo...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb075

Ordered onset of regional desynchronization and a transition in movement-class discriminability during cue-paced motor imagery

Seho Lee

2026-10-21 1 min 298 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Motor imagery recruits a distributed network whose components and large-scale organization are well characterized. The temporal order in which those components are engaged is not: the latency at which each region begins to desynchronize within a trial has not been compared statistically i...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb161

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024075339&v=2.20.1

Ultrabright Quasi-Compact Quantum Dot Assembly for Sensitive and Color-Fixed Immunoassays

👤 Liang Huang
📅 2026-10-23 📖 1 min 📝 63 words

LOW VISION

Summary: Home-based immunoassay platforms constitute critical tools for the rapid screening of infectious respiratory viruses. Notably, viral loads can remain low at certain stages yet vary over several orders of magnitude during infection, and such variations are closely associated with the disease progress...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916099/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Supercritical Carbon Dioxide-Peracetic Acid Treatment Inactivates Low-Level Bacterial Inocula in Collagen Analogue-Phosphorylcholine Hydrogels while Preserving Functional Properties

👤 May Griffith
📅 2026-10-23 📖 1 min 📝 57 words

LOW VISION

Summary: Terminal sterilization of hydrogels is challenging because their high-water-content, chemical structures, and cell-friendly properties are often altered by conventional sterilization methods. Hydrogel implants comprising collagen-like peptide (CLP), polyethylene glycol (PEG), and poly (2-methacryloy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916212/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

A Bidirectional Photosensitive Multimodal PdSe2/MoS2 van der Waals Heterostructure Memristor Array for In-Sensor Neuromorphic Vision

👤 Jun He 📅 2026-10-23 📖 1 min 📝 60 words LOW VISION

Summary: Optoelectronic van der Waals (vdW) memristors integrating photosensing, memory, and computing capabilities are promising for artificial vision but are limited by single photoresponse modes, low yields, and high device variability. Here, we demonstrate a 1-kb PdSe2/MoS2 van der Waals heterostructure ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916623/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Al-Stoichiometry-Engineered Defect Profiles in InAlZnO Nanofibers for Balanced Charge Transport and Optical Plasticity

👤 Fengyun Wang
📅 2026-10-23 📖 1 min 📝 64 words

LOW VISION

Summary: Metal oxide optoelectronic synapses are promising for neuromorphic vision, but combining a low dark current with sustained photoinduced plasticity remains challenging. Here, Al stoichiometry is engineered in electrospun In1AlxZn0.08O (x = 0.007, 0.011, and 0.015) nanofiber networks to tune sub-bandg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918218/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Effect of 0.01%, 0.02% and 0.04% Atropine eyedrops vs Placebo on myopia incidence in pre-myopic children: A randomized clinical trial

Xiangui He 2026-10-23 1 min 47 words LOW VISION

Summary: CONCLUSIONS: Low-concentration atropine demonstrated a dose-response relationship for reducing cumulative myopia incidence and slowing refractive progression in pre-myopic children, but no such relationship on axial length. This preliminary evidence suggests potential for early myopia prevention, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918548/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Diagnosis of a chiasmal lesion compressing optic chiasm in patients with severe retinal degeneration: a two-case report

Kyung-Ah Park 2026-10-23 1 min 46 words LOW VISION

Summary: CONCLUSIONS: Optic chiasmal compression should be considered in patients with severe retinal degeneration presenting with progressive visual decline that cannot be fully explained by retinal pathology. Visual field testing and timely neuroimaging, particularly MRI, are essential for accurate diagnos...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919189/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Reading Arabic Under Simulated Low Vision: Orthographic Complexity Shapes the Effect of Contrast Polarity

👤 Mosaad Alhassan
📅 2026-10-23 📖 1 min 📝 45 words

LOW VISION

Summary: CONCLUSION: Arabic relies on small, high-spatial-frequency features such as dots for letter discrimination, which appear to modulate how contrast polarity interacts with optical degradation at threshold. These findings provide preliminary evidence that may guide future studies of reading performance...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920077/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

👤 Zhaojiang Du
📅 2026-10-23 📖 1 min 📝 51 words

LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth 📅 2026-10-24 📖 1 min 📝 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024075337&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

👤 Martina M Mensi 📅 2026-06-25 📖 1 min 📝 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

👤 Hannes P Saal 📅 2026-09-25 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

👤 Walter S Carr 📅 2026-10-01 📖 1 min 📝 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024075334&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

> **Summary:** CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

> **Summary:** Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024075332&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

Xin Zhou 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

👤 Peng Chen 📅 2026-10-23 📖 1 min 📝 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

👤 Xiaojun Zhou 📅 2026-10-23 📖 1 min 📝 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

Pramod Kumar Pal 2026-10-23 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

Stephanie L Borgland 2026-10-23 1 min 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024075329&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words

FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

👤 Xuqun You
📅 2026-10-22 📖 1 min 📝 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi
📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

👤 Balaji Jayaprakash 📅 2026-10-22 📖 1 min 📝 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

👤 Jing Zhang 📅 2026-10-23 📖 1 min 📝 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024075327&v=2.20.1

Clinically unresponsive patients with acute brain injury activate a brain-computer interface

Jan Claassen 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain activation to verbal commands can be detected by EEG in clinically unresponsive patients. These patients with cognitive motor dissociation (CMD) are unable to communicate with the environment despite preserved consciousness. Advanced brain-computer interfaces (BCI) are promising to support mot...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911846/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Decoding motor imagery EEG signals by a deep learning network integrating multiscale filtering and temporal-channel attention mechanisms

Qingguo Wei 2026-10-23 1 min 75 words BRAIN COMPUTER INTERFACE

Summary: Due to their low signal-to-noise ratio and non-stationarity, accurately classifying EEG signals is still one of the main hindrances that limit the real-world applications of a brain-computer interface (BCI). Deep learning (DL) is a potential method for addressing the problem. However, how to create ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912743/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Biophysically constrained learning from healthy neural priors improves motor decoding in pathological cortical networks

👤 Jiayuan He 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: High-performance brain-computer interfaces (BCIs) rely on stable neural representations, yet brain functional impairments inherently disrupt canonical encoding, creating a fundamental decoding paradox. Conventional data-driven approaches struggle to bridge this gap because of pathological data scarc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913013/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Training Free Signal Enhancement by Random Sampling for Steady State Visual Evoked Potential BCI

👤 Yoshikazu Washizawa 📅 2026-10-23 📖 1 min 📝 57 words BRAIN COMPUTER INTERFACE

Summary: The steady-state visual evoked potential (SSVEP) is widely used for
electroencephalography (EEG)
based brain computer interfaces (BCIs).
In order to determine the target commands for SSVEP-BCIs,
deep neural networks have been widely used.
However, learning-based approaches requir...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913685/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Decoding attempted handwritten characters based on temporal endovascular neural features

👤 Peter E Yoo 📅 2026-10-23 📖 1 min 📝 65 words BRAIN COMPUTER INTERFACE

Summary: We evaluated temporal neural features for motor decoding using a minimally-invasive endovascular brain-computer interfaces (BCI). We hypothesised that relatively long compound movements generate distinct patterns of neural activity that are encoded by temporal features.

Approach. A single p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913687/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Transformer networks are robust learners of source localization for EEG measurements

👤 Moritz Dannhauer 📅 2026-10-23 📖 1 min 📝 65 words BRAIN COMPUTER INTERFACE

Summary: EEG source localization is an ill-posed inverse problem complicated by measurement noise, electrode dropout from sensor miscalibration, and variability in the number of active sources. Classical methods such as eLORETA and LCMV beamforming impose regularization assumptions that degrade under realist...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913696/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024075324&v=2.20.1

Monthly Updates [March]

📅 2026-03-01 📖 2 min 📝 571 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/mar-2026

Monthly Updates [June]

📅 2026-06-01 📖 4 min 📝 954 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/june-2026

Monthly Updates [August]

📅 2026-08-01 📖 3 min 📝 700 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/aug-2026

Monthly Updates [Sept]

📅 2026-08-31 📖 5 min 📝 1079 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/sept-2026

[CVE-2026-111497] If you run a python server, you should update it right now

👤 /u/me_myself_ai 📅 2026-10-24 📖 1 min 📝 296 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> The "HTTP2Shell" vulnerability affects servers that know how to speak Google's 'brotli' compression protocol, which would likely make its way into your server through an innoccuous-sounding speedup dep like <code>urllib3[brotli]</code> or <code>aiohttp[spe...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xe1zp2/cve2026111497_if_you_run_a_python_server_you/

Hacker reverses Samsung TV, finds on-board AI listening OpenAI account suspended

👤 testing22321 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.reddit.com/r/antiai/comments/1xdv3e5/hacker_reverse_engineers_his_samsung_tv_and_finds/ Comments URL: <a href="https://news.ycombinator.com/item?id=502...

🔗 **Read full article:**
https://www.reddit.com/r/antiai/comments/1xdv3e5/hacker_reverse_engineers_his_samsung_tv_and_finds/

Node2Shell evolves to HTTP2Shell, blast radius affects many HTTP libs and apps

👤 theanonymousone 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.aikido.dev/blog/python-packages-vulnerable-node2shell-brotli-cve-2026-111497 Comments URL: <a href="https://news.ycombinator.com/item?id=50219177">https://news.yc...

🔗 **Read full article:**
https://www.aikido.dev/blog/python-packages-vulnerable-node2shell-brotli-cve-2026-111497

I Don't Understand Quantum Physics (2018)

👤 rramadass 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.southampton.ac.uk/~doug/quantum_physics/index.html Comments URL: https://news.ycombinator.com/item?id=50219666 Points: 87...

🔗 **Read full article:**
https://www.southampton.ac.uk/~doug/quantum_physics/index.html

Node.js Vulnerability Blog

👤 Brysonbw 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://nodejs.org/en/blog/vulnerability Comments URL: https://news.ycombinator.com/item?id=50220145 Points: 6 # Comments: 1

🔗 **Read full article:**
https://nodejs.org/en/blog/vulnerability

AI-Assisted Paper on Z-Library Cites a TorrentFreak Article That Doesn't Exist

👤 TangerineDream 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://torrentfreak.com/ai-assisted-paper-on-z-library-cites-a-torrentfreak-article-that-doesnt-exist/ Comments URL: <a href="https://news.ycombinator.com/ite...

🔗 **Read full article:**
https://torrentfreak.com/ai-assisted-paper-on-z-library-cites-a-torrentfreak-article-that-doesnt-exist/

New software package: ERPLAB Studio

Steve Luck 2024-06-12 2 min 449 words ERP BOOT CAMP

Summary: <p class="">We are excited to announce the release of a new EEG/ERP analysis package, ERPLAB Studio. We think it's a huge improvement over the classic EEGLAB user interface. See our cheesy <a href="https://www.youtube.com/watch?v=lIaKVQ9DD6E">...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/11/erplab-studio

Network Models of Neurodegeneration: Bridging Neuronal Dynamics and Disease Progression

2026-01-16 1 min 196 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Neurodegenerative diseases are characterized by the accumulation of misfolded proteins and widespread disruptions in brain function. Computational modeling has advanced our understanding of these processes, but efforts have traditionally focused on either neuronal dynamics or the biological processe...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11357276

Optogenetics: Pinpoint Light on Precise Neuromodulation

📅 2025-11-06 📖 1 min 📝 137 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Optogenetics has emerged as a pivotal tool in neuroscience, enabling intricate modulation of targeted neurons within the nervous system. Despite its transformative potential, achieving high spatiotemporal resolution in neuromodulation remains a significant challenge, particularly in free-behaving an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11230544

Emerging Noninvasive Approaches for the Suppression of Pathological Tremor

📅 2025-12-16 📖 1 min 📝 215 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Pathological tremor affects over 40 million people worldwide, significantly impairing daily activities and quality of life. Pharmacological treatments show limited efficacy, with up to 30% discontinuation rates, while surgical interventions like deep brain stimulation achieve significant tremor redu...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11301615

Assistive Trajectory Planning for Lower Limb Exoskeletons: Strategies From Laboratory-Optimized Gait to Environmentally-Adaptive Locomotion Through Multimodal Parameter Awareness

📅 2025-12-30 📖 1 min 📝 182 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Lower limb assistive exoskeletons (LLEs) show great potential to reduce metabolic cost, improve walking performance, and correct abnormal gait patterns. Among their core control architectures, assistive trajectory planning is key to determining system responsiveness and effectiveness under varying l...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11319164

A critical assessment of LGN segmentation quality based on volume, contour, and location

👤 Schroeder, J.-L., Gulban, F. O., Mueller-Axt, C., Goebel, R., Kurzawski, J. W.

📅 2026-10-23 📖 1 min 📝 207 words BIORXIV NEUROSCIENCE

Summary: Reliable segmentation of the lateral geniculate nucleus (LGN), a small thalamic relay nucleus essential for visual processing, is necessary for characterizing its anatomy in healthy populations and structural alterations in neurological disorders. However, accurate delineation remains challenging on...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.759668v1?rss=1

Endogenous retrovirus activation disrupts postsynaptic organization in human glutamatergic neurons

Davis-Hansson, C., Garza, R., Piochon, C., Johansson, J. G., Busskamp, V., Jakobsson, J., Johansson, E. M.

2026-10-23 1 min 141 words BIORXIV NEUROSCIENCE

Summary: Endogenous retroviruses (ERVs) comprise a substantial fraction of the human genome, yet whether their expression can directly alter human neuronal function remains unknown. Because glutamatergic signaling is fundamental to brain function and frequently disrupted in brain disorders, we asked whether ...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.21.760639v1?rss=1

Human and Mouse Models of the Bipolar Disorder-Associated ANK3 p.W1989R Variant Display Altered Somatostatin Interneuron Connectivity and Function

👤 Dean, K. P., Verduci, S. C., Kramm, C. C., Stinson, C. W., Min, L., Smith, J. S., DeLong, C. J., Yao, M., Lee, K. H., Reeves, J. M., Birdsong, W. T., Welch, J. D., Jenkins, P. M.

📅 2026-10-23 📖 1 min 📝 284 words BIORXIV NEUROSCIENCE

Summary: Bipolar disorder (BD) is a debilitating neuropsychiatric disorder characterized by recurrent mood perturbations, cognitive and functional impairment, and increased risk of suicide. Genome-wide association studies (GWAS) have repeatedly identified the gene ANK3, which encodes the neuronal scaffolding...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.760718v1?rss=1

Pediatric brain charts reveal ADHD biotypes with distinct developmental, molecular, and therapeutic profiles

👤 Bu, X., Sun, L., Fu, Z., Zhao, Y., Zheng, X., Zhang, K., Liang, X., Cui, Z., Gao, J.-H., Gong, G., Huang, R., Li, S., Luo, L., Men, W., Peng, Y., Sun, L., Sun, X., Wang, X., Xia, M., Zhao, T., Zhu, L., Zuo, X., Wang, Y., Dong, Q., Cao, Q., Yang, L., He, Y.

📅 2026-10-23 📖 1 min 📝 183 words BIORXIV NEUROSCIENCE

Summary: Attention-deficit/hyperactivity disorder (ADHD) exhibits profound clinical heterogeneity; however, its underlying neurobiological substrates remain unclear. Here, leveraging large - scale structural magnetic resonance imaging data from 12,663 typically developing children and 1,699 children with ADH...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.760978v1?rss=1

Unstable word form representations and greater reliance on right hemisphere during word learning in adults with a history of developmental language disorder

Nora, A., Yan, C., Husa, V., Wilkki, V., van Vliet, M., Service, E., Salmelin, R.

2026-10-23 1 min

205 words

BIORXIV NEUROSCIENCE

Summary: Impairment in acquiring new vocabulary is a persistent deficit in developmental language disorder (DLD), but its cortical substrates remain unclear. We investigated learning of new words in young adults with DLD and typically developing (TD) control participants using magnetoencephalography (MEG). P...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.21.760607v1?rss=1

Predictive dendrites as a foundation for biological learning

Song, Y., Innocenti, F., Mirkhani, N., Bozkurt, B., Ivan, M., Aziz, A., Lukasiewicz, T., King, A. J., Clopath, C., Akerman, C., Harper, N. S., Bogacz, R.

2026-10-23 1 min 152 words

BIORXIV NEUROSCIENCE

Summary: A fundamental challenge for neuroscience is to identify laws of synaptic plasticity that are consistent with experimental observations at the level of individual neurons, whilst also explaining the ability of neural networks to learn complex tasks. Here we investigate a candidate law in which neuron...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.21.760638v1?rss=1

Deficiency of non-muscle myosin IIA promotes neuroinflammation by impairing autophagic degradation of VCAM-1 in brain endothelium

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75768-7

Risk model for predicting mortality risk in patients with cerebral infarction: a cohort study using the MIMIC-IV database

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-76494-w

Enterovirus A71 exploits peripheral circulating extracellular vesicles to facilitate blood-brain barrier permeability

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-79119-y

Inhibition of spinal astrocytic GPR177 attenuates neuropathic pain by modulating C3/C3aR signaling in male rats

📅 2026-10-24 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s42003-026-11221-9

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024025626&v=2.20.1

Action features dominate cortical representation during natural vision

👤 Samuel A Nastase 📅 2026-10-23 📖 1 min 📝 70 words LOW VISION

Summary: Cortical resources are allocated into systems specialized for processing ecologically relevant features of the world. These features are typically studied in isolation using controlled experimental stimuli, making it difficult to assess the relative importance of different kinds of features that ten...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912782/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Beyond the browning index: RGB radiomics enables non-destructive prediction of fresh-cut "Red Fuji" apple browning and enzyme activities

👤 Tian Mou 📅 2026-10-23 📖 1 min 📝 62 words LOW VISION

Summary: Fresh-cut apples undergo rapid enzymatic browning, which compromises visual quality and causes substantial postharvest losses. Most RGB vision approaches rely on handcrafted color/texture descriptors that are sensitive to acquisition conditions and provide limited linkage to the underlying enzyme dy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914458/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Discovery, Design, and Evaluation of Nanomolar to Picomolar Inhibitors of Human Pancreatic α-Amylase for Control of Postprandial Blood Glucose Levels

Stephen G Withers 2026-10-23 1 min 80 words LOW VISION

Summary: Type 2 diabetes is a disease that is rapidly expanding across the world with global cases quadrupling since 1990 and now comprising over 800 million people, the majority of whom are in low- and middle-income countries (Zhou et al.Lancet2024, 404, 2077-2093.). The poor control of blood glucose levels...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915838/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

High Performance Switchable Dual-Mode Photoresponse Enabled by Defect States in ReS2/PdSe2 Heterojunctions

Zhesheng Chen 2026-10-23 1 min 65 words LOW VISION

Summary: Two-dimensional (2D) semiconductors exhibit significant potential for next-generation optoelectronic and neuromorphic applications. In particular, intrinsic defect states in 2D materials not only modulate the doping level but also play key roles in the photoresponse time of optoelectronic devices. D...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916096/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Ultrabright Quasi-Compact Quantum Dot Assembly for Sensitive and Color-Fixed Immunoassays

👤 Liang Huang
📅 2026-10-23 📖 1 min 📝 63 words

LOW VISION

Summary: Home-based immunoassay platforms constitute critical tools for the rapid screening of infectious respiratory viruses. Notably, viral loads can remain low at certain stages yet vary over several orders of magnitude during infection, and such variations are closely associated with the disease progress...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916099/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Supercritical Carbon Dioxide-Peracetic Acid Treatment Inactivates Low-Level Bacterial Inocula in Collagen Analogue-Phosphorylcholine Hydrogels while Preserving Functional Properties

👤 May Griffith
📅 2026-10-23 📖 1 min 📝 57 words LOW VISION

Summary: Terminal sterilization of hydrogels is challenging because their high-water-content, chemical structures, and cell-friendly properties are often altered by conventional sterilization methods. Hydrogel implants comprising collagen-like peptide (CLP), polyethylene glycol (PEG), and poly (2-methacryloy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916212/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

A Bidirectional Photosensitive Multimodal PdSe2/MoS2 van der Waals Heterostructure Memristor Array for In-Sensor Neuromorphic Vision

👤 Jun He 📅 2026-10-23 📖 1 min 📝 60 words LOW VISION

Summary: Optoelectronic van der Waals (vdW) memristors integrating photosensing, memory, and computing capabilities are promising for artificial vision but are limited by single photoresponse modes, low yields, and high device variability. Here, we demonstrate a 1-kb PdSe2/MoS2 van der Waals heterostructure ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916623/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Al-Stoichiometry-Engineered Defect Profiles in InAlZnO Nanofibers for Balanced Charge Transport and Optical Plasticity

👤 Fengyun Wang
📅 2026-10-23 📖 1 min 📝 64 words

LOW VISION

Summary: Metal oxide optoelectronic synapses are promising for neuromorphic vision, but combining a low dark current with sustained photoinduced plasticity remains challenging. Here, Al stoichiometry is engineered in electrospun In1AlxZn0.08O (x = 0.007, 0.011, and 0.015) nanofiber networks to tune sub-bandg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918218/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Effect of 0.01%, 0.02% and 0.04% Atropine eyedrops vs Placebo on myopia incidence in pre-myopic children: A randomized clinical trial

Xiangui He 2026-10-23 1 min 47 words LOW VISION

Summary: CONCLUSIONS: Low-concentration atropine demonstrated a dose-response relationship for reducing cumulative myopia incidence and slowing refractive progression in pre-myopic children, but no such relationship on axial length. This preliminary evidence suggests potential for early myopia prevention, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918548/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Diagnosis of a chiasmal lesion compressing optic chiasm in patients with severe retinal degeneration: a two-case report

Kyung-Ah Park 2026-10-23 1 min 46 words LOW VISION

Summary: CONCLUSIONS: Optic chiasmal compression should be considered in patients with severe retinal degeneration presenting with progressive visual decline that cannot be fully explained by retinal pathology. Visual field testing and timely neuroimaging, particularly MRI, are essential for accurate diagnos...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919189/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024025623&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

👤 Martina M Mensi 📅 2026-06-25 📖 1 min 📝 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

👤 Stanisa Raspopovic 📅 2026-06-26 📖 1 min 📝 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux
📅 2026-07-18 📖 1 min 📝 69 words

TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024025620&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

Xiaobing Yan 2026-09-09 1 min 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

An accessible pregnancy test for blind and low-vision users

👤 Vanja Garaj 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024025618&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

👤 Aliaa Elabd 📅 2026-10-20 📖 1 min 📝 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

Peng Chen 2026-10-23 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024025616&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024025613&v=2.20.1

Conductive hydrogel bioelectronics for chronic neuromodulation: From biomimetic design and bioactive interfaces to integrated neural platforms

Xulin Hu 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: In biomedical engineering, hydrogel bioelectronics brings together the interface between flexible electronic devices and biological systems, opening up a new way for chronic neural regulation. Here we focus on the recent progress in this field, from material design to system integration. The design ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42909857/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Adaptive local temporal weighting for short-window EEG-based SSVEP recognition using FB-eTRCA

Zehua Wang 2026-10-23 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: To improve short-window SSVEP recognition, we integrated adaptive temporal local weighting (ATLW) with filter-bank ensemble task-related component analysis (FB-eTRCA). ATLW estimates local discriminability from training trials, converts window scores into sample weights, and applies the training-der...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911760/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Clinically unresponsive patients with acute brain injury activate a brain-computer interface

Jan Claassen 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain activation to verbal commands can be detected by EEG in clinically unresponsive patients. These patients with cognitive motor dissociation (CMD) are unable to communicate with the environment despite preserved consciousness. Advanced brain-computer interfaces (BCI) are promising to support mot...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911846/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Decoding motor imagery EEG signals by a deep learning network integrating multiscale filtering and temporal-channel attention mechanisms

Qingguo Wei 2026-10-23 1 min 75 words BRAIN COMPUTER INTERFACE

Summary: Due to their low signal-to-noise ratio and non-stationarity, accurately classifying EEG signals is still one of the main hindrances that limit the real-world applications of a brain-computer interface (BCI). Deep learning (DL) is a potential method for addressing the problem. However, how to create ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912743/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Biophysically constrained learning from healthy neural priors improves motor decoding in pathological cortical networks

Jiayuan He 2026-10-23 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: High-performance brain-computer interfaces (BCIs) rely on stable neural representations, yet brain functional impairments inherently disrupt canonical encoding, creating a fundamental decoding paradox. Conventional data-driven approaches struggle to bridge this gap because of pathological data scarc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913013/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Training Free Signal Enhancement by Random Sampling for Steady State Visual Evoked Potential BCI

👤 Yoshikazu Washizawa 📅 2026-10-23 📖 1 min 📝 57 words BRAIN COMPUTER INTERFACE

Summary: The steady-state visual evoked potential (SSVEP) is widely used for
electroencephalography (EEG)
based brain computer interfaces (BCIs).
In order to determine the target commands for SSVEP-BCIs,
deep neural networks have been widely used.
However, learning-based approaches requir...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913685/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Decoding attempted handwritten characters based on temporal endovascular neural features

👤 Peter E Yoo 📅 2026-10-23 📖 1 min 📝 65 words BRAIN COMPUTER INTERFACE

Summary: We evaluated temporal neural features for motor decoding using a minimally-invasive endovascular brain-computer interfaces (BCI). We hypothesised that relatively long compound movements generate distinct patterns of neural activity that are encoded by temporal features.

Approach. A single p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913687/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Transformer networks are robust learners of source localization for EEG measurements

Moritz Dannhauer 2026-10-23 1 min 65 words BRAIN COMPUTER INTERFACE

Summary: EEG source localization is an ill-posed inverse problem complicated by measurement noise, electrode dropout from sensor miscalibration, and variability in the number of active sources. Classical methods such as eLORETA and LCMV beamforming impose regularization assumptions that degrade under realist...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913696/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

👤 Chen Wang 📅 2026-10-23 📖 1 min 📝 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024025611&v=2.20.1

A research on the typical images of animals in the dreams of Naxi.

📅 2026-09-10 📖 1 min 📝 157 words DREAMING

Summary: Animal images in dreams have long been studied, yet existing research is not systematic or in-depth. The Naxi, a small Chinese ethnic group (about 320,000), possess a rich cultural heritage. In their belief, animals mediate between humans, deities, and nature, while dreams are key communication chan...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000353

Philosophical and medical analysis of dreams in avicenna’s perspective: Nature, mechanism, and functions.

📅 2026-06-15 📖 1 min 📝 218 words DREAMING

Summary: Avicenna was an eminent Islamic philosopher and physician. Drawing primarily on The Book of Healing and The Canon of Medicine, this article presents a systematic account of his theory of dreaming within the framework of his psychology and natural philosophy. Avicenna conceives drea...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000341

Threatening events and other themes in COVID-19-related dreams: Examining pandemic dreams from the perspective of current dream simulation theories.

📅 2026-06-25 📖 1 min 📝 218 words DREAMING

Summary: In this study on pandemic dream experiences in rural Nepal, 54 interviews were collected 1 year into the COVID-19 pandemic and compared with 62 interviews collected some years earlier. As in comparable studies, the dream narratives were categorized and analyzed according to their content, employing ...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000348

Correction to “Big-five personality traits and dream experiences: A systematic review and meta-analysis” by Marin et al. (2026).

📅 2026-09-10 📖 1 min 📝 399 words DREAMING

Summary: Reports an error in "Big-Five personality traits and dream experiences: A systematic review and meta-analysis" by Jai Marin, Noah Thomas, Lan Nguyen and Jared Walters (Dreaming, Advanced Online Publication, Mar 26, 2026, np; see record 2027-47158-001). The article is being made available op...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000349

When the body suffers, the mind dreams: The lived experience of cancer.

📅 2026-09-10 📖 1 min 📝 194 words DREAMING

Summary: Dreams have intrigued humanity across centuries, serving as portals to the unconscious, reflections of lived experiences, and sources of spiritual guidance. The study of dreaming spans neuroscience, psychology, anthropology, sociology, and religious thoughts, with each discipline offering unique ins...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000355

Big-Five personality traits and dream experiences: A systematic review and meta-analysis.

📅 2026-03-26 📖 1 min 📝 369 words DREAMING

Summary: [Correction Notice: An Erratum for this article was reported in Vol 36(3) of Dreaming (see record 2028-23196-002). The article is being made available open access under the CC-BY license following the Griffith University opt-in to the CAUL/ APA Read and Publish agreement. The correct copyrig...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000336

The dream insight framework: Harnessing the power of dreams in leadership.

📅 2026-08-20 📖 1 min 📝 80 words DREAMING

Summary: This article introduces the Dream Insight Framework, an approach for integrating dreamwork into leadership development. It explores how dreams, often dismissed in existing leadership approaches, can be powerful tools for enhancing creativity, decision-making, and problem-solving. By reviewing existi...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000354

Interpretability of dreams elicited by progressive-interval rapid-eye-movement and fixed-schedule awakening methods: Trajectories of dream affect, themes, and insight across the night.

📅 2026-07-30 📖 1 min 📝 201 words DREAMING

Summary: This study examined whether interpreting REM dream reports elicited using a REM-cycle-accommodating awakening protocol yielded more associations and greater insight than interpreting REM and non-REM dream reports obtained through a fixed-schedule awakening method. It also explored how interpretabili...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000350

Coping strategies and dreams—The impact of waking-life distress on negative dream emotions.

📅 2026-05-18 📖 1 min 📝 183 words DREAMING

Summary: The relationship between waking life and dreaming seems complex, and various studies show that dreams are influenced by waking-life experiences. However, only a few studies deal with the interactions between coping strategies in waking life and dream emotions. The main goal of this study is to inves...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000346

Offline webcam login monitor for Windows (photographs failed logins, local face recognition, alerts)

👤 /u/Ed0x86 📅 2026-10-24 📖 1 min 📝 134 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> Here is a Windows tool idea: it takes a burst of webcam photos when someone logs in, unlocks, or fails a password attempt on my PC, and alerts me via email or telegram if it sees a face it doesn't know (it's AI local model face recognition). Feel free to fork...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xe0ury/offline_webcam_login_monitor_for_windows/

One Man's Pan Am 747 Replica [video]

👤 Teever 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.youtube.com/watch?v=vAFwHGGfPz4 Comments URL: https://news.ycombinator.com/item?id=50215828 Points: 20 # Comments: 1

🔗 **Read full article:**
https://www.youtube.com/watch?v=vAFwHGGfPz4

Twelve years of distributed SQLite

👤 otoolep 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://philipotoole.com/twelve-years-of-distributed-sqlite/ Comments URL: https://news.ycombinator.com/item?id=50217500 Points: 128</p...

🔗 **Read full article:**
https://philipotoole.com/twelve-years-of-distributed-sqlite/

Alzheimer's breakthrough: 2 hrs of sleep restored without clearing brain plaques

👤 amichail 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.sciencedaily.com/releases/2026/10/261018084421.htm Comments URL: https://news.ycombinator.com/item?id=50217683 Points: 76...

🔗 **Read full article:**
https://www.sciencedaily.com/releases/2026/10/261018084421.htm

Apple Security Research Device

👤 neom 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://security.apple.com/research-device/ Comments URL: https://news.ycombinator.com/item?id=50217903 Points: 5 # Comments: 0

🔗 **Read full article:**
https://security.apple.com/research-device/

How Block Blast harvests its players for ad money

👤 motionlessveloc 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://ayoships.com/breakdowns/block-blast Comments URL: https://news.ycombinator.com/item?id=50217946 Points: 14 # Comments: 2

🔗 **Read full article:**
https://ayoships.com/breakdowns/block-blast

How close can pure functional programming get to C?

👤 stmonty 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://rtfeldman.com/fp-vs-c Comments URL: https://news.ycombinator.com/item?id=50218195 Points: 51 # Comments: 6

🔗 **Read full article:**
https://rtfeldman.com/fp-vs-c

OBS Studio 33

👤 pentagrama 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/obsproject/obs-studio/releases/tag/33.0.0 Comments URL: https://news.ycombinator.com/item?id=50218430 Points: 12 ...

🔗 **Read full article:**
https://github.com/obsproject/obs-studio/releases/tag/33.0.0

A Hierarchical-Dynamic integration model for the formation of interpersonal neural synchrony during spoken communication

📖 1 min 📝 13 words BRAIN RESEARCH

> **Summary:** Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Yating Bai, Qingfang Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004567?dgcid=rss_sd_all

TEMPORARY REMOVAL: Corrigendum to “LPI alleviates Alzheimer’s disease pathology via the GPR55 receptor” [Neuroscience 611 (2026) 99–110]

📖 1 min 📝 26 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Wenjie Xu, Jiaqi Cao, Yibo Liu, Zimo Wei, Xu Zha, Shumin Xie, Xicheng Liu, Wei Wang, Chen Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006287?dgcid=rss_sd_all

Differential value processing in the rostral and causal subthalamic nucleus during flexible and habitual decision-making in primates: Implications for cognitive dysfunction in Parkinson's disease

Lee, K., Lee, M., Jiang, H., Kim, H. F.
2026-10-23 1 min 222 words

BIORXIV NEUROSCIENCE

Summary: The subthalamic nucleus (STN) is a major target region of deep brain stimulation (DBS) for Parkinson's disease (PD), effectively alleviating motor symptoms. However, STN-DBS can also induce cognitive impairments, suggesting that the STN contributes to cognitive functions beyond simple motor control....

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.760032v1?rss=1

Behavioral genomics identifies Creld1 as a cross-modal regulator of somatosensation

Bailong Xiao
2026-10-22 1 min 42 words

NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 22 October 2026; doi:10.1038/s41593-026-02484-w Jiang et al. developed a robust postnatal knockout platform for somatosensory genomics and behavioral screening, identifying Creld1 as a cross...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02484-w

Network geometry shapes the transformation of task representations across the human cortex

Michael W. Cole 2026-10-22 1 min 40 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 22 October 2026; doi:10.1038/s41593-026-02486-8 The dimensionality of intrinsic brain connectivity systematically shapes how task representations compress and expand across the cortex, and a...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02486-8

Different modes of stimulation at the Neiguan acupoint (PC6) regulate different EEG microstates under VR immersion conditions

Guangjun Wang 2026-10-22 1 min 302 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionAcupuncture at the Neiguan acupoint (PC6) alleviates postoperative and chemotherapy-induced nausea and vomiting. Nevertheless, the central regulatory effects of PC6 stimulation on virtual reality motion sickness (VRMS), a form of physiological vertigo triggered by visual-vestibular senso...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1938329

Retraction: Intervention effect of rehabilitation robotic bed under machine learning combined with intensive motor training on stroke patients with hemiplegia

📅 2026-10-14 📖 1 min 📝 0 words FRONTIERS NEUROROBOTICS

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.2023207

Overcoming subject variability in P300 decoding based on quantification by deep learning

👤 Fred R. Beyette 📅 2026-10-22 📖 1 min 📝 267 words FRONTIERS NEUROSCIENCE

Summary: Binary P300 decoding is a cornerstone of P300-based brain-computer interfaces, enabling applications such as assistive communication, neurorehabilitation, and cognitive monitoring. However, substantial subject variability in EEG patterns poses a major challenge to the development of generalized P300...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1940267

Striatal and orbitofrontal grey matter volumes are associated with cognitive event related potentials during associative learning task performance in male and female children and adolescents

👤 Almira Kustubayeva 📅 2026-10-22 📖 1 min 📝 303 words FRONTIERS NEUROSCIENCE

Summary: IntroductionThe individual differences in gray matter volumes and event-related potentials may underlie variability in associative learning. However, little is known about the sex differences in these structure–function relationships across development.MethodsThe current study investigates associati...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1902749

Multiparametric MRI radiomics and machine learning for outcome prediction in acute ischemic stroke: a retrospective study of 353 patients

👤 Tingting Li 📅 2026-10-22 📖 1 min 📝 285 words FRONTIERS NEUROSCIENCE

Summary: BackgroundAcute ischemic stroke (AIS) remains a leading cause of death and disability worldwide. Early prediction for clinical outcomes is essential for guiding therapy. Multiparametric Magnetic Resonance Imaging (MRI) offers detailed characterization of ischemic tissue and may predict prognosis in ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1843917

Continuous performance tests in the assessment of children with attention-deficit/hyperactivity disorder: a narrative review

Xiaoke Zhao 2026-10-22 1 min 231 words FRONTIERS NEUROSCIENCE

Summary: Attention-deficit/hyperactivity disorder (ADHD) is diagnosed primarily through clinical interviews, behavioral observations, and rating scales, while continuous performance tests (CPTs) provide complementary, performance-based measures of sustained attention, response inhibition, and response consis...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1962306

Microglia in the neurogenic niche: emerging roles of immunometabolism

Yan Liu 2026-10-22 1 min 136 words FRONTIERS NEUROSCIENCE

Summary: Adult neurogenesis is dynamically regulated by the neurogenic niche, yet the mechanisms governing its remodeling are not fully elucidated. Current research has increasingly extended beyond the intrinsic properties of neural stem cells to consider the broader microenvironment in which neurogenesis oc...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.2007175

The mammalian regulatory architecture: biobehavioral portals and the organization of physiological state

Stephen W. Porges 2026-10-22 1 min 214 words FRONTIERS NEUROSCIENCE

Summary: IntroductionNeuromodulatory interventions can produce overlapping adaptive outcomes despite engaging substantially different biological pathways. Pathway-centered approaches identify how interventions initially engage the nervous system and characterize pathway-specific mechanisms. Convergence acros...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1923279

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

Fanny Quandt 2025-01-09 1 min 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023215025&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

👤 Yolima Baena 📅 2026-10-20 📖 1 min 📝 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

👤 Luca Battaglini 📅 2026-10-21 📖 1 min 📝 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

👤 Andrea Lovazzano 📅 2026-10-22 📖 1 min 📝 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

Hezerul Bin Abdul Karim 2026-10-22 1 min 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

Zhiqun Lin 2026-10-22 1 min 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

Zhiyong Fan 2026-10-22 1 min 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Bioactivity and Regenerative Potential of Calcium Silicate-Based Endodontic Sealers on Human Periodontal Ligament Stem Cells: A Systematic Review of In Vitro Cellular Mechanisms

👤 Ali M Falatah
📅 2026-10-23 📖 1 min 📝 63 words

LOW VISION

Summary: Calcium silicate-based endodontic sealers are bioactive obturation materials that may support periapical regeneration, yet in vitro evidence remains fragmented and methodologically heterogeneous. This review evaluated whether these sealers show consistent cellular bioactivity in human periodontal li...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42910053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Rehabilitation for Children With Cancer: Global Opportunities and Need for Systems-Aligned Interventions

Daniel C Moreira 2026-10-23 1 min 33 words LOW VISION

Summary: CONCLUSIONS: This survey highlights opportunities to improve access to rehabilitation and assistive products through strengthening referral pathways, workforce capacity, financing, care coordination, and monitoring. These components are interdependent and require coordinated system-level action.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911076/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Action features dominate cortical representation during natural vision

Samuel A Nastase 2026-10-23 1 min 70 words LOW VISION

Summary: Cortical resources are allocated into systems specialized for processing ecologically relevant features of the world. These features are typically studied in isolation using controlled experimental stimuli, making it difficult to assess the relative importance of different kinds of features that ten...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912782/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023215022&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023215020&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

Xiaobing Yan 2026-09-09 1 min 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023215017&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

Lisa M McTeague 2026-10-20 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

Aliaa Elabd 2026-10-20 1 min 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

Peng Chen 2026-10-23 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023215015&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi
📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023215013&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

👤 Ian Daly 📅 2026-10-22 📖 1 min 📝 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

👤 Zhi-Ying Wu 📅 2026-10-22 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Discussion on the closed-loop regulation strategy for acupuncture "Deqi" based on brain-computer interface and its peripheral-central mechanisms

👤 Rong Luo 📅 2026-10-22 📖 1 min 📝 72 words BRAIN COMPUTER INTERFACE

Summary: It is held that "Deqi" is the key to the therapeutic effect of acupuncture, but its evaluation has long relied on subjective feelings and lacks objective biological indicators. In the present article, we systematically review the current research status of brain-computer interface (BCI) technology b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908451/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

RLAgent: retrieval-augmented LLM agents for code-free RNA region-ligand interaction modeling

Zhe Liu 2026-10-23 1 min 61 words BRAIN COMPUTER INTERFACE

Summary: Accurately modeling RNA-ligand interactions is essential for understanding RNA function and for designing RNA-targeted therapeutics. Existing computational approaches mainly focus on predicting either full-length RNA structures or discrete binding sites, lacking explicit modeling of RNA regions that...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908869/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Graded multisensory neurofeedback via the iNems system for comprehensive upper limb recovery after stroke: a multiple baseline study

Kiichiro Morita 2026-10-23 1 min 37 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: This first MBD-validated demonstration shows that graded, multisensory graded neurofeedback based on ERD magnitude can improve motor, self-reported numbness, and cognitive domains after stroke. These findings support adaptive closed-loop therapy as a promising, multifaceted rehabilitatio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Conductive hydrogel bioelectronics for chronic neuromodulation: From biomimetic design and bioactive interfaces to integrated neural platforms

Xulin Hu 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: In biomedical engineering, hydrogel bioelectronics brings together the interface between flexible electronic devices and biological systems, opening up a new way for chronic neural regulation. Here we focus on the recent progress in this field, from material design to system integration. The design ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42909857/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Adaptive local temporal weighting for short-window EEG-based SSVEP recognition using FB-eTRCA

Zehua Wang 2026-10-23 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: To improve short-window SSVEP recognition, we integrated adaptive temporal local weighting (ATLW) with filter-bank ensemble task-related component analysis (FB-eTRCA). ATLW estimates local discriminability from training trials, converts window scores into sample weights, and applies the training-der...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911760/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Clinically unresponsive patients with acute brain injury activate a brain-computer interface

Jan Claassen 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain activation to verbal commands can be detected by EEG in clinically unresponsive patients. These patients with cognitive motor dissociation (CMD) are unable to communicate with the environment despite preserved consciousness. Advanced brain-computer interfaces (BCI) are promising to support mot...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911846/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Decoding motor imagery EEG signals by a deep learning network integrating multiscale filtering and temporal-channel attention mechanisms

Qingguo Wei 2026-10-23 1 min 75 words BRAIN COMPUTER INTERFACE

Summary: Due to their low signal-to-noise ratio and non-stationarity, accurately classifying EEG signals is still one of the main hindrances that limit the real-world applications of a brain-computer interface (BCI). Deep learning (DL) is a potential method for addressing the problem. However, how to create ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912743/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Biophysically constrained learning from healthy neural priors improves motor decoding in pathological cortical networks

👤 Jiayuan He 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: High-performance brain-computer interfaces (BCIs) rely on stable neural representations, yet brain functional impairments inherently disrupt canonical encoding, creating a fundamental decoding paradox. Conventional data-driven approaches struggle to bridge this gap because of pathological data scarc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913013/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023215010&v=2.20.1

Saturday Daily Thread: Resource Request and Sharing! Daily Thread

👤 /u/AutoModerator 📅 2026-10-24 📖 1 min 📝 180 words REDDIT PYTHON

Summary: <!-- SC_OFF --> <h1>Weekly Thread: Resource Request and Sharing 📚</h1> Stumbled upon a useful Python resource? Or are you looking for a guide on a specific topic? Welcome to the Resource Request and Sharing thread! <h2>How it Works:</h2> Request: Can't...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xdu1e2/saturday_daily_thread_resource_request_and/

German court calls Google aerial imagery 'spying'

👤 rdmuser 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.courthousenews.com/german-court-calls-google-aerial-imagery-spying/ Comments URL: <a href="https://news.ycombinator.com/item?id=50216142">https://news.ycombinator.com/item...

🔗 **Read full article:**
https://www.courthousenews.com/german-court-calls-google-aerial-imagery-spying/

Evolving Threat: http2shell is an RCE in node, Python, and more

👤 cowlevel 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: <a href="https://nitter.click/AikidoSecurity/status/2113759110625906950?__galadriel=lPmlGl9id4oAd5UeBwMhlYKArHyr6lR2IDGujPwB5HV2kQ1aLoPWFd5A9sGuzNcmrp

🔗 **Read full article:**
https://nitter.click/AikidoSecurity/status/2113759110625906950?__galadriel=lPmlGl9id4oAd5UeBwMhlYKArHyr6lR2IDGujPwB5HV2kQ1aLoPWFd5A9sGuzNcmrp8fUso8qygmHcKTDZ8MNHWqQ3bDJcycV87xp_0VypzQLYj6O_RRHlZuQqj33oASGY2YLSoAiMjeOZN40h7Stf8AG7DPrGZbAPVKUXy36HoMudRbvwF3_r2uYNmfJMhpKzywQDM6Ab8

Recording and slides now available for ERPLAB Studio webinar

👤 Steve Luck 📅 2024-06-28 📖 1 min 📝 30 words ERP BOOT CAMP

Summary: We held a webinar to demonstration ERPLAB Studio on 28 June 2024. Click here to access a recording. Click here to access a PDF of the slides.<...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/28/recording-and-slides-now-available-for-erplab-studio-webinar

Technical Parameters and Feedback Control for Blood-Brain Barrier Permeability Enhancement by Focused Ultrasound

📅 2025-12-02 📖 1 min 📝 166 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Focused ultrasound combined with intravenously infused microbubbles has been shown to effectively enhance the permeability of the blood-brain barrier, facilitating drug delivery to the brain. A wide range of technical parameters has been evaluated through preclinical studies and clinical trials. Gen...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11272135

Decoding Spikes From Multiunit Data

📅 2026-01-22 📖 1 min 📝 250 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Communication and control in biological systems is mediated by the timing of discharges –spikes– from excitable cells such as neurons and muscle fibers. Each spike is associated to a characteristic waveform that can be captured by sensors. The waveform's characteristics depend on the cell's biophysi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11361153

Table of Contents

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368645

IEEE Engineering in Medicine and Biology Society

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368668

Front Cover

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368638

The Concise Language Paradigm in left and right hemisphere stroke: a longitudinal source-localized EEG study

👤 Roos, N. M., Oostenveld, R., Piastra, M. C., Tuladhar, A. M., Ruiter, M. B., Kessels, R. P. C., Westner, B. U., Piai, V.

📅 2026-10-23 📖 1 min 📝 249 words BIORXIV NEUROSCIENCE

Summary: The mechanisms underlying language recovery after stroke remain poorly understood. Most previous studies have either focused on language comprehension or production and/or relied on hemodynamic measures, with limited complementary electrophysiological evidence. Here, we combined the Concise Language...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.759366v1?rss=1

Prefrontal cortical morphometric covariance and cognitive task performance in healthy young adults: an exploratory analysis of Human Connectome Project data

Roman Chivers 2026-10-22 1 min 343 words FRONTIERS HUMAN NEUROSCIENCE

Summary: The prefrontal cortex (PFC) is implicated in many cognitive tasks, including working memory, reward-based decision-making, executive control, and metacognition. This exploratory analysis investigated whether individual expression of PFC cortical thickness and surface area covariance components is as...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1976371

CEP-MI: a novel cue-execution dual-stage motor imagery paradigm with PGCANet decoding architecture

Caili Gong 2026-10-22 1 min 231 words FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundMotor imagery-based brain-computer interface (MI-BCI) holds great potential in neurorehabilitation and motor assistance. Data quality and motor intention decoding effectiveness are closely associated with participants' engagement. However, previous MI tasks ignored active engagement regula...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1908608

Explainable fMRI decoding reveals neurobiological signatures of emotional arousal complementary to traditional analyses

👤 Daniel Agostinho, Davide Borra, Miguel Castelo-Branco and Marco Simões

📅 2026-10-13 📖 1 min

📝 283 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Understanding how emotional arousal is represented in the brain is fundamental for elucidating affective regulation and its alterations in autism spectrum disorder. Classical neuroimaging approaches, such as the general linear model (GLM), have provided important insights into emotional p...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aead27

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt

📅 2025-01-09 📖 1 min 📝 65 words

OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023192040&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

Yolima Baena 2026-10-20 1 min 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

👤 Luca Battaglini 📅 2026-10-21 📖 1 min 📝 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

👤 Andrea Lovazzano 📅 2026-10-22 📖 1 min 📝 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

👤 Hezerul Bin Abdul Karim
📅 2026-10-22 📖 1 min 📝 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

👤 Zhiqun Lin
📅 2026-10-22 📖 1 min 📝 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

Zhiyong Fan 2026-10-22 1 min 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Bioactivity and Regenerative Potential of Calcium Silicate-Based Endodontic Sealers on Human Periodontal Ligament Stem Cells: A Systematic Review of In Vitro Cellular Mechanisms

👤 Ali M Falatah
📅 2026-10-23 📖 1 min 📝 63 words

LOW VISION

Summary: Calcium silicate-based endodontic sealers are bioactive obturation materials that may support periapical regeneration, yet in vitro evidence remains fragmented and methodologically heterogeneous. This review evaluated whether these sealers show consistent cellular bioactivity in human periodontal li...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42910053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Rehabilitation for Children With Cancer: Global Opportunities and Need for Systems-Aligned Interventions

Daniel C Moreira 2026-10-23 1 min 33 words LOW VISION

Summary: CONCLUSIONS: This survey highlights opportunities to improve access to rehabilitation and assistive products through strengthening referral pathways, workforce capacity, financing, care coordination, and monitoring. These components are interdependent and require coordinated system-level action.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911076/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Action features dominate cortical representation during natural vision

Samuel A Nastase 2026-10-23 1 min 70 words LOW VISION

Summary: Cortical resources are allocated into systems specialized for processing ecologically relevant features of the world. These features are typically studied in isolation using controlled experimental stimuli, making it difficult to assess the relative importance of different kinds of features that ten...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912782/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023192037&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux
📅 2026-07-18 📖 1 min 📝 69 words

TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023192035&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

> **Summary:** CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

> **Summary:** Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023192032&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

Lisa M McTeague 2026-10-20 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

Aliaa Elabd 2026-10-20 1 min 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

👤 Peng Chen 📅 2026-10-23 📖 1 min 📝 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

👤 Xiaojun Zhou 📅 2026-10-23 📖 1 min 📝 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023192030&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

👤 Xuqun You
📅 2026-10-22 📖 1 min 📝 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi
📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

Rihui Li 2026-10-23 1 min 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023192027&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

Ian Daly 2026-10-22 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

👤 Zhi-Ying Wu 📅 2026-10-22 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Discussion on the closed-loop regulation strategy for acupuncture "Deqi" based on brain-computer interface and its peripheral-central mechanisms

👤 Rong Luo 📅 2026-10-22 📖 1 min 📝 72 words BRAIN COMPUTER INTERFACE

Summary: It is held that "Deqi" is the key to the therapeutic effect of acupuncture, but its evaluation has long relied on subjective feelings and lacks objective biological indicators. In the present article, we systematically review the current research status of brain-computer interface (BCI) technology b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908451/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

RLAgent: retrieval-augmented LLM agents for code-free RNA region-ligand interaction modeling

Zhe Liu 2026-10-23 1 min 61 words BRAIN COMPUTER INTERFACE

Summary: Accurately modeling RNA-ligand interactions is essential for understanding RNA function and for designing RNA-targeted therapeutics. Existing computational approaches mainly focus on predicting either full-length RNA structures or discrete binding sites, lacking explicit modeling of RNA regions that...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908869/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Graded multisensory neurofeedback via the iNems system for comprehensive upper limb recovery after stroke: a multiple baseline study

Kiichiro Morita 2026-10-23 1 min 37 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: This first MBD-validated demonstration shows that graded, multisensory graded neurofeedback based on ERD magnitude can improve motor, self-reported numbness, and cognitive domains after stroke. These findings support adaptive closed-loop therapy as a promising, multifaceted rehabilitatio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Conductive hydrogel bioelectronics for chronic neuromodulation: From biomimetic design and bioactive interfaces to integrated neural platforms

Xulin Hu 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: In biomedical engineering, hydrogel bioelectronics brings together the interface between flexible electronic devices and biological systems, opening up a new way for chronic neural regulation. Here we focus on the recent progress in this field, from material design to system integration. The design ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42909857/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Adaptive local temporal weighting for short-window EEG-based SSVEP recognition using FB-eTRCA

Zehua Wang 2026-10-23 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: To improve short-window SSVEP recognition, we integrated adaptive temporal local weighting (ATLW) with filter-bank ensemble task-related component analysis (FB-eTRCA). ATLW estimates local discriminability from training trials, converts window scores into sample weights, and applies the training-der...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911760/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Clinically unresponsive patients with acute brain injury activate a brain-computer interface

Jan Claassen 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain activation to verbal commands can be detected by EEG in clinically unresponsive patients. These patients with cognitive motor dissociation (CMD) are unable to communicate with the environment despite preserved consciousness. Advanced brain-computer interfaces (BCI) are promising to support mot...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911846/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Decoding motor imagery EEG signals by a deep learning network integrating multiscale filtering and temporal-channel attention mechanisms

Qingguo Wei 2026-10-23 1 min 75 words BRAIN COMPUTER INTERFACE

Summary: Due to their low signal-to-noise ratio and non-stationarity, accurately classifying EEG signals is still one of the main hindrances that limit the real-world applications of a brain-computer interface (BCI). Deep learning (DL) is a potential method for addressing the problem. However, how to create ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912743/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Biophysically constrained learning from healthy neural priors improves motor decoding in pathological cortical networks

👤 Jiayuan He 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: High-performance brain-computer interfaces (BCIs) rely on stable neural representations, yet brain functional impairments inherently disrupt canonical encoding, creating a fundamental decoding paradox. Conventional data-driven approaches struggle to bridge this gap because of pathological data scarc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913013/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023192025&v=2.20.1

Implicit learning of melodic structure: A role for pitch?

📅 2024-01-22 📖 1 min 📝 180 words PSYCHOMUSICOLOGY

Summary: Growing evidence suggests that pitch influences musical processing, with melodic processing being enhanced in higher pitch ranges (e.g., Fujioka et al., 2005) and rhythmic processing being enhanced in lower pitches, and these effects may have a basis in elementary properties of the auditory system (...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000303

To those who feel unloved, misunderstood, or afraid

📅 2026-09-22 📖 3 min 📝 687 words FMHY

> **Summary:** I understand the world can feel devoid of love, but I swear, there is a spark within humanity that has the capability to care deeply. To love unconditionally. It doesn't always shine through us all, but it exists, it's real, it's tangible, and no one is exempt from it. We often see it shin...

🔗 **Read full article:**
https://fmhy.net/posts/love

DNS: A Replacement for Finger

👤 Bender 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://altchan.org/sh/42 Comments URL: https://news.ycombinator.com/item?id=50213791 Points: 15 # Comments: 14

🔗 **Read full article:**
https://altchan.org/sh/42

Now Google says it might use your Gmail and Google Photos data to target ads

👤 JustSkyfall 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theverge.com/tech/1017600/google-personal-intelligence-privacy-policy-ads-update Comments URL: <a href="https://news.ycombinator.com/item?id=50214218">https:/...

🔗 **Read full article:**
https://www.theverge.com/tech/1017600/google-personal-intelligence-privacy-policy-ads-update

We are all living inside of an obscure sci-fi film from 1970

👤 speckx 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://thanksforthatjim.bearblog.dev/we-are-all-living-inside-of-an-obscure-sci-fi-film-from-1970/ Comments URL: <a href="https://news.ycombinator.com/item?id=502...

🔗 **Read full article:**
https://thanksforthatjim.bearblog.dev/we-are-all-living-inside-of-an-obscure-sci-fi-film-from-1970/

Rune 1.3: adds TypeScript, a Helix editor, Kitty graphics and OSC-7501

👤 ernestrc 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://rune.build/blog/rune-1-3-release Comments URL: https://news.ycombinator.com/item?id=50214325 Points: 27 # Comments: 6

🔗 **Read full article:**
https://rune.build/blog/rune-1-3-release

Show HN: Corgi, a helpful {agent, terminal} multiplexer

👤 eiopa 📅 2026-10-23 📖 1 min 📝 286 words HACKER NEWS

> **Summary:** Hey everyone, Inspired by Herdr, I've built an agent multiplexer that I've been using as my daily driver for a few weeks now. I think I improved on the concept in a few ways, focusing on the ergonomics I always wished I had: I show you what the agents are up to, along with a running feed of...

🔗 **Read full article:**
https://corgi.computer/

Securing our frontier model training environment

👤 pretext 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://openai.com/index/securing-our-frontier-model-training-environment/ Comments URL: <a href="https://news.ycombinator.com/item?id=50214416">https://news.ycombinator.com/item?id=502144...

🔗 **Read full article:**
https://openai.com/index/securing-our-frontier-model-training-environment/

A whirlwind tour of systemd-nspawn containers

👤 ibobev 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://quantum5.ca/2025/03/22/whirlwind-tour-of-systemd-nspawn-containers/ Comments URL: <a href="https://news.ycombinator.com/item?id=50214983">https://news.ycombinator.com/item?id=5021...

🔗 **Read full article:**
https://quantum5.ca/2025/03/22/whirlwind-tour-of-systemd-nspawn-containers/

No Source Code? No Problem

👤 ibobev 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://queue.acm.org/doi/10.1145/945131.945155 Comments URL: https://news.ycombinator.com/item?id=50214994 Points: 17 # Comments: 11

🔗 **Read full article:**
https://queue.acm.org/doi/10.1145/945131.945155

CVE Tracker

👤 Group_B 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://cve.0xosprey.com/ Comments URL: https://news.ycombinator.com/item?id=50215530 Points: 52 # Comments: 5

🔗 **Read full article:**
https://cve.0xosprey.com/

New Paper: Does the P3b component reflect working memory updating?

👤 Steve Luck 📅 2025-03-21 📖 7 min 📝 1540 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Simmons, A. M., Kiat, J. E., & Luck, S. J. (in press). Enhanced working memory representations for rare events. Psychophysiology. https://doi.org/10.1111/psyp.70038 [<a href="https://doi.org/10.1101/2024.03.20...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/3/20/new-paper-oddball

10-Day ERP Boot Camp to be held June 15-24, 2026 in Davis, California

👤 Steve Luck 📅 2025-08-20 📖 1 min 📝 125 words ERP BOOT CAMP

> **Summary:** We have received another 5 years of funding from the National Institute of Mental Health, so we plan to hold ERP Boot Camps in each of the next 5 summers. The next one will be June 15-24, 2026 in Davis, California. The application portal will open around January 1, 2026. A...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/8/20/boot-camp-summer-2026

Call for Papers: IEEE Brain Special Issue

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 36 words BRAIN

Summary: In a unique interdisciplinary collaboration with the IEEE's Society on Social Implications of Technology (SSIT) and IEEE Brain, J-FLEX is joining forces to explore both the technology of the Internet-of-Medical-Things (IoMT) solutions and medical wearables/ implantables.

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-journal-on-flexible-electronics/

IEEE Brain Joins the American Brain Coalition

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 61 words BRAIN

Summary: IEEE Brain is pleased to announce its acceptance as a nonprofit member of the American Brain Coalition (ABC), a prestigious alliance of over 150 organizations dedicated to advancing brain research, advocacy, and improving treatments for individuals affected by brain conditions. The ABC Board has ent...

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-brain-joins-the-american-brain-coalition-as-a-nonprofit-member/

Call for Papers: IEEE Transactions on Human-Machine Systems

👤 Adriel Carridice 📅 2025-06-18 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/call-for-papers-ieee-transactions-on-human-machine-systems/

Q&A with Dr. Alain Dagher, Neurologist and Professor at McGill University and the Montreal Neurological Institute

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-alain-dagher-neurologist-and-professor-at-mcgill-university-and-the-montreal-neurological-institute/

IEEE Advances Responsible Neurotechnology Standard

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/news-and-insights/ieee-brain-news/ieee-advances-responsible-neurotechnology-standard/

Q&A with Dhruv Vaish, PhD student at UC Berkeley and Best Poster Award Winner at the 2025 IEEE Brain Discovery and Neurotechnology Workshop

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dhruv-vaish-phd-student-at-uc-berkeley-and-best-poster-award-winner-at-the-2025-ieee-brain-discovery-and-neurotechnology-workshop/

Welcoming the Newly Elected EMBS AdCom Members for 2026–2028

👤 dziura 📅 2025-12-10 📖 1 min 📝 18 words EMBS

> **Summary:** The post Welcoming the Newly Elected EMBS AdCom Members for 2026–2028 appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-the-newly-elected-embs-adcom-members-for-2026-2028/

Welcoming & Congratulating Our Newly Elected EMBS ExCom Members

👤 Nancy Zimmerman 📅 2025-12-14 📖 1 min 📝 18 words EMBS

Summary: The post Welcoming & Congratulating Our Newly Elected EMBS ExCom Members appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-congratulating-our-newly-elected-embs-excom-members/

EMBS AdCom Nominations Open

👤 Nancy Zimmerman 📅 2026-05-04 📖 1 min 📝 51 words EMBS

Summary: Nominate volunteers for terms starting Jan 1, 2027: Asia Pacific Rep (3 yr), Technical Rep (3 yr), Student Rep (2 yr), Young Professional Rep (2 yr). Help shape the future… <a class="continue" href="https://www.embs.org/uncategorized/adcom-nominations-2027/">Continue Reading EMBS AdCo...

🔗 **Read full article:**
https://www.embs.org/uncategorized/adcom-nominations-2027/

IEEE Pulse Editor-in-Chief Search – Submit an Application!

👤 Deidre Artis 📅 2026-08-28 📖 1 min 📝 17 words EMBS

> **Summary:** The post IEEE Pulse Editor-in-Chief Search – Submit an Application! appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/ieee-pulse-editor-in-chief-search-submit-and-application/

Metformin alleviates neuronal injury in MK-801-Induced Schizophrenia-Like mice by inhibiting neuronal ferroptosis

📖 1 min 📝 25 words BRAIN RESEARCH

> **Summary:** Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Yanwen Lin, Gaoxia Wen, Xiaoyue Hu, Ran Hu, Yahong Duan, Na Wu, Peng Xiong, Xianlai Jin

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004610?dgcid=rss_sd_all

Distinctive patterns of right-hemisphere vulnerability in cerebral small vessel disease: a gray matter asymmetry study

📖 1 min 📝 15 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Jingdian Lu, Yanli Wu, Lei Gao

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004646?dgcid=rss_sd_all

N-methyl-D-aspartate receptors in the prelimbic cortex modulate chronic neuropathic pain and comorbid generalised anxiety in a rainbow boa snake threat paradigm

📖 1 min 📝 38 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Priscila Medeiros, Ana Carolina Medeiros, Ohana Turcato Macacare, Weverton Castro Coelho-Silva, Renata Moreira Acunha, Fernando René Bendaña-Córdoba, Farhad Ullah, Sérgio Henrique Ferreira, Renato L...

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004609?dgcid=rss_sd_all

Exploratory bone–brain transcriptomic associations and an ODE-based digital-twin framework for fracture healing

📖 1 min 📝 15 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Chao Ma, Wei Lu, Ruipeng Guo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004592?dgcid=rss_sd_all

Achieving detailed medial temporal lobe segmentation with upsampled isotropic training from implicit neural representation

📖 1 min 📝 37 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Yue Li, Pulkit Khandelwal, Rohit Jena, Long Xie, Michael Tran Duong, Amanda E. Denning, Christopher A. Brown, Laura E.M. Wisse, Sandhitsu R. Das, David A. Wolk, Paul A. Yushkevich

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006099?dgcid=rss_sd_all

Neural subspaces encode sequential working memory without detectable neural sequences

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78895-x

Multiple sources contribute to predictive tactile attenuation in the mouse whisker system

👤 Kalpana GuptaShubhodeep ChakrabartiCornelius Schwarzahttps://ror.org/03a1kwz48Systems Neurophysiology, Werner Reichardt Center for Integrative Neuroscience, Eberhard Karls University Tübingen, Tübingen 72076, Germanybhttps://ror.org/04zzwzx41Systems Neurophysiology, Hertie Institute for Clinical Brain Research, Eberhard Karls University Tübingen, Tübingen 72076, Germanychttps://ror.org/03a1kwz48Graduate Training Center for Neuroscience, Eberhard Karls University Tübingen, Tübingen 72076, Germany

📅 2026-10-20 📖 1 min 📝 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceThe brain has evolved multiple interacting neuronal circuits that predict varying aspects of the consequences of one’s own actions. The predicted consequences range from sensory consequences of mov...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2617276123?af=R

Connexins are essential for the contribution of latent progenitors to healing after spinal cord injury

👤 María Victoria FalcoGabriela FabbianiDaniel PrietoMateo VidalMilagros BenítezMaría Inés RehermannMaría Constanza SilveraRenata SimeoneFederico F. TrigoRaúl E. Russoahttps://ror.org/05b50ej63Departamento de Neurofisiología Celular y Molecular, División Neurociencias, Instituto de Investigaciones Biológicas Clemente Estable, Montevideo CP11600, Uruguaybhttps://ror.org/05b50ej63Departamento de Señalización Neuronal y Glial, División Neurociencias, Instituto de Investigaciones Biológicas Clemente Estable, Montevideo CP11600, Uruguay

📅 2026-10-20 📖 1 min 📝 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceEpendymal cells of the spinal cord are latent progenitors whose manipulation is regarded as a potential strategy to improve healing after injury. Therefore, a better understanding of the mechanisms...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2605647123?af=R

CX3CL1 (fractalkine)–CX3CR1 interface drives CD8⁺ T cell–induced neurodegeneration in human brain organoids

👤 Woo Sub YangMin Sun ShinMu Seog ChoeFerdi Ridvan KiralJumee KimHong-Jai ParkMario FelixLais OsmaniIn-Hyun ParkInsoo KangaDepartment of Genetics, Interdepartmental Neuroscience Program, Yale Stem Cell Center, Yale Child Study Center, Wu Tsai Institute, Yale School of Medicine, New Haven, CT 06520bDepartment of Internal Medicine, Section of Rheumatology, Allergy & Immunology, Yale School of Medicine, New Haven, CT 06520chttps://ror.org/00vvvt117College of Pharmacy, Sookmyung Women's University, Seoul 04310, Republic of KoreadDepartment of Pathology, Yale School of Medicine, New Haven, CT 06520

📅 2026-10-20 📖 1 min 📝 45 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceNeurodegenerative diseases involve not only intrinsic neuronal pathology but also dysregulated immune responses. However, how peripheral adaptive immune cells directly influence human neurons under...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2605209123?af=R

Cross-modal alignment with language tokens for unified multilingual image-to-text generation

Guanjun Lin 2026-10-14 1 min 274 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Current multimodal translation systems typically employ a cascaded pipeline where image captioning and machine translation are performed sequentially, leading to error propagation and semantic drift. This paper introduces a unified neural architecture that integrates visual encoding, English caption...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1826455

Embodied multimodal human-computer interaction for English language learning: integrating speech, gestures, emotion, and adaptive feedback

Yao Tang 2026-10-14 1 min 238 words FRONTIERS NEUROROBOTICS

Summary: Current English language learning systems are often limited by single-dimensional learning-state perception, insufficient modeling of affective-cognitive characteristics, and delayed or inflexible feedback regulation. To address these limitations, this study proposes an affective-cognitive gated cro...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1920739

Temporal signatures of prediction error reveal external forces on an embodied robot

Christian Balkenius 2026-10-14 1 min 218 words FRONTIERS NEUROROBOTICS

Summary: Embodied robots must distinguish self-generated sensory consequences from externally caused perturbations. In predictive processing, such deviation is accounted for as prediction error, but it is commonly treated primarily as a signal to be minimised. Here, we test whether the temporal profile of lo...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1918275

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

Fanny Quandt 2025-01-09 1 min 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

Robert Oostenveld 2026-02-12 1 min 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023161427&v=2.20.1

Cost-effective long-range measurement of structural displacement using a two-stage method integrating super-resolution reconstruction and sub-pixel registration

Xiaosong Li 2026-10-20 1 min 61 words LOW VISION

Summary: Displacement is an imperative metric for assessing structural performance. However, the accuracy of structural displacement measurement is constrained by the physical resolution of the camera, particularly in long-range monitoring scenarios. To address these constraints, a cost-effective long-range ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900043/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Physics-aware restoration and calibrated soft demodulation for turbulence-degraded OAM mode recognition

👤 Jun Zhu 📅 2026-10-20 📖 1 min 📝 58 words LOW VISION

Summary: Turbulence-degraded orbital angular momentum (OAM) mode recognition is critical for free-space optical (FSO) communication but is limited by atmospheric distortion. We propose a cascaded receiver integrating a vision transformer-based Uformer-OAM intensity-restoration network, an SE-ResNet-18 neural...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900049/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Image-free ghost edge detection at ultra-low sampling rates via a Vision Mamba network

👤 Rui Wang 📅 2026-10-20 📖 1 min 📝 66 words LOW VISION

Summary: Edge detection is essential for extracting structural boundaries in visual scenes, but conventional deep-learning-based methods remain sensitive to degradations in the input images and involve redundant full-image acquisition. Image-free ghost edge detection provides an efficient alternative by dire...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900142/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

Yolima Baena 2026-10-20 1 min 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

Luca Battaglini 2026-10-21 1 min 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

Andrea Lovazzano 2026-10-22 1 min 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

Hezerul Bin Abdul Karim 2026-10-22 1 min 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

👤 Zhiqun Lin 📅 2026-10-22 📖 1 min 📝 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

👤 Zhiyong Fan 📅 2026-10-22 📖 1 min 📝 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023161424&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023161422&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

> **Summary:** CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

> **Summary:** Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023161419&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

👤 Lisa M McTeague 📅 2026-10-20 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

👤 Aliaa Elabd 📅 2026-10-20 📖 1 min 📝 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

👤 Peng Chen 📅 2026-10-23 📖 1 min 📝 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

👤 Xiaojun Zhou 📅 2026-10-23 📖 1 min 📝 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023161417&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

👤 Ming Zhang 📅 2026-10-19 📖 1 min 📝 64 words FNIRS

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

👤 Xuqun You
📅 2026-10-22 📖 1 min 📝 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi
📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023161415&v=2.20.1

Realizing Ultrahigh Polarization and Excellent Thermal Stability in Piezoceramics via Defect-Stress Engineering

Yuhui Huang 2026-10-22 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Large polarization is critical for improving the piezoelectric and actuation performance of ferroelectric materials. As a promising lead-free candidate, BiFeO(3)-BaTiO(3) inherits the excellent polarization capability of BiFeO(3). However, the actual polarization achieved in its ceramics remains far...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42904507/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Optimizing learning for control of human-machine interfaces

Preeya Khanna 2026-10-22 1 min 42 words BRAIN COMPUTER INTERFACE

Summary: Human-machine interfaces, such as augmented reality devices, hand prostheses, and brain-computer interfaces, are increasingly being used in neurorehabilitation. In this issue of Neuron, Vassiliadis et al.[1] examine the interaction between closed-loop continuous reinforcement and sensory feedback in l...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906532/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

A GABAergic preoptic-raphe circuit mediates paradoxical coupling of anxiety and social preference after comparative social deficit

Hong Lian 2026-10-22 1 min 66 words BRAIN COMPUTER INTERFACE

Summary: Social disconnection is a major risk factor for anxiety disorders, the most prevalent mental illnesses worldwide, yet its neural substrates remain unclear. Here, we establish a comparative social deficit (CSD) model in adult male mice that induces a paradoxical phenotype of increased anxiety-like be...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906547/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

ACF-Net: Design of an adaptive cross-modal fusion network for cross-subject wearable EEG-EMG gesture recognition

TongLiang Yang 2026-10-22 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: Cross-subject gesture recognition in wearable brain-computer interfaces is constrained by four structural deficiencies: symmetric cross-modal attention discarding cortical precedence over muscular execution, priors confined to post hoc analysis, invariance anchored on unimodal features, and adaptati...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906584/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

Ian Daly 2026-10-22 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

👤 Zhi-Ying Wu 📅 2026-10-22 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Discussion on the closed-loop regulation strategy for acupuncture "Deqi" based on brain-computer interface and its peripheral-central mechanisms

👤 Rong Luo 📅 2026-10-22 📖 1 min 📝 72 words BRAIN COMPUTER INTERFACE

Summary: It is held that "Deqi" is the key to the therapeutic effect of acupuncture, but its evaluation has long relied on subjective feelings and lacks objective biological indicators. In the present article, we systematically review the current research status of brain-computer interface (BCI) technology b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908451/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

RLAgent: retrieval-augmented LLM agents for code-free RNA region-ligand interaction modeling

Zhe Liu 2026-10-23 1 min 61 words BRAIN COMPUTER INTERFACE

Summary: Accurately modeling RNA-ligand interactions is essential for understanding RNA function and for designing RNA-targeted therapeutics. Existing computational approaches mainly focus on predicting either full-length RNA structures or discrete binding sites, lacking explicit modeling of RNA regions that...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908869/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Graded multisensory neurofeedback via the iNems system for comprehensive upper limb recovery after stroke: a multiple baseline study

Kiichiro Morita 2026-10-23 1 min 37 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: This first MBD-validated demonstration shows that graded, multisensory graded neurofeedback based on ERD magnitude can improve motor, self-reported numbness, and cognitive domains after stroke. These findings support adaptive closed-loop therapy as a promising, multifaceted rehabilitatio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023161412&v=2.20.1

Tried decouple, Dynaconf, pydantic-settings and more: still hitting the same config gaps. Just me?

👤 /u/Positive-Food-9915 📅 2026-10-23 📖 1 min 📝 237 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> I've tried a bunch of config tools over the years, including python-decouple, Dynaconf and pydantic-settings. Each one is good at its job, but a few problems follow me from project to project, and most of the tools I tried didn't handle them well. My setup i...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xdlm9d/tried_decouple_dynaconf_pydanticsettings_and_more/

UUIDv7 doesn't have the properties you think it does

👤 ibobev 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://alexsci.com/blog/uuidv7-is-weird/ Comments URL: https://news.ycombinator.com/item?id=50211746 Points: 70 # Comments: 54

🔗 **Read full article:**
https://alexsci.com/blog/uuidv7-is-weird/

Kimi K3.1 Pro and K3.1 Pro Highspeed

👤 Jowsey 📅 2026-10-23 📖 1 min 📝 14 words HACKER NEWS

> **Summary:** https://www.kimi.com/code/docs/en/kimi-code/models.html <hr /> Comments URL: https://news.ycombinator.com/item?id=50212065 Points: 450 ...

🔗 **Read full article:**
https://www.kimi.ai/blog/kimi-k3-1-pro

Animations for System Builders

👤 KraftyOne 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://brooker.co.za/blog/2026/10/23/animations.html Comments URL: https://news.ycombinator.com/item?id=50212124 Points: 12 # Comments...

🔗 **Read full article:**
https://brooker.co.za/blog/2026/10/23/animations.html

Time Nuts (2005)

👤 jacquesm 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: http://leapsecond.com/time-nuts.htm Comments URL: https://news.ycombinator.com/item?id=50212281 Points: 22 # Comments: 19

🔗 **Read full article:**
http://leapsecond.com/time-nuts.htm

Show HN: Searching for optimal strategies in a puzzle game with chance (Drop7)

👤 primitivesuave 📅 2026-10-23 📖 1 min 📝 213 words HACKER NEWS

> **Summary:** Sixteen years ago, I wrote a Java program which tried to pick the ideal move in a puzzle game called Drop7. On each turn, the player only has seven choices for their next move, but there is also an element of chance which turns this simple game into a surprisingly difficult problem involving sear...

🔗 **Read full article:**
https://drop7.dev

Can we replace a $150k Looker with a bucket of HTML files?

👤 skadamat 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://david.lequin.dev/blog/bi-software-is-dead/ Comments URL: https://news.ycombinator.com/item?id=50212320 Points: 63 # Comments: 42</...

🔗 **Read full article:**
https://david.lequin.dev/blog/bi-software-is-dead/

Air Purifiers as White Noise Machines

👤 luu 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.jefftk.com/p/air-purifiers-as-white-noise-machines Comments URL: https://news.ycombinator.com/item?id=50212507 Points: 32...

🔗 **Read full article:**
https://www.jefftk.com/p/air-purifiers-as-white-noise-machines

I turned my TV into a Game Boy Color with a Pokemon town as my home screen

👤 scrambled 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://twitter.com/robbietilton/status/2111936458923851923 Comments URL: https://news.ycombinator.com/item?id=50212668 Points: 35 <...

🔗 **Read full article:**
https://twitter.com/robbietilton/status/2111936458923851923

Kimi K3.1 scores 55 on Artificial Analysis, placed on the Pareto line

👤 theanonymousone 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://artificialanalysis.ai/models/kimi-k3-1-pro Comments URL: https://news.ycombinator.com/item?id=50213337 Points: 86 # Comments: 9</p...

🔗 **Read full article:**
https://artificialanalysis.ai/models/kimi-k3-1-pro

Dessa: the most authentic full-duplex speech model ever built

👤 dsr12 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://block.xyz/dessa Comments URL: https://news.ycombinator.com/item?id=50213925 Points: 8 # Comments: 0

🔗 **Read full article:**
https://block.xyz/dessa

Peripheral pathway rerouting shapes whole-brain functional network

📖 1 min 📝 25 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Jin-Jing Hu, Yun-Ting Xiang, Bei-Bei Huo, Yi-Fei Zuo, Chen-Yi Peng, He-Wang, Jia-Jia Wu, Mou-Xiong Zheng, Jian-Guang Xu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006950?dgcid=rss_sd_all

Corrigendum to “Acupuncture combined with repetitive transcranial magnetic stimulation vs repetitive transcranial magnetic stimulation alone for recovery of hemiparesis after ischemic stroke: A systematic review and meta-analysis” [Neuroscience 616 (2026) 73–91]

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Geng Li, Mengqi Yue, Shuochen Fan, Qichen Bai, Shuai Li, Xiaolin Yang, Xu Chen, Yihao Zhou, Jing Zhong, Jing Shi

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S030645222600731?dgcid=rss_sd_all

Polysaccharide-based drug conjugates and related delivery systems for Alzheimer’s disease: from molecular design to translational challenges

📖 1 min 📝 24 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Ngoc Hong Nguyen, Huong Thuy Le, Nhat Thang Thi Nguyen, Thuy Trang Nguyen, Giau Van Vo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S030645222600672X?dgcid=rss_sd_all

Partial convergence of alternative polyadenylation changes across ALS-Associated RNA-Binding proteins

📖 1 min 📝 10 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Changhe Ji

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006743?dgcid=rss_sd_all

Genetic variants in NEF2L2 rs35652124 and GABRB3 rs2081648 genes: association with autism spectrum disorder in Iraqi children

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Zainab Mohammed Burhan, Wisam Hindawi Hoidy

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006895?dgcid=rss_sd_all

Propofol suppresses intrinsic excitability and alters excitatory synaptic plasticity in ventral tegmental area dopamine neurons

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Min Hee Lee, Dong Kwan Kim

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006986?dgcid=rss_sd_all

Textures are less comfortable to view than other natural images, consistent with cortical hyper-metabolism theory

👤 DiMattina, C. 📅 2026-10-23 📖 1 min 📝 199 words BIORXIV NEUROSCIENCE

Summary: Images considered uncomfortable to view often over-represent mid-range spatial frequencies (mid-SFs) relative to the average 1/f amplitude spectrum of natural images. A proposed mechanism for this discomfort known as the Cortical Hyper-metabolism Hypothesis (CHH) posits that such images over-activat...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.20.760531v1?rss=1

LRRC8A/D-containing anion channels mediate swelling-activated taurine release in the mouse brain

Chandler, M. L., Nalwalk, J. W., Dohare, P., Sprague, A. D., Schober, A. L., Mongin, A. A.

2026-10-23 1 min 248 words BIORXIV NEUROSCIENCE

Summary: Volume-regulated anion channels (VRACs) are swelling-activated Cl- channels formed by heteromers of LRRC8 proteins (LRRC8A-E). VRACs mediate regulatory volume decrease by releasing Cl- and organic osmolytes, including taurine. In the brain, taurine functions as both an osmolyte and an inhibitory neu...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.19.760193v1?rss=1

Slow Ionic Dynamics Reshape Bistability in a Biophysical Mean-Field Model of Brain Activity

Chatterjee, S., Maschke, C., Petkoski, S., Wang, H., Depannemaecker, D., Jirsa, V.

2026-10-23 1 min 197 words BIORXIV NEUROSCIENCE

Summary: Brain states such as sleep, seizures, and resting wakefulness are often described in terms of transitions between distinct population states. Biophysically inspired mean-field models that couple neuronal firing statistics to slow ionic homeostasis provide a mechanistic bridge between detailed single...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.22.760893v1?rss=1

Splanchnic-spinal transmission of gut-initiated α-synucleinopathy

Jung, B.-K., Song, M. K., Kim, Y., Hong, D. K., You, M., Ahn, E. H., Kang, S. S., Kam, T.-I., Park, H., Kim, Y.-S., Suh, G. S. B.

2026-10-23 1 min 146 words BIORXIV NEUROSCIENCE

Summary: Gut-initiated -synucleinopathy is proposed to spread from the gastrointestinal tract to the CNS, contributing to Parkinson's disease (PD), but whether routes beyond the vagus nerve are involved remains unclear. Using complementary intracolonic rotenone and gastroduodenal -synuclein PFF models, we co...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.19.760019v1?rss=1

Parvalbumin interneuron maturation reorganizes cortical population activity structure during development

Wu, M. W., Mariani, M., Suresh, A., Kourdougli, N., Jiang, G., Kothari, A. J., Jain, T. S., Dipoppa, M., Portera-Cailliau, C.

2026-10-23 1 min 217 words BIORXIV NEUROSCIENCE

Summary: During brain development, spontaneous cortical activity undergoes a dramatic transformation from highly synchronous network events to less correlated and sparse neuronal firing that is thought to underlie more flexible neural coding. However, how the structure of population activity changes across t...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.22.761282v1?rss=1

A coordinated and reproducible multicellular response to AD pathology

Vilkaite, G., Volcov, E., An, L., Xiao, Y., Hristovska, I., Rosat Consiglio, C., Pichet-Binette, A., Mattsson-Carlgren, N., Gaiteri, C., Vogel, J. W.

2026-10-23 1 min 150 words BIORXIV NEUROSCIENCE

Summary: While single-cell measurements of the Alzheimer's disease (AD) brain allow investigation of vulnerable cells in unprecedented depth, reported findings are heterogeneous, mostly descriptive and often ignore interdependence of cellular responses. Operationalization of these findings requires a multi-c...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.19.759610v1?rss=1

Association of chrono-nutrition behaviors with cognitive function in middle-aged and older adults

2026-10-23 1 min 0 words NATURE NEUROSCIENCE SUBJECTS

Read full article:
https://www.nature.com/articles/s41538-026-01207-6

Interneurons and network activity in the cerebral cortex: a developmental dialogue

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41583-026-01088-4

Fresh-to-frozen comparability of serum neurofilament light chain across four immunoassays

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77730-z

Prefrontal cortex and striatum dissociate modality and learning order in cross-modal sensorimotor learning in mice

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78921-y

SIK3 controls synaptic localization of NMDA receptors by phosphorylating GluN1

Thomas C. Südhof 2026-10-21 1 min 41 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 21 October 2026; doi:10.1038/s41593-026-02469-9 SIK3 kinase controls synaptic NMDA receptor recruitment by phosphorylating GluN1 at a single site. Loss or inhibition of SIK3 markedly reduces...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02469-9

A corticohypothalamic circuit that mediates maternal awakening to pup cries

Feixue Liang 2026-10-21 1 min 45 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 21 October 2026; doi:10.1038/s41593-026-02458-y Tang, Wu et al. identify a brain circuit that enables mother mice to wake selectively to pup cries. Motherhood strengthens this pathway throug...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02458-y

Shedding light on left hippocampal mGlu5 in Alzheimer’s disease

Charleine ZussyMagalie MathiasMathieu VitalisTristan Moujellil-LegagneurFanny MalhaireGeoffrey CanetCatherine DesrumauxSylvie ClaeysenXavier Gómez-SantacanaCyril GoudetAmadeu LlebariaLaurent Givaloisahttps://ror.org/051escj72IGF, University of Montpellier, CNRS, INSERM, Montpellier 34094, Francebhttps://ror.org/051escj72MMDN, University of Montpellier, INSERM, Montpellier 34095, FrancecLIPSTIC LabEx, Dijon 21079, FrancedMCS, Institute for Advanced Chemistry of Catalonia, (IQAC-CSIC), Barcelona 08034, Spainehttps://ror.org/04sjchr03Department of Psychiatry and Neurosciences, Faculty of Medicine, CR-CHUQ, Laval University, Québec City, QC G1V 0A6, Canada

📅 2026-10-12 📖 1 min 📝 47 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 42, October 2026.
SignificanceHemispheric asymmetries in hippocampal function are observed in Alzheimer’s disease (AD), but their molecular basis and contribution to cognitive decline remain unclear. We show that the metabotrop...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2535413123?af=R

Computational approaches to deep learning–driven EEG analysis for neurological disease diagnosis: a systematic review

Jisu Elsa Jacob 2026-10-13 1 min 229 words FRONTIERS NEUROINFORMATICS

Summary: Electroencephalography (EEG) is a widely used non-invasive neurophysiological technique for analyzing brain dynamics and diagnosing neurological diseases. However, the non-stationary nature, low signal-to-noise ratio, and inter-subject variability of EEG signals cause significant challenges to tradi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1778980

Wave-function formalism for evolving neural dynamics: a mathematical framework informed by EEG

Madelyn Klebba 2026-10-12 1 min 268 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: The organization of distributed neural activity remains one of the central challenges in computational neuroscience. Contemporary frameworks, including Integrated Information Theory, Global Workspace Theory, entropy-based approaches, and electromagnetic field theories, have advanced our understandin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1812909

Implementing the ILAE 2025 seizure taxonomy in medical software

Jukka Peltola 2026-10-13 1 min 241 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: The International League Against Epilepsy (ILAE), working via a multidisciplinary task force, has issued a position paper with updated seizure classification guidelines (2025) replacing its previous guidance (2017), establishing a revised de-facto standard for clinical assessment and classification ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1877135

Correction: Arts engagement, active inference, and allostatic regulation: a neurobiological framework for understanding the health effects of aesthetic experience

Pier Luigi Sacco 2026-10-13 1 min 0 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.2004139

Generative-augmented multimodal neuroaffective decoding for product evaluation: toward neurofeedback-driven human-in-the-loop co-design

Ming Deng 2026-10-21 1 min 227 words FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundKansei engineering traditionally relies on self-reported evaluations of product impressions, which are susceptible to contextual influences, recall bias, and assessment timing. Multimodal psychophysiological measurements offer complementary insights into affective responses, but integratin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1997654

From a surgeon's stroke to a third hemisphere—The auxilium architecture for brain restoration and extension

Mijail Demian Serruya 2026-10-21 1 min 344 words FRONTIERS HUMAN NEUROSCIENCE

Summary: A surgeon was exercising on a stationary bicycle when he had a large ischemic left middle cerebral artery territory stroke, complicated by hemorrhagic transformation requiring hemicraniectomy and cranioplasty. He developed right-sided spastic hemiplegia and a mixed aphasia. This paper takes that cas...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1893045

Anisotropic conductivity modeling for tDCS in Parkinson's disease using multidimensional diffusion MRI

👤 Christoffer Olsson 📅 2026-10-21 📖 1 min 📝 245 words FRONTIERS HUMAN NEUROSCIENCE

Summary: IntroductionPredictions of the electric field (E-field) induced by transcranial direct current stimulation (tDCS) depend on how brain conductivity is modeled. White matter anisotropy is conventionally estimated from single-shell diffusion tensor imaging (DTI). Multidimensional diffusion MRI (MD-dMRI...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1972676

Effectiveness of bimanual kinesthetic teaching through different controller settings

👤 Andrej Gams 📅 2026-10-21 📖 1 min 📝 94 words FRONTIERS NEUROROBOTICS

Summary: Physical human-robot interaction (pHRI) through kinesthetic teaching enables intuitive robot programming, but extending this approach to bimanual systems introduces challenges in synchronized control. Thus, the best way to control bimanual robot systems for kinesthetic teaching remains unclear. In t...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1960197

Role of astrocytes in obesity-induced hypertension

Madhan Subramanian 2026-10-21 1 min 223 words FRONTIERS NEUROSCIENCE

Summary: Although obesity is a significant contributor to hypertension and cardiovascular disease, the mechanisms that connect excess adiposity to persistently elevated blood pressure extend far beyond peripheral metabolic and vascular changes. An increasing body of evidence suggests that a substantial compo...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1992730

Gene expression analysis of Fmr1-KO mouse caudate putamen reveals new preclinical biomarkers for fragile X syndrome

Manuela Prokesch 2026-10-23 1 min 248 words FRONTIERS NEUROSCIENCE

Summary: BackgroundFragile X syndrome is a monogenic cause of autism spectrum disorder. Fmr1-KO mice are a well-known model for the disease, and the model's behavioral phenotype has been well-characterized. Unfortunately, translational molecular tissue biomarkers for this model remain sparse.MethodsTo identi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1833413

Ultra high-density, 4096-channel intraoperative neurophysiological brain mapping for functional localization of the human central sulcus

👤 Alexandra Fink Skular, Gelana Tostaeva, Elton Ho, Jacqueline Dister, Daniel D Cummins, Katrina Barth, Lizbeth Nunez, Adam Poole, Craig H Mermel, Benjamin Rapoport, Joshua B Bederson and Ignacio Saez

📅 2026-10-20 📖 1 min 📝 378 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Intraoperative localization of the central sulcus (CS) using somatosensory evoked-potential (SSEP) phase reversal (PR) is routinely performed with sparse subdural strip electrodes. We evaluated whether a multi-array, 4096-channel surface micro-electrocorticography (μECoG) configuration co...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aea70f

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023124034&v=2.20.1

Cost-effective long-range measurement of structural displacement using a two-stage method integrating super-resolution reconstruction and sub-pixel registration

Xiaosong Li 2026-10-20 1 min 61 words LOW VISION

Summary: Displacement is an imperative metric for assessing structural performance. However, the accuracy of structural displacement measurement is constrained by the physical resolution of the camera, particularly in long-range monitoring scenarios. To address these constraints, a cost-effective long-range ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900043/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Physics-aware restoration and calibrated soft demodulation for turbulence-degraded OAM mode recognition

Jun Zhu 2026-10-20 1 min 58 words LOW VISION

Summary: Turbulence-degraded orbital angular momentum (OAM) mode recognition is critical for free-space optical (FSO) communication but is limited by atmospheric distortion. We propose a cascaded receiver integrating a vision transformer-based Uformer-OAM intensity-restoration network, an SE-ResNet-18 neural...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900049/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Image-free ghost edge detection at ultra-low sampling rates via a Vision Mamba network

👤 Rui Wang 📅 2026-10-20 📖 1 min 📝 66 words LOW VISION

Summary: Edge detection is essential for extracting structural boundaries in visual scenes, but conventional deep-learning-based methods remain sensitive to degradations in the input images and involve redundant full-image acquisition. Image-free ghost edge detection provides an efficient alternative by dire...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900142/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

👤 Yolima Baena 📅 2026-10-20 📖 1 min 📝 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

👤 Luca Battaglini 📅 2026-10-21 📖 1 min 📝 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

👤 Andrea Lovazzano 📅 2026-10-22 📖 1 min 📝 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

👤 Hezerul Bin Abdul Karim
📅 2026-10-22 📖 1 min 📝 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

👤 Zhiqun Lin
📅 2026-10-22 📖 1 min 📝 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

Zhiyong Fan 2026-10-22 1 min 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023124032&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023124030&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

Xiaobing Yan 2026-09-09 1 min 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023124027&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

👤 Lisa M McTeague 📅 2026-10-20 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

👤 Aliaa Elabd 📅 2026-10-20 📖 1 min 📝 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

Peng Chen 2026-10-23 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023124025&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

👤 Ming Zhang 📅 2026-10-19 📖 1 min 📝 64 words FNIRS

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023124022&v=2.20.1

Realizing Ultrahigh Polarization and Excellent Thermal Stability in Piezoceramics via Defect-Stress Engineering

👤 Yuhui Huang 📅 2026-10-22 📖 1 min 📝 62 words BRAIN COMPUTER INTERFACE

Summary: Large polarization is critical for improving the piezoelectric and actuation performance of ferroelectric materials. As a promising lead-free candidate, BiFeO(3)-BaTiO(3) inherits the excellent polarization capability of BiFeO(3). However, the actual polarization achieved in its ceramics remains far...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42904507/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

👤 Balaji Jayaprakash 📅 2026-10-22 📖 1 min 📝 34 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

Optimizing learning for control of human-machine interfaces

Preeya Khanna 2026-10-22 1 min 42 words BRAIN COMPUTER INTERFACE

Summary: Human-machine interfaces, such as augmented reality devices, hand prostheses, and brain-computer interfaces, are increasingly being used in neurorehabilitation. In this issue of Neuron, Vassiliadis et al.[1] examine the interaction between closed-loop continuous reinforcement and sensory feedback in l...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906532/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

A GABAergic preoptic-raphe circuit mediates paradoxical coupling of anxiety and social preference after comparative social deficit

Hong Lian 2026-10-22 1 min 66 words BRAIN COMPUTER INTERFACE

Summary: Social disconnection is a major risk factor for anxiety disorders, the most prevalent mental illnesses worldwide, yet its neural substrates remain unclear. Here, we establish a comparative social deficit (CSD) model in adult male mice that induces a paradoxical phenotype of increased anxiety-like be...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906547/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

ACF-Net: Design of an adaptive cross-modal fusion network for cross-subject wearable EEG-EMG gesture recognition

👤 TongLiang Yang 📅 2026-10-22 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Cross-subject gesture recognition in wearable brain-computer interfaces is constrained by four structural deficiencies: symmetric cross-modal attention discarding cortical precedence over muscular execution, priors confined to post hoc analysis, invariance anchored on unimodal features, and adaptati...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906584/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

👤 Ian Daly 📅 2026-10-22 📖 1 min 📝 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

👤 Zhi-Ying Wu 📅 2026-10-22 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

Discussion on the closed-loop regulation strategy for acupuncture "Deqi" based on brain-computer interface and its peripheral-central mechanisms

👤 Rong Luo 📅 2026-10-22 📖 1 min 📝 72 words BRAIN COMPUTER INTERFACE

Summary: It is held that "Deqi" is the key to the therapeutic effect of acupuncture, but its evaluation has long relied on subjective feelings and lacks objective biological indicators. In the present article, we systematically review the current research status of brain-computer interface (BCI) technology b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908451/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

RLAgent: retrieval-augmented LLM agents for code-free RNA region-ligand interaction modeling

Zhe Liu 2026-10-23 1 min 61 words BRAIN COMPUTER INTERFACE

Summary: Accurately modeling RNA-ligand interactions is essential for understanding RNA function and for designing RNA-targeted therapeutics. Existing computational approaches mainly focus on predicting either full-length RNA structures or discrete binding sites, lacking explicit modeling of RNA regions that...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908869/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

Graded multisensory neurofeedback via the iNems system for comprehensive upper limb recovery after stroke: a multiple baseline study

Kiichiro Morita 2026-10-23 1 min 37 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: This first MBD-validated demonstration shows that graded, multisensory graded neurofeedback based on ERD magnitude can improve motor, self-reported numbness, and cognitive domains after stroke. These findings support adaptive closed-loop therapy as a promising, multifaceted rehabilitatio...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908918/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023124020&v=2.20.1

The sound of manufactured music: Reviewing the role of artificial stimuli in music cognition research.

📅 2024-01-22 📖 1 min 📝 259 words PSYCHOMUSICOLOGY

Summary: Having participants listen and react to musical stimuli is one of music cognition's foundational methods. Whereas most researchers have used stimuli adapted from existing musical traditions in such work, others have incorporated artificial stimuli (i.e., stimuli generated specifically for research t...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000304

Music-evoked nostalgia and charitable giving: A cross-cultural study in the United States and Mexico.

📅 2024-01-22 📖 1 min 📝 192 words PSYCHOMUSICOLOGY

Summary: Nostalgia, a past-oriented emotion characterized by complex affective responses, is a pervasive and fundamental human experience. Prior research has demonstrated that nostalgia serves various socioemotional functions, such as promoting a sense of belonging, enhancing one's perception of meaning in l...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000302

Preferred music listening does not affect cognitive inhibition in young and older adults.

📅 2023-10-12 📖 1 min 📝 227 words PSYCHOMUSICOLOGY

Summary: Previous literature has found links between music listening and cognitive performance. Specifically, background music may play a role in modulating cognitive inhibition. However, determining what type of background music affects cognitive inhibition throughout the lifespan has not been studied. The ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000300

Absolute pitch: A literature review of underlying factors, with special regard to music pedagogy.

📅 2023-07-10 📖 1 min 📝 202 words PSYCHOMUSICOLOGY

Summary: Absolute pitch (AP) is a fairly rare and special phenomenon that has relevance for musicology, psychology, genetics, and neuroscience. AP possessors are able to identify the pitch of an isolated sound or to produce that sound without a reference point. The authors' aim is to review the literature on...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000298

Capturing coordination and intentionality in joint musical improvisation.

📅 2023-08-03 📖 1 min 📝 217 words PSYCHOMUSICOLOGY

Summary: Humans collaborate with each other on a wide variety of tasks that are often largely improvised and unscripted. In this study, we investigated the dynamics of coordination in a joint musical improvisation task, what the effect of intentions is on coordination, and how musicians propagate these inten...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000299

Continuous affect responses to a large diverse set of unfamiliar music: Bayesian time-series and cluster analyses.

📅 2023-04-20 📖 1 min 📝 252 words PSYCHOMUSICOLOGY

Summary: Sixty-nine participants made continuous response judgments of perceived arousal and valence while listening to 30-s extracts of 100 unfamiliar pieces within a novel recommender system. Our purpose was to take advantage of the relatively large number of participants and pieces studied (compared with ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000295

Monthly Updates [July]

📅 2026-07-01 📖 3 min 📝 640 words FMHY

> **Summary:** <h1 id="wiki-updates" tabindex="-1">Wiki Updates </h1>   <p>Added FMHY Plugin to <a href="https://www.flowlau...

🔗 **Read full article:**
https://fmhy.net/posts/july-2026

LiteLLM 1.107.0 on PyPI was malicious (Oct 21): it runs on every Python start via a .pth file.

👤 /u/Key-Koala-8259 📅 2026-10-23 📖 1 min 📝 106 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> <p>I wrote this up. How to check safely and what to rotate
 Short version: if you installed an unpinned litellm between 11:39 and 13:23 UTC on October 21, or pulled the latest, main-latest, ma...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xdgdc2/litellm_11070_on_pypi_was_malicious_oct_21_it/

Disney Raising Prices Days After Confirming Ads Will Now Show Up on Every Tier

👤 robtherobber 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.tvfandomlounge.com/disney-plus-price-hike-ads-premium-tier-nielsen-emmys-2026/ Comments URL: <a href="https://news.ycombinator.com/item?id=50205934">https://new...

🔗 **Read full article:**
https://www.tvfandomlounge.com/disney-plus-price-hike-ads-premium-tier-nielsen-emmys-2026/

Show HN: We had AI write a wiki from 45k Enron emails, every fact cited

👤 jreynar 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.thisandthat.chat/enron/ Comments URL: https://news.ycombinator.com/item?id=50207620 Points: 36 # Comments: 25

🔗 **Read full article:**
https://www.thisandthat.chat/enron/

OpenSSL 4.1.0

👤 petecooper 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/openssl/openssl/releases/tag/openssl-4.1.0 Comments URL: https://news.ycombinator.com/item?id=50208099 Points: 148<...

🔗 **Read full article:**
https://github.com/openssl/openssl/releases/tag/openssl-4.1.0

Shitter – A Nitter Fork

👤 eustoria 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://codeberg.org/shitter/shitter Comments URL: https://news.ycombinator.com/item?id=50208343 Points: 132 # Comments: 91

🔗 **Read full article:**
https://codeberg.org/shitter/shitter

Investor-owned utilities charge 23% more for electricity than public providers

👤 hubraumhugo 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.kadoa.com/energy-prices/insights/investor-owned-utilities Comments URL: https://news.ycombinator.com/item?id=50208837 ...

🔗 **Read full article:**
https://www.kadoa.com/energy-prices/insights/investor-owned-utilities

eMudhra ignored Mozilla Root investigation deadline; blames social media

👤 IcePenguin 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://bugzilla.mozilla.org/show_bug.cgi?id=2083449 Comments URL: https://news.ycombinator.com/item?id=50210067 Points: 117 # Comments:...

🔗 **Read full article:**
https://bugzilla.mozilla.org/show_bug.cgi?id=2083449

Pentagon grants DHS permission to test heat ray weapon for use at border

👤 bushwart 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.cnn.com/2026/10/21/politics/heat-ray-weapon-dhs-pentagon Comments URL: https://news.ycombinator.com/item?id=50210075 <...

🔗 **Read full article:**
https://www.cnn.com/2026/10/21/politics/heat-ray-weapon-dhs-pentagon

"Today, we hacked what we'd set out to hack: the iPhone."

👤 pavel_lishin 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://blog.calif.io/p/iphone Comments URL: https://news.ycombinator.com/item?id=50211474 Points: 75 # Comments: 13

🔗 **Read full article:**
https://blog.calif.io/p/iphone

Easily download files from the Open Science Framework with Papercheck

noreply@blogger.com (Daniel Lakens)
2025-07-22 3 min 765 words

TWENTY PERCENT STATISTICIAN

Summary: <p>Researchers increasingly use the Open Science Framework (OSF) to share files, such as data and code underlying scientific publications, or presentations and materials for scientific workshops. The OSF is an amazing service that has contributed immensely to a changed ...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/07/easily-download-files-from-open-science.html

How I use AI in my work

noreply@blogger.com (Daniel Lakens)
2026-10-11 21 min 4292 words

TWENTY PERCENT STATISTICIAN

Summary: <p>Tomorrow we will have a discussion in our lab about how to use AI as a scientist. I have increasingly started to use AI, having moved from Copilot Chat that our university provides last year, to some free credit on GitHub Copilot under their educational program, to Claude Pro integrated in Visual...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/10/how-i-use-ai-in-my-work.html

Active Lubrication Brakes in Tabletop and Hand-Held Haptic Surgical Drilling Simulators

📅 2026-06-29 📖 1 min 📝 222 words TRANSACTIONS HAPTICS

Summary: Haptic user interfaces that provide both kinesthetic and vibrotactile feedback have strong potential to enhance a wide range of medical training simulations. Yet, designing such devices remains challenging due to constraints related to integration, workspace, cost, and the need for diverse feedback ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11585967

Reconciling Reduced the Sense of Ownership and Agency Toward a Virtual Keypad With Enhanced Haptic Experience Using Visually Adjusted Self-Haptics for Key-Input Interaction

📅 2026-07-06 📖 1 min 📝 250 words TRANSACTIONS HAPTICS

Summary: Self-Haptics is a tactile feedback technique where users utilize their own body to generate tactile sensations. This method allows the body to act purely as a prop, making it useful for virtual objects and user interfaces not directly related to the body. However, any method for maintaining the sens...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11595768

VibGrasp: Spatiotemporal Vibration Based Multimodal Haptic Rendering With a Lightweight Exo-Glove for 3D Shape Perception

📅 2026-04-20 📖 1 min 📝 173 words TRANSACTIONS HAPTICS

Summary: Haptic feedback has been employed to enhance shape perception during grasp interactions, improving immersion and task performance in extended reality (XR). Although wearable devices offer precise multi-phalangeal haptic feedback, their bulkiness and complexity often hinder practicality. In addition,...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11488477

Propeller-Based Handheld Force-Feedback Device for Navigation

📅 2026-04-22 📖 1 min 📝 168 words TRANSACTIONS HAPTICS

Summary: This article presents an evaluation of CrazyJoystick, a propeller-based handheld force-feedback device, for spatial navigation tasks in real-world and virtual reality environments. Building upon prior work validating the device's on-demand aerial deployment and directional cue discriminability, we i...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11493624

A Wearable Shoulder Skin-Deformation Device Generating Illusory Forces for Posture Correction

📅 2026-04-22 📖 1 min 📝 208 words TRANSACTIONS HAPTICS

Summary: The hanger reflex is a haptic illusion in which skin-shear deformation elicits a directional force sensation. This study presents a wearable haptic device that uses four pneumatic airbags to apply controlled skin shear to both shoulders for posture guidance. Although previous work has shown that sho...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11489488

Sensitivity at the Edges of the Finger Enables Mixed Reality Force Feedback

📅 2026-04-06 📖 1 min 📝 155 words TRANSACTIONS HAPTICS

Summary: We introduce a new paradigm for rendering high-force sensations by stimulating the edges of the fingerpad rather than the central contact surface. This non-blocking approach preserves natural finger use, enabling simultaneous physical and virtual interactions. To investigate its feasibility, we prop...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11475177

ThermalTexture: Temperature-Integrated Surface Rendering Using Thermal Referral Induced by Texture Slip-Feedback

📅 2026-03-23 📖 1 min 📝 204 words TRANSACTIONS HAPTICS

Summary: Thermal–vibration feedback has been reported to elicit the thermal referral phenomenon, offering new possibilities for enhancing user experience. Yet, little research has explored whether thermal referral occurs in the presence of texture-slip feedback. To address this, we developed a custom haptic ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11454471

Guest Editorial: World Haptics Conference 2025

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716332

Table of Contents

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716327

Front Cover

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716326

Neural Distinctions between Social and Nonsocial Reward Anticipation: An Examination of Activation Magnitude, Representational Patterns, Individual Differences, and Functional Connectivity

📅 2026-10-19 📖 1 min 📝 235 words COGNITIVE NEUROSCIENCE

Summary: Prevailing theories emphasize a “common neural currency” for social and nonsocial rewards, particularly during reward anticipation. However, direct comparisons of social and nonsocial reward anticipation remain limited, and clinical observations suggest that social reward processing can be selective...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741003

Exploring Neural Mechanisms Underlying Error-related Impairments in Active Working Memory Suggests an Adaptive Shielding of Contents during Cognitive Control

📅 2026-10-19 📖 1 min 📝 302 words COGNITIVE NEUROSCIENCE

Summary: Goal-directed behavior relies on cognitive flexibility—the ability to rapidly adapt ongoing thoughts and behaviors while preserving task-relevant information. The performance monitoring system optimizes such behavior by detecting and evaluating errors, whereas the working memory (WM) system maintain...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741004

Slow Oscillations Modulate Overnight Brain Changes in Working Memory Function

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Working memory (WM), the transient storage and manipulation of information, is a cognitive function that can improve with training. Accumulating evidence suggests that sleep, particularly slow oscillations (SOs) that occur during nonrapid eye movement sleep, supports this improvement. Yet, how sleep...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741002

Visual Perspective Shapes Subjective Experience: Dissociable Parietal Contributions to the Constructive Nature of Memory

📅 2026-10-19 📖 1 min 📝 223 words COGNITIVE NEUROSCIENCE

Summary: Subjective features of memory are often treated as secondary to the objective content of remembered events. However, growing evidence suggests that these features actively shape how memories are constructed, experienced, and used. Rather than treating visual perspective as a peripheral correlate of ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740941

Memory Traces Reflect How They Were Last Accessed

📅 2026-10-19 📖 1 min 📝 216 words COGNITIVE NEUROSCIENCE

Summary: Episodic memories are known to change with each act of retrieval. We hypothesize that accessing semantic knowledge in different ways during episodic retrieval—from unique perceptual features to taxonomic and thematic context—shapes how those memories are subsequently represented during recognition. ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740999

The Temporal Dynamics of Attentional Allocation during Counterfactual Learning

📅 2026-10-19 📖 1 min 📝 194 words COGNITIVE NEUROSCIENCE

Summary: Counterfactual learning, the ability to learn from what could have happened under different circumstances, is a key cognitive mechanism supporting behavioral adaptation. While its neural and computational underpinnings are increasingly understood, the temporal dynamics of attention toward factual an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741005

Theta and High-alpha Phase-locking Dynamics Unveil Face Perception in Ambiguous Stimuli

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Previous studies emphasize phase synchronization as a fundamental mechanism for integrating local features into coherent percepts. We employed a novel paradigm and dynamic graph analysis based on EEG to track neural dynamics associated with perceiving a face (or not) while keeping the stimuli identi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741000

Capturing the Attentional Trade-off between Speech Planning and Comprehension

📅 2026-10-19 📖 1 min 📝 255 words COGNITIVE NEUROSCIENCE

Summary: In conversation, future speakers often plan speech simultaneously with comprehension, which means that they must divide attentional resources between these processes. In this EEG study, we used responses to linguistic attention probes (i.e., syllable “BA” presented during spoken sentences) to track ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740942

Therapeutic potential of proline-rich peptide-1 (PRP-1) in counteracting amyloid-β-mediated cortical and hippocampal neurodegeneration in a rat model

📖 1 min 📝 22 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Harutyun Stepanyan, Hamzeh Ghorbani, Mikhail Poghosyan, Margarita Danielyan, Arsen Minasyan, Arsen Hunanyan, Naira Hunanyan

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006615?dgcid=rss_sd_all

Decoding spatial attention in the cocktail party problem using whole-head high-density fNIRS

📖 1 min 📝 47 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Sudan Duwadi, De'Ja Rogers, Alex D. Boyd, Laura B. Carlton, Yiwen Zhang, Anna Kawai Gaona, Aneesa Diya Pathiyaparambath, Ravin Chaudhury, Grace Magee, Bernhard B Zimmermann, Walker J O'Brien, Alexander...

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006075?dgcid=rss_sd_all

Subjective emotional ratings dissociate brain activation and network patterns during counterfactual outcome processing

📖 1 min 📝 24 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Tingting Zhang, Denghui Bai, Xiaotong Wei, Lei Zhuo, Qiuzhu Zhang, Junjun Zhang, Zhenlan Jin, Ling Li

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S105381192600618X?dgcid=rss_sd_all

From Arm to Leg: A Shared Primitive Framework for Solving Inverse Kinematics in Human Movement

Koren, Y., Flash, T.

2026-10-23 1 min 180 words BIORXIV NEUROSCIENCE

Summary: In motor control, the idea of a modular control architecture has been repeatedly discussed. This framework has been widely applied to kinematic and kinetic data, primarily to examine how the central nervous system (CNS) controls multiple elements simultaneously and how it handles redundant or excess...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.760905v1?rss=1

Physiological learning involves intrasynaptic reorganization of GluA1-containing AMPA receptors

Jevtic, M., Hollergschwandtner, E., Kartono, B., Sugiyama, Y., Strnadova, L., Ramesh, R., Fukazawa, Y., Itakura, M., Shigemoto, R.

2026-10-23 1 min 245 words BIORXIV NEUROSCIENCE

Summary: Learning and memory formation depend on persistent modifications of excitatory synaptic transmission in the hippocampus through changes in AMPA receptor (AMPAR) content and properties at potentiated synapses. However, directly demonstrating such changes after physiological, behavior-driven learning ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.760928v1?rss=1

Learning distributed representations with complementary components - A generative approximation framework for episodic memory encoding

Liu, H., Mattar, M., Michelmann, S.

2026-10-23 1 min 192 words

BIORXIV NEUROSCIENCE

Summary: Episodic memory must preserve detail while storing memories efficiently. We propose a framework of memory encoding in which generative neural network models approximate input through their frozen weights, yielding starting points from which the same weights can reinstate the input. This removes the ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.18.759853v1?rss=1

The anger-insula-body link in heart arrhythmias

Mazzola, V., Martins-Dominati, E., Bondolfi, G., Arciero, G.

2026-10-23 1 min 242 words

BIORXIV NEUROSCIENCE

Summary: Anger is a well-known risk factor in cardiovascular diseases (CVDs) since it triggers a sympathetic hyperactivity of peripheral autonomic nervous system (ANS). As our previous findings showed, facing an angry situation instead of a joyful one elicits in healthy participants an affective engagement t...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.19.760035v1?rss=1

Generalizable neural decoding for clinically scalable brain-computer interfaces

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s44385-026-00119-0

Central sensitization-related measures and peripheral treatment outcomes in patients with chronic pain: a systematic review and meta-analysis

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75274-w

A deep learning framework for automated cervical spinal cord vertebral labeling and morphometric extraction from brain MRI with large-scale multicenter validation

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41746-026-03403-w

Orally bioavailable CB2 receptor agonists attenuate neuroinflammation and stabilize the blood–brain barrier

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77296-w

Effects of a cognitive training program on cancer-related cognitive impairment in breast cancer patients in active treatment: a randomized controlled trial

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-76536-3

The role of long-term memory, flexible templates and learning in attentional guidance

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s44159-026-00626-2

Role of CB1 receptors in the gastrointestinal tract after microbiota depletion and natural recolonization

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77334-7

Privileged representational axes in biological and artificial neural networks

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41562-026-02515-3

Unveiling the functional specialisation of human white matter circuits with naturalistic stimuli

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78839-5

Relationship between X chromosome mosaicism, neuroanatomy and cognitive performance in females

📅 2026-10-23 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s42003-026-11171-2

Early lineage divergence segregates sensory and motor-associative identities in the thalamus

👤 Guillermina López-Bendito 📅 2026-10-20 📖 1 min 📝 35 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 20 October 2026; doi:10.1038/s41593-026-02485-9 Sensory and motor-associative identities in the thalamus arise from two early-diverging lineages, with sensory neurons progressing through sha...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02485-9

Dysregulated cholesterol trafficking through ABCA1 drives neurodegeneration in Parkinson’s disease

Lei Cao 2026-10-20 1 min 39 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 20 October 2026; doi:10.1038/s41593-026-02487-7 This study identifies ABCA1 as a driver of dysregulated cholesterol trafficking in Parkinson’s disease, showing that reducing ABCA1 in astrocy...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02487-7

Sustained antidepressant-like effects of psychedelics through 5-HT_{2A}R–β-arrestin signaling

Sheng Wang 2026-10-23 1 min 40 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 23 October 2026; doi:10.1038/s41593-026-02497-5 This study shows that the sustained antidepressant-like effect of psychedelics is driven by 5-HT2A receptor–β-arrestin signaling. Repeated low...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02497-5

Identification of candidate markers for the isolation of neuron-specific extracellular vesicles

David R. Walt
2026-10-23 1 min 41 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 23 October 2026; doi:10.1038/s41593-026-02466-y The authors developed methods to identify extracellular vesicles (EVs) in the blood that come from the brain by capturing EV surface proteins....

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02466-y

Neuropharmacology of language: ERP evidence for catecholaminergic modulation of syntactic processing

Yingying TanAshley G. LewisIris C. SchmitsRobert-Jan VerkesRoshan CoolsPeter Hagoortahttps://ror.org/01bn89z48Shanghai International Studies University, Institute of Language Sciences, Shanghai 201620, Chinabhttps://ror.org/00671me87Max Planck Institute for Psycholinguistics, Neurobiology of Language Department, Nijmegen 6525 XD, the Netherlandschttps://ror.org/03q8dnn23City University of Hong Kong, Department of Linguistics and Translation, Kowloon, Hong Kong Special Administrative Region, Chinadhttps://ror.org/016xsfp80Radboud University, Donders Institute for Brain, Cognition and Behaviour, Center for Cognitive Neuroimaging, Nijmegen 6525 EN, the Netherlandsehttps://ror.org/05wg1m734Radboud University Medical Center, Department of Psychiatry, Nijmegen 6525 GA, the Netherlands

📅 2026-10-22 📖 1 min 📝 42 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceHow the brain’s neuromodulatory systems influence language, a defining human capacity, remains poorly understood. Here we show that catecholaminergic neurotransmission—primarily involving dopamine ...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2606806123?af=R

Safety of lecanemab in real-world patients with Alzheimer’s disease: a prospective, observational case series supported by FAERS signal analysis

Erhao Bao 2026-10-02 1 min 354 words FRONTIERS NEUROINFORMATICS

Summary: ObjectiveLecanemab, a humanized immunoglobulin monoclonal antibody, has been approved for the treatment of Alzheimer’s disease (AD). Although clinical trials have demonstrated its favorable safety profile, real-world studies are crucial for identifying rare adverse events (AEs) and evaluating post-m...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1977226

EEG emotion-recognition datasets for neuroarchitecture: an appraisal of openness, AI-readiness and ontology maturity

Han Jong Jun 2026-10-20 1 min 341 words FRONTIERS NEUROINFORMATICS

Summary: IntroductionNeuroarchitecture studies how designed space shapes emotion, often with electroencephalography (EEG), and computational models that decode emotion from EEG must be trained on labelled recordings. Yet none of the widely shared EEG emotion datasets was recorded while people moved through d...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1971441

A systematic review of machine learning approaches for MRI-based brain tumor analysis

Almira Melsovna Kustubayeva
2026-10-12 1 min 213 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Machine learning is now widely applied to magnetic resonance imaging-based brain tumor analysis, with task-specific performance metrics: the Dice similarity coefficient (DSC) quantifies segmentation overlap, while the area under the curve (AUC) and accuracy measure classification performance. A PRIS...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1937002

Are cortical microcircuits optimized for information flux?—A simulation-based reverse engineering study

Patrick Krauss
2026-10-20 1 min 271 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionA sufficiently large information flux in recurrent neural networks, quantified by the mutual information between successive network states, has been proposed as a marker of rich information-processing capabilities. This raises the question of whether biological neural networks, such as c...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1886601

Artificial intelligence-generated and algorithmically personalized music interventions and their effects on brain function, behavior, and health: a critical review

Jingting Jin 2026-10-23 1 min 310 words FRONTIERS HUMAN NEUROSCIENCE

Summary: This critical review synthesizes empirical studies of algorithmically personalized and artificial-intelligence-generated music interventions reporting neurophysiological, neuroimaging, or objective behavioral outcomes. Literature was identified through structured searches of PubMed, Scopus, Google S...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1967909

Effect of robotic assistance on upper-limb sensorimotor recovery: a systematic review and meta-analysis

Sivakumar Balasubramanian 2026-10-20 1 min 359 words FRONTIERS NEUROROBOTICS

Summary: IntroductionRobot-assisted upper-limb neurorehabilitation enables several beneficial therapy components, including repetitive task-specific practice, high training intensity, real-time feedback, gamification, and continuous physical interaction with the patient’s limb. However, conventional comparis...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1860365

Research progress on the mechanism of microglia–astrocyte signal crosstalk in central sensitization of vestibular migraine

Huailiang Zhang
2026-10-23 1 min 127 words

FRONTIERS NEUROSCIENCE

Summary: Vestibular migraine (VM) is a vestibular disorder characterized by recurrent episodes of vertigo, frequently accompanied by headache, nausea, and vomiting, which substantially reduce patients' quality of life. The pathogenesis of VM remains incompletely understood. Current studies mainly focus on io...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1844932

From confidence to caution: conformal gating for cross-session motor imagery brain–computer interfaces

Sixue Xing and Aarthy Nagarajan
2026-10-22 1 min 278 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Erroneous motor imagery brain–computer interface (MI-BCI) commands can cause unintended device actions, yet standard classifiers provide no mechanism to withhold uncertain predictions. We evaluate whether conformal prediction (CP) can serve as a command gate under cross-session EEG shift,...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aead26

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023075728&v=2.20.1

Cost-effective long-range measurement of structural displacement using a two-stage method integrating super-resolution reconstruction and sub-pixel registration

Xiaosong Li 2026-10-20 1 min 61 words LOW VISION

Summary: Displacement is an imperative metric for assessing structural performance. However, the accuracy of structural displacement measurement is constrained by the physical resolution of the camera, particularly in long-range monitoring scenarios. To address these constraints, a cost-effective long-range ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900043/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Physics-aware restoration and calibrated soft demodulation for turbulence-degraded OAM mode recognition

Jun Zhu 2026-10-20 1 min 58 words LOW VISION

Summary: Turbulence-degraded orbital angular momentum (OAM) mode recognition is critical for free-space optical (FSO) communication but is limited by atmospheric distortion. We propose a cascaded receiver integrating a vision transformer-based Uformer-OAM intensity-restoration network, an SE-ResNet-18 neural...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900049/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Image-free ghost edge detection at ultra-low sampling rates via a Vision Mamba network

👤 Rui Wang 📅 2026-10-20 📖 1 min 📝 66 words LOW VISION

Summary: Edge detection is essential for extracting structural boundaries in visual scenes, but conventional deep-learning-based methods remain sensitive to degradations in the input images and involve redundant full-image acquisition. Image-free ghost edge detection provides an efficient alternative by dire...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900142/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

👤 Yolima Baena 📅 2026-10-20 📖 1 min 📝 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

Luca Battaglini 2026-10-21 1 min 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

Andrea Lovazzano 2026-10-22 1 min 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

Hezerul Bin Abdul Karim 2026-10-22 1 min 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

Zhiqun Lin 2026-10-22 1 min 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

Zhiyong Fan 2026-10-22 1 min 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023075726&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux
📅 2026-07-18 📖 1 min 📝 69 words

TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023075723&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

Xiaobing Yan 2026-09-09 1 min 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

An accessible pregnancy test for blind and low-vision users

👤 Vanja Garaj 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023075721&v=2.20.1

Home Transcranial Direct Current Stimulation With Gamified Cognitive Control Training for Depression: A Randomized Clinical Trial

👤 Mor Nahum 📅 2026-10-19 📖 1 min 📝 45 words TDCS TACS TRNS

Summary: CONCLUSIONS AND RELEVANCE: This RCT of home-based tDCS combined with CCT in adults with MDD was feasible and safe but did not demonstrate superior efficacy over the control condition. Future studies should refine the mechanistic alignment between stimulation and cognitive interventions to optimize t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895746/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

Lisa M McTeague 2026-10-20 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

Aliaa Elabd
2026-10-20 1 min 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

👤 Peng Chen 📅 2026-10-23 📖 1 min 📝 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023075718&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

👤 Ming Zhang
📅 2026-10-19 📖 1 min 📝 64 words FNIRS

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi
📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023075716&v=2.20.1

An attention-enhanced hybrid CNN-BiLSTM framework for multiclass epileptic seizure recognition using EEG signals

Ahmed H Almutairi 2026-10-22 1 min 57 words BRAIN COMPUTER INTERFACE

Summary: INTRODUCTION: Electroencephalogram (EEG) signal classification plays a pivotal role in brain-computer interfaces (BCIs) and the diagnosis of neurological disorders. However, the non-stationary, non-linear, and low signal-to-noise ratio characteristics of EEG signals make accurate feature extraction ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903277/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Realizing Ultrahigh Polarization and Excellent Thermal Stability in Piezoceramics via Defect-Stress Engineering

Yuhui Huang 2026-10-22 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Large polarization is critical for improving the piezoelectric and actuation performance of ferroelectric materials. As a promising lead-free candidate, BiFeO(3)-BaTiO(3) inherits the excellent polarization capability of BiFeO(3). However, the actual polarization achieved in its ceramics remains far...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42904507/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Optimizing learning for control of human-machine interfaces

Preeya Khanna 2026-10-22 1 min 42 words BRAIN COMPUTER INTERFACE

Summary: Human-machine interfaces, such as augmented reality devices, hand prostheses, and brain-computer interfaces, are increasingly being used in neurorehabilitation. In this issue of Neuron, Vassiliadis et al.[1] examine the interaction between closed-loop continuous reinforcement and sensory feedback in l...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906532/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

A GABAergic preoptic-raphe circuit mediates paradoxical coupling of anxiety and social preference after comparative social deficit

Hong Lian 2026-10-22 1 min 66 words BRAIN COMPUTER INTERFACE

Summary: Social disconnection is a major risk factor for anxiety disorders, the most prevalent mental illnesses worldwide, yet its neural substrates remain unclear. Here, we establish a comparative social deficit (CSD) model in adult male mice that induces a paradoxical phenotype of increased anxiety-like be...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906547/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

ACF-Net: Design of an adaptive cross-modal fusion network for cross-subject wearable EEG-EMG gesture recognition

TongLiang Yang 2026-10-22 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: Cross-subject gesture recognition in wearable brain-computer interfaces is constrained by four structural deficiencies: symmetric cross-modal attention discarding cortical precedence over muscular execution, priors confined to post hoc analysis, invariance anchored on unimodal features, and adaptati...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906584/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

Ian Daly 2026-10-22 1 min 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

Zhi-Ying Wu 2026-10-22 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Discussion on the closed-loop regulation strategy for acupuncture "Deqi" based on brain-computer interface and its peripheral-central mechanisms

Rong Luo 2026-10-22 1 min 72 words BRAIN COMPUTER INTERFACE

Summary: It is held that "Deqi" is the key to the therapeutic effect of acupuncture, but its evaluation has long relied on subjective feelings and lacks objective biological indicators. In the present article, we systematically review the current research status of brain-computer interface (BCI) technology b...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908451/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

RLAgent: retrieval-augmented LLM agents for code-free RNA region-ligand interaction modeling

Zhe Liu 2026-10-23 1 min 61 words BRAIN COMPUTER INTERFACE

Summary: Accurately modeling RNA-ligand interactions is essential for understanding RNA function and for designing RNA-targeted therapeutics. Existing computational approaches mainly focus on predicting either full-length RNA structures or discrete binding sites, lacking explicit modeling of RNA regions that...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908869/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023075713&v=2.20.1

Advancing neuropsychology training: Insights and advice from a qualitative analysis in 102 brain-behavior experts.

📅 2026-07-30 📖 1 min 📝 266 words NEUROPSYCHOLOGY

Summary: Objective: Neuropsychologists possess knowledge that could benefit trainees as they navigate important career decisions within their unique training pathways. This wisdom is typically passed down in an individual mentorship model wherein supervisors and advisors relay advice directly. While this mod...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001116

Sex-specific differences in amygdala resting-state functional connectivity with trait anxiety.

📅 2026-06-04 📖 1 min 📝 267 words NEUROPSYCHOLOGY

Summary: Objective: Anxiety disorders are the most common mental health conditions in the world, disproportionately affecting females and associated with significant morbidity. Neuroimaging can help us to understand the underpinnings of anxiety behaviors. The amygdala and its subnuclei have been strongly imp...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001100

Effects of simulated hearing loss on cognitive task performance: A scoping review.

📅 2026-07-30 📖 1 min 📝 235 words NEUROPSYCHOLOGY

Summary: Objective: Hearing loss (HL) and cognitive decline often co-occur in older adults. Many cognitive tests are administered using spoken instructions or stimuli, potentially biasing test results. The current scoping review aimed to provide an overview of studies using simulated HL in cognitively health...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001111

Normative cognitive test performance and typical error patterns among American Indian older adults: The Strong Heart Study.

📅 2026-06-15 📖 1 min 📝 245 words NEUROPSYCHOLOGY

Summary: Objective: The Strong Heart Study, a large cohort of American Indians from three U.S. regions, collected standardized neuropsychological assessments from participants aged 65–95 years at two visits (2010–2019), with prior documentation of lower overall score distributions and higher prevalence of co...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001093

The unity and diversity of executive functions across adulthood in a diverse Brazilian sample with varying educational attainment.

📅 2026-04-16 📖 1 min 📝 261 words NEUROPSYCHOLOGY

Summary: Objective: Executive functions (EFs) are a set of cognitive abilities associated with many social and clinical outcomes that are believed to be sensitive to culture, age, and educational attainment. Yet, this was determined using EF theoretical models and tests developed for highly educated young ad...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001085

Everyday executive functions in children with neurofibromatosis type 1: Data from nine institutions.

📅 2026-04-16 📖 1 min 📝 278 words NEUROPSYCHOLOGY

Summary: Objective: Executive function (EF) difficulties are prevalent in neurogenetic syndromes such as Neurofibromatosis Type 1 (NF1), the most common autosomal dominant condition associated with nervous system tumors. However, age-related differences in EF problems in children with NF1 remain poorly under...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001087

Integrity in six key brain regions predicts numeric working memory performance in 30,000 middle-aged and older adults: A UK Biobank magnetic resonance imaging study.

📅 2026-06-18 📖 1 min 📝 262 words NEUROPSYCHOLOGY

Summary: Objective: This study investigated the neuroanatomical correlates of working memory using the UK Biobank Numeric Memory Test (NMT; a visual backward digit-span task) in a large sample of middle-aged and older adults. Volumes of brain regions previously implicated in digit-span tasks were hypothesize...

🔗 **Read full article:**
http://doi.org/10.1037/neu0001096

Heads up time for package devs

👤 /u/Gullible_Pay_6686 📅 2026-10-23 📖 1 min 📝 84 words REDDIT PYTHON

Summary: <!-- SC_OFF --> Don't you think companies or developers that manage python libraries should be given extra time before a new version release to make things compatible and fix new bugs? Like a month or two where they get full info about new features but before the version is ...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xd6oxc/heads_up_time_for_package_devs/

Show HN: Making a smart TV dumb and then smart

👤 animalhot 📅 2026-10-23 📖 1 min 📝 120 words HACKER NEWS

> **Summary:** A recent (unwanted) webOS update that got installed on TV prompted me to start going down the rabbit hole of writing new TV software. After a couple of weekends and massive help from 4 different models, finally managed to get v1 working. My daughter enjoys navigating TV through speech while I g...

🔗 **Read full article:**
https://github.com/anubhavmalhotra/r2d2-tv

Remove pgrust: the entry is cheating

👤 f311a 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/ClickHouse/ClickBench/pull/2165 Comments URL: https://news.ycombinator.com/item?id=50205816 Points: 23 # Comments: 4</p...

🔗 **Read full article:**
https://github.com/ClickHouse/ClickBench/pull/2165

The Rise and Fall of Jev

👤 flail 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://blog.alexewerlof.com/p/rise-and-fall-of-jev-eval-hype-vs-llm Comments URL: https://news.ycombinator.com/item?id=50206361 <...

🔗 **Read full article:**
https://blog.alexewerlof.com/p/rise-and-fall-of-jev-eval-hype-vs-llm

Job Loss and Cortisone Mania

👤 speckx 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://tilschuenemann.de/job-loss-cortisone-mania Comments URL: https://news.ycombinator.com/item?id=50206840 Points: 6 # Comments: 0

🔗 **Read full article:**
https://tilschuenemann.de/job-loss-cortisone-mania

Dutch government had hacked into Jared Kushner's phone

👤 teekert 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://twitter.com/jaredkushner/status/2113376217415958767 Comments URL: https://news.ycombinator.com/item?id=50206914 Points: 53 <...

🔗 **Read full article:**
https://twitter.com/jaredkushner/status/2113376217415958767

Is this the new cyber normal?

👤 drewsberry 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://drew.silcock.dev/blog/is-this-the-new-cyber-normal/ Comments URL: https://news.ycombinator.com/item?id=50207115 Points: 14 <...

🔗 **Read full article:**
https://drew.silcock.dev/blog/is-this-the-new-cyber-normal/

Dogmatic Bayesianism Disorder

👤 noreply@blogger.com (Daniel Lakens)
📅 2025-12-06 📖 4 min 📝 910 words

TWENTY PERCENT STATISTICIAN

Summary: <p>Note: This humorously intended sarcastic blog post directly mimics classifications of psychological disorders in the Diagnostic and Statistical Manual of the American Psychological Association, but Dogmatic Bayesianism is not in the DSM-5 as an actual psychologic...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/12/dogmatic-bayesianism-disorder.html

On the reliability and reproducibility of qualitative research

👤 noreply@blogger.com (Daniel Lakens)
📅 2026-02-08 📖 14 min 📝 2928 words

TWENTY PERCENT STATISTICIAN

Summary: <p class="MsoNormal">With my collaborators, I am increasingly performing qualitative research. I find qualitative research projects a useful way to improve my understanding of behaviors that I want to explore with other methods in the future. For example, some years ago I performe...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/02/on-reliability-and-reproducibility-of.html

New Papers: Optimal Filter Settings for ERP Research

👤 Steve Luck 📅 2024-02-04 📖 2 min 📝 569 words ERP BOOT CAMP

> **Summary:** <p class="">Zhang, G., Garrett, D. R., & Luck, S. J. (in press). Optimal filters for ERP research I: A general approach for selecting filter settings. Psychophysiology. https://doi.org/10.1111/psyp.14531 [<a href="https://www...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/2/4/optimal-filters

Q&A with Dr. Richard Carson, Professor of Biomedical Engineering and Radiology & Biomedical Imaging, Yale University and Yale School of Medicine

👤 Adriel Carridice 📅 2025-11-04 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-richard-carson-professor-of-biomedical-engineering-and-radiology-biomedical-imaging-yale-university-and-yale-school-of-medicine/

Working Through Representation: Malleable Workspaces for Human-Agent Knowledge Work

👤 Nan Chen, Long Ling, Luna K. Qiu, Zilong Wang, Yuqing Yang

📅 2026-10-23 📖 1 min

📝 153 words

ARXIV CS HC

Summary: arXiv:2610.30893v1 Announce Type: new Abstract: Generative AI supports knowledge work, yet conversational histories may not capture the evolving organization that guides subsequent action. We introduce the Malleable Workspace, a conceptual model of how humans and agents form and revise a Work Repre...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30893

ABRA: Agent-Bound UI for Human-Agent Communication beyond Chat with Reusable Views

👤 Seon Gyeom Kim, Hannah Kim

📅 2026-10-23 📖 1 min 📝 123 words

ARXIV CS HC

Summary: arXiv:2610.30780v1 Announce Type: new Abstract: Agents can create rich representations, yet these representations are rarely used as a medium for expressing user intent. We present Agent-Bound UI, an interaction model that separates reusable interaction structures from task-specific meanings. Agent...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30780

Abstract Priorities, Concrete Rewards: How Stated Preferences Relate to What People Reward in AI Responses

Zihan Chen, Lei Nico Zheng, Di Zhu

2026-10-23 1 min 277 words ARXIV CS HC

Summary: arXiv:2610.30763v1 Announce Type: new Abstract: AI assistants built on large language models (LLMs) are trained on human feedback and increasingly personalized to users' stated preferences. Yet how closely these preferences reflect what people reward in responses remains unclear. We compare stated ...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30763

Do We Need to "Be There" to Say Goodbye? Comparing Participatory Agency and Spatial Presence Across Digital Farewell Formats

Chan In Sio, Alex Mann, Qian Ming Jia, Lik-Hang Lee

2026-10-23 1 min 219 words ARXIV CS HC

Summary: arXiv:2610.30734v1 Announce Type: new Abstract: Digitally mediated attachment is increasingly common, yet the mechanisms of symbolic closure in hybrid physical--digital relationships remain underexplored. We address an XR design question: how different mediated farewell formats relate to perceived ...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30734

Big World, Little Me: Comparing a First-Person VR Walkthrough Video and Static Slides for Communicating Height-Related Accessibility Barriers

Chan In Sio, Alex Mann, Qian Ming Jia, Xuecheng Guo, Yan Zhuo, Xinyu Ning, Kaikuo Liao, Lik-Hang Lee

2026-10-23 1 min 204 words ARXIV CS HC

Summary: arXiv:2610.30731v1 Announce Type: new Abstract: People with dwarfism and other forms of short stature may encounter barriers created by fixed-height environments and discriminatory social assumptions. This paper evaluates Big World, Little Me, a 10 min 52 s first-person walkthrough recorded from a ...

Read full article:
https://arxiv.org/abs/2610.30731

Impacts of generative AI skill development on academic adaptation and learning outcomes among university students

Lei Fan, Fangxue Liu

2026-10-23 1 min 225 words ARXIV CS HC

Summary: arXiv:2610.30599v1 Announce Type: new Abstract: Understanding how university students perceive the development of their generative artificial intelligence (GenAI) skills over time can clarify how GenAI use relates to learning and academic outcomes. This study examined perceived skill-development tr...

Read full article:
https://arxiv.org/abs/2610.30599

Beyond Better Ideas: How Human-AI Collaboration Shapes Scientific Ideas and Human Perceptions

Qian Chen, Saatvik Pradhan, Janice Ahn, Berk Atil, Angkai Li, Shijie Lu, Nobin Sarwar, Michael Ulis, Ruyuan Wan, Wenpeng Yin

2026-10-23 1 min 214 words ARXIV CS HC

Summary: arXiv:2610.30568v1 Announce Type: new Abstract: As AI increasingly becomes a collaborator in scientific research, its impact may extend beyond improving ideas to reshaping how they are evaluated, attributed, and perceived by humans. Yet existing research has largely examined these dimensions in iso...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30568

Atlas: Making Sense of Long Horizon Agent Trajectories

Sangho Suh, Joseph Chee Chang, Pao Siangliulue, Amy X. Zhang, Matt Latzke, Jonathan Bragg, Doug Downey, Daniel S. Weld

2026-10-23 1 min 155 words ARXIV CS HC

Summary: arXiv:2610.30548v1 Announce Type: new Abstract: AI agents can now search literature, generate hypotheses, analyze datasets, and run experiments at a scale difficult for researchers to match. Yet scaling scientific execution does not automatically scale researchers' ability to make sense of what age...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30548

Exploring spatial configuration and group familiarity when co-watching 360-degree stories in social virtual reality

Portia Wang, Monique Santoso, Yujie Tao, Jeremy Bailenson

2026-10-23 1 min 188 words

ARXIV CS HC

Summary: arXiv:2610.30353v1 Announce Type: new Abstract: While traditional cinematic viewing is often characterized as a social experience, engaging with immersive stories is predominantly researched as an individual activity. This mismatch becomes increasingly problematic in social virtual reality (VR), wh...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30353

Measuring undergraduate students' reliance on generative AI during problem-solving: Scale development and validation

Chenyu Hou, Gaoxia Zhu, Vidya Sudarshan, Fun Siong Lim, Yew Soon Ong

2026-10-23 1 min 209 words

ARXIV CS HC

Summary: arXiv:2610.30195v1 Announce Type: new Abstract: Reliance on AI describes the behavioral patterns of when and how individuals depend on AI suggestions, and appropriate reliance patterns are necessary to achieve effective human-AI collaboration. Traditional measures often link reliance to decision-ma...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30195

A Formalizable Proof of the No-Supervenience Theorem: A Diagonal Limitation on the Viability of Physicalist Theories of Consciousness

Cathy M Reason
2026-10-23 1 min 90 words ARXIV QBIO NC

Summary: arXiv:2307.10178v3 Announce Type: replace Abstract: The no-supervenience theorem limits the capacity of physicalist theories to provide a comprehensive account of human consciousness. The proof of the theorem is difficult to formalize because it relies on both alethic and epistemic notions of possi...

🔗 **Read full article:**
https://arxiv.org/abs/2307.10178

Dynamics of random recurrent neural networks: colored noise and sublinear activations

German Mato, Facundo Rigatuso, Gonzalo Torroba
2026-10-23 1 min 188 words ARXIV QBIO NC

Summary: arXiv:2610.31575v1 Announce Type: new Abstract: We study the dynamics of recurrent neural networks with random couplings, sublinear odd activation functions, and temporally correlated noise. Using large N methods, we determine stationary correlations and distinguish the loss of local linear stabili...

🔗 **Read full article:**
https://arxiv.org/abs/2610.31575

Music Between Two Minds: Individual Signatures, Shared States, and the Emergence of Creative Interaction

👤 Tatsuya Daikoku, Risa Kobayashi, Rina Tabuchi, Yoshia Abe, Yasuo Kuniyoshi

📅 2026-10-23

📖 1 min 📝 223 words ARXIV QBIO NC

Summary: arXiv:2610.31131v1 Announce Type: new Abstract: Some of the most valued forms of human creativity arise between people-in conversation, collaboration, and improvised music-yet how two minds jointly regulate the flow of novelty in real time remains unknown. Here we examined the information dynamics ...

🔗 **Read full article:**
https://arxiv.org/abs/2610.31131

Gate-Based Feature Importance in Simulation-Based Inference for EEG: A Cautionary Tale

👤 Shrivatsa Deshmukh, Sasha Brenner, Thomas R. Kn\"osche, Nico Scherf

📅 2026-10-23 📖 1 min

📝 251 words ARXIV QBIO NC

Summary: arXiv:2610.30364v1 Announce Type: new Abstract: Simulation-based inference (SBI) provides a powerful way to fit mechanistic models to data, but offers little insight into which information in the data shapes the inferred parameter values. It could therefore benefit from robust and inexpensive inter...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30364

The medium is the message: How neurometabolic entanglement generates conscious experience

Terrence W. Deacon, Miguel Garcia-Valdecasas, Michael Jacob

2026-10-23 1 min

246 words

ARXIV QBIO NC

Summary: arXiv:2610.30217v1 Announce Type: new Abstract: Most neuroscientific accounts of consciousness assume that conscious experience is constituted by the information conveyed between neurons. The physical-chemical details of the metabolic and physiological processes that convey this information are cor...

🔗 **Read full article:**
https://arxiv.org/abs/2610.30217

Single-cell RNA sequencing reveals vascular heterogeneity and cell–cell communication remodeling in the glioma blood–tumor barrier

1 min

31 words

BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Zhipeng Zhao, Jiachen Lang, Haiyan Gu, Luodan Wang, Jianchang Luo, Jiawang Lang, Qiongying Yao, Xinyu Qiao, Zida Wang, Ling Yin, Caidi He

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004579?dgcid=rss_sd_all

Intracerebral stimulation inducing emotions in SEEG: a systematic review

📖 1 min 📝 14 words NEUROIMAGE

Summary: Publication date: 1 November 2026 Source: NeuroImage, Volume 341 Author(s): Lucas Arrighi, Fabrice Bartolomei, Francesca Pizzo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006038?dgcid=rss_sd_all

Localising the Seizure Onset Zone from Routine Interictal and Ictal Scalp EEG Via a Factorised Spatiotemporal Ensemble Deep Learning Framework

👤 Shi, S. 📅 2026-10-22 📖 1 min 📝 369 words BIORXIV NEUROSCIENCE

Summary: Background: Drug-resistant focal epilepsy requires precise localisation of the epileptogenic zone (EZ) for surgical resection. Current practice depends on invasive recordings or spontaneous seizure capture, a costly and risky bottleneck. Interictal scalp EEG can exhibit localising features like spik...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759501v1?rss=1

Frequency-Resolved Connectivity Graphs for EEG-Based Classification of Alzheimer and Frontotemporal Dementia

👤 Radwan, M., yazidi, A., lind, P. G.
📅 2026-10-22 📖 1 min 📝 202 words
BIORXIV NEUROSCIENCE

Summary: In this study, we build EEG based graph model that uses frequency-resolved connectivity features, with Coherence, phase locking value (PLV) and phase lag index (PLI) in five frequency bands as multi-dimensional edge features. The model is used to classify Alzheimer disease (AD) and frontotemporal de...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759776v1?rss=1

Learning to Pursue Goals that Conflict with Prior Experience Relies on Fast Revaluation and Slow Value Updating

👤 Pan, T.-F., Molinaro, G., Collins, A. G. E.
📅 2026-10-22 📖 1 min 📝 238 words
BIORXIV NEUROSCIENCE

Summary: Humans can flexibly pursue novel goals, learning to reach them from goal-dependent teaching signals. However, the breadth of this flexibility and its underlying mechanisms remain unclear. For example, can humans flexibly learn to reach a typically avoided outcome (e.g., +0) while avoiding a typicall...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759732v1?rss=1

MR-Guided Focused Ultrasound Neuromodulation of Nucleus Accumbens to Attenuate Oral Fentanyl Motivation in A Self-Administration Rat Model

Martin, D. A., Eldirdiri, A., Ernst, T., Cunningham, E., Bernard, S., Kamdi, S., Calu, D. J., Chang, L.

2026-10-22 1 min 249 words BIORXIV NEUROSCIENCE

Summary: Introduction: Transcranial low-intensity focused ultrasound (LIFU) is being explored as a non-invasive approach for neuromodulation to treat opioid use disorder (OUD). Methods: We evaluated MR-guided focused ultrasound, with LIFU, targeting nucleus accumbens (MRgLIFU-NAc) bilaterally, using MR-acous...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.17.759605v1?rss=1

Stress, Heartbeats, and Biases: Cardiac phase and acute stress modulate affective and spatial response bias.

von Haugwitz, L., Sadr, R., Wascher, E., Larra, M. F.

2026-10-22 1 min 261 words BIORXIV NEUROSCIENCE

Summary: Threatening situations often require rapid decisions which are particularly susceptible to response bias. The perception of threat also elicits an acute stress reaction, assumed to promote automatic action tendencies via several mechanisms. Cardioafferent signals during systole, for example, increas...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.18.759627v1?rss=1

An amygdala-mediated simulation-to-decision cascade aligns interbrain dynamics to solve social dilemmas

Yina Ma 2026-10-19 1 min 40 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 19 October 2026; doi:10.1038/s41593-026-02473-z Using simultaneous intracranial recordings from interacting human brains, Ma et al. show that mutual cooperation emerges when amygdala activit...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02473-z

Spatiotemporal remodeling in habenula marks the onset of depression-related phenotypes

Manuel Mameli 2026-10-19 1 min 36 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 19 October 2026; doi:10.1038/s41593-026-02488-6 Molina et al. show in chronically stressed mice that neuronal and transcriptional adaptations in the habenula coincide with the onset of depre...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02488-6

From pose estimation accuracy to motor biomarker reliability: a reliability-centred evaluation framework for markerless movement analysis

Christine Fernandez-Maloigne 2026-10-01 1 min 246 words

FRONTIERS NEUROINFORMATICS

Summary: Markerless pose estimation has become an essential tool for quantitative movement analysis in neuroscience. However, current evaluation frameworks primarily rely on frame-wise spatial accuracy metrics, which provide only limited information about the reliability of the downstream kinematic biomarker...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1790241

Altered interictal alpha-band organization in childhood absence epilepsy

Justyna Paprocka 2026-10-23 1 min 318 words FRONTIERS NEUROINFORMATICS

Summary: ObjectiveInterictal background EEG in childhood absence epilepsy (CAE) may appear normal. We asked whether drug-naive children with CAE differ from controls in alpha frequency and the regional distribution of phase-lagged synchronization, and how these differences depend on participant-specific surr...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1875377

Short-term synaptic plasticity modulates the outcome of neurodegenerative diseases

Chi Chung Alan Fung 2026-10-23 1 min 264 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionAlzheimer's disease (AD) is characterized by progressive neuronal loss and synaptic dysfunction that disrupt memory-encoding neural circuits. Short-term synaptic plasticity (STP), which governs transient activity-dependent changes in synaptic efficacy on millisecond-to-second timescales,...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1923602

Orientation detection for self-calibrating neuromorphic systems

Elisabetta Chicca 2026-10-23 1 min 183 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Bioinspired sensory architectures help build adaptive touch systems with efficient hardware implementations. Orientation detection is a fundamental capability for manipulating objects in real-world scenarios, with diverse applications in robotic manipulation and manufacturing assessment processes. I...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1878557

A thalamus-centered network model of restless legs syndrome: an integrative hypothesis illustrated by three clinical phenotypes

Szabolcs Várbíró 2026-10-23 1 min 231 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Restless legs syndrome (RLS) is a clinically heterogeneous sensorimotor disorder whose pathophysiology reflects interacting biological mechanisms rather than a single causal pathway. Established influences—including brain iron biology, dopaminergic regulation, glutamatergic and GABAergic balance, ad...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1977941

Cortical responses to lipread and text-based audiovisual stimuli in adults with and without dyslexia

Milene Bonte 2026-10-23 1 min 235 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Phonetic recalibration enables listeners to adjust their perception of ambiguous speech sounds based on visual contextual information. In line with a specific difficulty in forming letter-speech sound associations, adults with dyslexia have been found to show no text-based, but intact lipread-based,...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1806964

A systems-level energetic framework for conscious processing: energetic organization as a constraint on large-scale neural integration

Holly Pollard-Wright 2026-10-23 1 min 259 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Conscious processing is associated with coordinated interactions among distributed neural systems, yet the biological constraints that enable and sustain large-scale neural integration remain incompletely understood. Contemporary theories emphasize computational, informational, and network mechanism...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1966072

Editorial: New horizons in stroke management, volume II

Nasser Kashou 2026-10-23 1 min 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2023091

Immediate effect of gait training using the hybrid assistive limb in patients in the acute phase of stroke: a prospective pilot study

Yasushi Takagi 2026-10-23 1 min 360 words FRONTIERS NEUROROBOTICS

Summary: IntroductionThe effectiveness of Hybrid Assistive Limb (HAL) gait training in patients in the acute phase of stroke remains unclear. We prospectively assessed the immediate effects of HAL gait training in this patient population.MethodsIn this prospective pilot study, four patients with acute-phase ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1985500

Comparison of short-term peripheral nerve stimulation, single-target supraorbital nerve pulsed radiofrequency, and dual-target supraorbital nerve–stellate ganglion pulsed radiofrequency for herpes zoster ophthalmicus–associated pain: a retrospective cohort study

Wei Wang 2026-10-23 1 min 326 words FRONTIERS NEUROSCIENCE

Summary: ObjectiveTo compare the clinical outcomes of short-term peripheral nerve stimulation (st-PNS), supraorbital nerve pulsed radiofrequency (SON-PRF), and combined supraorbital nerve and stellate ganglion pulsed radiofrequency (SON + SG-PRF) for herpes zoster ophthalmicus (HZO)-associated pain.MethodsTh...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1976324

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261023022103&v=2.20.1

Cost-effective long-range measurement of structural displacement using a two-stage method integrating super-resolution reconstruction and sub-pixel registration

Xiaosong Li 2026-10-20 1 min 61 words LOW VISION

Summary: Displacement is an imperative metric for assessing structural performance. However, the accuracy of structural displacement measurement is constrained by the physical resolution of the camera, particularly in long-range monitoring scenarios. To address these constraints, a cost-effective long-range ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900043/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Physics-aware restoration and calibrated soft demodulation for turbulence-degraded OAM mode recognition

Jun Zhu 2026-10-20 1 min 58 words LOW VISION

Summary: Turbulence-degraded orbital angular momentum (OAM) mode recognition is critical for free-space optical (FSO) communication but is limited by atmospheric distortion. We propose a cascaded receiver integrating a vision transformer-based Uformer-OAM intensity-restoration network, an SE-ResNet-18 neural...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900049/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Image-free ghost edge detection at ultra-low sampling rates via a Vision Mamba network

Rui Wang 2026-10-20 1 min 66 words LOW VISION

Summary: Edge detection is essential for extracting structural boundaries in visual scenes, but conventional deep-learning-based methods remain sensitive to degradations in the input images and involve redundant full-image acquisition. Image-free ghost edge detection provides an efficient alternative by dire...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900142/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

Yolima Baena 2026-10-20 1 min 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

👤 Luca Battaglini 📅 2026-10-21 📖 1 min 📝 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

👤 Andrea Lovazzano 📅 2026-10-22 📖 1 min 📝 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

👤 Hezerul Bin Abdul Karim
📅 2026-10-22 📖 1 min 📝 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Atomic Defect-Mediated Charge Trapping Enables Multimodal Plasticity in van der Waals Heterostructures for In-Sensor Neuromorphic Vision

👤 Zhiqun Lin
📅 2026-10-22 📖 1 min 📝 60 words LOW VISION

Summary: Neuromorphic hardware that unifies sensing, memory, and learning at the device level remains challenging due to limited optoelectronic comodulation and rigid architectures. Here, we report a flexible, van der Waals (vdW)-integrated MoS2/hexagonal boron nitride (h-BN)/graphene memtransistor in which ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905052/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Low-Dimensional Chiral Perovskites for Polarization-Sensitive Photodetection

Zhiyong Fan 2026-10-22 1 min 57 words LOW VISION

Summary: Emerging low-dimensional chiral perovskites have recently demonstrated significant application potential in circularly polarized light detection, spintronics, and quantum information technology due to their unique chiroptical activity and spin-selective properties. This review systematically summari...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905095/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Visual context influences lateral balance while walking on winding paths

Jonathan B Dingwell 2026-10-22 1 min 28 words LOW VISION

Summary: BACKGROUND: Navigating daily environments necessitates adapting to ever-changing conditions while maintaining stability. This requires integrating sensory feedback, primarily from vision, to maintain balance and maneuverability as we walk.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906378/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261023022101&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux
📅 2026-07-18 📖 1 min 📝 69 words

TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261023022058&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

Xiaobing Yan 2026-09-09 1 min 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261023022056&v=2.20.1

Clinical outcomes and safety of Five Element Acupuncture for preventive treatment of primary headache disorders: a multi-center real-world longitudinal observational study

Shengyuan Zhou 2026-10-19 1 min 49 words TDCS TACS TRNS

Summary: CONCLUSIONS: This real-world exploratory observational study suggests that FEA is associated with significant improvements in headache days, headache frequency, headache intensity, analgesic use, and quality of life, with sustained effects noted during follow-up. These findings provide preliminary o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895011/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Home Transcranial Direct Current Stimulation With Gamified Cognitive Control Training for Depression: A Randomized Clinical Trial

👤 Mor Nahum 📅 2026-10-19 📖 1 min 📝 45 words TDCS TACS TRNS

Summary: CONCLUSIONS AND RELEVANCE: This RCT of home-based tDCS combined with CCT in adults with MDD was feasible and safe but did not demonstrate superior efficacy over the control condition. Future studies should refine the mechanistic alignment between stimulation and cognitive interventions to optimize t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895746/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

👤 Xi Chen 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

👤 Lisa M McTeague 📅 2026-10-20 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

Aliaa Elabd
2026-10-20 1 min 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

Jae Sung Lee 2026-10-22 1 min 42 words TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [^{11}C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261023022053&v=2.20.1

Investigating fatigability and cortical activation during prolonged foot tapping in multiple sclerosis

Felipe Balistieri Santinelli 2026-10-18 1 min 70 words FNIRS

Summary: People with multiple sclerosis (pwMS) often exhibit motor fatigability and reduced foot-tapping ability. However, the coupling between performance and cortical activity during fast, repetitive and prolonged ankle movements remains unexplored. We aimed to investigate the neural correlates of a prolon...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42892408/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

👤 Ming Zhang 📅 2026-10-19 📖 1 min 📝 64 words FNIRS

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

Hua Hu
2026-10-21 1 min 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

👤 Balaji Jayaprakash 📅 2026-10-22 📖 1 min 📝 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261023022051&v=2.20.1

Subjective emotional ratings dissociate brain activation and network patterns during counterfactual outcome processing

👤 Ling Li 📅 2026-10-19 📖 1 min 📝 58 words BRAIN COMPUTER INTERFACE

Summary: Human decision-making integrates outcome evaluation, counterfactual comparison, and individual traits. We investigated the neural processing of outcome-related emotions during economic decision-making by classifying feedback according to participants' subjective emotional ratings rather than objecti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42896691/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Delineating neural contributions to electroencephalogram-based speech decoding

Shuntaro Sasai 2026-10-20 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: Objective. Speech Brain-computer interfaces (BCIs) have emerged as a pivotal technology in facilitating communication for individuals with speech impairments. Utilizing electroencephalography (EEG) for noninvasive speech BCIs offers an accessible and affordable solution, potentially benefiting a bro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899673/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

An attention-enhanced hybrid CNN-BiLSTM framework for multiclass epileptic seizure recognition using EEG signals

Ahmed H Almutairi 2026-10-22 1 min 57 words BRAIN COMPUTER INTERFACE

Summary: INTRODUCTION: Electroencephalogram (EEG) signal classification plays a pivotal role in brain-computer interfaces (BCIs) and the diagnosis of neurological disorders. However, the non-stationary, non-linear, and low signal-to-noise ratio characteristics of EEG signals make accurate feature extraction ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903277/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Realizing Ultrahigh Polarization and Excellent Thermal Stability in Piezoceramics via Defect-Stress Engineering

👤 Yuhui Huang 📅 2026-10-22 📖 1 min 📝 62 words BRAIN COMPUTER INTERFACE

Summary: Large polarization is critical for improving the piezoelectric and actuation performance of ferroelectric materials. As a promising lead-free candidate, BiFeO(3)-BaTiO(3) inherits the excellent polarization capability of BiFeO(3). However, the actual polarization achieved in its ceramics remains far...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42904507/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

👤 Balaji Jayaprakash 📅 2026-10-22 📖 1 min 📝 34 words BRAIN COMPUTER INTERFACE

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Optimizing learning for control of human-machine interfaces

Preeya Khanna 2026-10-22 1 min 42 words BRAIN COMPUTER INTERFACE

Summary: Human-machine interfaces, such as augmented reality devices, hand prostheses, and brain-computer interfaces, are increasingly being used in neurorehabilitation. In this issue of Neuron, Vassiliadis et al.[1] examine the interaction between closed-loop continuous reinforcement and sensory feedback in l...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906532/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

A GABAergic preoptic-raphe circuit mediates paradoxical coupling of anxiety and social preference after comparative social deficit

Hong Lian 2026-10-22 1 min 66 words BRAIN COMPUTER INTERFACE

Summary: Social disconnection is a major risk factor for anxiety disorders, the most prevalent mental illnesses worldwide, yet its neural substrates remain unclear. Here, we establish a comparative social deficit (CSD) model in adult male mice that induces a paradoxical phenotype of increased anxiety-like be...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906547/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

ACF-Net: Design of an adaptive cross-modal fusion network for cross-subject wearable EEG-EMG gesture recognition

👤 TongLiang Yang 📅 2026-10-22 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Cross-subject gesture recognition in wearable brain-computer interfaces is constrained by four structural deficiencies: symmetric cross-modal attention discarding cortical precedence over muscular execution, priors confined to post hoc analysis, invariance anchored on unimodal features, and adaptati...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906584/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Towards semantic brain-computer interfacing: The graded inventory of semantic triggers (GIST) paradigm

👤 Ian Daly 📅 2026-10-22 📖 1 min 📝 64 words BRAIN COMPUTER INTERFACE

Summary: Semantic Brain-Computer Interfaces (sBCIs) aim to decode conceptual information directly from neural activity, enabling more efficient and natural communication for individuals with severe motor impairments. However, existing approaches are often confounded by stimulus-driven perceptual processes an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906586/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Preclinical models of Wilson's disease: From pathogenesis to clinical translation

Zhi-Ying Wu 2026-10-22 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Wilson's disease (WD) is an autosomal recessive disorder of copper homeostasis caused by pathogenic ATP7B variants, leading predominantly to hepatic and neurological injury. Extensive heterogeneity in genotype, age at onset, clinical presentation, and treatment response complicates both diagnosis an...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42907939/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261023022048&v=2.20.1

Prefrontal cortex activity of adolescents with problematic smartphone use in response to gains and losses: A functional near-infrared spectroscopy study.

2026-09-10 1 min 237 words BEHAVIORAL NEUROSCIENCE

Summary: Problematic smartphone use (PSU) has become a widespread problem that is highly prevalent in adolescent population. Previous studies suggest that PSU is associated with impairment in reward processing system. Thus, increased sensitivity to rewards could make individuals more vulnerable to abusive be...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000668

Topiramate and anterior cingulate cortex high-frequency stimulation mitigate aggression and promote sociability in socially isolated male mice.

📅 2026-08-10 📖 1 min 📝 230 words BEHAVIORAL NEUROSCIENCE

Summary: Excessive aggression induced by social isolation (SI) has been closely linked to dysfunction in prefrontal circuits, particularly the anterior cingulate cortex (ACC). Topiramate, an antiepileptic drug known to enhance GABAergic and inhibit glutamatergic transmission, has demonstrated antiaggressive ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000663

Is memory spared in monkeys with selective lesions of the hippocampus?

📅 2026-08-03 📖 1 min 📝 239 words BEHAVIORAL NEUROSCIENCE

Summary: Normal explicit/declarative memory requires a system of anatomically related structures in the medial temporal lobe that includes the hippocampus and the entorhinal, perirhinal, and parahippocampal cortex. Although extensive medial temporal lobe damage in primates causes robust anterograde amnesia, ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000658

Distal pup cues attenuate defensive reactivity and fear-potentiated startle magnitude in postpartum rats without altering sensorimotor gating.

📅 2026-07-09 📖 1 min 📝 241 words BEHAVIORAL NEUROSCIENCE

Summary: Using a novel behavioral paradigm that integrates fear-potentiated startle (FPS) and prepulse inhibition testing, this study examined how motherhood and infant cues impact innate defensive reactivity (as measured by the magnitude of basal startle reflex), attentional processing (as measured by prepu...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000661

A novel rat spatial inference task reveals rapid deduction of transitive relationships using schemas and deliberation.

📅 2026-07-13 📖 1 min 📝 264 words BEHAVIORAL NEUROSCIENCE

Summary: Inferential reasoning is a vital cognitive ability that enables animals to navigate novel situations by leveraging existing relational knowledge of memory schema, with hypothesized roles of prefrontal cortical—hippocampal circuits. Transitive inference (TI) tasks test the ability of subjects to infe...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000660

Keep Android Open 🔓

📅 2026-02-26 📖 3 min 📝 625 words FMHY

> **Summary:** <h3 id="android-will-become-a-locked-down-platform-in-less-than-200-days" tabindex="-1">Android will become a locked-down platform in less than 200 days. </h3> In August 2025, Google announced th...

🔗 **Read full article:**
https://fmhy.net/posts/KeepAndroidOpen

Monthly Updates [April]

📅 2026-04-01 📖 4 min 📝 885 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/april-2026

Monthly Updates [October]

📅 2026-10-01 📖 5 min 📝 1097 words FMHY

> **Summary:** <h1 id="wiki-updates" tabindex="-1">Wiki Updates </h1>   Re-ordered Live Sports based on the <a href="https://challonge.com/ajqvt0wo/fullscreen" rel=...

🔗 **Read full article:**
https://fmhy.net/posts/oct-2026

I predicted data with machine learning

👤 /u/5A61Z4349 📅 2026-10-23 📖 1 min 📝 95 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> I am pleased to be a part machine learning project completed by Group 6, Department of Petroleum and Mining Engineering, MIST. We predicted Plastic Viscosity and Mud Weight of drilling fluids using Decision Tree and Random Forest regressors, tuned with GridSe...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xd5wus/i_predicted_data_with_machine_learning/

Ask HN: If the models are so good, why doesn't OpenAI just start 100 companies?

👤 ex-aws-dude 📅 2026-10-22 📖 1 min 📝 93 words HACKER NEWS

> **Summary:** Title is a bit of an exaggeration but the question is more: if the frontier models are so good, why even sell them as your primary money maker? Couldn't OpenAI or Anthropic make a lot more money by just starting companies themselves that leverage the models and building their own products? Is...

🔗 **Read full article:**
https://news.ycombinator.com/item?id=50200997

Jank – The native Clojure dialect with seamless C++ interop

👤 giancarlostoro 📅 2026-10-22 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://jank-lang.org/ Comments URL: https://news.ycombinator.com/item?id=50202762 Points: 63 # Comments: 2

🔗 **Read full article:**
https://jank-lang.org/

This I Believe (1952)

👤 ctoth 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.awakin.org/v2/read/view.php?tid=468 Comments URL: https://news.ycombinator.com/item?id=50203759 Points: 38 # Comments: 5

🔗 **Read full article:**
https://www.awakin.org/v2/read/view.php?tid=468

Evaluating Dr. Cuddy’s Claim that the Debunking of Power Posing is a Myth

👤 noreply@blogger.com (Daniel Lakens) 📅 2026-05-25 📖 30 min 📝 6008 words

TWENTY PERCENT STATISTICIAN

> **Summary:** In this blog post I will analyse the arguments that Dr. Amy Cuddy provided in a LinkedIn post “The "Power Posing Was Debunked" Myth: What the Research Actually Shows — and Why Scientific Discourse Matters” on February 26. You can find the LinkedIn post here: <span lang="...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/05/evaluating-dr-cuddys-claim-that.html

Episode 29: Q&A with Dr. Anahita Kyani, Director of Neuroscience, Data Science and Digital Health at Johnson & Johnson Innovative Medicine

👤 Adriel Carridice 📅 2026-06-22 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/episode-29-qa-with-dr-anahita-kyani-director-of-neuroscience-data-science-and-digital-health-at-johnson-johnson-innovative-medicine/

Q&A with Felix Schwock, PhD student at University of Washington and Best Poster Award Winner at the 2025 IEEE Brain Discovery and Neurotechnology Workshop

👤 ieeebrain 📅 2026-06-22 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-felix-schwock-phd-student-at-university-of-washington-and-best-poster-award-winner-at-the-2025-ieee-brain-discovery-and-neurotechnology-workshop/

Multi-Channel Electromagnetic Interference Elimination for Shielding-Free MRI Using Null Operations

📅 2026-01-23 📖 1 min 📝 184 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Emerging technologies for electromagnetic interference (EMI) elimination have enabled radio frequency (RF) shielding-free magnetic resonance imaging (MRI), significantly reduced costs and increased accessibility. Existing methods often rely on multiple external sensors for EMI elimination...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11361141

Double Banking on Knowledge: A Unified All-in-One Framework for Unpaired Multi-Modality Semi-Supervised Medical Image Segmentation

📅 2026-01-21 📖 1 min 📝 231 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Multi-modality (MM) semi-supervised learning (SSL) based medical image segmentation has recently gained increasing attention for its ability to utilize MM data and reduce reliance on labeled images. However, current methods face several challenges: (1) Multiple networks assignment hinder scalability...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359738

Virtual Imaging-Guided Harmonization of Chest X-Rays Using a Generative Adversarial Neural Network

📅 2026-01-26 📖 1 min 📝 247 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: To reduce variability in chest radiography (CXR) from acquisition and post-processing, and assess whether harmonization improves image quality and downstream diagnostic performance. Methods: A generative adversarial network (GAN) was trained exclusively on virtual images produced by a Vir...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11364153

Self-Supervised Speech Representations for Sleep Apnea Severity Prediction

📅 2026-01-20 📖 1 min 📝 253 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Obstructive sleep apnea (OSA) is a prevalent yet underdiagnosed condition characterized by repetitive upper airway obstruction during sleep. Current gold standard diagnostic standards rely on polysomnography (PSG), which is resource-intensive. Since upper airway characteristics impact bot...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359456

Rectification of Cornea Induced Distortions in Microscopic Images for Assisted Ophthalmic Surgery

📅 2026-01-20 📖 1 min 📝 240 words TRANSACTIONS BIOMEDICAL ENGINEERING

Summary: Objective: Image distortions induced by the high refractive power of the eye's optical components challenge the accuracy of geometric information derived from intra-operative sensor data in ophthalmic surgery. Correcting these distortions is vital for advancing surgical assistance systems that rely ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11359487

Table of Contents

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743499

IEEE Transactions on Biomedical Engineering Handling Editors Information

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743497

IEEE Transactions on Biomedical Engineering Information for Authors

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743498

IEEE Engineering in Medicine and Biology Society Publication Information

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743496

Front Cover

📅 2026-10-21 📖 1 min 📝 1 words TRANSACTIONS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743514

Distinct Patterns of Syntactic Errors Doubly Dissociate in Chronic Poststroke Aphasia

📅 2026-10-20 📖 1 min 📝 195 words COGNITIVE NEUROSCIENCE

Summary: The lesion correlates of syntactic deficits in aphasia remain poorly understood. Previous studies have suggested that distinct error types in expressive syntax may be associated with damage to different brain regions, but the specific lesion correlates of these errors have not been fully delineated....

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743155

Transformer Mechanisms Mimic Frontostriatal Gating Operations When Trained on Human Working Memory Tasks

📅 2026-10-20 📖 1 min 📝 237 words COGNITIVE NEUROSCIENCE

Summary: Working memory (WM) is thought to rely on sophisticated frontostriatal mechanisms for selective gating, supporting updating and readout of information to and from distinct memory “addresses” (neural populations). According to computational models, capacity limitations in WM arise due to challenges i...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11743154

Transactions on Neural Systems and Rehabilitation Engineering (TNSRE) Editor in Chief Search

Deidre Artis 2026-07-17 1 min 34 words EMBS

Summary: Transactions on Neural Systems and Rehabilitation Engineering (TNSRE) Editor-in-Chief Search Submit your Application The post <a href="https://www.embs.org/featured-news/transactions-on-neural-systems-and-rehabilitation-engineering-tnsre-editor-in-chief-search/">Transactions on Neural Syst...

🔗 **Read full article:**
https://www.embs.org/featured-news/transactions-on-neural-systems-and-rehabilitation-engineering-tnsre-editor-in-chief-search/

State-specific dynamic functional connectivity disturbances in spinal cord injury-related neuropathic pain

1 min 29 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Chuchu Sun, Haotian Xin, Ling Wang, Qian Chen, Yu Wang, Beining Yang, Xin Chen, Fang Li, Jie Lu, Nan Chen

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004658?dgcid=rss_sd_all

More is not necessarily better: A comparison of 2-mA and 4-mA prefrontal cortex anodal tDCS on endurance performance, head oxygenation, cognition, and psychophysiological responses in cyclists

📖 1 min 📝 33 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Everton Borges da Silva, Mércia Jaynne Leandro de Melo, Matheus Alves Mendonça, Daniel de Medeiros Leiros, Ehsan Amiri, Heloiana Faro, Daniel Gomes da Silva Machado

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006913?dgcid=rss_sd_all

Soft tactile stimulation engages CGRP neurons in the parabrachial nucleus

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): F. Anesten, S. Simfors, K. Ioneskou, M. Hezsö, B. Gündogdu, A. Tran, A. Stjernvall, V. Ratiglia, A. Almasri, L.S. Löken

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006500?dgcid=rss_sd_all

Humanin attenuates neuronal cellular senescence and preserves neurotransmitter release in differentiated PC12 cells

📖 1 min 📝 16 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Miki Tanahashi, Ayari Kozuka, Nobuyuki Sasakawa, Takako Niikura

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S030645222600686X?dgcid=rss_sd_all

Characterizing age-dependent diamagnetic and paramagnetic susceptibility properties in 5xFAD Alzheimer's mouse brain using high-resolution MRI

📖 1 min 📝 28 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Juan Liu, Season K. Wyatt-Johnson, Jingjia Chen, Jie Chen, Zhuoheng Liu, Hongbo Wu, Li Feng, Randy R. Brutkiewicz, Nian Wang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926005914?dgcid=rss_sd_all

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022211720&v=2.20.1

Knowledge gaps and practices for glaucoma among adults in Palestine: a cross-sectional study

Farid K Abu Sham'a 2026-10-20 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Although awareness of glaucoma is moderate in Palestine, comprehensive knowledge remains low, particularly among high-risk populations. Public health interventions should target education beyond name recognition, emphasizing asymptomatic progression, irreversible vision loss, and risk f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898321/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Sn/Cl Co-Doped ZnO Cathode Interfacial Layer for High-Performance Organic Photodetectors

Kai Zhang 2026-10-20 1 min 66 words LOW VISION

Summary: Organic photodetectors (OPDs) hold significant promise for applications spanning medical monitoring, bioimaging and night vision due to their unique advantages, such as flexibility, light weight, and potential for large-area fabrication. Nevertheless, the dark current density (Jd) of OPDs exhibits a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899688/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

A thermopile array and stereo vision fusion system for small-tube temperature sensing

👤 Dongfang Hu 📅 2026-10-20 📖 1 min 📝 71 words LOW VISION

Summary: This paper presents a non-contact temperature measurement scheme for small-diameter tubes by fusing a low-resolution thermopile array (TPA) with visible-light stereo vision. Stereo vision locates the tube in three dimensions. Then, this geometry is projected onto the TPA imaging plane to constrain t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899943/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Cost-effective long-range measurement of structural displacement using a two-stage method integrating super-resolution reconstruction and sub-pixel registration

👤 Xiaosong Li 📅 2026-10-20 📖 1 min 📝 61 words LOW VISION

Summary: Displacement is an imperative metric for assessing structural performance. However, the accuracy of structural displacement measurement is constrained by the physical resolution of the camera, particularly in long-range monitoring scenarios. To address these constraints, a cost-effective long-range ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900043/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Physics-aware restoration and calibrated soft demodulation for turbulence-degraded OAM mode recognition

👤 Jun Zhu 📅 2026-10-20 📖 1 min 📝 58 words LOW VISION

Summary: Turbulence-degraded orbital angular momentum (OAM) mode recognition is critical for free-space optical (FSO) communication but is limited by atmospheric distortion. We propose a cascaded receiver integrating a vision transformer-based Uformer-OAM intensity-restoration network, an SE-ResNet-18 neural...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900049/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Image-free ghost edge detection at ultra-low sampling rates via a Vision Mamba network

👤 Rui Wang 📅 2026-10-20 📖 1 min 📝 66 words LOW VISION

Summary: Edge detection is essential for extracting structural boundaries in visual scenes, but conventional deep-learning-based methods remain sensitive to degradations in the input images and involve redundant full-image acquisition. Image-free ghost edge detection provides an efficient alternative by dire...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900142/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Ex vivo evaluation of corneal permeation and irritation potential associated with proparacaine hydrochloride misuse

Yolima Baena 2026-10-20 1 min 35 words LOW VISION

Summary: CONCLUSION: Proparacaine demonstrates dose-dependent permeation and histopathological changes, emphasizing the risks associated with misuse. The ex vivo model provides relevant and ethically aligned evidence to support ocular hazard assessment through the characterizing of histopathological changes.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900757/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Shared variance across FrACT visual tasks: Robust positive associations but inconclusive latent structure

Luca Battaglini 2026-10-21 1 min 68 words LOW VISION

Summary: A long-standing question in vision science is whether individual differences in visual performance reflect a general visual ability or a set of largely task-specific processes. Previous studies have often reported weak associations across heterogeneous perceptual tasks, challenging the idea of a com...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902088/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

New challenges in horticultural IPM: artificial intelligence can enhance the use of biocontrol agents

Andrea Lovazzano 2026-10-22 1 min 59 words LOW VISION

Summary: Modern horticulture faces the dual imperatives of increasing global food production while mitigating the severe environmental and health impacts of conventional chemical pesticides. Biological control agents (BCAs), which utilize beneficial microorganisms, macroorganisms, semiochemical and botanical...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903053/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Bridging the performance-efficiency gap: a resource-efficient hybrid DL-ML framework for jackfruit disease detection

Hezerul Bin Abdul Karim 2026-10-22 1 min 62 words LOW VISION

Summary: Complex environment variability and limited computational resources in agricultural settings create challenges in automated detection in tropical regions, where jackfruit diseases pose major threats to harvest productivity and food security. Conventional machine learning models often fail to general...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903692/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261022211718&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

👤 Martina M Mensi 📅 2026-06-25 📖 1 min 📝 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

👤 Stanisa Raspopovic 📅 2026-06-26 📖 1 min 📝 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261022211715&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

An accessible pregnancy test for blind and low-vision users

👤 Vanja Garaj 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261022211713&v=2.20.1

Written exposure therapy augmented with transcranial direct current stimulation for posttraumatic stress disorder: A pilot randomized clinical trial

👤 STRONG STAR Consortium 📅 2026-10-18 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: Written exposure therapy (WET) is an evidence-based, trauma-focused psychotherapy for posttraumatic stress disorder (PTSD) that has been tested with several trauma-exposed samples. Although many individuals who receive WET and other trauma-focused psychotherapies experience a significant reduction i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42893417/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Transcranial Direct Current Stimulation and Cranial Electrotherapy Stimulation in Athletes: Optimizing Athletic Performance and Sleep Quality Through Neuromodulation

👤 Paulina Gajniak
📅 2026-10-19 📖 1 min 📝 74 words

TDCS TACS TRNS

Summary: Neuromodulation is a procedure relying on the delivery of specific stimuli to selected sites of the nervous system and hereby influencing its activity. Even though the underlying neurobiological mechanisms are not yet fully elucidated and the research is still ongoing, neuromodulation is already bei...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894735/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Clinical outcomes and safety of Five Element Acupuncture for preventive treatment of primary headache disorders: a multi-center real-world longitudinal observational study

👤 Shengyuan Zhou
📅 2026-10-19 📖 1 min 📝 49 words

TDCS TACS TRNS

Summary: CONCLUSIONS: This real-world exploratory observational study suggests that FEA is associated with significant improvements in headache days, headache frequency, headache intensity, analgesic use, and quality of life, with sustained effects noted during follow-up. These findings provide preliminary o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895011/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Home Transcranial Direct Current Stimulation With Gamified Cognitive Control Training for Depression: A Randomized Clinical Trial

👤 Mor Nahum 📅 2026-10-19 📖 1 min 📝 45 words TDCS TACS TRNS

Summary: CONCLUSIONS AND RELEVANCE: This RCT of home-based tDCS combined with CCT in adults with MDD was feasible and safe but did not demonstrate superior efficacy over the control condition. Future studies should refine the mechanistic alignment between stimulation and cognitive interventions to optimize t...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895746/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Comparative chloroplast genomics of Ajania sericea and sympatric Asteraceae species identifies shared candidate molecular features associated with alpine adaptation

Xi Chen 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: CONCLUSIONS: This study showed that the chloroplast genomes of four sympatric Asteraceae species were highly conserved in overall structure, but still exhibited certain differences in gene loss, IR boundary variation, repeat sequence composition, and local hypervariable regions. These features provi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897466/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Brain Stimulation as a Treatment for Apathy: A Scoping Review of Effects and Safety

Lisa M McTeague 2026-10-20 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: Investigations into brain stimulation as a treatment for apathy show some promise. Conclusions were limited by small sample sizes, heterogeneous study designs, and variable outcome measures. Randomized trials with common validated apathy instruments, standardized stimulation parameters,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897722/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Effect of Different Cortical Targets of Transcranial Magnetic Stimulation on Freezing of Gait in Parkinsonism: A Systematic Review

Aliaa Elabd
2026-10-20 1 min 68 words TDCS TACS TRNS

Summary: BACKGROUND AND PURPOSE: Freezing of gait (FOG) is a disabling and episodic gait disturbance in patients with Parkinson's, with varying responses to noninvasive brain stimulation. Transcranial magnetic stimulation (TMS) has been explored as a therapeutic option; however, the optimal cortical target f...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899368/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Sleep Spindles and Slow Oscillations as Potential Biomarkers and Therapeutic Targets in Mild-to-Moderate Alzheimer's Disease

👤 Thien Thanh Dang-Vu 📅 2026-10-20 📖 1 min 📝 35 words TDCS TACS TRNS

Summary: PURPOSE OF REVIEW: This review critically evaluates evidence on sleep spindles (SP), slow oscillations (SOs), and their coordination in mild-to-moderate Alzheimer's disease (AD), focusing on their relationships with cognition, AD biomarkers, and their therapeutic potential.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900250/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

👤 Xin Zhou 📅 2026-10-20 📖 1 min 📝 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng 📅 2026-10-21 📖 1 min 📝 53 words TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261022211711&v=2.20.1

Multiscale neural signatures of long-lag repetition learning: a simultaneous fNIRS-EEG study

👤 Ken Pugh 📅 2026-10-17 📖 1 min 📝 38 words FNIRS

Summary: CONCLUSIONS: Combining fNIRS and EEG with multimodal machine learning provides a richer characterization of repetition-based learning than either modality alone, establishing a framework for phenotyping language learning capacity and identifying neural markers of reading difficulties in pediatric po...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42890481/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Investigating fatigability and cortical activation during prolonged foot tapping in multiple sclerosis

Felipe Balistieri Santinelli 2026-10-18 1 min 70 words FNIRS

Summary: People with multiple sclerosis (pwMS) often exhibit motor fatigability and reduced foot-tapping ability. However, the coupling between performance and cortical activity during fast, repetitive and prolonged ankle movements remains unexplored. We aimed to investigate the neural correlates of a prolon...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42892408/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

Ming Zhang 2026-10-19 1 min 64 words FNIRS

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Neural dysfunction underlying divergent thinking and its shared mechanisms with protracted withdrawal symptoms in heroin use disorder

👤 Haijun Duan
📅 2026-10-19 📖 1 min 📝 55 words FNIRS

Summary: CONCLUSIONS: These findings reveal a sustained compensatory pathological mechanism and an imbalance in neural resource allocation during complex cognition in HUD individuals. The identified signatures of cortical activity by fNIRS offer reliable biomarkers for the rapid detection of both higher-orde...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895093/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Functional near-infrared spectroscopy as a tool for monitoring treatment-related neurofunctional changes in posttraumatic stress disorder and trauma-related symptomatology: a narrative review

👤 Maria Cotelli
📅 2026-10-20 📖 1 min 📝 56 words FNIRS

Summary: CONCLUSIONS: Current evidence suggests that fNIRS represents a promising and clinically feasible approach for monitoring treatment-related neurofunctional changes in PTSD and trauma-related symptomatology, particularly during non-pharmacological interventions targeting prefrontal regulatory processe...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42897537/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Transcutaneous vagus nerve stimulation during semantic verbal fluency tasks: a high-density diffuse optical tomography study

👤 Li Su 📅 2026-10-20 📖 1 min 📝 55 words FNIRS

Summary: INTRODUCTION: Transcutaneous auricular vagus nerve stimulation (taVNS) is a promising adjunct for post-stroke language recovery. There are no established biomarkers for the neuromodulatory effects of taVNS. High-density diffuse optical tomography (HD-DOT) offers a non-invasive marker of task-related...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42898386/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words

FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

Xuqun You
2026-10-22 1 min 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

Qiuxia Shi 2026-10-22 1 min 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261022211708&v=2.20.1

Electroencephalography Changes in Emotional Recognition: A Signal Processing Approach Using Wavelet Features

Lakshmi Narasimhan 2026-10-17 1 min 43 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: Wavelet-based EEG feature analysis provides meaningful and discriminative information for emotion recognition and may provide a robust feature set for future machine learning-based emotion recognition systems. Further studies incorporating classification algorithms and larger data sets a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42890958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

A Compressive Neural Telemetry with Address-Event-μPacket Encoding and Duty-Cycling IR-UWB Transmitter

👤 Yao-Hong Liu 📅 2026-10-18 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: This article presents a networked wireless telemetry for 384-sensor-pixel neural data acquisition, designed to support high throughput, low power consumption, and meter-scale communication distance. The proposed event-based Address-Event-μPacket (AEμP) encoder with differential binary phase shift ke...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42893344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Temporal synchrony promotes motor recovery and ipsilesional cortical reorganization in BCI-based stroke rehabilitation: a randomized controlled trial

👤 Ming Zhang 📅 2026-10-19 📖 1 min 📝 64 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Synchronous BCI training was associated with superior clinical improvement compared with asynchronous and sham conditions in subacute stroke. The benefit was observed only when robotic assistance was contingent on real-time task performance, despite all three groups receiving comparable...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42894183/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Bridging the Gap Between Design and Access: Toward Visual Scene Displays for Brain-Computer Interface Use in Augmentative and Alternative Communication by Children

Ahad Behboodi 2026-10-19 1 min 30 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: These findings indicate that asymmetry and contextual embedding within scenes may enhance neural engagement and user experience, providing a preliminary foundation for considering photographic VSDs into pediatric BCI research.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42895891/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

A spatio-temporal attention convolutional network with topology-preserving channel embedding and transformer for EEG decoding

Gang Liu 2026-10-19 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: EEG-based BCI has shown promising applications in motor rehabilitation and emotion recognition. Given the non-stationarity and variability of EEG signals, it is essential to develop classification models that can effectively extract spatio-temporal features while maintaining strong generalization ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42896470/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

The calibration-to-accuracy mapping in P300 spellers does not transport across cohorts and was not restored by tested alignment or local recalibration

Oved Daniel 2026-10-19 1 min 65 words BRAIN COMPUTER INTERFACE

Summary: Objective
A calibration-derived score has been related to online P300-speller accuracy in the same session, always within the cohort measured. We evaluated whether a mapping from that score to expected accuracy transports to withheld cohorts.
Approach
Retrospective secondary analysis of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42896567/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Subjective emotional ratings dissociate brain activation and network patterns during counterfactual outcome processing

Ling Li 2026-10-19 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: Human decision-making integrates outcome evaluation, counterfactual comparison, and individual traits. We investigated the neural processing of outcome-related emotions during economic decision-making by classifying feedback according to participants' subjective emotional ratings rather than objecti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42896691/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Delineating neural contributions to electroencephalogram-based speech decoding

Shuntaro Sasai 2026-10-20 1 min 58 words BRAIN COMPUTER INTERFACE

Summary: Objective. Speech Brain-computer interfaces (BCIs) have emerged as a pivotal technology in facilitating communication for individuals with speech impairments. Utilizing electroencephalography (EEG) for noninvasive speech BCIs offers an accessible and affordable solution, potentially benefiting a bro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42899673/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

An attention-enhanced hybrid CNN-BiLSTM framework for multiclass epileptic seizure recognition using EEG signals

Ahmed H Almutairi 2026-10-22 1 min 57 words BRAIN COMPUTER INTERFACE

Summary: INTRODUCTION: Electroencephalogram (EEG) signal classification plays a pivotal role in brain-computer interfaces (BCIs) and the diagnosis of neurological disorders. However, the non-stationary, non-linear, and low signal-to-noise ratio characteristics of EEG signals make accurate feature extraction ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903277/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Realizing Ultrahigh Polarization and Excellent Thermal Stability in Piezoceramics via Defect-Stress Engineering

👤 Yuhui Huang 📅 2026-10-22 📖 1 min 📝 62 words BRAIN COMPUTER INTERFACE

Summary: Large polarization is critical for improving the piezoelectric and actuation performance of ferroelectric materials. As a promising lead-free candidate, BiFeO(3)-BaTiO(3) inherits the excellent polarization capability of BiFeO(3). However, the actual polarization achieved in its ceramics remains far...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42904507/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261022211705&v=2.20.1

Psychomusicology: A resounding closing cadence.

📅 2024-01-22 📖 1 min 📝 256 words PSYCHOMUSICOLOGY

Summary: From 2012 to 2023, the American Psychological Association served as publisher of Psychomusicology: Music, Mind, and Brain. Annabel Cohen and Mark Schmuckler were the successive editors-in-chiefs during this time. As the journal is ceasing publication, the two editors reflect on the developm...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000305

Suggestibility and psychedelics: From therapeutics to social context.

📅 2024-12-12 📖 1 min 📝 175 words CLINICAL NEUROSCIENCE

Summary: Suggestibility is an important aspect of the psychedelic experience that merits greater attention in the expanding field of psychedelic research. This article provides a comprehensive road map for exploring the critical questions and issues at the intersection of suggestion, suggestibility, and psyc...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000412

Evaluating dispositional emotion-related factors in the effect of acceptance on affect reactivity: A secondary analysis of an experimental study.

📅 2024-12-30 📖 1 min 📝 257 words CLINICAL NEUROSCIENCE

Summary: Acceptance as a self-regulation strategy has beneficial effects on affect reactivity in response to stressors via reducing negative affect and state anxiety as well as improving positive affect. However, dispositional emotion-related factors, namely, experiential avoidance, emotional dysregulation, ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000416

Open monitoring meditation defined as the nonreactive meta-awareness of mind wandering.

📅 2024-12-12 📖 1 min 📝 128 words CLINICAL NEUROSCIENCE

Summary: Open monitoring meditation is generally defined as the nonreactive, meta-aware observation of moment-by-moment phenomenal experiences associated with mental contents without focusing on predetermined mental or physical objects. However, in the current literature, neither general definitions nor more...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000411

Multisensory interplay and theories of consciousness.

📅 2024-11-25 📖 1 min 📝 174 words CLINICAL NEUROSCIENCE

Summary: Sensory interplay typically refers to cases where the content of one sensory modality affects the content of another sensory modality. Although there is much evidence today of such interplay, it is unknown how to interpret them. Is it a one-way causal function between two separate states (e.g., a vi...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000407

How ghosting and stress impact vulnerable narcissism and maladaptive daydreaming: The role of mindfulness and rumination.

📅 2024-09-12 📖 1 min 📝 204 words CLINICAL NEUROSCIENCE

Summary: The present study aims to explore the influence of ghosting and stress on maladaptive daydreaming and vulnerable narcissism within a multivariate framework, using mindfulness and rumination as mediators. We employed a cross-sectional design and conducted it among 301 university students (M<...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000403

The conscious experience of thinking aloud: Are positive feelings associated with better think-aloud performance?

📅 2024-12-30 📖 1 min 📝 216 words CLINICAL NEUROSCIENCE

Summary: The think-aloud interview is a psychological procedure used to measure an individual’s cognition in solving a task. However, very little is known about how an individual’s conscious experience of the interview might be associated with their performance during the interview. This is consequential as ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000410

Mystical experiences in virtual reality.

📅 2024-04-04 📖 1 min 📝 176 words CLINICAL NEUROSCIENCE

Summary: Virtual reality (VR) has shown promise as a psychological means of inducing mystical experiences. Here, we compared the subjective responses of 48 undergraduate volunteers to script-guided multiuser perceptual experiences in VR (VR perception [VR-P]) with their responses to a control condit...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000396

Effect of a peer-led meditation club on adolescents' well-being, empathy, and compassion.

📅 2024-09-09 📖 1 min 📝 197 words CLINICAL NEUROSCIENCE

Summary: Many studies have examined the effect of meditation sessions led by experienced teachers on personal benefits for adults. The present study investigated the effect of broad-based mindfulness practices with an adolescent peer facilitator on prosocial outcomes in addition to individual gains. The 20 s...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000400

Monthly Updates [May]

📅 2026-05-01 📖 4 min 📝 892 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/may-2026

Friday Daily Thread: r/Python Meta and Free-Talk Fridays

👤 /u/AutoModerator 📅 2026-10-23 📖 1 min 📝 212 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> <h1>Weekly Thread: Meta Discussions and Free Talk Friday 🎙️</h1> Welcome to Free Talk Friday on /r/Python! This is the place to discuss the r/Python community (meta discussions), Python news, projects, or anything else...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xcyvqj/friday_daily_thread_rpython_meta_and_freetalk/

LLMs are making formal software verification feasible at a much larger scale

👤 johnbender 📅 2026-10-22 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.anthropic.com/research/formal-verification Comments URL: https://news.ycombinator.com/item?id=50202217 Points: 81 # Commen...

🔗 **Read full article:**
https://www.anthropic.com/research/formal-verification

AI compute is the new oil–and needs a new market

👤 ijidak 📅 2026-10-22 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.economist.com/finance-and-economics/2026/10/22/ai-compute-is-the-new-oil-and-needs-a-new-market Comments URL: <a href="https://news.ycombinator...

🔗 **Read full article:**
https://www.economist.com/finance-and-economics/2026/10/22/ai-compute-is-the-new-oil-and-needs-a-new-market

Docker Is Weird

👤 psxuaw 📅 2026-10-22 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://codeandcake.dev/posts/2026-10-22-docker-is-weird Comments URL: https://news.ycombinator.com/item?id=50202681 Points: 58 # Co...

🔗 **Read full article:**
https://codeandcake.dev/posts/2026-10-22-docker-is-weird

Mapping the Northern Sky

👤 tmseidman 📅 2026-10-22 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.maps.com/star-map-charts-stars-and-constellations-of-northern-hemisphere/ Comments URL: <a href="https://news.ycombinator.com/item?id=50202766">https://news.ycombina...

🔗 **Read full article:**
https://www.maps.com/star-map-charts-stars-and-constellations-of-northern-hemisphere/

The foolishness of "natural language programming" (1978)

👤 xiaoyu2006 📅 2026-10-23 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.cs.utexas.edu/~EWD/transcriptions/EWD06xx/EWD667.html Comments URL: https://news.ycombinator.com/item?id=50203161 Poin...

🔗 **Read full article:**
https://www.cs.utexas.edu/~EWD/transcriptions/EWD06xx/EWD667.html

There are 13 ways to analyse a replication study, but only one of them is coherent.

👤 noreply@blogger.com (Daniel Lakens) 📅 2026-05-03 📖 6 min 📝 1361 words

TWENTY PERCENT STATISTICIAN

> **Summary:** Paul Simon’s says there are 50 ways to leave your lover, and a similar abundance characterizes the contemporary literature on how to analyse a replication study. The recent SCORE replication project in Nature makes this explicit by reporting “13 replication success metrics along with the number o...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/05/there-are-13-ways-to-analyse.html

Which Data Repository Should You Use?

noreply@blogger.com (Daniel Lakens)
2026-08-15 17 min 3483 words

TWENTY PERCENT STATISTICIAN

Summary: <p>The Center for Open Science has announced that from November 16, 2026, no new projects can be created on the Open Science Framework. After February 19 all projects will become read-only, and eventually, they anticipate that all private projects will be deleted. The OSF has raised a generation of ...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/08/which-data-repository-should-you-use.html

Neuroethical Perspectives on Neurotechnology in Latin America

Adriel Carridice
2026-09-23 1 min 0 words

BRAIN

🔗 **Read full article:**
https://brain.ieee.org/publications/research-and-white-papers/neuroethical-perspectives-on-neurotechnology-in-latin-america/

T-MRB Call for Nominations for Associate Editors

Deidre Artis 2026-04-22 1 min 16 words EMBS

> **Summary:** The post T-MRB Call for Nominations for Associate Editors appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/t-mrb-call-for-nominations-ae/#new_tab

2026 Adcom Petition is Open

Deidre Artis 2026-09-11 1 min 14 words EMBS

> **Summary:** The post 2026 Adcom Petition is Open appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/about/embs-officers/2026-embs-administrative-committee-adcom-election-2/#new_tab

Brain-inspired recurrent spiking neural networks for multiscale dynamic representation with manifolds

1 min 18 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Xiaojun Wang, Zaidong Lin, Bin Deng, Xiaodong Liu, Haitao Yu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006871?dgcid=rss_sd_all

Acute scalp EEG signatures of anterior thalamic DBS in epilepsy:reproducible gamma power enhancement within an aperiodic spectral-state shift

Sabbaghi, E., Mattila, H., Siitama, E., Hyttinen, J., Peltola, J., Puthanmadam Subramaniyam, N.

2026-10-22 1 min 250 words BIORXIV NEUROSCIENCE

Summary: Background: Deep brain stimulation (DBS) of the anterior nucleus of the thalamus (ANT) is an established treatment for drug-resistant epilepsy, but acute scalp-EEG signatures of stimulation remain incompletely characterized. Objective: To identify acute scalp-EEG signatures of ANT-DBS and assess the...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759433v1?rss=1

Semaglutide Increases Striatal Leptin Sensitivity, Impacting Dopaminergic Response to Cocaine

Muldowney, J. J., Umlauf, M. C., Bocarsly, M. E.

2026-10-22 1 min 234 words

BIORXIV NEUROSCIENCE

Summary: There is accumulating evidence that the GLP-1 analog, semaglutide, might effectively curb intake of cocaine via brain dopaminergic functioning, despite limited brain penetrance. However, there is currently no established mechanism elucidating how chronic semaglutide treatment regulates the dopaminer...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759697v1?rss=1

Multiparametric MRI and imaging transcriptomics reveal brain-wide changes in GD3 synthase deficiency

Ilic, K., Kim, E., Mlinac-Jerkovic, K., Simmons, C., Puljko, B., Balog, M., Heffer, M., Cash, D., Rosenzweig, I., Kalanj-Bognar, S.

2026-10-22 1 min 264 words

BIORXIV NEUROSCIENCE

Summary: Using an integrative imaging-transcriptomic approach that highlights the molecular complexity underlying neuroimaging phenotypes, we investigated a mouse model with disrupted ganglioside synthesis: the GD3 synthase-deficient mouse (St8sia1-null; GD3S KO). Gangliosides are membrane glycosphingolipids...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759717v1?rss=1

Progression of visual-stimulus-evoked blood velocity response timing across the vascular network measured with individual-vessel phase-contrast fMRA

👤 Hu, Z., Hartung, G. A., Proulx, S., Varadarajan, D., Bollmann, S., Rosen, B. R., Polimeni, J. R.

📅 2026-10-22 📖 1 min 📝 364 words BIORXIV NEUROSCIENCE

Summary: Most functional MRI (fMRI) studies of brain function aim to measure hemodynamic responses arising from the microvasculature within the tissue parenchyma, where spatial and temporal coupling with neuronal activity is thought to be tightest. However, the measured hemodynamic responses emerge from an i...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.16.759420v1?rss=1

Cue-dependent fear learning drives nucleus accumbens spine plasticity

📅 2026-10-22 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-76692-6

CLSP-REQA: a real-time quality-aware closed-loop seizure prediction framework with Mamba-BiLSTM and confidence-gated intervention

Quansheng Ren 2026-09-30 1 min 304 words FRONTIERS NEUROINFORMATICS

Summary: IntroductionReliable seizure prediction is a prerequisite for closed-loop neurostimulation therapy, yet existing methods rarely account for the variability in EEG signal quality encountered in real-world deployment, and the overwhelming majority adopt non-strict evaluation protocols that overestimat...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1888743

Digital health meets Parkinson's disease: a bibliometric exploration of wearable sensors research and emerging frontiers (2005–2026)

Lan Xiong 2026-10-08 1 min 228 words FRONTIERS NEUROINFORMATICS

Summary: BackgroundWearable and sensor-based monitoring technologies are increasingly used to support objective, longitudinal assessment in Parkinson's disease (PD). However, the global development, knowledge structure, and emerging research frontiers of this interdisciplinary field remain incompletely mappe...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1937585

HQML-ICU: hybrid quantum-classical machine learning for ICU mortality prediction using MIMIC-IV electronic health records

Mohammed Farsi 2026-10-09 1 min 277 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Accurate prediction of mortality in the intensive care unit (ICU) is crucial for informing clinical decision-making and optimizing resource allocation. Although machine learning methodologies have enhanced traditional severity-of-illness scoring systems, they encounter intrinsic limitations in model...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1900553

Adaptive neuro-fuzzy risk index for safe and interpretable lane-change decisions in Level-3 autonomous driving

Jianwei Li 2026-10-09 1 min 250 words

FRONTIERS NEUROROBOTICS

Summary: IntroductionHighway lane-change maneuvers pose a safety challenge for SAE Level 3 autonomous driving because conventional threshold-based decisions and isolated surrogate safety measures may inadequately capture the coupling between longitudinal braking demand and evolving inter-vehicle gaps. This s...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1918469

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022183849&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261022183849&v=2.20.1

🪣 **Bucket Newsletter**

Generated automatically from 38 RSS feeds

Powered by GitHub Actions • Updated every 30 minutes

Visit: yuckyman.github.io/bucket