Daily Briefing - October 26, 2026

Your Daily Tech & Programming Digest

Monday, October 26, 2026

1000	113549	1146	36
ARTICLES	WORDS	MIN READ	SOURCES

📰 Today's Top Stories

There are 13 ways to analyse a replication study, but only one of them is coherent.

👤 noreply@blogger.com (Daniel Lakens) 📅 2026-05-03 📖 6 min 📝 1361 words

TWENTY PERCENT STATISTICIAN

> **Summary:** <p>Paul Simon’s says there are 50 ways to leave your lover, and a similar abundance characterizes the contemporary literature on how to analyse a replication study. The recent SCORE replication project in Nature makes this explicit by reporting “13 replication success metrics along with the number o...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/05/there-are-13-ways-to-analyse.html

Which Data Repository Should You Use?

noreply@blogger.com (Daniel Lakens)
2026-08-15 17 min 3483 words

TWENTY PERCENT STATISTICIAN

Summary: <p>The Center for Open Science has announced that from November 16, 2026, no new projects can be created on the Open Science Framework. After February 19 all projects will become read-only, and eventually, they anticipate that all private projects will be deleted. The OSF has raised a generation of ...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/08/which-data-repository-should-you-use.html

Neuroethical Perspectives on Neurotechnology in Latin America

Adriel Carridice
2026-09-23 1 min 0 words

BRAIN

🔗 **Read full article:**
https://brain.ieee.org/publications/research-and-white-papers/neuroethical-perspectives-on-neurotechnology-in-latin-america/

T-MRB Call for Nominations for Associate Editors

👤 Deidre Artis 📅 2026-04-22 📖 1 min 📝 16 words EMBS

> **Summary:** The post T-MRB Call for Nominations for Associate Editors appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/t-mrb-call-for-nominations-ae/#new_tab

2026 Adcom Petition is Open

👤 Deidre Artis 📅 2026-09-11 📖 1 min 📝 14 words EMBS

> **Summary:** The post 2026 Adcom Petition is Open appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/about/embs-officers/2026-embs-administrative-committee-adcom-election-2/#new_tab

Altered language network microstructure links with impaired language function and development in very preterm/very low birth weight born adults

📖 1 min 📝 31 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Lena Gambarte, Jil Wendt, Rebecca Hippen, Marcel Daamen, Henning Boecker, Peter Bartmann, Dieter Wolke, Benita Schmitz-Koep, Dennis M. Hedderich, Christian Sorg, Aurore Menegaux

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S105381192600621X?dgcid=rss_sd_all

Temporal Progression of Prior Precision, Surprisal, Model Updating and Tone Adaptation in Human Auditory Cortices

👤 van Haren, J. J. G., de Lange, F. P., Kotz, S. A., De Martino, F. 📅 2026-10-26 📖 1 min

📝 184 words BIORXIV NEUROSCIENCE

Summary: Auditory perception emerges from the continuous integration of incoming acoustic signals with statistical predictions, a process complemented by simpler local adaptation. Yet, how all these concurrent mechanisms unfold in time remains underexplored. Using magnetoencephalography (MEG) in participants...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.25.761658v1?rss=1

Mathematical model for visual cortical development based on molecular mechanisms underlying the generation and elimination of dendritic spines

👤 Tanaka, S., Miyashita, M.
📅 2026-10-26 📖 2 min 📝 421 words

BIORXIV NEUROSCIENCE

Summary: In the developing brain, neural circuits are elaborated by the activity-dependent rewiring of synaptic connections. Our earlier self-organization model, which was built on the assumption that axon terminals compete with each other to form synaptic contacts to single dendritic spines, successfully re...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.24.761552v1?rss=1

Acute social defeat induces cannabinoid type 1 receptor-dependent synaptic depression in the anterior ventral subiculum to anterior hypothalamic nucleus pathway to drive social avoidance in male mice

👤 Woo, C., Lee, S., Lee, C., Yoon, D., Choi, S., Kang, S. J., Choi, K., Shin, K. S.

📅 2026-10-26

📖 1 min

📝 234 words

BIORXIV NEUROSCIENCE

Summary: BACKGROUND: Social avoidance is a protective response that limits exposure to harmful social stimuli. Although avoidance is a characteristic stress phenotype, its circuit-level regulation remains unclear. The ventral subiculum (vSUB), a major hippocampal output, projects to the anterior hypothalamic...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.25.760350v1?rss=1

Network Localization of Anxiety as an Early Manifestation of Alzheimer's Disease-related Neurodegeneration

Lee, S., Ha, J., Garimella, A. H., Baratono, S. R., Burt, G. T., Karim, H. T., Andreescu, C., Sperling, R. A., Donovan, N. J., Fox, M. D., Siddiqi, S. H.

2026-10-26 1 min 247 words BIORXIV NEUROSCIENCE

Summary: Objective Anxiety is a prominent neuropsychiatric symptom in preclinical Alzheimer's disease (AD), but the neural circuitry linking anxiety and AD remains uncharacterized. We assessed whether anxiety in preclinical AD is independently associated with AD-related neurodegeneration and localizes to a c...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.24.761536v1?rss=1

PACAP engages distinct signaling programs across cortical neuronal and non-neuronal cell types

Heimbach, S. N., Collazos Matute, A., Dolman, B., Bald, V., Melzer, S.

2026-10-26 1 min 150 words BIORXIV NEUROSCIENCE

Summary: Neuropeptides form modulatory communication channels that tune neuronal circuits and their functions, often through selective targeting of distinct cell populations. Pituitary adenylate cyclase-activating polypeptide (PACAP) is an important neuropeptidergic regulator of fear and stress. However, its...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.25.761643v1?rss=1

Specialized and experience-dependent neural dynamics in the medial amygdala and bed nucleus of stria terminalis upon social and sexual olfactory and tactile cues

👤 Huijgens, P. T., Heijkoop, R., Snoeren, E. M. S.
📅 2026-10-26 📖 1 min 📝 266 words

BIORXIV NEUROSCIENCE

Summary: The medial amygdala (MeApd) and bed nucleus of the stria terminalis (BNST) are central components of the social behavior network. However, their real-time activity during social and sexual interactions, and their respective contributions to processing olfactory and tactile cues, remain unclear. Here...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.23.761408v1?rss=1

High-dimensional hippocampus representation facilitates learning of low-dimensional abstract representation and supports generalization

👤 Wang, B., Johnston, W. J., Fusi, S.
📅 2026-10-26 📖 1 min 📝 228 words

BIORXIV NEUROSCIENCE

Summary: Semantic knowledge encompasses facts, concepts, and their relationships. Recent work has proposed that some forms of semantic knowledge could be encoded in low-dimensional neural representations, such as the abstract, disentangled representational geometries observed in many cognitive brain areas. E...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.24.761577v1?rss=1

From micro-architecture to networks: canonical neurobiological architecture of functional brain organization across the lifespan and in psychopathology

Feng, G., Chen, J., Iraji, A., Sendi, M. S. E., Fu, Z., Calhoun, V. D.

2026-10-26 1 min

149 words

BIORXIV NEUROSCIENCE

Summary: Understanding how macroscale functional network connectivity (FNC) across the lifespan and in psychopathology is spatially organized with respect to microscale neurobiological architecture remains a challenge. Here, we constructed a cross-omics mapping framework by linking resting-state fMRI data (5...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.22.761188v1?rss=1

Use of animal models to understand CNS neuroimmunology — guidance from the International Society for Neuroimmunology White Paper Task Force

2026-10-26 1 min 0 words

NATURE NEUROSCIENCE SUBJECTS

Read full article:
https://www.nature.com/articles/s41582-026-01272-1

Chronic progressive demyelination induces a microglial state with lysosomal dysfunction

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02489-5

ABCC2 rs2273697, rs717620, rs3740066 polymorphisms and antiseizure medication resistance: a systematic review and meta-analysis

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-66616-9

Visual-affective decoding enhances neurofunctional objective and generalizable signatures in unseen adolescent depression diagnosis

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41746-026-03413-8

A pilot cohort study of blood brain barrier permeability in Alzheimer’s disease using dynamic contrast enhanced magnetic resonance imaging

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-71888-2

Light-regulated biomaterial interfaces enable flexible neural bioelectronics with stable adhesion and on-demand detachment for chronic electrophysiology

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41528-026-00659-w

The intermediate hippocampus integrates shock-observation and spatial information during observational fear memory in male rats

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78482-0

Microglial NUS1 deficiency drives dopaminergic neurodegeneration through intercellular iron dysregulation in Parkinson’s disease models

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02499-3

Microglial NUS1 deficiency drives dopaminergic neurodegeneration through intercellular iron dysregulation in Parkinson’s disease models

👤 Haigang Ren 📅 2026-10-26 📖 1 min 📝 39 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 26 October 2026; doi:10.1038/s41593-026-02499-3 Using cellular and mouse models, this study reports that deficiency of the Parkinson’s disease risk gene NUS1 in microglia disrupts intercellu...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02499-3

Chronic progressive demyelination induces a microglial state with lysosomal dysfunction

Mikael Simons 2026-10-26 1 min 39 words NATURE NEUROSCIENCE

> **Summary:** Nature Neuroscience, Published online: 26 October 2026; doi:10.1038/s41593-026-02489-5 Acute myelin injury responses are well defined, but microglia adaptations to chronic damage remain unclear. Mouse models reveal a chronic demy...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02489-5

CLSP-REQA: a real-time quality-aware closed-loop seizure prediction framework with Mamba-BiLSTM and confidence-gated intervention

Quansheng Ren 2026-09-30 1 min 304 words FRONTIERS NEUROINFORMATICS

> **Summary:** IntroductionReliable seizure prediction is a prerequisite for closed-loop neurostimulation therapy, yet existing methods rarely account for the variability in EEG signal quality encountered in real-world deployment, and the overwhelming majority adopt non-strict evaluation protocols that overestimat...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1888743

Digital health meets Parkinson’s disease: a bibliometric exploration of wearable sensors research and emerging frontiers (2005–2026)

Lan Xiong 2026-10-08 1 min 228 words FRONTIERS NEUROINFORMATICS

Summary: BackgroundWearable and sensor-based monitoring technologies are increasingly used to support objective, longitudinal assessment in Parkinson’s disease (PD). However, the global development, knowledge structure, and emerging research frontiers of this interdisciplinary field remain incompletely mappe...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1937585

HQML-ICU: hybrid quantum-classical machine learning for ICU mortality prediction using MIMIC-IV electronic health records

Mohammed Farsi 2026-10-09 1 min 277 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Accurate prediction of mortality in the intensive care unit (ICU) is crucial for informing clinical decision-making and optimizing resource allocation. Although machine learning methodologies have enhanced traditional severity-of-illness scoring systems, they encounter intrinsic limitations in model...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1900553

Adaptive neuro-fuzzy risk index for safe and interpretable lane-change decisions in Level-3 autonomous driving

Jianwei Li 2026-10-09 1 min 250 words FRONTIERS NEUROROBOTICS

Summary: IntroductionHighway lane-change maneuvers pose a safety challenge for SAE Level 3 autonomous driving because conventional threshold-based decisions and isolated surrogate safety measures may inadequately capture the coupling between longitudinal braking demand and evolving inter-vehicle gaps. This s...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1918469

Hyperhomocysteinemia and Klotho in kidney-to-brain signaling: a metabolic stress-resilience framework for neurovascular dysfunction

Yingpin Zhang 2026-10-26 1 min 264 words FRONTIERS NEUROSCIENCE

Summary: Hyperhomocysteinemia (HHcy) and Klotho deficiency are commonly investigated in separate metabolic, renal, vascular, and neurological contexts, yet together they may illuminate how peripheral dysfunction is translated into cerebral vulnerability. This review develops a kidney-to-brain stress resilien...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1989720

Case Report: Cerebral air embolism following fluid–air exchange during pars plana vitrectomy: a rare but severe complication

Zhenqun Zhang 2026-10-26 1 min 221 words FRONTIERS NEUROSCIENCE

Summary: Cerebral air embolism (CAE) is a rare but potentially life-threatening neurological emergency, typically caused by the inadvertent entry of exogenous air into the venous circulation and subsequent migration to the cerebral vasculature. It presents with abrupt onset and a prognosis that heavily depen...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1929675

ECG Holter-based screening for sleep-disordered breathing in post-stroke patients: a large monocentric cohort study

Frédéric Roche 2026-10-26 1 min 325 words FRONTIERS NEUROSCIENCE

Summary: IntroductionSleep-disordered breathing (SDB) is highly prevalent after stroke and is associated with poor functional outcomes and increased mortality, yet systematic screening remains challenging because of limited polysomnography accessibility. We evaluated three electrocardiogram (ECG)-based indic...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1973784

Effect of ultrasound-guided stellate ganglion block on intraoperative hemodynamics in laparoscopic partial adrenalectomy: a randomized clinical trial

👤 Weiwei Zhang 📅 2026-10-26 📖 1 min 📝 292 words FRONTIERS NEUROSCIENCE

Summary: PurposeThis study aimed to evaluate the effect of ultrasound-guided stellate ganglion block (SGB) on intraoperative hemodynamic parameters in patients undergoing laparoscopic partial adrenalectomy.Patients and methodsA total of 72 patients with adrenal tumors scheduled for laparoscopic partial adren...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1966414

Evaluating the role of craniocervical and atlantoaxial instability in autonomic dysfunction: a narrative review

👤 Adam Benn 📅 2026-10-26 📖 1 min 📝 307 words FRONTIERS NEUROSCIENCE

Summary: BackgroundAutonomic dysfunction is a complex condition that affects every organ system in the body. The underlying mechanisms of autonomic dysfunction remain incompletely understood. There appears to be an association between patients with hypermobile Ehlers Danlos syndrome (hEDS), craniocervical in...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1967117

MTDANet: lightweight multi-scale temporal hierarchy and distance-regularized linear attention network for motor imagery brain–computer interfaces

👤 Binbin Chen, Chen Deng, Huanmin Ge, Xinhua Su and Yanfei Shen

📅 2026-10-26 📖 1 min

📝 239 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Motor-imagery (MI) electroencephalography (EEG) offers a non-invasive route to brain–computer interaction, yet reliable single-trial decoding remains difficult because task-related patterns are weak, nonstationary, and distributed over multiple temporal scales. This study investigates whe...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb330

AOR: adaptive orthogonal regression for depression feature selection with incomplete EEG channels

👤 Wenjia Dong, Zhijian Gong, Xueyuan Xu, Ke Liu, Fulin Wei and Li Zhuo

📅 2026-10-26 📖 1 min

📝 272 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Depression induces severe mental and physical impairments, highlighting the clinical need for rapid and reliable detection. Electroencephalography (EEG) directly reflects neural electrical activity and serves as a promising tool for depression investigation. However, the inherent non-stat...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb32f

Multimodal regulation of neurite extension by extracellular matrix composition and electrical stimulation on aligned collagen fiber scaffolds

👤 Madalynn J Thompson, Joanna Borowska-Fielding, Ivy A Murphy, Ying Zhang, Victor Rafuse and John P Frampton

📅 2026-10-26 📖 1 min 📝 279 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Peripheral nerve regeneration is regulated by structural, biochemical, and electrical cues, yet their combined effects on neurite outgrowth remain unclear. In this study, an aligned fibrous scaffold was developed to evaluate how extracellular matrix (ECM) composition and electrical stimul...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb32c

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt

📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

> **Summary:** The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

> **Summary:** The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

Robert Oostenveld 2026-02-12 1 min 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026082424&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth 📅 2026-10-24 📖 1 min 📝 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

Gino Roberto Corazza 2026-10-24 1 min 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Outcomes of subthreshold diode micropulse laser and anti-VEGF vs anti-VEGF monotherapy for diabetic macular edema: a meta-analysis

Marko M Popovic 2026-10-26 1 min 41 words LOW VISION

Summary: CONCLUSIONS: In patients with DME, SDMLP and anti-VEGF combination therapy appears comparable, and possibly modestly superior to anti-VEGF monotherapy, with a reduced injection burden over 12 months. BCVA and CMT differences were below clinically important thresholds and supported by low-certainty e...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928376/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Tropospheric Ozone Assessment Report II: Ozone distribution and variability in the oceanic and polar regions

👤 Alfonso Saiz-Lopez 📅 2026-10-26 📖 1 min 📝 76 words LOW VISION

Summary: Oceanic and polar regions are critical for global atmospheric processes, but an evaluation of ozone distributions and trends in these regions has been missing. In this assessment, part of the TOAR-II project, we report lower atmosphere ozone concentrations over open oceans and polar regions: with da...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42929035/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026082421&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

👤 Hannes P Saal 📅 2026-09-25 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

👤 Walter S Carr 📅 2026-10-01 📖 1 min 📝 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026082418&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026082416&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

Wandong Zhang 2026-10-24 1 min 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

👤 Arwen Stephens
📅 2026-10-24 📖 1 min 📝 68 words

TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Rapid and robust effects of high-dose intermittent Transcranial Brain Stimulation (iTBS) on depression and suicidal ideation in adolescents with acute major depression: a 10-day randomised, controlled, single-blind trial

👤 Yutao Lan 📅 2026-10-26 📖 1 min 📝 56 words TDCS TACS TRNS

Summary: CONCLUSION: Current research indicates that a 10-day course of high-dose iTBS is effective in alleviating depressive symptoms and suicidal ideation in adolescents with depression, and that the therapeutic effects persist for up to one month after the end of treatment. We also found that high-dose iT...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Comparative Efficacy of Noninvasive Neuromodulation in Patients with Disorders of Consciousness: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials

👤 Quan Wei
📅 2026-10-26
📖 1 min
📝 64 words
TDCS TACS TRNS

Summary: CONCLUSIONS: HF-rTMS-M1 and RMNS plus HF-rTMS-DLPFC, RMNS, HF-rTMS-DLPFC, and tDCS have shown positive signals in patients with DoC. The duration of the disorder and underlying etiology may influence the effectiveness of different noninvasive neuromodulation techniques in DoC. Given the marked heter...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928473/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Associations of Combined Transcranial Magnetic Stimulation and Transcranial Direct Current Stimulation With Psychological and Functional Outcomes After Stroke: A Retrospective Cohort Study

👤 Meng Huang
📅 2026-10-26 📖 1 min 📝 46 words

TDCS TACS TRNS

Summary: CONCLUSIONS: In this retrospective cohort, combined TMS and tDCS with standard rehabilitation was associated with lower depression and anxiety symptom scores and more favorable neurological and motor outcome trajectories than standard rehabilitation. Non-random treatment allocation and residual conf...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

A tool to evaluate the impact of lived experience involvement in research: the Brain and Genomics Hub Impact Log protocol

Sophie E Legge 2026-10-26 1 min 74 words TDCS TACS TRNS

Summary: CONCLUSION: The potential value of this research is to implement a novel tool and framework for facilitating, recording and evaluating LEI in complex mental health research, which can be adapted for wider use. Strengths in design are LE leadership and cross-cutting LE research integration, incorpora...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928742/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Multimodal premotor stimulation during action observation transiently boosts corticospinal excitability and motor performance

Ishan Mahajan 2026-10-26 1 min 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42929054/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

Combining Cognitive Training and Brain Stimulation: A Novel Approach to Address Disordered Eating and Antipsychotic-Induced Weight Gain in People With Severe Mental Illness

👤 Ulrike Schmidt 📅 2026-10-26 📖 1 min 📝 69 words TDCS TACS TRNS

Summary: CONCLUSION: The initiation of antipsychotic therapy is a critical clinical window for early intervention to mitigate the long-term metabolic and psychiatric consequences of antipsychotic-induced weight gain. Combining ABMT + tDCS is acceptable and may help reduce binge eating in individuals on antip...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42929065/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026082414&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

👤 Jing Zhang 📅 2026-10-23 📖 1 min 📝 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

Meryem A Yücel 2026-10-25 1 min 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

How Task Load Modulates the Effect of State Anxiety on Working Memory and Its Neural Mechanisms: Evidence from Verbal and Spatial Modalities

👤 Senqing Qi 📅 2026-10-25 📖 1 min 📝 73 words FNIRS

Summary: The impact of state anxiety on working memory (WM) and its neural mechanisms, especially the role of task load, remain uncertain. To address this issue, we conducted two experiments to examine how state anxiety affects WM under different task loads and whether these effects are consistent across ver...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42927827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

Prefrontal dysfunction and impulsive decision-making in female methamphetamine use disorder: a fNIRS study

👤 Peng Lei 📅 2026-10-26 📖 1 min 📝 67 words FNIRS

Summary: CONCLUSIONS: Women with MUD showed altered intertemporal choice and reduced prefrontal hemodynamic responses in regions implicated in value evaluation and cognitive control. These findings support the relevance of prefrontal dysfunction to impulsive decision-making in female MUD while also indicatin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42928151/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026082411&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026082409&v=2.20.1

Psychomusicology: A resounding closing cadence.

2024-01-22 1 min 256 words PSYCHOMUSICOLOGY

Summary: From 2012 to 2023, the American Psychological Association served as publisher of Psychomusicology: Music, Mind, and Brain. Annabel Cohen and Mark Schmuckler were the successive editors-in-chiefs during this time. As the journal is ceasing publication, the two editors reflect on the developm...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000305

Suggestibility and psychedelics: From therapeutics to social context.

📅 2024-12-12 📖 1 min 📝 175 words CLINICAL NEUROSCIENCE

Summary: Suggestibility is an important aspect of the psychedelic experience that merits greater attention in the expanding field of psychedelic research. This article provides a comprehensive road map for exploring the critical questions and issues at the intersection of suggestion, suggestibility, and psyc...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000412

Evaluating dispositional emotion-related factors in the effect of acceptance on affect reactivity: A secondary analysis of an experimental study.

📅 2024-12-30 📖 1 min 📝 257 words CLINICAL NEUROSCIENCE

Summary: Acceptance as a self-regulation strategy has beneficial effects on affect reactivity in response to stressors via reducing negative affect and state anxiety as well as improving positive affect. However, dispositional emotion-related factors, namely, experiential avoidance, emotional dysregulation, ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000416

Open monitoring meditation defined as the nonreactive meta-awareness of mind wandering.

📅 2024-12-12 📖 1 min 📝 128 words CLINICAL NEUROSCIENCE

Summary: Open monitoring meditation is generally defined as the nonreactive, meta-aware observation of moment-by-moment phenomenal experiences associated with mental contents without focusing on predetermined mental or physical objects. However, in the current literature, neither general definitions nor more...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000411

Multisensory interplay and theories of consciousness.

📅 2024-11-25 📖 1 min 📝 174 words CLINICAL NEUROSCIENCE

Summary: Sensory interplay typically refers to cases where the content of one sensory modality affects the content of another sensory modality. Although there is much evidence today of such interplay, it is unknown how to interpret them. Is it a one-way causal function between two separate states (e.g., a vi...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000407

How ghosting and stress impact vulnerable narcissism and maladaptive daydreaming: The role of mindfulness and rumination.

📅 2024-09-12 📖 1 min 📝 204 words CLINICAL NEUROSCIENCE

Summary: The present study aims to explore the influence of ghosting and stress on maladaptive daydreaming and vulnerable narcissism within a multivariate framework, using mindfulness and rumination as mediators. We employed a cross-sectional design and conducted it among 301 university students (M<...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000403

The conscious experience of thinking aloud: Are positive feelings associated with better think-aloud performance?

📅 2024-12-30 📖 1 min 📝 216 words CLINICAL NEUROSCIENCE

Summary: The think-aloud interview is a psychological procedure used to measure an individual’s cognition in solving a task. However, very little is known about how an individual’s conscious experience of the interview might be associated with their performance during the interview. This is consequential as ...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000410

Mystical experiences in virtual reality.

📅 2024-04-04 📖 1 min 📝 176 words CLINICAL NEUROSCIENCE

Summary: Virtual reality (VR) has shown promise as a psychological means of inducing mystical experiences. Here, we compared the subjective responses of 48 undergraduate volunteers to script-guided multiuser perceptual experiences in VR (VR perception [VR-P]) with their responses to a control condit...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000396

Effect of a peer-led meditation club on adolescents' well-being, empathy, and compassion.

📅 2024-09-09 📖 1 min 📝 197 words CLINICAL NEUROSCIENCE

Summary: Many studies have examined the effect of meditation sessions led by experienced teachers on personal benefits for adults. The present study investigated the effect of broad-based mindfulness practices with an adolescent peer facilitator on prosocial outcomes in addition to individual gains. The 20 s...

🔗 **Read full article:**
http://doi.org/10.1037/cns0000400

Prefrontal cortex activity of adolescents with problematic smartphone use in response to gains and losses: A functional near-infrared spectroscopy study.

📅 2026-09-10 📖 1 min 📝 237 words BEHAVIORAL NEUROSCIENCE

Summary: Problematic smartphone use (PSU) has become a widespread problem that is highly prevalent in adolescent population. Previous studies suggest that PSU is associated with impairment in reward processing system. Thus, increased sensitivity to rewards could make individuals more vulnerable to abusive be...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000668

Topiramate and anterior cingulate cortex high-frequency stimulation mitigate aggression and promote sociability in socially isolated male mice.

📅 2026-08-10 📖 1 min 📝 230 words BEHAVIORAL NEUROSCIENCE

Summary: Excessive aggression induced by social isolation (SI) has been closely linked to dysfunction in prefrontal circuits, particularly the anterior cingulate cortex (ACC). Topiramate, an antiepileptic drug known to enhance GABAergic and inhibit glutamatergic transmission, has demonstrated antiaggressive ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000663

Is memory spared in monkeys with selective lesions of the hippocampus?

📅 2026-08-03 📖 1 min 📝 239 words BEHAVIORAL NEUROSCIENCE

Summary: Normal explicit/declarative memory requires a system of anatomically related structures in the medial temporal lobe that includes the hippocampus and the entorhinal, perirhinal, and parahippocampal cortex. Although extensive medial temporal lobe damage in primates causes robust anterograde amnesia, ...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000658

Distal pup cues attenuate defensive reactivity and fear-potentiated startle magnitude in postpartum rats without altering sensorimotor gating.

📅 2026-07-09 📖 1 min 📝 241 words BEHAVIORAL NEUROSCIENCE

Summary: Using a novel behavioral paradigm that integrates fear-potentiated startle (FPS) and prepulse inhibition testing, this study examined how motherhood and infant cues impact innate defensive reactivity (as measured by the magnitude of basal startle reflex), attentional processing (as measured by prepu...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000661

A novel rat spatial inference task reveals rapid deduction of transitive relationships using schemas and deliberation.

📅 2026-07-13 📖 1 min 📝 264 words BEHAVIORAL NEUROSCIENCE

Summary: Inferential reasoning is a vital cognitive ability that enables animals to navigate novel situations by leveraging existing relational knowledge of memory schema, with hypothesized roles of prefrontal cortical—hippocampal circuits. Transitive inference (TI) tasks test the ability of subjects to infe...

🔗 **Read full article:**
http://doi.org/10.1037/bne0000660

Keep Android Open 🔓

📅 2026-02-26 📖 3 min 📝 625 words FMHY

Summary: <h3 id="android-will-become-a-locked-down-platform-in-less-than-200-days" tabindex="-1">Android will become a locked-down platform in less than 200 days. </h3> <p>In August 2025, Google announced th...

🔗 **Read full article:**
https://fmhy.net/posts/KeepAndroidOpen

Monthly Updates [April]

📅 2026-04-01 📖 4 min 📝 885 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/april-2026

Monthly Updates [May]

📅 2026-05-01 📖 4 min 📝 892 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/may-2026

Monthly Updates [October]

📅 2026-10-01 📖 5 min 📝 1097 words FMHY

> **Summary:** <h1 id="wiki-updates" tabindex="-1">Wiki Updates </h1>   Re-ordered Live Sports based on the <a href="https://challonge.com/ajqvt0wo/fullscreen" rel=...

🔗 **Read full article:**
https://fmhy.net/posts/oct-2026

Attention Is Not What You Need (2025)

👤 westurner 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://arxiv.org/abs/2512.19428 Comments URL: https://news.ycombinator.com/item?id=50237224 Points: 135 # Comments: 45

🔗 **Read full article:**
https://arxiv.org/abs/2512.19428

Switzerland. Block by block. At 1:1 scale

👤 theanonymousone 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://blocks.manifold3d.ch/ Comments URL: https://news.ycombinator.com/item?id=50240922 Points: 213 # Comments: 84

🔗 **Read full article:**
https://blocks.manifold3d.ch/

Websites Should Be Printable

👤 bagatelle 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://brennenputh.me/blog/printable-websites/ Comments URL: https://news.ycombinator.com/item?id=50241664 Points: 22 # Comments: 14

🔗 **Read full article:**
https://brennenputh.me/blog/printable-websites/

Are meta-scientists ignoring philosophy of science?

noreply@blogger.com (Daniel Lakens)
2025-07-04 8 min 1681 words

TWENTY PERCENT STATISTICIAN

Summary: Are meta-scientists ignoring philosophy of science (PoS)? Are they re-inventing the wheel? A recent panel at the Metascience conference engaged with this question, and the first sentence of the abstract states “Critics argue t...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/07/are-meta-scientists-ignoring-philosophy.html

Type S and M errors as a “rhetorical tool”

noreply@blogger.com (Daniel Lakens)
2025-09-28 17 min 3572 words

TWENTY PERCENT STATISTICIAN

Summary: Update 30/09/2025: I have added a reply by Andrew Gelman below my original blog post. We recently posted a preprint criticizing the idea of Type S and M errors (https://osf.io/2phzb_v1). From our abstract: “While these concepts have been pr...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/09/type-s-and-m-errors-as-rhetorical-tool.html

Why we should stop using statistical techniques that have not been adequately vetted by experts in psychology

noreply@blogger.com (Daniel Lakens) 2025-10-29 27 min 5516 words

TWENTY PERCENT STATISTICIAN

Summary: In a recent post on Bluesky, where Richard Morey reflects on a paper he published with Clintin Davis-Stober that points out concerns with the p-curve method (Morey & Davis-Stober, 2025), he writes: <p cla...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/10/why-we-should-stop-using-statistical.html

ERP Decoding for Everyone: Software and Webinar

Steve Luck 2023-06-23 2 min 420 words

ERP BOOT CAMP

Summary: You can access the recording h.
You can access the final PDF of the slides <a href="https://ucdavis.box.com/s/f...

🔗 **Read full article:**
https://erpinfo.org/blog/2023/6/23/decoding-webinar

Important Changes to the 2024 ERP Boot Camp

👤 Steve Luck 📅 2024-03-05 📖 2 min 📝 444 words ERP BOOT CAMP

> **Summary:** We are disappointed to announce that we will not be holding a regular 10-day ERP Boot Camp this summer. We have held Boot Camps nearly every summer since 2007, supported by a series of generous grants from NIMH that allowed us to provide scholarships for all attendees. Unf...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/3/5/changes-to-the-2024-erp-boot-camp

Standardized Measurement Error now available in BrainVision Analyzer and MNE-Python

👤 Steve Luck 📅 2025-12-19 📖 1 min 📝 253 words ERP BOOT CAMP

> **Summary:** A few years ago, we developed a universal metric of data quality for averaged ERPs called the standardized measurement error (click here for more information or watch our <a href="https://www.youtube.com/watch?v=tEKsx0p53rs" t...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/12/19/sme-now-available-in-bva-and-mne-python

Transcranial Focused Ultrasound: A Transformative Tool for Intracranial Ablation, Drug Delivery, and Neuromodulation

📅 2025-11-11 📖 1 min 📝 136 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Transcranial focused ultrasound (tFUS) is an emerging neuromodulation and therapeutic technology offering noninvasive, submillimeter precision for targeting deep brain structures. Unlike transcranial magnetic stimulation (TMS) and transcranial electric stimulation (tES), which are limited by depth-f...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11241049

Network Models of Neurodegeneration: Bridging Neuronal Dynamics and Disease Progression

📅 2026-01-16 📖 1 min 📝 196 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Neurodegenerative diseases are characterized by the accumulation of misfolded proteins and widespread disruptions in brain function. Computational modeling has advanced our understanding of these processes, but efforts have traditionally focused on either neuronal dynamics or the biological processe...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11357276

Optogenetics: Pinpoint Light on Precise Neuromodulation

📅 2025-11-06 📖 1 min 📝 137 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Optogenetics has emerged as a pivotal tool in neuroscience, enabling intricate modulation of targeted neurons within the nervous system. Despite its transformative potential, achieving high spatiotemporal resolution in neuromodulation remains a significant challenge, particularly in free-behaving an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11230544

Emerging Noninvasive Approaches for the Suppression of Pathological Tremor

📅 2025-12-16 📖 1 min 📝 215 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Pathological tremor affects over 40 million people worldwide, significantly impairing daily activities and quality of life. Pharmacological treatments show limited efficacy, with up to 30% discontinuation rates, while surgical interventions like deep brain stimulation achieve significant tremor redu...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11301615

Assistive Trajectory Planning for Lower Limb Exoskeletons: Strategies From Laboratory-Optimized Gait to Environmentally-Adaptive Locomotion Through Multimodal Parameter Awareness

📅 2025-12-30 📖 1 min 📝 182 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Lower limb assistive exoskeletons (LLEs) show great potential to reduce metabolic cost, improve walking performance, and correct abnormal gait patterns. Among their core control architectures, assistive trajectory planning is key to determining system responsiveness and effectiveness under varying l...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11319164

Join the Mailing List

👤 dziura 📅 2025-12-10 📖 1 min 📝 13 words EMBS

Summary: The post Join the Mailing List appeared first on IEEE EMBS.

🔗 **Read full article:**
https://embc.embs.org/2026/#new_tab

EMBS MentorLink: Fostering Careers Together

👤 Deidre Artis 📅 2026-08-18 📖 1 min 📝 14 words EMBS

> **Summary:** The post EMBS MentorLink: Fostering Careers Together appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/embs-mentorlink-fostering-careers-together/

What Mean Error Misses: Device-Clock Diagnostics for Evaluating Eye Tracking across Three Virtual Reality Headsets

👤 Aleksandr Chernysh, Mehedi Hasan Raju, Kamrul Hasan, Md Arif Shahriar, Proloy Karmakar, Isayas B. Adhanom, Oleg Komogortsev

📅 2026-10-26 📖 1 min 📝 155 words ARXIV CS HC

> **Summary:** arXiv:2610.32915v1 Announce Type: new Abstract: Gaze research in virtual reality needs eye trackers of known error. Thirty participants completed the same protocol on the Meta Quest Pro (QP), HTC VIVE Pro Eye (PE) and HTC VIVE Focus Vision (FV); to our knowledge, this is the first evaluation of the...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32915

When Should I Trust This? Designing and Evaluating Factuality Indicators for LLM-based Chatbots

👤 Greta Warren, Jessica Heal, Sila Eser, Denise M. Leto, Christine M. Lehane, Isabelle Augenstein

📅 2026-10-26 📖 1 min 📝 155 words ARXIV CS HC

Summary: arXiv:2610.32883v1 Announce Type: new Abstract: Generative AI systems increasingly mediate how people seek information, yet communicating AI factuality to laypeople remains challenging. Through a mixed-methods investigation involving interviews (N=8), a survey (N=1,000), and an experiment (N=5,151)...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32883

Beyond pass or fail: an information-processing account of the Turing Test

👤 Qiwei Zhao, Oriana Pansardi, James W. Strachan, Eugenio Scaliti, Guido Manzi, Giulia Borghini, Fabio Manzi, Alessandro Rufo, Fr\'ed\'erique de Vignemont, Michael S. A. Graziano, Stefano Panzeri, Cristina Becchio

📅 2026-10-26 📖 1 min 📝 239 words ARXIV CS HC

Summary: arXiv:2610.32868v1 Announce Type: new Abstract: The Turing Test is passed when a human interrogator cannot distinguish machine-generated responses from human ones. Yet behavioral indistinguishability can reflect two fundamentally different failures: a failure of encoding, in which machine and human...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32868

Political sense-making in "individual" human-technology-world relations: the case of LLM-generated autobiographies

Anthony Longo, Olya Kudina

2026-10-26 1 min 235 words ARXIV CS HC

Summary: arXiv:2610.32594v1 Announce Type: new Abstract: As AI systems increasingly mediate how people describe, recognize, and present themselves, their politics cannot be reduced to what remains hidden inside the "black box." This chapter argues that AI's political significance emerges within technologica...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32594

From Perception to Pixels: Human-Derived Visually Distinct Colors for Improved Dominant Color Extraction

Uldana Shyndali, Nurdaulet Toleugaliyev, Kuat Zharykbayev, Zarina Abildasheva, Pakizar Shamoi

2026-10-26 1 min 258 words ARXIV CS HC

Summary: arXiv:2610.32473v1 Announce Type: new Abstract: Dominant color extraction is a fundamental task in computer vision, with applications in design, image retrieval, and content recommendation. However, conventional algorithms based on device-oriented color spaces (e.g., RGB) and fixed quantization oft...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32473

Virtual Placebo: a scoping review of control conditions in randomized controlled trials of psychological immersive virtual reality interventions

Madis Vasser, Mary-Ann Kubre, Kadi Tulver, Jaan Aru

2026-10-26 1 min 186 words

ARXIV CS HC

Summary: arXiv:2610.32232v1 Announce Type: new Abstract: Research on immersive virtual reality (IVR) as a therapeutic tool is growing rapidly, with randomized controlled trials (RCTs) now commonplace. Yet the control conditions in many of these studies that claim strong specific IVR effects vary from usual ...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32232

Present Drawing: Exploring Avatar-Mediated Drawing Events with Physical Traces

Kojiro Tanaka, Takuya Iwamoto, Yuki Okafuji

2026-10-26 1 min 148 words

ARXIV CS HC

Summary: arXiv:2610.32166v1 Announce Type: new Abstract: We introduce Present Drawing, an approach for staging an avatar-mediated drawing event that leaves physical traces in the real world. Present Drawing aims to reconfigure conventional drawing events by relaxing their physical constraints. We describe a...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32166

Gaze Under Strain: How Oculomotor Behavior Tracks Cybersickness Progression in VR

Nevzat Umut Demirseren, Mehedi Hasan Raju, Oleg Komogortsev, Isayas Berhe Adhanom

2026-10-26 1 min 242 words ARXIV CS HC

Summary: arXiv:2610.32019v1 Announce Type: new Abstract: Cybersickness remains a major barrier to comfortable, accessible virtual reality (VR). Arising from mismatches between visual and vestibular signals, it places sustained demands on gaze stabilization and visual processing. Because gaze is the mechanis...

Read full article:
https://arxiv.org/abs/2610.32019

CRM-Agent-Bench: Benchmarking Tool-Using Agents in Stateful Enterprise Environments

Monojit Banerjee, Zhujun Lan, Defu Cao

2026-10-26 1 min 222 words ARXIV CS HC

Summary: arXiv:2610.32004v1 Announce Type: new Abstract: Deploying language agents in real applications demands more than the right answer: an agent must execute a multi-step business process correctly, follow domain-specific rules, and interact with a user across a dialogue, where the gap between saying an...

Read full article:
https://arxiv.org/abs/2610.32004

GELLI: A Generator for Experiential Language Learning Interactions

👤 Danilo Symonette, Alan Y. Cheng, Taiga Ikedo, Jose Manuel Rosales Juarez, Roy Pea, Parastoo Abtahi, Jane L. E, James Landay

📅 2026-10-26 📖 1 min 📝 155 words ARXIV CS HC

Summary: arXiv:2610.31987v1 Announce Type: new Abstract: Learning a second language requires extensive practice across situations personal to each learner, yet the most effective existing approaches --- narrative situations designed around specific learning goals and delivered through media --- demand subst...

🔗 **Read full article:**
https://arxiv.org/abs/2610.31987

HP-GSBS: Accelerating greedy state boundary search with reusable interval statistics

👤 Yanzhe Zhao, Yongzhang Ji

📅 2026-10-26 📖 1 min 📝 188 words ARXIV QBIO NC

Summary: arXiv:2610.25898v2 Announce Type: replace-cross Abstract: Greedy State Boundary Search (GSBS) identifies transitions between relatively stable neural activity patterns in continuous recordings. Repeated template reconstruction and correlation evaluation make analyses across recordings and parameter...

🔗 **Read full article:**
https://arxiv.org/abs/2610.25898

GenAIT: Development and Validation of an Objective Generative AI Literacy Test for High School Students

👤 Brett Puppart, Kristjan-Julius Laak, Jaan Aru

📅 2026-10-26 📖 1 min 📝 215 words

ARXIV QBIO NC

Summary: arXiv:2608.25815v2 Announce Type: replace-cross Abstract: There is growing international interest in generative AI (GenAI) literacy and its assessment among high school students, but objective assessment in this population remains underdeveloped. This article reports the iterative development and v...

🔗 **Read full article:**
https://arxiv.org/abs/2608.25815

Detecting absence: A dedicated prediction-error signal emerging in the auditory thalamus

👤 Alejandro Tabas, Heike S\"onnichsen, Sandeep Kaur, Marco Meixner, Katharina von Kriegstein

📅 2026-10-26 📖 1 min 📝 269 words ARXIV QBIO NC

Summary: arXiv:2511.21605v3 Announce Type: replace Abstract: How does the brain know what is out there and what is not? Living organisms cannot rely solely on sensory signals for perception because they are noisy and ambiguous. To form stable percepts, the brain exploits its prior knowledge or beliefs. Curr...

🔗 **Read full article:**
https://arxiv.org/abs/2511.21605

Hodge-Decomposition of Brain Networks

D Vijay Anand, Moo K. Chung

2026-10-26 1 min 80 words ARXIV QBIO NC

Summary: arXiv:2211.10542v5 Announce Type: replace Abstract: We analyze brain networks by decomposing them into three orthogonal components: gradient, curl, and harmonic flows, through the Hodge decomposition, a technique advantageous for capturing complex topological features. A Wasserstein distance based ...

🔗 **Read full article:**
https://arxiv.org/abs/2211.10542

ZENO: Nonlinear filtering with Zakai Equation Neural Operators

Aaditya Prasad, Steven W. Flavell, Brian DePasquale

2026-10-26 1 min 232 words

ARXIV QBIO NC

Summary: arXiv:2610.32926v1 Announce Type: cross Abstract: State inference and parameter learning for nonlinear filters is a core computation for scientific machine learning with varied applications in engineering and neuroscience. The unnormalized filtering distribution is governed by the Zakai equation, a...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32926

Virtual Placebo: a scoping review of control conditions in randomized controlled trials of psychological immersive virtual reality interventions

Madis Vasser, Mary-Ann Kubre, Kadi Tulver, Jaan Aru

2026-10-26 1 min 186 words

ARXIV QBIO NC

Summary: arXiv:2610.32232v1 Announce Type: cross Abstract: Research on immersive virtual reality (IVR) as a therapeutic tool is growing rapidly, with randomized controlled trials (RCTs) now commonplace. Yet the control conditions in many of these studies that claim strong specific IVR effects vary from usua...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32232

A Mathematical Theory of the Jacobian Lens

Mitchell Ostrow, Daoyuan Qian, Toni Liu, Ila Fiete

2026-10-26 1 min 213 words

ARXIV QBIO NC

Summary: arXiv:2610.31955v1 Announce Type: cross Abstract: Recent work from Anthropic introduced a new interpretability tool, called the Jacobian lens (J-lens, Gurnee et al., 2026). This method identified linear directions in the hidden states of frontier language models that had properties reminiscent of w...

🔗 **Read full article:**
https://arxiv.org/abs/2610.31955

Estimation of the Cyclopean Eye from Binocular Free Visual Explorations

Maria F. Alcala-Durand, J. Camilo Puerta-Acevedo, Juli\'an D. Arias-Londo\~no, Elisa Luque-Buzo, Francisco J. Grandas-P\'erez, Juan I. Godino-Llorente

2026-10-26 1 min 209 words ARXIV QBIO NC

Summary: arXiv:2610.32564v1 Announce Type: new Abstract: Binocular video-oculography records separate signals for each eye, yet human visual processing and oculomotor control operate relative to a single, virtual cyclopean eye. This study addresses the estimation of the cyclopean eye during binocular free v...

Read full article:
https://arxiv.org/abs/2610.32564

From Heterogeneity to Function: Enhanced Modular Dynamic Range in Hierarchical Brain Networks

Filipe V. Torres, Mauro Copelli, Leonardo L. Gollo

2026-10-26 1 min 223 words ARXIV QBIO NC

Summary: arXiv:2610.32328v1 Announce Type: new Abstract: Hierarchical and modular organization defines brain architecture, yet how it supports flexible computation and functional specialization remains unclear. Although dynamic range is a hallmark of efficient information processing, its distribution across...

Read full article:
https://arxiv.org/abs/2610.32328

Phase-based Edge Coupling: Modeling Overlapping Functional Architectures and High-Order Edge-to-Edge Interactions in EEG Networks

Chengcheng Wu, Zichen Shi, Jiayang Xu, Shanbao Tong, Xiaoli Guo

2026-10-26 1 min

222 words

ARXIV QBIO NC

Summary: arXiv:2610.32286v1 Announce Type: new Abstract: Network neuroscience has traditionally relied on node-centric approaches, which are inherently limited in capturing the brain's overlapping functional architectures and higher-order edge-to-edge interactions. The emerging edge-centric paradigm address...

🔗 **Read full article:**
https://arxiv.org/abs/2610.32286

Alterations in the populations of peripheral immune cells in the blood of a mouse model of progressive myoclonus epilepsy of Lafora type

1 min

17 words

BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): L. Baños-Carrión, A. Campos-Rodriguez, M.A. Garcia-Gimeno, P. Sanz

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004580?dgcid=rss_sd_all

Addressing the between-group comparison problem: Detecting differences between correlation matrix populations due to single-variable perturbations for resting state fMRI

📖 1 min 📝 16 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Itamar Faran, Michael Peer, Shahar Arzy, Yuval Benjamini

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926005549?dgcid=rss_sd_all

A comparison of continuous-wave fNIRS with quantitative fMRI-derived indices of brain function in the visual cortex

📖 1 min 📝 42 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Giulia Rocco, Lucie Chalet, Elizabeth J. Fear, Sara Pomante, Francesca Graziano, Davide Di Censo, Manuela Carriero, Édouard Delaire, Fabrizio Esposito, Mauro Gianni Perrucci, Cosimo Del Gratta, David P...

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006051?dgcid=rss_sd_all

Circadian and sleep-wake modulation of EEG functional connectivity across brain states and Its associations with cognition in humans

📖 1 min 📝 24 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Alpar S Lazar, Zsolt I Lazar, Nayantara Santhi, June C Lo, John A Groeger, Derk-Jan Dijk

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006166?dgcid=rss_sd_all

Glutamatergic Neurons in caudal Pontine Reticular Nucleus (PRNc) Mediate Backward Locomotion in mice

👤 Seo, M. B., Huang, J. J., Zhang, G.-W., Voong, K., Tao, H. W., Zhang, L. I. 📅 2026-10-24 📖 1 min 📝 182 words BIORXIV NEUROSCIENCE

> **Summary:** Locomotion is essential for animals to adaptively navigate their environment. However, despite extensive investigation into neural mechanisms underlying forward movement, the brain circuits controlling backward locomotion, a critical motor behavior for navigating confined spaces and avoiding threats...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.761180v1?rss=1

Neural limits of temporal feature binding in human visual cortex

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78974-z

Editorial: Women in interacting minds and brains II

👤 Anna Ilona Roberts 📅 2026-10-26 📖 1 min 📝 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2001078

Governing brain-computer interfaces as embodied autonomous neural systems: an ethical framework for neurorobotic governance in education

Jianfeng Hu
2026-10-16 1 min 222 words FRONTIERS NEUROROBOTICS

Summary: The rapid development of neurorobotic systems, particularly non-invasive brain-computer interfaces (BCIs) deployed in educational contexts, raises urgent ethical questions about child protection and societal impact. Neurorobotic systems acquire biological signals through embodied sensors, process th...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1925089

Mapping unintended trigeminal nerve activation during transcranial alternating current stimulation (tACS): a computational study

Sulagna Sahu, Munish Chauhan, Saurav Z K Sajib, Enock Boakye and Rosalind J Sadleir

2026-10-15 1 min 211 words JOURNAL NEURAL ENGINEERING

Summary: Objective. To systematically characterize activation thresholds for peripheral trigeminal nerve branches under clinical transcranial alternating current stimulation (tACS) parameters using a computational modeling approach. Approach. An MRI-derived finite element head model was coupled with multicom...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb074

Involuntary facial muscle activity during imagined vocalisation contaminates EEG and enables emotion decoding

Yichen Tang, Paul M Corballis and Luke E Hallum

2026-10-15 1 min 281 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Decoding imagined speech from electroencephalography (EEG) recordings is potentially useful for brain-computer interfaces. Previous studies have focused on decoding semantic information from EEG, leaving the decoding of emotion — an important component of human communication — largely une...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb073

Assessing consciousness by near-nerve electrostimulation in intensive rehabilitation

Piergiuseppe Liuzzi, Sara Ballanti, Andrea Mannini, Bahia Hakiki, Rachele Burali, Tanita Toci, Maria Chiara Carrozza, Calogero Maria Oddo and Antonello Grippo

2026-10-15 1 min 172 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Consciousness diagnosis in prolonged disorders of consciousness (pDoC) relies on the Coma Recovery Scale–Revised, yet consciousness or its potential for recovery may escape behavioural detection. We tested whether near-nerve stimulation (NNS) of the median nerve, compared to standard surf...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aea645

Prioritized nonlinear modeling of shared dynamics across neural populations

Trisha Jha, Dong Song and Maryam M Shanechi

2026-10-15 1 min 284 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Advances in neural recording technology enable simultaneous measurements across multiple brain regions, providing new opportunities to study inter-regional interactions. However, several challenges arise when developing nonlinear dynamical models of cross-region interactions. In particula...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/ae9bee

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

Fanny Quandt

2025-01-09 1 min 65 words

OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261026014937&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

Zhaojiang Du
2026-10-23 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth
📅 2026-10-24 📖 1 min 📝 79 words

LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

Gino Roberto Corazza 2026-10-24 1 min 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261026014935&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261026014933&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261026014930&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland 📅 2026-10-23 📖 1 min 📝 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

👤 Arwen Stephens
📅 2026-10-24 📖 1 min 📝 68 words

TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261026014927&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

👤 Meryem A Yücel
📅 2026-10-25 📖 1 min 📝 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

How Task Load Modulates the Effect of State Anxiety on Working Memory and Its Neural Mechanisms: Evidence from Verbal and Spatial Modalities

👤 Senqing Qi
📅 2026-10-25 📖 1 min 📝 73 words FNIRS

Summary: The impact of state anxiety on working memory (WM) and its neural mechanisms, especially the role of task load, remain uncertain. To address this issue, we conducted two experiments to examine how state anxiety affects WM under different task loads and whether these effects are consistent across ver...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42927827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261026014924&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261026014922&v=2.20.1

Monday Daily Thread: Project ideas!

/u/ AutoModerator 2026-10-26 1 min 244 words REDDIT PYTHON

Summary: <!-- SC_OFF --> <h1>Weekly Thread: Project Ideas 💡</h1> Welcome to our weekly Project Ideas thread! Whether you're a newbie looking for a first project or an expert seeking a new challenge, this is the place for you. <h2>How it Works:</h2> Suggest a Project</st...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xfhsgf/monday_daily_thread_project_ideas/

Steal My Bitcoin CTF PoC

👤 davikr 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/KillaBoi/StealMyBitcoin-PoC Comments URL: https://news.ycombinator.com/item?id=50237379 Points: 57 # Comments: 8

🔗 **Read full article:**
https://github.com/KillaBoi/StealMyBitcoin-PoC

Lula wins election after final votes tallied

👤 laurenth 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.reuters.com/live/brazil-election-live-lula-bolsonaro-face-off-presidential-runoff-2026-10-25/ Comments URL: <a href="https://news.ycombinator.com...

🔗 **Read full article:**
https://www.reuters.com/live/brazil-election-live-lula-bolsonaro-face-off-presidential-runoff-2026-10-25/

Removing Next.js Got My Blog to 100 on Every Lighthouse Category

👤 textlanes33 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://korindiehacker.bloffy.blog/en/removing-nextjs-got-my-blog-to-100-on-every-lighthouse-category Comments URL: <a href="https://news.ycombinator.com/item?id...

🔗 **Read full article:**
https://korindiehacker.bloffy.blog/en/removing-nextjs-got-my-blog-to-100-on-every-lighthouse-category

iPhone Duo Teardown

👤 kripy 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.ifixit.com/News/119895/iphone-duo-teardown Comments URL: https://news.ycombinator.com/item?id=50237896 Points: 91 # Commen...

🔗 **Read full article:**
https://www.ifixit.com/News/119895/iphone-duo-teardown

IBM CEO says open weight models are now good and cheap on-prem

👤 Betelbuddy 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theregister.com/systems/2026/10/22/ibm-ceo-says-open-weight-models-are-now-irresistibly-good-and-cheap-on-prem/5304640 C...

🔗 **Read full article:**
https://www.theregister.com/systems/2026/10/22/ibm-ceo-says-open-weight-models-are-now-irresistibly-good-and-cheap-on-prem/5304640

Microsoft Decision-1: 9B Qwen Model Launch Explained

👤 gmays 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://shattered.io/microsoft-decision-1-qwen3-5-9b-model-2026/ Comments URL: https://news.ycombinator.com/item?id=50238620 Points...

🔗 **Read full article:**
https://shattered.io/microsoft-decision-1-qwen3-5-9b-model-2026/

Show HN: TitleArt – Make text like it's 1997

👤 davidbarker 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://titleart.dvy.io/ Comments URL: https://news.ycombinator.com/item?id=50238708 Points: 64 # Comments: 11

🔗 **Read full article:**
https://titleart.dvy.io/

PaperPilot – Zero-Cloud, Pure-Rust PDF Engine with WASM and MCP

👤 vardhan1237 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/KrushnaVardhanReddy/PaperPilot Comments URL: https://news.ycombinator.com/item?id=50238739 Points: 39 # Comments: 5

🔗 **Read full article:**
https://github.com/KrushnaVardhanReddy/PaperPilot

Behind the scenes at the NeXT Computer office

👤 Austin_Conlon 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://exhibits.stanford.edu/menuez/browse/next-computer-inc?per_page=96&sort=pub_year_isi+asc%2C+title_sort+asc&view=masonry<...

🔗 **Read full article:**
https://exhibits.stanford.edu/menuez/browse/next-computer-inc?per_page=96&sort=pub_year_isi+asc%2C+title_sort+asc&view=masonry

Show HN: Proc-CLI – An agent-friendly CLI tool for process and port management

👤 yazeedaloyoun 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://proc-cli.com/ Comments URL: https://news.ycombinator.com/item?id=50239041 Points: 3 # Comments: 0

🔗 **Read full article:**
https://proc-cli.com/

Registration is now full for the 2024 ERP Boot Camp

👤 Steve Luck 📅 2024-03-16 📖 1 min 📝 106 words ERP BOOT CAMP

> **Summary:** The demand for the 2024 ERP Boot Camp was far beyond our expectations, and we reached our maximum registration of 30 people within one day. We already have a waiting list of over 30 people, so we have closed the registration site. <...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/3/15/registration-full

New Paper: Using Multivariate Pattern Analysis to Increase Effect Sizes for ERP Amplitude Comparisons

👤 Steve Luck 📅 2024-06-10 📖 2 min 📝 521 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Bahle, B., Simmons, A. M., & Luck, S. J. (2024). Using multivariate pattern analysis to increase effect sizes for event-related potential analyses. Psychophysiology, 61, e14570. https://doi.org/10.1111/psyp.14570 [<a h...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/10/erp-core-decoding-paper

Call for Student/YP Deputy Editor

👤 Deidre Artis 📅 2026-09-29 📖 1 min 📝 14 words EMBS

Summary: The post Call for Student/YP Deputy Editor appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/call-for-student-yp-deputy-editor/

Vitamin B6 augments antidepressant activity of venlafaxine by restoring cortical EEG oscillations, behavior and oxidative biomarkers in chronic unpredictable mild stress (CUMS)-induced model of depression-like behavior

📖 1 min 📝 30 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Fashwa Khan Tareen, Sana Javaid, Waseem Ashraf, Syed Muhammad Muneeb Anjum, Rana Muhammad Zahid Mushtaq, Asad Abrar, Faleh Alqahtani, Imran Imran

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004506?dgcid=rss_sd_all

Stage-specific exposure to an activity-permissive medium enhances neuronal activity in oligodendrocyte-enriched cortical organoids

📖 1 min 📝 34 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Clara Chung, Michelle J. Kim, Grace Field, Konstantina Pilarinos, Elizabeth K. Kharitonova, Natalie Baker Campbell, Marie Shi, Christopher V. Gabel, Joseph L. Orofino, Ella Zeldich

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004634?dgcid=rss_sd_all

Neurodegenerative diseases in Sub-Saharan Africa: diagnostic invisibility, biological heterogeneity and a precision-neuroscience agenda

📖 1 min 📝 11 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Maulilio John Kipanyula

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006962?dgcid=rss_sd_all

Investigating fatigability and cortical activation during prolonged foot tapping in multiple sclerosis

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Zuhal Abasiyanik, Lousin Moumdjian, Natalia Skorupa, Daphne Kos, Bart Van Wijmeersch, Miguel D’Haeseleer, Inge Zijdewind, Peter Feys, Felipe Balistieri Santinelli

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006949?dgcid=rss_sd_all

Multivariate prediction of white matter BOLD activity and its relationship to marginal connectivity

📖 1 min 📝 15 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Muwei Li, Zhaohua Ding, John C Gore

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006129?dgcid=rss_sd_all

Amplitude-conditioned brain dynamics reveal widespread negative modulation and targeted positive modulation of functional networks

📖 1 min 📝 15 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Mohammad Reza Salehi, Ali BashirGonbadi, Hamid Soltanian-Zadeh

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006191?dgcid=rss_sd_all

Precise modeling of task-related sensorimotor activation based on simultaneous surface electromyography

📖 1 min 📝 22 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Monika Jasenská, Pavel Hok, Martin Kojan, Ondřej Burkot, Barbora Kolářová, Aleš Holobar, Petr Hluštík

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006154?dgcid=rss_sd_all

Neural dynamics of auditory attention: Interactions between top-down and bottom-up processes

📖 1 min 📝 12 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): S. Graceffo, M. Elhilali

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006002?dgcid=rss_sd_all

Neurovascular coupling in simultaneous EEG-fNIRS studies: A scoping review of analytical frameworks and clinical applications

📖 1 min 📝 18 words NEUROIMAGE

> **Summary:** Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Yu Wu, Rajamanickam Yuvaraj, Stéphane Perrey, Hasan Ayaz, Wei-Peng Teo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006130?dgcid=rss_sd_all

Spatiotemporally resolved single-nucleus transcriptomics reveals cellular and regional vulnerability in the midbrain in Parkinson’s disease

📅 2026-10-26 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41392-026-02794-2

Correction for Liu et al., A spinoreticular pathway mediates nocifensive responses to noxious mechanical stimuli

📅 2026-10-21 📖 1 min 📝 15 words PNAS NEUROSCIENCE

> **Summary:** Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2635736123?af=R

Compensation of the effects of temperature on a motor system in the crab, Cancer borealis

👤 Kathleen JacquerieJames M. DiMartinoAnanya DalalJi ZengEve Marderahttps://ror.org/05abbep66Volen Center and Biology Department, Brandeis University, Waltham, MA 02454

📅 2026-10-21 📖 1 min 📝 50 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceCold-blooded animals that live in climates with significant seasonal changes in ambient temperature must have myriad mechanisms to function over a wide range of environmental conditions. We explore...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2625185123?af=R

Action features dominate cortical representation during natural vision

👤 Heejung JungHunar JainXiaochun HanMa FeilongJane HanDeepanshi ShokeenCara Van UdenIsabella HansonAndrew C. ConnollyTor D. WagerJames V. HaxbySamuel A. Nastaseahttps://ror.org/049s0rh22Department of Psychological and Brain Sciences, Dartmouth College, Hanover, NH 03755bIndependent Researcher, Sunnyvale, CA 94085chttps://ror.org/03taz7m60Department of Psychology, Center for Computational Language Sciences, University of Southern California, Los Angeles, CA 90089

📅 2026-10-23 📖 1 min 📝 51 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceHuman cortex is functionally organized to prioritize the most important features of our external world. In perceiving the natural world, however, these features are often overlapping and intermixed...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2625018123?af=R

Translational control of microglial metabolism, inflammatory responses, and survival by the eIF4E-binding proteins

👤 Sara BermudezJung-Hyun ChoiNiaz MahmoodJacob W. VogelHashem AlmousaZiying HuangSung-Hoon KimVivian Yuchan ZhuLinqiao ZhouDiana Casas-AntillonMoein YaqubiDanielle CozachencoJo Anne StrattonOskar HanssonLuke HealyArgel Aguilar-Valles Nahum Sonenbergahttps://ror.org/01pxwe438Department of Biochemistry and Goodman Cancer Institute, McGill University, Montreal, QC H3A 1A3, Canadabhttps://ror.org/02wnxgj78Department of Biochemistry, Chungbuk National University, Cheongju 28644, South Koreachttps://ror.org/012a77v79Department of Clinical Sciences, Lund University, Lund 221 84, SwedendSciLifeLab, Lund 221 00, Swedenehttps://ror.org/0227as991Department of Microbiology and Molecular Biology, Chungnam National University, Daejeon 34134, South Koreafhttps://ror.org/03rmrcq20Department of Pathology and Laboratory Medicine, Faculty of Medicine, University of British Columbia, Vancouver, BC V5Z 1M9, CanadagThe Hospital for Sick Children, Toronto, ON M5G 1E8, Canadahhttps://ror.org/01pxwe438Department of Neurology and Neurosurgery, Montreal Neurological Institute, McGill University, Montreal, QC H3A 1A1, Canadaihttps://ror.org/03490as77Institute of Biophysics Carlos Chagas Filho, Federal University of Rio de Janeiro, Rio de Janeiro 21941-170, Braziljhttps://ror.org/02qtvee93Department of Neuroscience, Carleton University, Ottawa, ON K1S 5B6, Canada

📅 2026-10-21 📖 1 min 📝 47 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceThe link between Alzheimer’s disease (AD) risk and microglial function is well-known, yet the mechanisms governing microglial responses remain unclear. Postmortem and experimental studies demonstra...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2610766123?af=R

Naturalistic spatial education engages distinct neural processes for mental rotation, cognitive load, and linguistic demands

👤 Eloise B. GacettaMarissa L. LawsLauren S. AuletTeoman S. OzaydinJonathan S. TsayConrad ZapantaJessica F. Cantlonahttps://ror.org/05x2bcf33Department of Psychology, Carnegie Mellon University, Pittsburgh, PA 15213bhttps://ror.org/01an3r305Center for the Neural Basis of Cognition, Carnegie Mellon University and University of Pittsburgh, Pittsburgh, PA 15213chttps://ror.org/0072zz521Department of Psychological and Brain Sciences, University of Massachusetts Amherst, Amherst, MA 01003dhttps://ror.org/05x2bcf33Neuroscience Institute, Carnegie Mellon University, Pittsburgh, PA 15213ehttps://ror.org/05x2bcf33Department of Biomedical Engineering, Carnegie Mellon University, Pittsburgh, PA 15213

📅 2026-10-21 📖 1 min 📝 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceSpatial visualization skill is a foundational component of human intelligence and a powerful lever for success in science, technology, engineering, and mathematics (STEM). Yet little is known about...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2601206123?af=R

C1ql2 gates stress vulnerability by regulating microglia-mediated synaptic pruning in the BLA-vHPC circuit

Chun-Yan WangWei-Zhu LiuShuang-Mei LiaoJing NiuHan-Qing PanWen-Jie YouKe ZhaoBao MaMing-Fen LuJia-Xin ZouPing HuWen-Hua ZhangBing-Xing Panahttps://ror.org/042v6xz23Jiangxi Institute of Respiratory Diseases and Department of Pathology, The First Affiliated Hospital, School of Basic Medical Sciences and Institute of Biomedical Innovation, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinabhttps://ror.org/042v6xz23Jiangxi Provincial Key Laboratory of Brain Science and Brain Health, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinachttps://ror.org/042v6xz23Postdoctoral Research Station, The First Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinadhttps://ror.org/042v6xz23Institute of Translational Medicine, Jiangxi Medical College, Nanchang University, Nanchang 330006, Chinaehttps://ror.org/042v6xz23Department of Neurology, The Second Affiliated Hospital, Jiangxi Medical College, Nanchang University, Nanchang 330006, China

📅 2026-10-21 📖 1 min 📝 43 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceStress-related emotional disorders involve maladaptive synaptic remodeling in the basolateral amygdala (BLA), which is highly heterogeneous across neurons projecting to distinct downstream targets....

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2600854123?af=R

BVLab-analyzer: a unified visual toolbox for terabyte-scale whole-brain cell detection, neuron reconstruction, and vascular network extraction

Tingwei Quan 2026-10-07 1 min 139 words FRONTIERS NEUROINFORMATICS

Summary: BVLab-Analyzer is a standalone graphical software tool for end-to-end analysis of terabyte-scale whole-brain microscopy images. Operating through a zero-code interface, it handles data import (TIFF, BioImageVision, OME-Zarr), deep learning-based semantic segmentation, 3D skeleton reconstruction, and...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1925112

Transformers for fMRI analysis: from spatiotemporal modeling to brain foundation models

Bocheng Wang 2026-10-07 1 min 217 words FRONTIERS NEUROINFORMATICS

Summary: Functional magnetic resonance imaging (fMRI) serves as a pivotal tool for investigating the functional organization and dynamic connectivity of the human brain, indirectly reflecting neural activity through blood oxygen level-dependent (BOLD) signals. However, the high-dimensional spatiotemporal str...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1869687

Natural language processing for suicidal behavior detection in short Spanish clinical notes from first-contact interviews

👤 Ansel Y. Rodríguez-González
📅 2026-10-07 📖 1 min 📝 267 words

FRONTIERS NEUROINFORMATICS

Summary: IntroductionSuicide is a multifactorial phenomenon influenced by social, cultural, biological, and psychological factors, whose early detection remains challenging. According to the World Health Organization, suicide is the third leading cause of death among individuals aged 15–29 years, representin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1919962

Mechanonociceptive tactile feedback enhances prosthetic grasp control during repeated human-in-the-loop interaction

👤 Elif Hocaoglu
📅 2026-10-15 📖 1 min 📝 215 words

FRONTIERS NEUROROBOTICS

Summary: Upper-limb prosthetic systems continue to face a fundamental challenge in providing sensory feedback that remains functionally effective during repeated interaction. This study investigates innocuous painful feedback (IPF), a controlled mechanonociceptive tactile modality intended to provide salient...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1910158

Brain-inspired predictive visual attention for spatiotemporal semantic understanding of complex film and television videos

Peng Han
2026-10-22 1 min 275 words FRONTIERS NEUROROBOTICS

Summary: Due to the unique characteristics of film and television, such as montage editing and narrative structure jumps, semantically salient targets frequently experience temporal feature drift, making it difficult for existing models to maintain stable semantic understanding output when keyframes are lost...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1934032

Single-channel EEG denoising and artifact removal: a systematic scoping review of methods, benchmarking, and reproducibility

Usman Qamar Shaikh, Anubha Manju Kalra, Andrew Lowe and Imran Khan Niazi
2026-10-14

1 min 239 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Single-channel and wearable electroencephalography (EEG) reduce acquisition burden but limit the spatial information available to conventional multichannel artifact-removal methods. We conducted a systematic scoping review of single-channel-compatible EEG artifact removal, linking method ...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb0ce

Phase-locked closed-loop ultrasound stimulation of hippocampal slow gamma modulates CA3-CA1 coherence and improves spatial memory in APP/PS1 mice

👤 Zhenyu Xie, Hui Ji, Mürsel Karadas, Yiyao Zhang and Yi Yuan

📅 2026-10-14 📖 1 min 📝 235 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Impaired hippocampal slow gamma oscillations and CA3-CA1 dysfunction may contribute to spatial memory deficits in early Alzheimer's disease (AD). This study examined whether phase-locked closed-loop transcranial ultrasound stimulation (TUS) could modulate CA3-CA1 activity and improve memo...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb075

Ordered onset of regional desynchronization and a transition in movement-class discriminability during cue-paced motor imagery

👤 Seho Lee

📅 2026-10-21 📖 1 min 📝 298 words

JOURNAL NEURAL ENGINEERING

Summary: Objective. Motor imagery recruits a distributed network whose components and large-scale organization are well characterized. The temporal order in which those components are engaged is not: the latency at which each region begins to desynchronize within a trial has not been compared statistically i...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aeb161

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025203531&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

Zhaojiang Du
2026-10-23 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth
📅 2026-10-24 📖 1 min 📝 79 words

LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

👤 Gino Roberto Corazza 📅 2026-10-24 📖 1 min 📝 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025203529&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

Zhifei Xie
2026-10-24 1 min 66 words TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025203526&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025203524&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland 📅 2026-10-23 📖 1 min 📝 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

Arwen Stephens
2026-10-24 1 min 68 words TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025203521&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

Rihui Li 2026-10-23 1 min 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

Georg S Kranz 2026-10-23 1 min 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

👤 Esra Suzen 📅 2026-10-23 📖 1 min 📝 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

👤 Lulu Song 📅 2026-10-24 📖 1 min 📝 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

👤 Meryem A Yücel
📅 2026-10-25 📖 1 min 📝 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel 📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025203519&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025203516&v=2.20.1

interface sur python

/u/ Ogun_le_forgeron 2026-10-25 1 min 96 words REDDIT PYTHON

Summary: <!-- SC_OFF --> Bonjour, Je suis novice en programmation et je suis bloqué sur un projet en Python. Je souhaite créer une sorte d’interface boursière : à l’aide de données saisies dans une interface dédiée, elle afficherait un graphique des données boursière...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xfh0ok/interface_sur_python/

What Security Teams Need to Know About Agents Using Abliterated Models

👤 mooreds 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://eve.security/blog/what-security-teams-need-to-know-about-agents-using-abliterated-models Comments URL: <a href="https://news.ycombinator.com/item?id=50236356"...

🔗 **Read full article:**
https://eve.security/blog/what-security-teams-need-to-know-about-agents-using-abliterated-models

Proton Flock Camera Map

👤 cdrnsf 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://proton.me/flock-camera-map Comments URL: https://news.ycombinator.com/item?id=50236748 Points: 37 # Comments: 2

🔗 **Read full article:**
https://proton.me/flock-camera-map

F-Zero X on Nintendo 3DS

👤 bpierre 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://hypnotize.works/gdx-3ds/postmortem/index.html Comments URL: https://news.ycombinator.com/item?id=50237078 Points: 20 # Comments...

🔗 **Read full article:**
https://hypnotize.works/gdx-3ds/postmortem/index.html

Lula Wins a Record Fourth Term in Brazil in a Surprise Comeback

👤 matheusmoreira 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.bloomberg.com/news/articles/2026-10-25/lula-wins-a-record-fourth-term-in-brazil-in-a-surprise-comeback Comments URL: <a href="https://ne...

🔗 **Read full article:**
https://www.bloomberg.com/news/articles/2026-10-25/lula-wins-a-record-fourth-term-in-brazil-in-a-surprise-comeback

Lula Wins Brazilian Election

👤 JumpCrisscross 📅 2026-10-26 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://resultados.tse.jus.br/oficial/app/index.html#/eleicao/6258/uf/br/cargo/1/vis/nominal/resultados Comments URL: <a href="https://news.ycombinator.com/ite...

🔗 **Read full article:**
https://resultados.tse.jus.br/oficial/app/index.html#/eleicao/6258/uf/br/cargo/1/vis/nominal/resultados

New software package: ERPLAB Studio

👤 Steve Luck 📅 2024-06-12 📖 2 min 📝 449 words ERP BOOT CAMP

> **Summary:** We are excited to announce the release of a new EEG/ERP analysis package, ERPLAB Studio. We think it’s a huge improvement over the classic EEGLAB user interface. See our cheesy <a href="https://www.youtube.com/watch?v=lIaKVQ9DD6E">...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/11/erplab-studio

Micro-CT-informed Monte Carlo and experimental dosimetry of transcranial photobiomodulation devices

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75995-y

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

> **Summary:** Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

> **Summary:** For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme
📅 2026-08-01 📖 1 min 📝 64 words

OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025182141&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

👤 Zhaojiang Du
📅 2026-10-23 📖 1 min 📝 51 words

LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth
📅 2026-10-24 📖 1 min 📝 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

👤 Gino Roberto Corazza 📅 2026-10-24 📖 1 min 📝 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025182138&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

Zhifei Xie
2026-10-24 1 min 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025182135&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025182132&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland 📅 2026-10-23 📖 1 min 📝 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

Wen Li 2026-10-24 1 min 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

Wandong Zhang 2026-10-24 1 min 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

👤 Arwen Stephens
📅 2026-10-24 📖 1 min 📝 68 words

TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

Qing Zhong 2026-10-24 1 min 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

Mark S George 2026-10-25 1 min 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025182130&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

👤 Meryem A Yücel
📅 2026-10-25 📖 1 min 📝 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025182127&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words

BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025182125&v=2.20.1

Monthly Updates [March]

2026-03-01 2 min 571 words FMHY

Summary: INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/mar-2026

Monthly Updates [June]

📅 2026-06-01 📖 4 min 📝 954 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/june-2026

Monthly Updates [August]

📅 2026-08-01 📖 3 min 📝 700 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/aug-2026

Monthly Updates [Sept]

📅 2026-08-31 📖 5 min 📝 1079 words FMHY

> **Summary:** INFO These update threads only contain major updates. If you're interested in seeing all minor changes you can follow our Commits Page on G...

🔗 **Read full article:**
https://fmhy.net/posts/sept-2026

why do we need cpython and Python virtual machine (that executes bytecode)?

👤 /u/DueBid3298 📅 2026-10-25 📖 1 min 📝 92 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> why do we need a cpython that converts source code to bytecode and then another python virtual machine that executes this byte code? why do we have this multi layer flow? why cant just compile every code to binary and execute the binary?
 Also if possible can s...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xfe8vh/why_do_we_need_cpython_and_python_virtual_machine/

Where the Romans Fought (interactive map)

👤 endorphine 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://iosiflazaridis.github.io/battles-of-the-romans/ Comments URL: https://news.ycombinator.com/item?id=50234879 Points: 21 # Comm...

🔗 **Read full article:**
https://iosiflazaridis.github.io/battles-of-the-romans/

Gheist campaign plants secret-dumping workflows using stolen GitHub tokens

👤 acossta 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.wiz.io/blog/gheist-attempted-scaled-abuse-of-stolen-github-tokens-stumbles Comments URL: <a href="https://news.ycombinator.com/item?id=50235010">https://news.ycombi...

🔗 **Read full article:**
https://www.wiz.io/blog/gheist-attempted-scaled-abuse-of-stolen-github-tokens-stumbles

Why I Am a Programmer

👤 jruohonen 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.alfie.wtf/programming/why-i-am-a-programmer.html Comments URL: https://news.ycombinator.com/item?id=50235017 Points: 64 ...

🔗 **Read full article:**
https://www.alfie.wtf/programming/why-i-am-a-programmer.html

Moderna and Merck say their mRNA cancer vaccine cut death, recurrence by 42%

👤 _Microft 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://arstechnica.com/health/2026/10/personalized-mrna-cancer-vaccine-cut-melanoma-death-recurrence-by-42/ Comments URL: <a href="https://news.ycombinat...

🔗 **Read full article:**
https://arstechnica.com/health/2026/10/personalized-mrna-cancer-vaccine-cut-melanoma-death-recurrence-by-42/

Eunice is almost here

👤 armcat 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://armincat.com/articles/eunice-is-almost-here Comments URL: https://news.ycombinator.com/item?id=50235316 Points: 49 # Comments: 39...

🔗 **Read full article:**
https://armincat.com/articles/eunice-is-almost-here

Focused Company Operating Principles

👤 mooreds 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://focused.io/operating-principles Comments URL: https://news.ycombinator.com/item?id=50235639 Points: 5 # Comments: 0

🔗 **Read full article:**
https://focused.io/operating-principles

What goes into making an animated film?

👤 embedding-shape 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.disneyanimation.com/process/ Comments URL: https://news.ycombinator.com/item?id=50235738 Points: 31 # Comments: 13

🔗 **Read full article:**
https://www.disneyanimation.com/process/

The State of Context Engineering

👤 pchristensen 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.dbreunig.com/2026/10/24/the-state-of-context-engineering.html Comments URL: <a href="https://news.ycombinator.com/item?id=50235780">https://news.ycombinator.com/item?id=50235780...

🔗 **Read full article:**
https://www.dbreunig.com/2026/10/24/the-state-of-context-engineering.html

Serbia's Vucic concedes election defeat in historic win for student movement

👤 consumer451 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.reuters.com/world/europe/serbia-votes-students-seek-unseat-vucic-snap-election-2026-10-25/ Comments URL: <a href="https://news.ycombinator.com/item?...

🔗 **Read full article:**
https://www.reuters.com/world/europe/serbia-votes-students-seek-unseat-vucic-snap-election-2026-10-25/

OpenAI and Anthropic cut their LLM prices by up to 80% within a few months. Why?

👤 minimaxir 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://minimaxir.com/2026/10/cheap-llms/ Comments URL: https://news.ycombinator.com/item?id=50236102 Points: 17 # Comments: 22

🔗 **Read full article:**
https://minimaxir.com/2026/10/cheap-llms/

A Hierarchical-Dynamic integration model for the formation of interpersonal neural synchrony during spoken communication

📖 1 min 📝 13 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Yating Bai, Qingfang Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004567?dgcid=rss_sd_all

TEMPORARY REMOVAL: Corrigendum to “LPI alleviates Alzheimer’s disease pathology via the GPR55 receptor” [Neuroscience 611 (2026) 99–110]

📖 1 min 📝 26 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Wenjie Xu, Jiaqi Cao, Yibo Liu, Zimo Wei, Xu Zha, Shumin Xie, Xicheng Liu, Wei Wang, Chen Zhang

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006287?dgcid=rss_sd_all

Longitudinal Imaging in a Mouse Model of Focal Cortical Dysplasia Reveals Lesion Expansion and Loss of Pre-Discharge Neuronal Recruitment

Rehorova, M., Rozlivkova, J. T., Populova, J., Prochazkova, N., Olson, C. V., Shariati, N., Kudlacek, J., Jiruska, P., Novak, O.

2026-10-25 1 min 288 words BIORXIV NEUROSCIENCE

Summary: ABSTRACT Objective: Focal cortical dysplasia type II (FCD II) is a leading cause of drug-resistant focal epilepsy, yet how its lesional circuits behave and change over time in vivo has not been directly observed. Methods: We used a mouse model of FCD II carrying the patient-derived gain-of-function ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.24.761526v1?rss=1

Sex-dependent Aβ RA-Low threshold mechanoreceptors alteration in diabetic conditions

Rastoldo, G., Jaafar, A. K., Bringart, M., Bourane, S.

2026-10-25 1 min 203 words BIORXIV NEUROSCIENCE

Summary: Diabetic peripheral neuropathy (DPN) is a major complication of diabetes that profoundly affects quality of life, yet its cellular mechanisms remain poorly defined. Neuropathic pain and sensory loss in DPN are thought to arise from progressive alterations in peripheral nerves usually described as a ...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.24.761523v1?rss=1

Behavioral genomics identifies Creld1 as a cross-modal regulator of somatosensation

Bailong Xiao 2026-10-22 1 min 42 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 22 October 2026; doi:10.1038/s41593-026-02484-w Jiang et al. developed a robust postnatal knockout platform for somatosensory genomics and behavioral screening, identifying Creld1 as a cross...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02484-w

Network geometry shapes the transformation of task representations across the human cortex

Michael W. Cole 2026-10-22 1 min 40 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 22 October 2026; doi:10.1038/s41593-026-02486-8 The dimensionality of intrinsic brain connectivity systematically shapes how task representations compress and expand across the cortex, and a...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02486-8

Different modes of stimulation at the Neiguan acupoint (PC6) regulate different EEG microstates under VR immersion conditions

Guangjun Wang
2026-10-22 1 min 302 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionAcupuncture at the Neiguan acupoint (PC6) alleviates postoperative and chemotherapy-induced nausea and vomiting. Nevertheless, the central regulatory effects of PC6 stimulation on virtual reality motion sickness (VRMS), a form of physiological vertigo triggered by visual-vestibular senso...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1938329

Retraction: Intervention effect of rehabilitation robotic bed under machine learning combined with intensive motor training on stroke patients with hemiplegia

2026-10-14 1 min 0 words FRONTIERS NEUROROBOTICS

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.2023207

Overcoming subject variability in P300 decoding based on quantification by deep learning

Fred R. Beyette 2026-10-22 1 min 267 words FRONTIERS NEUROSCIENCE

Summary: Binary P300 decoding is a cornerstone of P300-based brain-computer interfaces, enabling applications such as assistive communication, neurorehabilitation, and cognitive monitoring. However, substantial subject variability in EEG patterns poses a major challenge to the development of generalized P300...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1940267

Microglia in the neurogenic niche: emerging roles of immunometabolism

Yan Liu 2026-10-22 1 min 136 words FRONTIERS NEUROSCIENCE

Summary: Adult neurogenesis is dynamically regulated by the neurogenic niche, yet the mechanisms governing its remodeling are not fully elucidated. Current research has increasingly extended beyond the intrinsic properties of neural stem cells to consider the broader microenvironment in which neurogenesis oc...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.2007175

Striatal and orbitofrontal grey matter volumes are associated with cognitive event related potentials during associative learning task performance in male and female children and adolescents

Almira Kustubayeva 2026-10-22 1 min 303 words FRONTIERS NEUROSCIENCE

Summary: IntroductionThe individual differences in gray matter volumes and event-related potentials may underlie variability in associative learning. However, little is known about the sex differences in these structure–function relationships across development.MethodsThe current study investigates associati...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1902749

The mammalian regulatory architecture: biobehavioral portals and the organization of physiological state

Stephen W. Porges 2026-10-22 1 min 214 words FRONTIERS NEUROSCIENCE

Summary: IntroductionNeuromodulatory interventions can produce overlapping adaptive outcomes despite engaging substantially different biological pathways. Pathway-centered approaches identify how interventions initially engage the nervous system and characterize pathway-specific mechanisms. Convergence acros...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1923279

Continuous performance tests in the assessment of children with attention-deficit/hyperactivity disorder: a narrative review

Xiaoke Zhao 2026-10-22 1 min 231 words FRONTIERS NEUROSCIENCE

Summary: Attention-deficit/hyperactivity disorder (ADHD) is diagnosed primarily through clinical interviews, behavioral observations, and rating scales, while continuous performance tests (CPTs) provide complementary, performance-based measures of sustained attention, response inhibition, and response consis...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1962306

Multiparametric MRI radiomics and machine learning for outcome prediction in acute ischemic stroke: a retrospective study of 353 patients

Tingting Li 2026-10-22 1 min 285 words FRONTIERS NEUROSCIENCE

Summary: BackgroundAcute ischemic stroke (AIS) remains a leading cause of death and disability worldwide. Early prediction for clinical outcomes is essential for guiding therapy. Multiparametric Magnetic Resonance Imaging (MRI) offers detailed characterization of ischemic tissue and may predict prognosis in ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1843917

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025155421&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

Zhaojiang Du
2026-10-23 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

Werner Eisenbarth
2026-10-24 1 min 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

👤 Gino Roberto Corazza 📅 2026-10-24 📖 1 min 📝 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025155419&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

👤 Martin E Héroux 📅 2026-07-18 📖 1 min 📝 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025155416&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025155413&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland 📅 2026-10-23 📖 1 min 📝 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

Arwen Stephens
2026-10-24 1 min 68 words TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025155411&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

👤 Meryem A Yücel
📅 2026-10-25 📖 1 min 📝 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025155409&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025155406&v=2.20.1

A research on the typical images of animals in the dreams of Naxi.

2026-09-10 1 min 157 words DREAMING

Summary: Animal images in dreams have long been studied, yet existing research is not systematic or in-depth. The Naxi, a small Chinese ethnic group (about 320,000), possess a rich cultural heritage. In their belief, animals mediate between humans, deities, and nature, while dreams are key communication chan...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000353

Philosophical and medical analysis of dreams in avicenna's perspective: Nature, mechanism, and functions.

📅 2026-06-15 📖 1 min 📝 218 words DREAMING

Summary: Avicenna was an eminent Islamic philosopher and physician. Drawing primarily on The Book of Healing and The Canon of Medicine, this article presents a systematic account of his theory of dreaming within the framework of his psychology and natural philosophy. Avicenna conceives drea...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000341

Threatening events and other themes in COVID-19-related dreams: Examining pandemic dreams from the perspective of current dream simulation theories.

📅 2026-06-25 📖 1 min 📝 218 words DREAMING

Summary: In this study on pandemic dream experiences in rural Nepal, 54 interviews were collected 1 year into the COVID-19 pandemic and compared with 62 interviews collected some years earlier. As in comparable studies, the dream narratives were categorized and analyzed according to their content, employing ...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000348

Correction to “Big-five personality traits and dream experiences: A systematic review and meta-analysis” by Marin et al. (2026).

📅 2026-09-10 📖 1 min 📝 399 words DREAMING

Summary: Reports an error in "Big-Five personality traits and dream experiences: A systematic review and meta-analysis" by Jai Marin, Noah Thomas, Lan Nguyen and Jared Walters (Dreaming, Advanced Online Publication, Mar 26, 2026, np; see record 2027-47158-001). The article is being made available op...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000349

When the body suffers, the mind dreams: The lived experience of cancer.

📅 2026-09-10 📖 1 min 📝 194 words DREAMING

Summary: Dreams have intrigued humanity across centuries, serving as portals to the unconscious, reflections of lived experiences, and sources of spiritual guidance. The study of dreaming spans neuroscience, psychology, anthropology, sociology, and religious thoughts, with each discipline offering unique ins...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000355

Big-Five personality traits and dream experiences: A systematic review and meta-analysis.

📅 2026-03-26 📖 1 min 📝 369 words DREAMING

Summary: [Correction Notice: An Erratum for this article was reported in Vol 36(3) of Dreaming (see record 2028-23196-002). The article is being made available open access under the CC-BY license following the Griffith University opt-in to the CAUL/ APA Read and Publish agreement. The correct copyrig...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000336

The dream insight framework: Harnessing the power of dreams in leadership.

📅 2026-08-20 📖 1 min 📝 80 words DREAMING

Summary: This article introduces the Dream Insight Framework, an approach for integrating dreamwork into leadership development. It explores how dreams, often dismissed in existing leadership approaches, can be powerful tools for enhancing creativity, decision-making, and problem-solving. By reviewing existi...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000354

Interpretability of dreams elicited by progressive-interval rapid-eye-movement and fixed-schedule awakening methods: Trajectories of dream affect, themes, and insight across the night.

📅 2026-07-30 📖 1 min 📝 201 words DREAMING

Summary: This study examined whether interpreting REM dream reports elicited using a REM-cycle-accommodating awakening protocol yielded more associations and greater insight than interpreting REM and non-REM dream reports obtained through a fixed-schedule awakening method. It also explored how interpretabili...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000350

Coping strategies and dreams—The impact of waking-life distress on negative dream emotions.

📅 2026-05-18 📖 1 min 📝 183 words DREAMING

Summary: The relationship between waking life and dreaming seems complex, and various studies show that dreams are influenced by waking-life experiences. However, only a few studies deal with the interactions between coping strategies in waking life and dream emotions. The main goal of this study is to inves...

🔗 **Read full article:**
http://doi.org/10.1037/drm0000346

AI use leads UC Berkeley math professor to see 'no point' in grading homework

👤 romanhn 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: <a href="https://www.dailycal.org/news/campus/academics/ai-use-leads-uc-berkeley-math-professor-to-see-no-point-in-grading-homework/article_bdf1eae2-c08b-491f-b9f1-81a7cea177de.html">https://www.dailycal.org/news/campus/academics/ai-use-leads-uc-berkeley-math-professor-to-see-no-poin...

🔗 **Read full article:**
https://www.dailycal.org/news/campus/academics/ai-use-leads-uc-berkeley-math-professor-to-see-no-point-in-grading-homework/article_bdf1eae2-c08b-491f-b9f1-81a7cea177de.html

UTS #39: Unicode Security Mechanisms

👤 robin_reala 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://unicode.org/reports/tr39/ Comments URL: https://news.ycombinator.com/item?id=50233438 Points: 8 # Comments: 0

🔗 **Read full article:**
https://unicode.org/reports/tr39/

Sabre Wulf Remastered

👤 adunk 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://gp-64.com/swr/ Comments URL: https://news.ycombinator.com/item?id=50233775 Points: 48 # Comments: 6

🔗 **Read full article:**
https://gp-64.com/swr/

A 10-year-old CNN outperforms frontier LLMs for skin cancer diagnosis

👤 sungam 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://lynchlab.net/llm-skin-cancer Comments URL: https://news.ycombinator.com/item?id=50233779 Points: 203 # Comments: 105

🔗 **Read full article:**
https://lynchlab.net/llm-skin-cancer

Scientists rediscover how to make ancient Roman colour-changing glass

👤 teleforce 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theguardian.com/science/2026/oct/25/scientists-rediscover-ancient-roman-colour-changing-glass Comments URL: <a href="https://news.ycombinator.com...

🔗 **Read full article:**
https://www.theguardian.com/science/2026/oct/25/scientists-rediscover-ancient-roman-colour-changing-glass

Fuck Nuance (2015)

👤 bariumbitmap 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://crookedtimber.org/2015/08/31/fuck-nuance/ Comments URL: https://news.ycombinator.com/item?id=50233883 Points: 21 # Comments: 2

🔗 **Read full article:**
https://crookedtimber.org/2015/08/31/fuck-nuance/

I refuse to accept a censored Internet. Join Me at FOSDEM 27

👤 Tomte 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://talkweb.eu/openweb/4558/ Comments URL: https://news.ycombinator.com/item?id=50233929 Points: 202 # Comments: 93

🔗 **Read full article:**
https://talkweb.eu/openweb/4558/

Oregon Police Are Charging a Local News Outlet $2.5M for Records About One Cop

👤 tdeck 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://theintercept.com/2026/10/01/oregon-police-misconduct-public-records-cost-fee/ Comments URL: <a href="https://news.ycombinator.com/item?id=50234232">https://news.ycombina...

🔗 **Read full article:**
https://theintercept.com/2026/10/01/oregon-police-misconduct-public-records-cost-fee/

All you need is Wide Events, not "Metrics, Logs and Traces"

👤 bootlegbilly 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://isburmistrov.substack.com/p/all-you-need-is-wide-events-not-metrics Comments URL: <a href="https://news.ycombinator.com/item?id=50234329">https://news.ycombinator.com/item?id=5023...

🔗 **Read full article:**
https://isburmistrov.substack.com/p/all-you-need-is-wide-events-not-metrics

Dolly Parton's Imagination Library

👤 jumploops 📅 2026-10-25 📖 1 min 📝 102 words HACKER NEWS

> **Summary:** With today's news, I thought I'd share this great program: “When I was growing up in the hills of East Tennessee, I knew my dreams would come true. I know there are children in your community with their own dreams. They dream of becoming a doctor or an inventor or a minister. Who knows, maybe t...

🔗 **Read full article:**
https://imaginationlibrary.com/

Recording and slides now available for ERPLAB Studio webinar

👤 Steve Luck 📅 2024-06-28 📖 1 min 📝 30 words ERP BOOT CAMP

Summary: We held a webinar to demonstration ERPLAB Studio on 28 June 2024. Click here to access a recording. Click here to access a PDF of the slides.<...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/6/28/recording-and-slides-now-available-for-erplab-studio-webinar

Technical Parameters and Feedback Control for Blood-Brain Barrier Permeability Enhancement by Focused Ultrasound

📅 2025-12-02 📖 1 min 📝 166 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Focused ultrasound combined with intravenously infused microbubbles has been shown to effectively enhance the permeability of the blood-brain barrier, facilitating drug delivery to the brain. A wide range of technical parameters has been evaluated through preclinical studies and clinical trials. Gen...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11272135

Decoding Spikes From Multiunit Data

📅 2026-01-22 📖 1 min 📝 250 words REVIEWS BIOMEDICAL ENGINEERING

Summary: Communication and control in biological systems is mediated by the timing of discharges –spikes– from excitable cells such as neurons and muscle fibers. Each spike is associated to a characteristic waveform that can be captured by sensors. The waveform's characteristics depend on the cell's biophysi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11361153

Table of Contents

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368645

IEEE Engineering in Medicine and Biology Society

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368668

Front Cover

📅 2026-01-29 📖 1 min 📝 1 words REVIEWS BIOMEDICAL ENGINEERING

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11368638

Zona incerta circuits in cognition and the regulation of sleep and wakefulness: potential relevance to Alzheimer’s disease

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Jun Kang, Yang Li, Wenjun Yan

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226007001?dgcid=rss_sd_all

Anti-GABAB receptor autoimmunity causes cognitive decline by presynaptic pathology

👤 Sell, J., Loi, E. A., Rahmati, V., Majoros, M., Kirmann, T., Haselmann, H., Stumpf, A., Goetz, T., Franke, C., Leypold, F., Jarius, S., Melzer, N., Lewerenz, J., Kunze, A., Pruess, H., Schmitz, D., Hallermann, S. J., Schmidt-Hieber, C., Kornau, H.-C., Geis, C.

📅 2026-10-25 📖 1 min 📝 148 words BIORXIV NEUROSCIENCE

Summary: The GABAB receptor is a central regulator of neuronal transmission and excitability by pre- and postsynaptic mechanisms. Its dysfunction causes severe neurological disease, but the underlying pathomechanisms remain elusive. Here, we exploit a distinct CNS autoimmune disorder in which patients develo...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.761036v1?rss=1

Nanoarchitecture of the presynaptic cell adhesion molecule PTPσ in relation to prospective vesicle fusion sites and postsynaptic NMDA receptors

DeMarco Hibbs, E. M., Mitias, S., Aitken, R., Levy, A. D., Blanpied, T. A.

2026-10-25 1 min

248 words

BIORXIV NEUROSCIENCE

Summary: Protein organization at individual synapses tunes synaptic function. Presynaptic release-regulating proteins and postsynaptic receptors each concentrate into subsynaptic nanoclusters, and their precise alignment across the cleft into nanocolumns can maximize receptor activation following vesicle fus...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.21.760724v1?rss=1

Cellular and mitochondrial correlates of regional glucose metabolism in the human cortex

Murgas, M., Habernig, S., Milz, C., Graf, S., Reed, M. B., Eggerstorfer, B., Falb, P., Schmidt, C., Briem, E., Schlosser, G., Mayerweg, A., Al Barede, K., Pörnbacher, I., Nics, L., Rasul, S., Hacker, M., Rujescu, D., Hahn, A., Lanzenberger, R.

2026-10-25 1 min 148 words BIORXIV NEUROSCIENCE

Summary: Regional differences in human brain glucose metabolism reflect local energy demands, but their cellular and mitochondrial determinants remain unclear. We combined [18F]FDG positron emission tomography in healthy human participants with estimates of cellular composition and mitochondrial density to u...

Read full article:
https://www.biorxiv.org/content/10.64898/2026.10.22.760701v1?rss=1

Prefrontal cortical morphometric covariance and cognitive task performance in healthy young adults: an exploratory analysis of Human Connectome Project data

Roman Chivers

2026-10-22 1 min 343 words FRONTIERS HUMAN NEUROSCIENCE

Summary: The prefrontal cortex (PFC) is implicated in many cognitive tasks, including working memory, reward-based decision-making, executive control, and metacognition. This exploratory analysis investigated whether individual expression of PFC cortical thickness and surface area covariance components is as...

Read full article:
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1976371

CEP-MI: a novel cue-execution dual-stage motor imagery paradigm with PGCANet decoding architecture

Caili Gong
2026-10-22 1 min 231 words FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundMotor imagery-based brain-computer interface (MI-BCI) holds great potential in neurorehabilitation and motor assistance. Data quality and motor intention decoding effectiveness are closely associated with participants' engagement. However, previous MI tasks ignored active engagement regula...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1908608

Explainable fMRI decoding reveals neurobiological signatures of emotional arousal complementary to traditional analyses

Daniel Agostinho, Davide Borra, Miguel Castelo-Branco and Marco Simões
2026-10-13 1 min 283 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Understanding how emotional arousal is represented in the brain is fundamental for elucidating affective regulation and its alterations in autism spectrum disorder. Classical neuroimaging approaches, such as the general linear model (GLM), have provided important insights into emotional p...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aead27

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

Lyuba Zehl 2025-06-26 1 min 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

Tim M Tierney 2025-08-13 1 min 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025133143&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

👤 Zhaojiang Du
📅 2026-10-23 📖 1 min 📝 51 words

LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth
📅 2026-10-24 📖 1 min 📝 79 words

LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

Gino Roberto Corazza 2026-10-24 1 min 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025133141&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

Zhifei Xie
2026-10-24 1 min 66 words TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025133138&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025133136&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland 📅 2026-10-23 📖 1 min 📝 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

Arwen Stephens
2026-10-24 1 min 68 words TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025133133&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

Rihui Li 2026-10-23 1 min 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

Georg S Kranz 2026-10-23 1 min 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

👤 Meryem A Yücel
📅 2026-10-25 📖 1 min 📝 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025133130&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

👤 Jianguo Tang 📅 2026-10-25 📖 1 min 📝 63 words BRAIN COMPUTER INTERFACE

> **Summary:** Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025133127&v=2.20.1

Active incident at Dreamhost forcing password reset

👤 greenchair 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.dreamhoststatus.com/ Comments URL: https://news.ycombinator.com/item?id=50231166 Points: 9 # Comments: 0

🔗 **Read full article:**
https://www.dreamhoststatus.com/

A few thoughts on intensity (2024)

👤 andsoitis 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.tylerhogge.com/blog/a-few-thoughts-on-intensity/ Comments URL: https://news.ycombinator.com/item?id=50232035 Points: 47 ...

🔗 **Read full article:**
https://www.tylerhogge.com/blog/a-few-thoughts-on-intensity/

Show HN: I put employees inside S&P 500 market-cap bubbles

👤 vfxGer 📅 2026-10-25 📖 1 min 📝 103 words HACKER NEWS

> **Summary:** I was playing around with visualising the S&P 500 by market cap and decided to add employees to each company's bubble. What surprised me was how empty some of the biggest companies looked. Nvidia is worth $5.2 trillion but employs only 42,000 people. That's around $124 million in market c...

🔗 **Read full article:**
https://bigwhalehunting.com/workforce/

Anthropic Wanted to Replace Engineers. Instead, They Shot Their Own Customers

👤 tom2026hn 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://techbronerd.substack.com/p/openai-and-anthropic-wanted-to-replace Comments URL: <a href="https://news.ycombinator.com/item?id=50232682">https://news.ycombinator.com/item?id=50232682...

🔗 **Read full article:**
https://techbronerd.substack.com/p/openai-and-anthropic-wanted-to-replace

A Mathematician Reads the AI Future

👤 artninja1988 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.theatlantic.com/ideas/2026/10/ai-math-human-future/689133/ Comments URL: https://news.ycombinator.com/item?id=50233347</...

🔗 **Read full article:**
https://www.theatlantic.com/ideas/2026/10/ai-math-human-future/689133/

New Paper: Does the P3b component reflect working memory updating?

👤 Steve Luck 📅 2025-03-21 📖 7 min 📝 1540 words ERP BOOT CAMP

> **Summary:** Carrasco, C. D., Simmons, A. M., Kiat, J. E., & Luck, S. J. (in press). Enhanced working memory representations for rare events. Psychophysiology. https://doi.org/10.1111/psyp.70038 [<a href="https://doi.org/10.1101/2024.03.20...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/3/20/new-paper-oddball

10-Day ERP Boot Camp to be held June 15-24, 2026 in Davis, California

👤 Steve Luck 📅 2025-08-20 📖 1 min 📝 125 words ERP BOOT CAMP

> **Summary:** We have received another 5 years of funding from the National Institute of Mental Health, so we plan to hold ERP Boot Camps in each of the next 5 summers. The next one will be June 15-24, 2026 in Davis, California. The application portal will open around January 1, 2026. A...

🔗 **Read full article:**
https://erpinfo.org/blog/2025/8/20/boot-camp-summer-2026

Call for Papers: IEEE Brain Special Issue

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 36 words BRAIN

Summary: In a unique interdisciplinary collaboration with the IEEE's Society on Social Implications of Technology (SSIT) and IEEE Brain, J-FLEX is joining forces to explore both the technology of the Internet-of-Medical-Things (IoMT) solutions and medical wearables/ implantables.

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-journal-on-flexible-electronics/

IEEE Brain Joins the American Brain Coalition

👤 ieeebrain 📅 2025-03-03 📖 1 min 📝 61 words BRAIN

Summary: IEEE Brain is pleased to announce its acceptance as a nonprofit member of the American Brain Coalition (ABC), a prestigious alliance of over 150 organizations dedicated to advancing brain research, advocacy, and improving treatments for individuals affected by brain conditions. The ABC Board has ent...

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/ieee-brain-joins-the-american-brain-coalition-as-a-nonprofit-member/

Call for Papers: IEEE Transactions on Human-Machine Systems

👤 Adriel Carridice 📅 2025-06-18 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/braininsight-articles/call-for-papers-ieee-transactions-on-human-machine-systems/

Q&A with Dr. Alain Dagher, Neurologist and Professor at McGill University and the Montreal Neurological Institute

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-alain-dagher-neurologist-and-professor-at-mcgill-university-and-the-montreal-neurological-institute/

IEEE Advances Responsible Neurotechnology Standard

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/news-and-insights/ieee-brain-news/ieee-advances-responsible-neurotechnology-standard/

Q&A with Dhruv Vaish, PhD student at UC Berkeley and Best Poster Award Winner at the 2025 IEEE Brain Discovery and Neurotechnology Workshop

👤 ieeebrain 📅 2026-02-25 📖 1 min 📝 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dhruv-vaish-phd-student-at-uc-berkeley-and-best-poster-award-winner-at-the-2025-ieee-brain-discovery-and-neurotechnology-workshop/

Welcoming the Newly Elected EMBS AdCom Members for 2026–2028

👤 dziura 📅 2025-12-10 📖 1 min 📝 18 words EMBS

> **Summary:** The post Welcoming the Newly Elected EMBS AdCom Members for 2026–2028 appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-the-newly-elected-embs-adcom-members-for-2026-2028/

Welcoming & Congratulating Our Newly Elected EMBS ExCom Members

👤 Nancy Zimmerman 📅 2025-12-14 📖 1 min 📝 18 words EMBS

Summary: The post Welcoming & Congratulating Our Newly Elected EMBS ExCom Members appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/uncategorized/welcoming-congratulating-our-newly-elected-embs-excom-members/

EMBS AdCom Nominations Open

👤 Nancy Zimmerman 📅 2026-05-04 📖 1 min 📝 51 words EMBS

Summary: Nominate volunteers for terms starting Jan 1, 2027: Asia Pacific Rep (3 yr), Technical Rep (3 yr), Student Rep (2 yr), Young Professional Rep (2 yr). Help shape the future… <a class="continue" href="https://www.embs.org/uncategorized/adcom-nominations-2027/">Continue Reading EMBS AdCo...

🔗 **Read full article:**
https://www.embs.org/uncategorized/adcom-nominations-2027/

IEEE Pulse Editor-in-Chief Search – Submit an Application!

👤 Deidre Artis 📅 2026-08-28 📖 1 min 📝 17 words EMBS

> **Summary:** The post IEEE Pulse Editor-in-Chief Search – Submit an Application! appeared first on IEEE EMBS.

🔗 **Read full article:**
https://www.embs.org/featured-news/ieee-pulse-editor-in-chief-search-submit-and-application/

Metformin alleviates neuronal injury in MK-801-Induced Schizophrenia-Like mice by inhibiting neuronal ferroptosis

📖 1 min 📝 25 words BRAIN RESEARCH

> **Summary:** Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Yanwen Lin, Gaoxia Wen, Xiaoyue Hu, Ran Hu, Yahong Duan, Na Wu, Peng Xiong, Xianlai Jin

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004610?dgcid=rss_sd_all

Distinctive patterns of right-hemisphere vulnerability in cerebral small vessel disease: a gray matter asymmetry study

📖 1 min 📝 15 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Jingdian Lu, Yanli Wu, Lei Gao

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004646?dgcid=rss_sd_all

N-methyl-D-aspartate receptors in the prelimbic cortex modulate chronic neuropathic pain and comorbid generalised anxiety in a rainbow boa snake threat paradigm

📖 1 min 📝 38 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Priscila Medeiros, Ana Carolina Medeiros, Ohana Turcato Macacare, Weverton Castro Coelho-Silva, Renata Moreira Acunha, Fernando René Bendaña-Córdoba, Farhad Ullah, Sérgio Henrique Ferreira, Renato L...

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004609?dgcid=rss_sd_all

Exploratory bone–brain transcriptomic associations and an ODE-based digital-twin framework for fracture healing

📖 1 min 📝 15 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Chao Ma, Wei Lu, Ruipeng Guo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004592?dgcid=rss_sd_all

Adrenal remodeling encodes stress axis memory to shape fentanyl seeking

👤 Maretich, P., Cannon, T. M., Milo, T., Pagane, N., Frey, E. J., Choe, F., Vargas Paniagua, E., Leomi, R., Machen, S., Nagao, K., Wong, H. S., Prescott, S. L., Ressler, K. J., Anikeeva, P.

📅 2026-10-25 📖 1 min 📝 125 words BIORXIV NEUROSCIENCE

Summary: The hypothalamic-pituitary-adrenal (HPA) axis is implicated in substance use disorders, yet the features of this circuit that contribute to addiction vulnerability remain unclear. Here, we show that fentanyl engages with different components of the HPA axis, and this engagement varies across timesca...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.20.760432v1?rss=1

RnR-ExM: Robust Non-rigid Registration Challenge for Expansion Microscopy Volumes

👤 Besier, E., Zhang, R., Bando, Y., Alawi, M., Quemener, Y., Kapoor, C., Hoffmann, M., Dalca, A., Casamitjana, A., Arganda-Carreras, I., Fleishman, G., Jia, X., Duan, J., Mok, T. C. W., Li, Z., Schroeder, M. E., Boyden, E., Pfister, H., Wei, D.

📅 2026-10-25 📖 1 min 📝 173 words BIORXIV NEUROSCIENCE

Summary: Expansion Microscopy (ExM) enables nanoscale imaging of biological samples while preserving structural and molecular details. The Robust Non-rigid Registration Challenge for ExM (RnR-ExM) was launched to benchmark 3D registration algorithms on real-world ExM datasets. The challenge released 24 pairs...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.760871v1?rss=1

Cone outer segment renewal in vivo involves progressive particle formation at the photoreceptor-RPE interface

👤 Nevala, N. E., Partinen, J. S., Liang, O., Turer, T., Yoshimatsu, T., Ihalainen, T. O., Nymark, S.

📅 2026-10-25 📖 1 min 📝 141 words BIORXIV NEUROSCIENCE

Summary: Continuous renewal of photoreceptor outer segments (OSs) is essential for vision and depends on removal of distal OS material by the retinal pigment epithelium (RPE). Despite its importance, we still do not understand how this process takes place in vivo. Here, we used live imaging of zebrafish larv...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.22.760941v1?rss=1

Depressive symptoms increase during follow-up and are associated with phenoconversion in isolated REM sleep behavior disorder

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-77324-9

Complementary axes of functional system integration and integration with divergent clinical correlates characterize focal epilepsy

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-79018-2

Exosome-induced ferroptosis mediates cochlear hair cell injury via GPX4 suppression and iron overload

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41420-026-03419-x

Multiple sources contribute to predictive tactile attenuation in the mouse whisker system

Kalpana GuptaShubhodeep ChakrabartiCornelius Schwarzahttps://ror.org/03a1kwz48Systems Neurophysiology, Werner Reichardt Center for Integrative Neuroscience, Eberhard Karls University Tübingen, Tübingen 72076, Germanybhttps://ror.org/04zzwzx41Systems Neurophysiology, Hertie Institute for Clinical Brain Research, Eberhard Karls University Tübingen, Tübingen 72076, Germanychttps://ror.org/03a1kwz48Graduate Training Center for Neuroscience, Eberhard Karls University Tübingen, Tübingen 72076, Germany

2026-10-20 1 min 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceThe brain has evolved multiple interacting neuronal circuits that predict varying aspects of the consequences of one’s own actions. The predicted consequences range from sensory consequences of mov...

Read full article:
https://www.pnas.org/doi/abs/10.1073/pnas.2617276123?af=R

Connexins are essential for the contribution of latent progenitors to healing after spinal cord injury

María Victoria FalcoGabriela FabbianiDaniel PrietoMateo VidalMilagros BenítezMaría Inés RehermannMaría Constanza SilveraRenata SimeoneFederico F. TrigoRaúl E. Russoahttps://ror.org/05b50ej63Departamento de Neurofisiología Celular y Molecular, División Neurociencias, Instituto de Investigaciones Biológicas Clemente Estable, Montevideo CP11600, Uruguaybhttps://ror.org/05b50ej63Departamento de Señalización Neuronal y Glial, División Neurociencias, Instituto de Investigaciones Biológicas Clemente Estable, Montevideo CP11600, Uruguay

2026-10-20 1 min 49 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceEpendymal cells of the spinal cord are latent progenitors whose manipulation is regarded as a potential strategy to improve healing after injury. Therefore, a better understanding of the mechanisms...

Read full article:
https://www.pnas.org/doi/abs/10.1073/pnas.2605647123?af=R

CX3CL1 (fractalkine)–CX3CR1 interface drives CD8⁺ T cell–induced neurodegeneration in human brain organoids

👤 Woo Sub YangMin Sun ShinMu Seog ChoeFerdi Ridvan KiralJumee KimHong-Jai ParkMario FelixLais OsmaniIn-Hyun ParkInsoo KangaDepartment of Genetics, Interdepartmental Neuroscience Program, Yale Stem Cell Center, Yale Child Study Center, Wu Tsai Institute, Yale School of Medicine, New Haven, CT 06520bDepartment of Internal Medicine, Section of Rheumatology, Allergy & Immunology, Yale School of Medicine, New Haven, CT 06520chttps://ror.org/00vvvt117College of Pharmacy, Sookmyung Women's University, Seoul 04310, Republic of KoreadDepartment of Pathology, Yale School of Medicine, New Haven, CT 06520

📅 2026-10-20 📖 1 min 📝 45 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceNeurodegenerative diseases involve not only intrinsic neuronal pathology but also dysregulated immune responses. However, how peripheral adaptive immune cells directly influence human neurons under...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2605209123?af=R

Cross-modal alignment with language tokens for unified multilingual image-to-text generation

Guanjun Lin 2026-10-14 1 min 274 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Current multimodal translation systems typically employ a cascaded pipeline where image captioning and machine translation are performed sequentially, leading to error propagation and semantic drift. This paper introduces a unified neural architecture that integrates visual encoding, English caption...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1826455

Embodied multimodal human-computer interaction for English language learning: integrating speech, gestures, emotion, and adaptive feedback

Yao Tang 2026-10-14 1 min 238 words FRONTIERS NEUROROBOTICS

Summary: Current English language learning systems are often limited by single-dimensional learning-state perception, insufficient modeling of affective-cognitive characteristics, and delayed or inflexible feedback regulation. To address these limitations, this study proposes an affective-cognitive gated cro...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1920739

Temporal signatures of prediction error reveal external forces on an embodied robot

👤 Christian Balkenius 📅 2026-10-14 📖 1 min 📝 218 words FRONTIERS NEUROROBOTICS

Summary: Embodied robots must distinguish self-generated sensory consequences from externally caused perturbations. In predictive processing, such deviation is accounted for as prediction error, but it is commonly treated primarily as a signal to be minimised. Here, we test whether the temporal profile of lo...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1918275

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

👤 Arnaud Delorme 📅 2026-08-01 📖 1 min 📝 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025094107&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

👤 Zhaojiang Du
📅 2026-10-23 📖 1 min 📝 51 words

LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

👤 Werner Eisenbarth
📅 2026-10-24 📖 1 min 📝 79 words

LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

👤 Sunjin Hwang 📅 2026-10-24 📖 1 min 📝 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

Gino Roberto Corazza 2026-10-24 1 min 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025094104&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

👤 Zhifei Xie
📅 2026-10-24 📖 1 min 📝 66 words

TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

Hyperexcitable primary somatosensory cortex in the MitoPark mouse model of Parkinson's disease

Alan J Emanuel 2026-10-25 1 min 67 words TACTILE ACUITY

Summary: The majority of Parkinson's disease patients suffer from decreased tactile acuity or neuropathic pain, both of which contribute to low quality of life and likely exacerbate motor dysfunction. How Parkinson's disease pathology relates to altered somatosensation remains unclear. One potential contribu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926384/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025094102&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

Béatrice Berçot 2026-09-04 1 min 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan
📅 2026-09-09 📖 1 min 📝 57 words

BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

> **Summary:** CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

> **Summary:** Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025094059&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal
📅 2026-10-23 📖 1 min 📝 46 words
TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland
📅 2026-10-23 📖 1 min 📝 43 words
TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

Arwen Stephens
2026-10-24 1 min 68 words TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong 📅 2026-10-24 📖 1 min 📝 64 words TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Accelerated high-capacity 6 mA transcranial direct current stimulation for major depression

👤 Mark S George 📅 2026-10-25 📖 1 min 📝 14 words TDCS TACS TRNS

Summary: CONCLUSIONS: Accelerated 6 mA HC-tDCS was feasible, well tolerated, and warrants a sham-controlled trial.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926624/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025094057&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

👤 Hui Li 📅 2026-10-24 📖 1 min 📝 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

The Walking Brain: Mapping feature-specific cortical responses to naturally unfolding sensory experience in the real world

Meryem A Yücel 2026-10-25 1 min 58 words FNIRS

Summary: Understanding how the brain processes the everyday world is fundamental, yet laboratory paradigms exclude self-generated movement, unscripted events, and a continuously evolving multisensory environment. Wearable neuroimaging enables real-world measurement, but linking neural activity to uncontrolle...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926503/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

Functional near infrared spectroscopy-based dual-stream adaptive language mapping in adults with and without post-stroke aphasia

👤 Meryem Yücel
📅 2026-10-25 📖 1 min 📝 67 words FNIRS

Summary: In aphasia, variability in lesion location and post-stroke network reorganization complicates efforts to identify the regions that support semantic versus phonological processing. In prior work, researchers have often examined these domains in separate patient cohorts, further limiting direct compar...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926860/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025094055&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Fabrication Strategies and Performance Optimization Strategies of Flexible Brain-Computer Interface Electrodes

Jianguo Tang 2026-10-25 1 min 63 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interface (BCI) provides a direct communication pathway between the brain and external devices and has been applied in neurological disease treatment, motor rehabilitation, and human-computer interaction. Electrodes play essential roles in recording and modulating neural signals, and ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42926359/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025094052&v=2.20.1

Implicit learning of melodic structure: A role for pitch?

2024-01-22 1 min 180 words PSYCHOMUSICOLOGY

Summary: Growing evidence suggests that pitch influences musical processing, with melodic processing being enhanced in higher pitch ranges (e.g., Fujioka et al., 2005) and rhythmic processing being enhanced in lower pitches, and these effects may have a basis in elementary properties of the auditory system (...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000303

To those who feel unloved, misunderstood, or afraid

📅 2026-09-22 📖 3 min 📝 687 words FMHY

> **Summary:** I understand the world can feel devoid of love, but I swear, there is a spark within humanity that has the capability to care deeply. To love unconditionally. It doesn't always shine through us all, but it exists, it's real, it's tangible, and no one is exempt from it. We often see it shin...

🔗 **Read full article:**
https://fmhy.net/posts/love

Looking for Code Chroniclers and Markdown Maestros

👤 /u/tenkei_01 📅 2026-10-25 📖 1 min 📝 141 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> I like documentation, always been a joy to me, even in the pre-LLM era where you had to manually tailor docs word by word. Recently I started a new project, and while I like the material theme, I was looking for something punchier to stand apart from all the ...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xf0eck/looking_for_code_chroniclers_and_markdown_maestros/

Meta Ignores Brazilian Court Order to End Bolsonaro Favoritism

👤 vrganj 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.panamericandispatch.org/p/meta-ignores-brazilian-court-order Comments URL: <a href="https://news.ycombinator.com/item?id=50229587">https://news.ycombinator.com/item?id=50229587</...

🔗 **Read full article:**
https://www.panamericandispatch.org/p/meta-ignores-brazilian-court-order

Nikon photography contest winner loses title after scientists spot signs of AI

👤 thunderbong 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.techspot.com/news/114171-nikon-photography-contest-winner-loses-title-after-scientists.html Comments URL: <a href="https://news.ycombinator.com/ite...

🔗 **Read full article:**
https://www.techspot.com/news/114171-nikon-photography-contest-winner-loses-title-after-scientists.html

Samsung running a TensorFlow lite model on 960x540 image to track you

👤 mashally 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://twitter.com/mike64_t/status/2114150399406202896 Comments URL: https://news.ycombinator.com/item?id=50230181 Points: 122 # Com...

🔗 **Read full article:**
https://twitter.com/mike64_t/status/2114150399406202896

fheroes2: A recreation of Heroes of Might and Magic II game engine

👤 tosh 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://github.com/ihhub/fheroes2 Comments URL: https://news.ycombinator.com/item?id=50230384 Points: 62 # Comments: 22

🔗 **Read full article:**
https://github.com/ihhub/fheroes2

Tool book of a Nuremberg knight from 1505

👤 edwardog 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://loeffelholz-codex.org/en/ Comments URL: https://news.ycombinator.com/item?id=50230917 Points: 9 # Comments: 0

🔗 **Read full article:**
https://loeffelholz-codex.org/en/

The Lego group reveals collaboration with Daft Punk

👤 pieterr 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.lego.com/en-us/categories/adults-welcome/article/daft-punk Comments URL: https://news.ycombinator.com/item?id=50231001</...

🔗 **Read full article:**
https://www.lego.com/en-us/categories/adults-welcome/article/daft-punk

Peripheral pathway rerouting shapes whole-brain functional network

📖 1 min 📝 25 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Jin-Jing Hu, Yun-Ting Xiang, Bei-Bei Huo, Yi-Fei Zuo, Chen-Yi Peng, He-Wang, Jia-Jia Wu, Mou-Xiong Zheng, Jian-Guang Xu

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006950?dgcid=rss_sd_all

Corrigendum to “Acupuncture combined with repetitive transcranial magnetic stimulation vs repetitive transcranial magnetic stimulation alone for recovery of hemiparesis after ischemic stroke: A systematic review and meta-analysis” [Neuroscience 616 (2026) 73–91]

📖 1 min 📝 28 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Geng Li, Mengqi Yue, Shuochen Fan, Qichen Bai, Shuai Li, Xiaolin Yang, Xu Chen, Yihao Zhou, Jing Zhong, Jing Shi

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006731?dgcid=rss_sd_all

Polysaccharide-based drug conjugates and related delivery systems for Alzheimer’s disease: from molecular design to translational challenges

📖 1 min 📝 24 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Ngoc Hong Nguyen, Huong Thuy Le, Nhat Thang Thi Nguyen, Thuy Trang Nguyen, Giau Van Vo

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S030645222600672X?dgcid=rss_sd_all

Partial convergence of alternative polyadenylation changes across ALS-Associated RNA-Binding proteins

📖 1 min 📝 10 words NEUROSCIENCE JOURNAL

> **Summary:** Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Changhe Ji

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006743?dgcid=rss_sd_all

Genetic variants in NEF2L2 rs35652124 and GABRB3 rs2081648 genes: association with autism spectrum disorder in Iraqi children

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Zainab Mohammed Burhan, Wisam Hindawi Hoidy

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006895?dgcid=rss_sd_all

Propofol suppresses intrinsic excitability and alters excitatory synaptic plasticity in ventral tegmental area dopamine neurons

📖 1 min 📝 14 words NEUROSCIENCE JOURNAL

Summary: Publication date: 14 December 2026 Source: Neuroscience, Volume 619 Author(s): Min Hee Lee, Dong Kwan Kim

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006986?dgcid=rss_sd_all

Astrocytic ablation of truncated TrkB receptors reduces amyloid plaques and prevents synaptic loss in 5xFAD mice

👤 Bass, R., Masterson, H., Chen, Y., Xu, B.
📅 2026-10-24 📖 1 min 📝 234 words

BIORXIV NEUROSCIENCE

Summary: Brain-derived neurotrophic factor (BDNF) is essential for nervous system development and function and exerts its effects primarily through the tropomyosin receptor kinase B (TrkB). The Ntrk2 gene encodes a full-length receptor (TrkB.FL) and two truncated isoforms (TrkB.T1 and TrkB.T2, collectively T...

🔗 **Read full article:**
https://www.biorxiv.org/content/10.64898/2026.10.20.760443v1?rss=1

HINT1 in ventral hippocampal GABAergic neurons mediates depressive-like behaviors

📅 2026-10-25 📖 1 min 📝 0 words

NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41380-026-03941-5

Integrated microbiome and metabolomic analysis reveals associations between vaginal microbiota composition and psychological profiles

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-76814-0

Disrupted glial-mediated synaptic refinement in Fragile X syndrome

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-75819-z

Emergence of diffusion models from associative memory through memorization and generalization

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-78727-y

Effects of vertebral shortening during corrective osteotomy for spinal deformity on spinal cord biomechanics and cerebrospinal fluid-anterior spinal artery fluid-structure interaction

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41598-026-71867-7

Single-cell transcriptomic insights into conserved and divergent oligodendrocyte lineage programs across species

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s42003-026-11256-y

SIK3 controls synaptic localization of NMDA receptors by phosphorylating GluN1

Thomas C. Südhof 2026-10-21 1 min 41 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 21 October 2026; doi:10.1038/s41593-026-02469-9 SIK3 kinase controls synaptic NMDA receptor recruitment by phosphorylating GluN1 at a single site. Loss or inhibition of SIK3 markedly reduces...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02469-9

A corticohypothalamic circuit that mediates maternal awakening to pup cries

Feixue Liang 2026-10-21 1 min 45 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 21 October 2026; doi:10.1038/s41593-026-02458-y Tang, Wu et al. identify a brain circuit that enables mother mice to wake selectively to pup cries. Motherhood strengthens this pathway throug...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02458-y

Computational approaches to deep learning–driven EEG analysis for neurological disease diagnosis: a systematic review

Jisu Elsa Jacob 2026-10-13 1 min 229 words FRONTIERS NEUROINFORMATICS

Summary: Electroencephalography (EEG) is a widely used non-invasive neurophysiological technique for analyzing brain dynamics and diagnosing neurological diseases. However, the non-stationary nature, low signal-to-noise ratio, and inter-subject variability of EEG signals cause significant challenges to tradi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1778980

Wave-function formalism for evolving neural dynamics: a mathematical framework informed by EEG

Madelyn Klebba 2026-10-12 1 min 268 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: The organization of distributed neural activity remains one of the central challenges in computational neuroscience. Contemporary frameworks, including Integrated Information Theory, Global Workspace Theory, entropy-based approaches, and electromagnetic field theories, have advanced our understandin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1812909

Implementing the ILAE 2025 seizure taxonomy in medical software

Jukka Peltola 2026-10-13 1 min 241 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: The International League Against Epilepsy (ILAE), working via a multidisciplinary task force, has issued a position paper with updated seizure classification guidelines (2025) replacing its previous guidance (2017), establishing a revised de-facto standard for clinical assessment and classification ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1877135

Correction: Arts engagement, active inference, and allostatic regulation: a neurobiological framework for understanding the health effects of aesthetic experience

Pier Luigi Sacco 2026-10-13 1 min 0 words FRONTIERS COMPUTATIONAL NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.2004139

Generative-augmented multimodal neuroaffective decoding for product evaluation: toward neurofeedback-driven human-in-the-loop co-design

Ming Deng 2026-10-21 1 min 227 words FRONTIERS HUMAN NEUROSCIENCE

Summary: BackgroundKansei engineering traditionally relies on self-reported evaluations of product impressions, which are susceptible to contextual influences, recall bias, and assessment timing. Multimodal psychophysiological measurements offer complementary insights into affective responses, but integratin...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1997654

From a surgeon's stroke to a third hemisphere—The auxilium architecture for brain restoration and extension

Mijail Demian Serruya 2026-10-21 1 min 344 words FRONTIERS HUMAN NEUROSCIENCE

Summary: A surgeon was exercising on a stationary bicycle when he had a large ischemic left middle cerebral artery territory stroke, complicated by hemorrhagic transformation requiring hemicraniectomy and cranioplasty. He developed right-sided spastic hemiplegia and a mixed aphasia. This paper takes that cas...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1893045

Anisotropic conductivity modeling for tDCS in Parkinson's disease using multidimensional diffusion MRI

Christoffer Olsson 2026-10-21 1 min 245 words FRONTIERS HUMAN NEUROSCIENCE

Summary: IntroductionPredictions of the electric field (E-field) induced by transcranial direct current stimulation (tDCS) depend on how brain conductivity is modeled. White matter anisotropy is conventionally estimated from single-shell diffusion tensor imaging (DTI). Multidimensional diffusion MRI (MD-dMRI...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1972676

Effectiveness of bimanual kinesthetic teaching through different controller settings

Andrej Gams 2026-10-21 1 min 94 words FRONTIERS NEUROROBOTICS

Summary: Physical human-robot interaction (pHRI) through kinesthetic teaching enables intuitive robot programming, but extending this approach to bimanual systems introduces challenges in synchronized control. Thus, the best way to control bimanual robot systems for kinesthetic teaching remains unclear. In t...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1960197

Role of astrocytes in obesity-induced hypertension

Madhan Subramanian 2026-10-21 1 min 223 words FRONTIERS NEUROSCIENCE

Summary: Although obesity is a significant contributor to hypertension and cardiovascular disease, the mechanisms that connect excess adiposity to persistently elevated blood pressure extend far beyond peripheral metabolic and vascular changes. An increasing body of evidence suggests that a substantial compo...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1992730

Gene expression analysis of Fmr1-KO mouse caudate putamen reveals new preclinical biomarkers for fragile X syndrome

Manuela Prokesch 2026-10-23 1 min 248 words FRONTIERS NEUROSCIENCE

Summary: BackgroundFragile X syndrome is a monogenic cause of autism spectrum disorder. Fmr1-KO mice are a well-known model for the disease, and the model's behavioral phenotype has been well-characterized. Unfortunately, translational molecular tissue biomarkers for this model remain sparse.MethodsTo identi...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1833413

Ultra high-density, 4096-channel intraoperative neurophysiological brain mapping for functional localization of the human central sulcus

👤 Alexandra Fink Skular, Gelana Tostaeva, Elton Ho, Jacqueline Dister, Daniel D Cummins, Katrina Barth, Lizbeth Nunez, Adam Poole, Craig H Mermel, Benjamin Rapoport, Joshua B Bederson and Ignacio Saez

📅 2026-10-20 📖 1 min 📝 378 words JOURNAL NEURAL ENGINEERING

Summary: Objective. Intraoperative localization of the central sulcus (CS) using somatosensory evoked-potential (SSEP) phase reversal (PR) is routinely performed with sparse subdural strip electrodes. We evaluated whether a multi-array, 4096-channel surface micro-electrocorticography (μECoG) configuration co...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aea70f

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261025050029&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

Zhaojiang Du
2026-10-23 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

Werner Eisenbarth 2026-10-24 1 min 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Retinal Artificial Intelligence Reclassifies SCORE2-Based Cardiovascular Risk Across the ESC/EAS Statin-Indication Boundary: A UK Biobank Prospective Cohort Study

Sunjin Hwang 2026-10-24 1 min 28 words LOW VISION

Summary: CONCLUSION: Adding the retinal AI risk score to SCORE2 produced modest bidirectional risk reclassification across the ESC/EAS statin-indication boundary; these findings warrant prospective validation.Abstract word count: 250 words.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921701/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Long-Term Visual, Refractive, and Patient-Reported Satisfaction of the Tel-Aviv Protocol (ePRK-CXL) for Progressive Keratoconus

👤 Igor Kaiserman 📅 2026-10-24 📖 1 min 📝 41 words LOW VISION

Summary: CONCLUSIONS: At a mean follow-up of ~8 years, the Tel-Aviv Protocol provided durable visual and refractive improvement, stabilized keratometry without progression, and yielded high patient satisfaction with low symptom burden. These results support ePRK-CXL as a tissue-sparing option for progressive...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922395/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Clinical significance of "complex" multimorbidity in hospitalised adult patients

👤 Gino Roberto Corazza 📅 2026-10-24 📖 1 min 📝 65 words LOW VISION

Summary: The term "complex multimorbidity" lacks universal consensus and its relevance remains unclear. We aimed to assess the prevalence of complex multimorbidity and its association with major healthcare outcomes. This was a prospective, single-centre study (internal medicine ward). We collected sociodemog...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925459/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Tele-optometry for eye disease screening: a scoping review of context-dependent diagnostic performance and limitations for large-scale implementation

Chigozie Ekenze 2026-10-24 1 min 50 words LOW VISION

Summary: CONCLUSION: Tele-diagnostic screening shows promise for high-prevalence conditions with straightforward criteria, such as DR and refractive error, but is less reliable for complex diseases like glaucoma. These conclusions are constrained by limited downstream-outcome reporting and geographic concent...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920777/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Early changes in the central vision and the macula in diabetic retinal disease: associations with serum biomarkers

Yoko Ozawa 2026-10-24 1 min 62 words LOW VISION

Summary: CONCLUSION: This study links subtle macular neural and vascular changes with systemic biomarkers in diabetic patients without visible macular lesions. Impaired central vision was associated with shorter PROS, lower RPE volume, and reduced vascular parameters. These findings improve understanding of ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921263/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

From task-specific AI to multimodal foundation models in PET/CT: a readiness framework for clinical translation

👤 Jia Wu 📅 2026-10-24 📖 1 min 📝 59 words LOW VISION

Summary: Artificial intelligence in PET/CT is evolving from narrowly optimized systems toward reusable pretrained representations and multimodal models. PET/CT is a demanding test case because clinically meaningful interpretation must preserve quantitative molecular information while integrating anatomic CT,...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923220/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Diagnosis-Related Group Payment Systems and Hospital Efficiency, Quality, and Coding Behavior: A Systematic Review and Narrative Synthesis

👤 Wael Alsebaei 📅 2026-10-24 📖 1 min 📝 66 words LOW VISION

Summary: Diagnosis-related group (DRG)-based payment systems are used globally to incentivize hospital efficiency, yet their impact on clinical quality and documentation behavior remains variable. As Saudi Arabia implements the Australian Refined DRGs (AR-DRG) framework under Vision 2030, a synthesis of inte...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923441/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261025050026&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

Altered body representation in chronic non-specific low back pain: a testable framework linking body-schema-related disturbance, corticomotor alterations, and altered pain processing

Zhifei Xie
2026-10-24 1 min 66 words TACTILE ACUITY

Summary: Low back pain is a leading contributor to disability worldwide; in chronic non-specific low back pain (CNSLBP), the processes sustaining pain and disability in the absence of identifiable structural pathology remain incompletely understood. Three partially overlapping research lines have documented ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923236/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261025050022&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

Summary: CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

Summary: Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

Priyanga Chandrasekaran
2026-09-22 1 min 52 words BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

👤 Ali Alhaj 📅 2026-09-23 📖 1 min 📝 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

👤 Haoran Sun 📅 2026-09-25 📖 1 min 📝 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261025050019&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

Peng Chen 2026-10-23 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

Hussein Youssef 2026-10-23 1 min 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

👤 Pramod Kumar Pal 📅 2026-10-23 📖 1 min 📝 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

👤 Stephanie L Borgland
📅 2026-10-23 📖 1 min 📝 43 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Disrupting objectification: transcranial Direct Current Stimulation (tDCS) enhances the inversion effect toward sexualized women

Arwen Stephens
2026-10-24 1 min 68 words TDCS TACS TRNS

Summary: Sexual objectification is associated with viewing women in an object-like manner, often indexed perceptually by a reduced inversion effect for sexualized women relative to men. Prior research has shown that this index can be attenuated through social manipulations; here we investigated whether it ca...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924553/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Efficacy and Safety of Perioperative Transcranial Electrical Stimulation for Postoperative Pain and Related Outcomes: A Systematic Review and Meta-Analysis With Trial Sequential and Subgroup Analyses

👤 Qing Zhong
📅 2026-10-24 📖 1 min 📝 64 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Current evidence suggests that tES, as an adjuvant perioperative intervention, may alleviate postoperative pain, reduce opioid consumption, and decrease the incidence of postoperative delirium. However, the effect of tES on postoperative quality of recovery remains unclear. Considering ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42924907/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Sensory cortical disinhibition is required for long-term fear memory in humans

👤 Wen Li 📅 2026-10-24 📖 1 min 📝 63 words TDCS TACS TRNS

Summary: The transformation of transient threats into enduring memories is fundamental to survival, yet how the human brain constructs long-term fear memory remains elusive. Early sensory cortex, traditionally viewed as a passive feature analyzer, is increasingly recognized as an active participant in fear p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922457/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Neuromodulatory interventions for Alzheimer's disease

👤 Wandong Zhang 📅 2026-10-24 📖 1 min 📝 60 words TDCS TACS TRNS

Summary: Alzheimer's disease (AD) and mild cognitive impairment (MCI) represent an escalating global public health challenge with major socioeconomic consequences. Although anti-amyloid monoclonal antibodies have introduced disease-modifying treatment options for early symptomatic AD, their benefits remain m...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42923644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261025050017&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

👤 Xuqun You
📅 2026-10-22 📖 1 min 📝 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

Rihui Li 2026-10-23 1 min 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

Georg S Kranz 2026-10-23 1 min 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

Esra Suzen 2026-10-23 1 min 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

Lulu Song 2026-10-24 1 min 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

How School-Based Interventions Shape the Developing Brain during 3-12 Years: A Systematic Review and Exploratory Meta-analysis

Hui Li 2026-10-24 1 min 56 words FNIRS

Summary: The effects of school-based interventions (SBIs) on children's neurodevelopment are poorly synthesized. This systematic review integrates neuroscientific evidence on how structured educational activities influence brain development in children aged 3-12 years. Following PRISMA guidelines, we identif...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925739/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261025050014&v=2.20.1

Transformer networks are robust learners of source localization for EEG measurements

Moritz Dannhauer 2026-10-23 1 min 65 words BRAIN COMPUTER INTERFACE

Summary: EEG source localization is an ill-posed inverse problem complicated by measurement noise, electrode dropout from sensor miscalibration, and variability in the number of active sources. Classical methods such as eLORETA and LCMV beamforming impose regularization assumptions that degrade under realist...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913696/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Combined neuromodulation techniques via a central-peripheral-central strategy facilitate functional recovery from AIS A to AIS C in a patient with complete spinal cord injury: A case report

Liansheng Zhong
2026-10-24 1 min 48 words BRAIN COMPUTER INTERFACE

Summary: CONTEXT: Complete spinal cord injury (SCI) has traditionally been considered irreversible. However, accumulating evidence suggests that subclinical neural pathways may persist. Multimodal combined neuromodulation targeting brain-spinal-peripheral circuits holds promise to unlock latent neural plasti...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42925109/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Case Report: An MDT-guided multimodal protocol for large-area stroke plateau - integrating neuromodulation with multimodal assessment

Xiao-Xia Du 2026-10-24 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: In this patient with large-area stroke who showed limited response to conventional rehabilitation, an MDT-guided, dynamically adjusted multimodal intervention was temporally associated with concurrent recovery across cognitive, language, motor, and daily living domains. The concomitant n...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920766/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Correction: Perioperative management for invasive brain-computer interface implantation under surgical navigation in a patient with traumatic spinal cord injury: a case report

Wenyao Cui 2026-10-24 1 min 6 words BRAIN COMPUTER INTERFACE

Summary: [This corrects the article DOI: 10.3389/fnhum.2026.1892331.].

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42921446/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Limits of Trial-Adaptive Neural-Language Fusion Across Large Language Models in P300 Brain-Computer Interfaces

Yiftach Barash 2026-10-24 1 min 21 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSION: A tuned fixed weight is a difficult-to-beat default across the tested scale range; reliability estimation gave no deployable adaptive advantage.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Creating online cognitive assessment platform for children's literacy and math skills: a case study illustrated with the ACE kids platform

U Maurer 2026-10-24 1 min 70 words BRAIN COMPUTER INTERFACE

Summary: Computerized versions of paper-and-pencil tests made behavioral assessments of children more automatic and precise. The COVID-19 pandemic further demonstrated the need for assessments to be offered online to allow for remote data collection. However, the design and implementation of computerized tes...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42922911/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261025050009&v=2.20.1

Easily download files from the Open Science Framework with Papercheck

noreply@blogger.com (Daniel Lakens)
2025-07-22 3 min 765 words

TWENTY PERCENT STATISTICIAN

Summary: <p>Researchers increasingly use the Open Science Framework (OSF) to share files, such as data and code underlying scientific publications, or presentations and materials for scientific workshops. The OSF is an amazing service that has contributed immensely to a changed ...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/07/easily-download-files-from-open-science.html

How I use AI in my work

noreply@blogger.com (Daniel Lakens)
2026-10-11 21 min 4292 words

TWENTY PERCENT STATISTICIAN

Summary: <p>Tomorrow we will have a discussion in our lab about how to use AI as a scientist. I have increasingly started to use AI, having moved from Copilot Chat that our university provides last year, to some free credit on GitHub Copilot under their educational program, to Claude Pro integrated in Visual...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/10/how-i-use-ai-in-my-work.html

Active Lubrication Brakes in Tabletop and Hand-Held Haptic Surgical Drilling Simulators

📅 2026-06-29 📖 1 min 📝 222 words TRANSACTIONS HAPTICS

Summary: Haptic user interfaces that provide both kinesthetic and vibrotactile feedback have strong potential to enhance a wide range of medical training simulations. Yet, designing such devices remains challenging due to constraints related to integration, workspace, cost, and the need for diverse feedback ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11585967

Reconciling Reduced the Sense of Ownership and Agency Toward a Virtual Keypad With Enhanced Haptic Experience Using Visually Adjusted Self-Haptics for Key-Input Interaction

📅 2026-07-06 📖 1 min 📝 250 words TRANSACTIONS HAPTICS

Summary: Self-Haptics is a tactile feedback technique where users utilize their own body to generate tactile sensations. This method allows the body to act purely as a prop, making it useful for virtual objects and user interfaces not directly related to the body. However, any method for maintaining the sens...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11595768

VibGrasp: Spatiotemporal Vibration Based Multimodal Haptic Rendering With a Lightweight Exo-Glove for 3D Shape Perception

📅 2026-04-20 📖 1 min 📝 173 words TRANSACTIONS HAPTICS

Summary: Haptic feedback has been employed to enhance shape perception during grasp interactions, improving immersion and task performance in extended reality (XR). Although wearable devices offer precise multi-phalangeal haptic feedback, their bulkiness and complexity often hinder practicality. In addition,...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11488477

Propeller-Based Handheld Force-Feedback Device for Navigation

📅 2026-04-22 📖 1 min 📝 168 words TRANSACTIONS HAPTICS

Summary: This article presents an evaluation of CrazyJoystick, a propeller-based handheld force-feedback device, for spatial navigation tasks in real-world and virtual reality environments. Building upon prior work validating the device's on-demand aerial deployment and directional cue discriminability, we i...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11493624

A Wearable Shoulder Skin-Deformation Device Generating Illusory Forces for Posture Correction

📅 2026-04-22 📖 1 min 📝 208 words TRANSACTIONS HAPTICS

Summary: The hanger reflex is a haptic illusion in which skin-shear deformation elicits a directional force sensation. This study presents a wearable haptic device that uses four pneumatic airbags to apply controlled skin shear to both shoulders for posture guidance. Although previous work has shown that sho...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11489488

Sensitivity at the Edges of the Finger Enables Mixed Reality Force Feedback

📅 2026-04-06 📖 1 min 📝 155 words TRANSACTIONS HAPTICS

Summary: We introduce a new paradigm for rendering high-force sensations by stimulating the edges of the fingerpad rather than the central contact surface. This non-blocking approach preserves natural finger use, enabling simultaneous physical and virtual interactions. To investigate its feasibility, we prop...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11475177

ThermalTexture: Temperature-Integrated Surface Rendering Using Thermal Referral Induced by Texture Slip-Feedback

📅 2026-03-23 📖 1 min 📝 204 words TRANSACTIONS HAPTICS

Summary: Thermal–vibration feedback has been reported to elicit the thermal referral phenomenon, offering new possibilities for enhancing user experience. Yet, little research has explored whether thermal referral occurs in the presence of texture-slip feedback. To address this, we developed a custom haptic ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11454471

Guest Editorial: World Haptics Conference 2025

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716332

Table of Contents

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716327

Front Cover

📅 2026-09-30 📖 1 min 📝 1 words TRANSACTIONS HAPTICS

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11716326

Neural Distinctions between Social and Nonsocial Reward Anticipation: An Examination of Activation Magnitude, Representational Patterns, Individual Differences, and Functional Connectivity

📅 2026-10-19 📖 1 min 📝 235 words COGNITIVE NEUROSCIENCE

Summary: Prevailing theories emphasize a “common neural currency” for social and nonsocial rewards, particularly during reward anticipation. However, direct comparisons of social and nonsocial reward anticipation remain limited, and clinical observations suggest that social reward processing can be selective...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741003

Exploring Neural Mechanisms Underlying Error-related Impairments in Active Working Memory Suggests an Adaptive Shielding of Contents during Cognitive Control

📅 2026-10-19 📖 1 min 📝 302 words COGNITIVE NEUROSCIENCE

Summary: Goal-directed behavior relies on cognitive flexibility—the ability to rapidly adapt ongoing thoughts and behaviors while preserving task-relevant information. The performance monitoring system optimizes such behavior by detecting and evaluating errors, whereas the working memory (WM) system maintain...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741004

Slow Oscillations Modulate Overnight Brain Changes in Working Memory Function

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Working memory (WM), the transient storage and manipulation of information, is a cognitive function that can improve with training. Accumulating evidence suggests that sleep, particularly slow oscillations (SOs) that occur during nonrapid eye movement sleep, supports this improvement. Yet, how sleep...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741002

Visual Perspective Shapes Subjective Experience: Dissociable Parietal Contributions to the Constructive Nature of Memory

📅 2026-10-19 📖 1 min 📝 223 words COGNITIVE NEUROSCIENCE

Summary: Subjective features of memory are often treated as secondary to the objective content of remembered events. However, growing evidence suggests that these features actively shape how memories are constructed, experienced, and used. Rather than treating visual perspective as a peripheral correlate of ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740941

Memory Traces Reflect How They Were Last Accessed

📅 2026-10-19 📖 1 min 📝 216 words COGNITIVE NEUROSCIENCE

Summary: Episodic memories are known to change with each act of retrieval. We hypothesize that accessing semantic knowledge in different ways during episodic retrieval—from unique perceptual features to taxonomic and thematic context—shapes how those memories are subsequently represented during recognition. ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740999

The Temporal Dynamics of Attentional Allocation during Counterfactual Learning

📅 2026-10-19 📖 1 min 📝 194 words COGNITIVE NEUROSCIENCE

Summary: Counterfactual learning, the ability to learn from what could have happened under different circumstances, is a key cognitive mechanism supporting behavioral adaptation. While its neural and computational underpinnings are increasingly understood, the temporal dynamics of attention toward factual an...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741005

Theta and High-alpha Phase-locking Dynamics Unveil Face Perception in Ambiguous Stimuli

📅 2026-10-19 📖 1 min 📝 227 words COGNITIVE NEUROSCIENCE

Summary: Previous studies emphasize phase synchronization as a fundamental mechanism for integrating local features into coherent percepts. We employed a novel paradigm and dynamic graph analysis based on EEG to track neural dynamics associated with perceiving a face (or not) while keeping the stimuli identi...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11741000

Capturing the Attentional Trade-off between Speech Planning and Comprehension

📅 2026-10-19 📖 1 min 📝 255 words COGNITIVE NEUROSCIENCE

Summary: In conversation, future speakers often plan speech simultaneously with comprehension, which means that they must divide attentional resources between these processes. In this EEG study, we used responses to linguistic attention probes (i.e., syllable “BA” presented during spoken sentences) to track ...

🔗 **Read full article:**
http://ieeexplore.ieee.org/document/11740942

Therapeutic potential of proline-rich peptide-1 (PRP-1) in counteracting amyloid-β-mediated cortical and hippocampal neurodegeneration in a rat model

📖 1 min 📝 22 words NEUROSCIENCE JOURNAL

Summary: Publication date: 7 December 2026 Source: Neuroscience, Volume 618 Author(s): Harutyun Stepanyan, Hamzeh Ghorbani, Mikhail Poghosyan, Margarita Danielyan, Arsen Minasyan, Arsen Hunanyan, Naira Hunanyan

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0306452226006615?dgcid=rss_sd_all

Decoding spatial attention in the cocktail party problem using whole-head high-density fNIRS

📖 1 min 📝 47 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Sudan Duwadi, De'Ja Rogers, Alex D. Boyd, Laura B. Carlton, Yiwen Zhang, Anna Kawai Gaona, Aneesa Diya Pathiyaparambath, Ravin Chaudhury, Grace Magee, Bernhard B Zimmermann, Walker J O'Brien, Alexander...

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S1053811926006075?dgcid=rss_sd_all

Subjective emotional ratings dissociate brain activation and network patterns during counterfactual outcome processing

📖 1 min 📝 24 words NEUROIMAGE

Summary: Publication date: 15 November 2026 Source: NeuroImage, Volume 342 Author(s): Tingting Zhang, Denghui Bai, Xiaotong Wei, Lei Zhuo, Qiuzhu Zhang, Junjun Zhang, Zhenlan Jin, Ling Li

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S105381192600618X?dgcid=rss_sd_all

Active locomotion predictively rescues head direction attractor dynamics in head-fixed mice

📅 2026-10-25 📖 1 min 📝 0 words NATURE NEUROSCIENCE SUBJECTS

🔗 **Read full article:**
https://www.nature.com/articles/s41467-026-79031-5

Early lineage divergence segregates sensory and motor-associative identities in the thalamus

👤 Guillermina López-Bendito 📅 2026-10-20 📖 1 min 📝 35 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 20 October 2026; doi:10.1038/s41593-026-02485-9 Sensory and motor-associative identities in the thalamus arise from two early-diverging lineages, with sensory neurons progressing through sha...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02485-9

Dysregulated cholesterol trafficking through ABCA1 drives neurodegeneration in Parkinson’s disease

👤 Lei Cao 📅 2026-10-20 📖 1 min 📝 39 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 20 October 2026; doi:10.1038/s41593-026-02487-7 This study identifies ABCA1 as a driver of dysregulated cholesterol trafficking in Parkinson’s disease, showing that reducing ABCA1 in astrocy...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02487-7

Sustained antidepressant-like effects of psychedelics through 5-HT_{2A}R–β-arrestin signaling

👤 Sheng Wang 📅 2026-10-23 📖 1 min 📝 40 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 23 October 2026; doi:10.1038/s41593-026-02497-5 This study shows that the sustained antidepressant-like effect of psychedelics is driven by 5-HT2A receptor–β-arrestin signaling. Repeated low...

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02497-5

Identification of candidate markers for the isolation of neuron-specific extracellular vesicles

David R. Walt
2026-10-23 1 min 41 words NATURE NEUROSCIENCE

Summary: Nature Neuroscience, Published online: 23 October 2026; doi:10.1038/s41593-026-02466-y The authors developed methods to identify extracellular vesicles (EVs) in the blood that come from the brain by capturing EV surface proteins....

🔗 **Read full article:**
https://www.nature.com/articles/s41593-026-02466-y

Neuropharmacology of language: ERP evidence for catecholaminergic modulation of syntactic processing

👤 Yingying TanAshley G. LewisIris C. SchmitsRobert-Jan VerkesRoshan CoolsPeter Hagoortahttps://ror.org/01bn89z48Shanghai International Studies University, Institute of Language Sciences, Shanghai 201620, Chinabhttps://ror.org/00671me87Max Planck Institute for Psycholinguistics, Neurobiology of Language Department, Nijmegen 6525 XD, the Netherlandschttps://ror.org/03q8dnn23City University of Hong Kong, Department of Linguistics and Translation, Kowloon, Hong Kong Special Administrative Region, Chinadhttps://ror.org/016xsfp80Radboud University, Donders Institute for Brain, Cognition and Behaviour, Center for Cognitive Neuroimaging, Nijmegen 6525 EN, the Netherlandsehttps://ror.org/05wg1m734Radboud University Medical Center, Department of Psychiatry, Nijmegen 6525 GA, the Netherlands

📅 2026-10-22 📖 1 min 📝 42 words PNAS NEUROSCIENCE

Summary: Proceedings of the National Academy of Sciences, Volume 123, Issue 43, October 2026.
SignificanceHow the brain’s neuromodulatory systems influence language, a defining human capacity, remains poorly understood. Here we show that catecholaminergic neurotransmission—primarily involving dopamine ...

🔗 **Read full article:**
https://www.pnas.org/doi/abs/10.1073/pnas.2606806123?af=R

Safety of lecanemab in real-world patients with Alzheimer’s disease: a prospective, observational case series supported by FAERS signal analysis

Erhao Bao 2026-10-02 1 min 354 words FRONTIERS NEUROINFORMATICS

Summary: ObjectiveLecanemab, a humanized immunoglobulin monoclonal antibody, has been approved for the treatment of Alzheimer’s disease (AD). Although clinical trials have demonstrated its favorable safety profile, real-world studies are crucial for identifying rare adverse events (AEs) and evaluating post-m...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1977226

EEG emotion-recognition datasets for neuroarchitecture: an appraisal of openness, AI-readiness and ontology maturity

Han Jong Jun 2026-10-20 1 min 341 words FRONTIERS NEUROINFORMATICS

Summary: IntroductionNeuroarchitecture studies how designed space shapes emotion, often with electroencephalography (EEG), and computational models that decode emotion from EEG must be trained on labelled recordings. Yet none of the widely shared EEG emotion datasets was recorded while people moved through d...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1971441

A systematic review of machine learning approaches for MRI-based brain tumor analysis

👤 Almira Melsovna Kustubayeva
📅 2026-10-12 📖 1 min 📝 213 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Machine learning is now widely applied to magnetic resonance imaging-based brain tumor analysis, with task-specific performance metrics: the Dice similarity coefficient (DSC) quantifies segmentation overlap, while the area under the curve (AUC) and accuracy measure classification performance. A PRIS...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1937002

Are cortical microcircuits optimized for information flux?—A simulation-based reverse engineering study

👤 Patrick Krauss
📅 2026-10-20 📖 1 min 📝 271 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionA sufficiently large information flux in recurrent neural networks, quantified by the mutual information between successive network states, has been proposed as a marker of rich information-processing capabilities. This raises the question of whether biological neural networks, such as c...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1886601

Artificial intelligence-generated and algorithmically personalized music interventions and their effects on brain function, behavior, and health: a critical review

Jingting Jin 2026-10-23 1 min 310 words FRONTIERS HUMAN NEUROSCIENCE

Summary: This critical review synthesizes empirical studies of algorithmically personalized and artificial-intelligence-generated music interventions reporting neurophysiological, neuroimaging, or objective behavioral outcomes. Literature was identified through structured searches of PubMed, Scopus, Google S...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1967909

Effect of robotic assistance on upper-limb sensorimotor recovery: a systematic review and meta-analysis

Sivakumar Balasubramanian 2026-10-20 1 min 359 words FRONTIERS NEUROROBOTICS

Summary: IntroductionRobot-assisted upper-limb neurorehabilitation enables several beneficial therapy components, including repetitive task-specific practice, high training intensity, real-time feedback, gamification, and continuous physical interaction with the patient’s limb. However, conventional comparis...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1860365

Research progress on the mechanism of microglia–astrocyte signal crosstalk in central sensitization of vestibular migraine

Huailiang Zhang
2026-10-23 1 min 127 words
FRONTIERS NEUROSCIENCE

Summary: Vestibular migraine (VM) is a vestibular disorder characterized by recurrent episodes of vertigo, frequently accompanied by headache, nausea, and vomiting, which substantially reduce patients' quality of life. The pathogenesis of VM remains incompletely understood. Current studies mainly focus on io...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1844932

From confidence to caution: conformal gating for cross-session motor imagery brain–computer interfaces

Sixue Xing and Aarthy Nagarajan
2026-10-22 1 min 278 words
JOURNAL NEURAL ENGINEERING

Summary: Objective. Erroneous motor imagery brain–computer interface (MI-BCI) commands can cause unintended device actions, yet standard classifiers provide no mechanism to withhold uncertain predictions. We evaluate whether conformal prediction (CP) can serve as a command gate under cross-session EEG shift,...

🔗 **Read full article:**
https://iopscience.iop.org/article/10.1088/1741-2552/aead26

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

👤 Fanny Quandt 📅 2025-01-09 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

Summary: Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

Vitória Piai 2026-02-17 1 min 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024233226&v=2.20.1

Ultrabright Quasi-Compact Quantum Dot Assembly for Sensitive and Color-Fixed Immunoassays

👤 Liang Huang
📅 2026-10-23 📖 1 min 📝 63 words

LOW VISION

Summary: Home-based immunoassay platforms constitute critical tools for the rapid screening of infectious respiratory viruses. Notably, viral loads can remain low at certain stages yet vary over several orders of magnitude during infection, and such variations are closely associated with the disease progress...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916099/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Supercritical Carbon Dioxide-Peracetic Acid Treatment Inactivates Low-Level Bacterial Inocula in Collagen Analogue-Phosphorylcholine Hydrogels while Preserving Functional Properties

👤 May Griffith
📅 2026-10-23 📖 1 min 📝 57 words

LOW VISION

Summary: Terminal sterilization of hydrogels is challenging because their high-water-content, chemical structures, and cell-friendly properties are often altered by conventional sterilization methods. Hydrogel implants comprising collagen-like peptide (CLP), polyethylene glycol (PEG), and poly (2-methacryloy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916212/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

A Bidirectional Photosensitive Multimodal PdSe2/MoS2 van der Waals Heterostructure Memristor Array for In-Sensor Neuromorphic Vision

👤 Jun He 📅 2026-10-23 📖 1 min 📝 60 words LOW VISION

Summary: Optoelectronic van der Waals (vdW) memristors integrating photosensing, memory, and computing capabilities are promising for artificial vision but are limited by single photoresponse modes, low yields, and high device variability. Here, we demonstrate a 1-kb PdSe2/MoS2 van der Waals heterostructure ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916623/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Al-Stoichiometry-Engineered Defect Profiles in InAlZnO Nanofibers for Balanced Charge Transport and Optical Plasticity

👤 Fengyun Wang
📅 2026-10-23 📖 1 min 📝 64 words

LOW VISION

Summary: Metal oxide optoelectronic synapses are promising for neuromorphic vision, but combining a low dark current with sustained photoinduced plasticity remains challenging. Here, Al stoichiometry is engineered in electrospun In1AlxZn0.08O (x = 0.007, 0.011, and 0.015) nanofiber networks to tune sub-bandg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918218/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Effect of 0.01%, 0.02% and 0.04% Atropine eyedrops vs Placebo on myopia incidence in pre-myopic children: A randomized clinical trial

Xiangui He 2026-10-23 1 min 47 words LOW VISION

Summary: CONCLUSIONS: Low-concentration atropine demonstrated a dose-response relationship for reducing cumulative myopia incidence and slowing refractive progression in pre-myopic children, but no such relationship on axial length. This preliminary evidence suggests potential for early myopia prevention, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918548/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Diagnosis of a chiasmal lesion compressing optic chiasm in patients with severe retinal degeneration: a two-case report

Kyung-Ah Park 2026-10-23 1 min 46 words LOW VISION

Summary: CONCLUSIONS: Optic chiasmal compression should be considered in patients with severe retinal degeneration presenting with progressive visual decline that cannot be fully explained by retinal pathology. Visual field testing and timely neuroimaging, particularly MRI, are essential for accurate diagnos...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919189/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Reading Arabic Under Simulated Low Vision: Orthographic Complexity Shapes the Effect of Contrast Polarity

👤 Mosaad Alhassan 📅 2026-10-23 📖 1 min 📝 45 words LOW VISION

Summary: CONCLUSION: Arabic relies on small, high-spatial-frequency features such as dots for letter discrimination, which appear to modulate how contrast polarity interacts with optical degradation at threshold. These findings provide preliminary evidence that may guide future studies of reading performance...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920077/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

Zhaojiang Du
2026-10-23 1 min 51 words LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

Werner Eisenbarth 2026-10-24 1 min 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024233224&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

👤 Martina C Meinke 📅 2026-08-13 📖 1 min 📝 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

👤 Senanur Akıncı 📅 2026-08-14 📖 1 min 📝 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

Liu Yang 2026-08-19 1 min 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

A grating orientation task with controlled dome elevation speed and contact force: stimulus conditions and day-to-day reliability

Hideaki Onishi 2026-09-25 1 min 66 words TACTILE ACUITY

Summary: The grating orientation discrimination task (GOT) is typically used to assess tactile spatial acuity. However, performance is influenced by stimulus speed, contact force between the stimulator and the skin, and the method of discrimination. This study aimed to explore suitable stimulus conditions fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42787568/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Epidermal microstructure and tactile sensitivity in the glabrous skin of hands and feet

Hannes P Saal 2026-09-25 1 min 69 words TACTILE ACUITY

Summary: Glabrous skin on the human palms and soles is specialized for mechanical interaction and is characterized by papillary ridges, an absence of hair follicles, and a thick stratum corneum. Although gross morphological differences, such as the increased thickness of the plantar stratum corneum, are well...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42788316/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

Neurotrauma During Military Training: Results of the INVestigating traIning assoCiated blasT pAthology (INVICTA) Study

Walter S Carr 2026-10-01 1 min 67 words TACTILE ACUITY

Summary: Concern is growing that subconcussive blast exposure during military exercises such as heavy weapons training (HWT) may adversely affect brain function. HWT involves firing shoulder-mounted weapons that can expose the gunner, assistant gunner, and instructors (range safety officers [RSOs]) to blast ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42817759/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024233221&v=2.20.1

In vitro carbapenem activity in Neisseria gonorrhoeae

👤 Béatrice Berçot 📅 2026-09-04 📖 1 min 📝 60 words BRAILLE

> **Summary:** CONCLUSIONS: Carbapenem MICs remain low in N. gonorrhoeae isolates but are higher in those with mosaic penA alleles than in those with non-mosaic penA alleles. MICs for ertapenem are lower than those for other carbapenems, supporting its use for the treatment of infections with ceftriaxone-resistant...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42694607/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Multi-Modal Low-Power Adaptive Braille Recognition System Based on Hf(0.3)Zr(0.7)O(2) Memristor

👤 Xiaobing Yan 📅 2026-09-09 📖 1 min 📝 57 words BRAILLE

> **Summary:** Tactile-assisted perception systems hold great promise for robotics and human-machine interaction, yet current assistive systems for visually impaired individuals suffer from redundant data transmission, complex fusion algorithms, and high-power consumption. These limitations can introduce milliseco...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42711906/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Impact of Braille Booklet, Audio-Tactile Performance and Caregiver-supervised Training on Oral Hygiene Status, Knowledge, Attitude and Practices among Visually Challenged Children- A Randomized Clinical Trial

👤 Priyanga Chandrasekaran
📅 2026-09-22 📖 1 min 📝 52 words

BRAILLE

Summary: CONCLUSION: Both caregiver-supervised training and audio tactile performance using specialized model method of oral health education proved to be more effective than the braille booklet group on plaque control and improvement in the oral hygiene status, oral health knowledge, attitude and practice i...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42768901/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Design and functional verification of an automated Perkins Brailler accessory with audio feedback

Ali Alhaj 2026-09-23 1 min 67 words BRAILLE

Summary: CONCLUSIONS: The study did not include learners with visual impairment, Braille teachers, rehabilitation specialists, or other end users, and it did not collect quantitative measures of accuracy across the full character set, writing speed, embossing quality, latency, durability, safety, usability, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42775591/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Uncertainty-Aware structured decoding for Chinese Braille document transcription

Haoran Sun 2026-09-25 1 min 64 words BRAILLE

Summary: Automatic transcription of braille documents remains challenging in document digitization settings, particularly under real imaging degradations such as uneven embossing, illumination variation, paper texture, skew, blur, and ghosting, which make braille dot presence uncertain and often cause error ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42789611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Clinical Characteristics and Epidemiology of Isolated Dystonia: Results from a US Claims Analysis

James E Thornton 2026-10-08 1 min 54 words BRAILLE

Summary: CONCLUSIONS: This study defines an isolated dystonia cohort in the US based on real-world evidence and systematic exclusion of secondary causes of dystonia. Estimated prevalence is within range of prior epidemiological studies, and the cohort showed increased rates of comorbid psychiatric disorders....

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42845092/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Effects of multisensory tactile-auditory integration teaching on systematic anatomy learning in visually impaired medical students

Fanzhen Kong 2026-10-08 1 min 50 words BRAILLE

Summary: CONCLUSION: The tactile-auditory integrated training system significantly improves objective summative knowledge acquisition and subjective learning experiences in visually impaired medical students. This approach provides a scalable, cost-constrained, and replicable pedagogical model for inclusive ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42848198/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Physical and Environmental Accessibility of Dental Services for Persons with Disabilities in Saudi Primary Health Care: A Cross-Sectional Study

👤 Estie Kruger 📅 2026-10-16 📖 1 min 📝 66 words BRAILLE

Summary: Background/Objectives: Persons with disabilities (PWDs) may experience barriers when accessing oral health care, including those related to the physical and sensory environment of the dental-care setting. In this study we assessed the accessibility of primary health care centres (PHCs) providing den...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42881664/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Visible Light Driven Diselenide Chemistry for Simultaneous 3D Patterning and Mechanical Reinforcement

👤 Huaping Xu 📅 2026-10-16 📖 1 min 📝 63 words BRAILLE

Summary: Three-dimensional (3D) patterning on polymer surfaces is typically achieved by photolithography or related techniques, which often involve complex procedures, high-energy ultraviolet light, and risk of material damage. Here, we report a visible light-driven strategy that exploits the dual functional...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885551/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

An accessible pregnancy test for blind and low-vision users

Vanja Garaj 2026-10-16 1 min 63 words BRAILLE

Summary: CONCLUSIONS: The findings suggest that accessible pregnancy testing must prioritise not only non-visual result reading but also privacy, dignity, reproductive autonomy and independent health management. These results represent the preliminary evidence of acceptability rather than a conclusive test o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42885828/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=165yO28ehHLjXJb8W3JvTx2bYozdDe8IvyFRBlOfHZxFR8o1uX&fc=None&ff=20261024233218&v=2.20.1

Affinity Engineering Modulates Soluble Antigen Degrader Activity

Xin Zhou 2026-10-20 1 min 62 words TDCS TACS TRNS

Summary: Soluble extracellular proteins drive many physiological and pathological signaling pathways, and targeted degradation offers a potential strategy for their therapeutic modulation. Here, we engineered bispecific targeting chimeras (TACs) that couple soluble proteins to constitutively internalizing ce...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42900781/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words

TDCS TACS TRNS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Multiple Sessions of Transcranial Direct Current Stimulation Combined With Squat Training Improve Lower-Limb Maximum Strength in Healthy Adult Men

👤 Fengxue Qi
📅 2026-10-22 📖 1 min 📝 79 words

TDCS TACS TRNS

Summary: Yan, X, Zuo, Z, Nitsche, MA, Zhang, X, and Qi, F. Multiple sessions of transcranial direct current stimulation combined with squat training improve lower-limb maximum strength in healthy adult men. J Strength Cond Res XX(X): 000-000, 2026-This study aimed to investigate the effects of transcranial d...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906120/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Time-aware frame-aligned diffusion-inspired model for late dynamic PET frame prediction from early [¹¹C] raclopride

👤 Jae Sung Lee
📅 2026-10-22 📖 1 min 📝 42 words

TDCS TACS TRNS

Summary: OBJECTIVE: To reduce the burden of dynamic PET acquisition while preserving quantitative analysis, we propose a time-aware frame-aligned diffusion-inspired residual denoising framework for predicting late dynamic PET frames from a short early acquisition window (10 min in this study) of [¹¹C] raclop...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42906611/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Effects of transcranial direct current stimulation on patient-reported outcomes in chronic low back pain: a systematic review and three-level meta-analysis

Peng Chen 2026-10-23 1 min 34 words TDCS TACS TRNS

Summary: CONCLUSION: Current evidence suggests that tDCS may reduce pain and produce a small improvement in disability in individuals with CLBP. Given the low-to-moderate certainty of the available evidence, these findings should be interpreted cautiously.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908585/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

tACS suppresses M1 polarization of microglia after spinal cord injury through the cGMP-PKG signaling pathway

Xiaojun Zhou 2026-10-23 1 min 38 words TDCS TACS TRNS

Summary: CONCLUSION: The activity of the cGMP-PKG signaling pathway is upregulated by tACS, thereby modulating microglial polarization, suppressing neuroinflammation and protecting neurons from inflammatory injury. As a non-invasive neuromodulation technique, tACS holds potential as a therapeutic approach fo...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908978/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Hemispheric lesion asymmetry - An overlooked variable in tDCS targeting for multiple sclerosis

👤 Hussein Youssef 📅 2026-10-23 📖 1 min 📝 2 words TDCS TACS TRNS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914630/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Gradient-Based Curvature-Only Time-Derivative Coupling for Surface Hopping and Coherent Switching with Decay of Mixing: Application to SO2 and Molecular Tully Models

👤 Leticia González 📅 2026-10-23 📖 1 min 📝 61 words TDCS TACS TRNS

Summary: Time-derivative couplings (TDCs) are central ingredients in mixed quantum-classical simulations of nonadiabatic dynamics, yet their evaluation remains a key practical challenge when analytic nonadiabatic coupling vectors or wave function overlaps are unavailable. Curvature-driven approximations prov...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42917482/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Nonpharmacological Interventions in Degenerative Cerebellar Ataxia: A Systematic Review

Pramod Kumar Pal 2026-10-23 1 min 46 words TDCS TACS TRNS

Summary: CONCLUSIONS: NPI may confer short-term symptomatic and functional benefits in degenerative cerebellar ataxia, particularly in axial motor domains, supported by the largest evidence for structured rehabilitation followed by neuromodulation, although heterogeneous. Future multicenter, biomarker-inform...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919822/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

Effects of Orbitofrontal Cortex tDCS on Cognitive Control in Individuals With Obesity: A Randomized Sham-Controlled Trial

Stephanie L Borgland 2026-10-23 1 min 43 words TDCS TACS TRNS

Summary: CONCLUSIONS: Unlike what has been reported in lean individuals, a single session of OFC-targeted tDCS is insufficient to modify cognitive control in individuals with obesity. However, the cognitive effects of a single session of OFC stimulation depend on individual neurocognitive characteristics in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920207/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=143rKCPgMwbasrj66gQ1r1ebioUg42SIGRyVKSoW4m6X-ecQ00&fc=None&ff=20261024233216&v=2.20.1

EEG-defined differences in functional networks following beta-band transcranial alternating current stimulation in patients with disorders of consciousness: a pilot study

👤 Fanshuo Zeng
📅 2026-10-21 📖 1 min 📝 53 words FNIRS

Summary: CONCLUSIONS: Frontal beta-tACS was associated with state-dependent changes in functional network organization in DOC, with dynamic fNIRS measures that may be useful for tracking these changes. These findings provide preliminary descriptive evidence of short-term network changes associated with beta-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902320/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Resting-State and Task-State Dual-Paradigm fNIRS Study Reveals Dynamic Alterations in Brain Network Activity in Alzheimer's Disease With Behavioural and Psychological Symptoms

👤 Hua Hu
📅 2026-10-21 📖 1 min 📝 47 words FNIRS

Summary: CONCLUSIONS: AD-BPSD was associated with altered brain functional patterns across resting and task states, involving sensorimotor and executive networks as well as altered interhemispheric coordination. These fNIRS-derived alterations provide exploratory evidence of altered brain functional patterns...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902444/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Task load and phase relevance modulate primary flight display change blindness: evidence from flight simulator, eye-tracking, and fNIRS

👤 Xuqun You
📅 2026-10-22 📖 1 min 📝 70 words FNIRS

Summary: Change blindness (CB) during Primary Flight Display (PFD) monitoring threatens aviation safety, yet the roles of flight phase and parameter relevance remain unclear. This study examined cognitive-neural correlates of PFD change blindness in experienced commercial pilots. Experiment 1 (N = 14) found ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42902897/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Spatiotemporal feature-based investigation of major depressive disorder and emotion recognition using functional near infrared spectroscopy

👤 Qiuxia Shi 📅 2026-10-22 📖 1 min 📝 63 words FNIRS

Summary: Major Depressive Disorder (MDD) remains one of the most prevalent psychiatric conditions worldwide, with a marked increase in incidence and severity following the COVID-19 pandemic. Despite its rising burden, clinical diagnosis continues to rely on subjective assessments, lacking objective and repro...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42903202/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

A Sensitive BLE-Enabled Wearable fNIRS Biosensor for Real-Time Monitoring and Mapping of Task-Evoked Oxygen Influxes During On-Screen Cognitive Tasks

Balaji Jayaprakash 2026-10-22 1 min 34 words FNIRS

Summary: OBJECTIVE: To develop and validate a compact Bluetooth Low Energy (BLE)-enabled wearable functional near-infrared spectroscopy (fNIRS) device for real-time hemodynamic monitoring and proposes a task-evoked metric for identifying transient oxygenation events during cognitive engagement.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42905589/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

FroHyNet: frozen temporal priors and trainable hypergraph fusion for brain time-series classification

Jing Zhang 2026-10-23 1 min 51 words FNIRS

Summary: BACKGROUND: Functional brain time-series classification is constrained by small clinical cohorts. Handcrafted features are sample-efficient but discard temporal detail; end-to-end networks must estimate many temporal parameters from limited labels; and frozen time-series foundation models reduce tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42908832/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Multimodal Analysis of Brain Network Abnormalities in Autism Spectrum Disorder: a Graph Neural Network-based Fusion Investigation of EEG and fNIRS

👤 Rihui Li 📅 2026-10-23 📖 1 min 📝 24 words FNIRS

Summary: CONCLUSION: The proposed framework effectively captures quantitative insights ranging from specific connection-level variations to network-level differences, identifying candidate discriminative connectivity patterns within this cohort.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911835/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Local and network-level prefrontal reactivity to intermittent theta burst stimulation: a randomized, sham-controlled iTBS/fNIRS study

👤 Georg S Kranz 📅 2026-10-23 📖 1 min 📝 2 words FNIRS

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913827/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Correction-stage information leakage and target-input asymmetry can distort comparisons of fNIRS short-separation channel correction strategies

👤 Esra Suzen 📅 2026-10-23 📖 1 min 📝 16 words FNIRS

Summary: OBJECTIVE: We examined how evaluation design affects comparisons of functional near-infrared spectroscopy (fNIRS) short-separation correction strategies.

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915317/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

The test-retest reliability of cortical activation and behavioral metrics in adolescent basketball players during dual-task postural control: an fNIRS-based assessment

👤 Lulu Song 📅 2026-10-24 📖 1 min 📝 59 words FNIRS

Summary: CONCLUSION: These findings provide preliminary test-retest reliability estimates for selected multimodal neurobehavioral measures in male adolescent basketball players although reliability alone does not establish clinical utility and estimates with wide confidence intervals require confirmation in ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920610/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1JKSd2KF3MGnV7oFVD2g6PNu7rHRFDsLyCNjKkkf4KHBUA3c8P&fc=None&ff=20261024233213&v=2.20.1

Clinically unresponsive patients with acute brain injury activate a brain-computer interface

Jan Claassen 2026-10-23 1 min 69 words BRAIN COMPUTER INTERFACE

Summary: Brain activation to verbal commands can be detected by EEG in clinically unresponsive patients. These patients with cognitive motor dissociation (CMD) are unable to communicate with the environment despite preserved consciousness. Advanced brain-computer interfaces (BCI) are promising to support mot...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42911846/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Decoding motor imagery EEG signals by a deep learning network integrating multiscale filtering and temporal-channel attention mechanisms

Qingguo Wei 2026-10-23 1 min 75 words BRAIN COMPUTER INTERFACE

Summary: Due to their low signal-to-noise ratio and non-stationarity, accurately classifying EEG signals is still one of the main hindrances that limit the real-world applications of a brain-computer interface (BCI). Deep learning (DL) is a potential method for addressing the problem. However, how to create ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42912743/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Biophysically constrained learning from healthy neural priors improves motor decoding in pathological cortical networks

Jiayuan He 2026-10-23 1 min 59 words BRAIN COMPUTER INTERFACE

Summary: High-performance brain-computer interfaces (BCIs) rely on stable neural representations, yet brain functional impairments inherently disrupt canonical encoding, creating a fundamental decoding paradox. Conventional data-driven approaches struggle to bridge this gap because of pathological data scarc...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913013/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Training Free Signal Enhancement by Random Sampling for Steady State Visual Evoked Potential BCI

Yoshikazu Washizawa 2026-10-23 1 min 57 words BRAIN COMPUTER INTERFACE

Summary: The steady-state visual evoked potential (SSVEP) is widely used for
electroencephalography (EEG)
based brain computer interfaces (BCIs).
In order to determine the target commands for SSVEP-BCIs,
deep neural networks have been widely used.
However, learning-based approaches requir...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913685/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Decoding attempted handwritten characters based on temporal endovascular neural features

Peter E Yoo 2026-10-23 1 min 65 words BRAIN COMPUTER INTERFACE

Summary: We evaluated temporal neural features for motor decoding using a minimally-invasive endovascular brain-computer interfaces (BCI). We hypothesised that relatively long compound movements generate distinct patterns of neural activity that are encoded by temporal features.

Approach. A single p...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913687/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Transformer networks are robust learners of source localization for EEG measurements

Moritz Dannhauer 2026-10-23 1 min 65 words BRAIN COMPUTER INTERFACE

Summary: EEG source localization is an ill-posed inverse problem complicated by measurement noise, electrode dropout from sensor miscalibration, and variability in the number of active sources. Classical methods such as eLORETA and LCMV beamforming impose regularization assumptions that degrade under realist...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42913696/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

DNA metabarcoding reveals the trophic ecology of Critically Endangered juvenile green sawfish (Pristis zijsron) and sympatric predators

Justin D Brookes 2026-10-23 1 min 68 words BRAIN COMPUTER INTERFACE

Summary: North-western Australia is home to many of Australia's rare and threatened elasmobranchs. Basic ecological data is still lacking for many of these species, including empirical dietary information. DNA metabarcoding was performed on cloacal swabs to obtain the first empirical insights into the trophi...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42914707/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Biomimetic Nanofluidic Synapse with Programmable DNA Ion Gating for Neuromorphic Sensing and Computing

Chen Wang 2026-10-23 1 min 62 words BRAIN COMPUTER INTERFACE

Summary: Biological synapses process information through coupled neurotransmitter and ion fluxes, while conventional electron-based solid-state devices struggle to replicate this chemoelectrical signaling mechanism. Herein, we develop a biomimetic nanofluidic synapse designed for precise and programmable che...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42915561/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Generalizable neural decoding for clinically scalable brain-computer interfaces

👤 Jie Chen 📅 2026-10-23 📖 1 min 📝 59 words BRAIN COMPUTER INTERFACE

Summary: Brain-computer interfaces promise restored communication and movement, yet accuracy achieved under development rarely survives new sessions, users, tasks, or hardware. Generalization, not peak performance, determines clinical scalability. Here we examine generalizable neural decoding from developmen...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919847/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

Polygenicity shapes distinct brain patterns and clinical profiles of bipolar disorder

👤 Shaohua Hu 📅 2026-10-23 📖 1 min 📝 41 words BRAIN COMPUTER INTERFACE

Summary: CONCLUSIONS: Our findings reveal associations between polygenicity and distinct BD brain patterns and clinical profiles. We identified ancestry-specific causal variants and bidirectional BD-IDP relationships. PRS associations with depressive symptoms, anxiety, suicide risk, and metabolic phenotypes ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920124/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1rSUu--tbw4049Wgf_RdKXdtNCvGW0lVBZFpHe7zaN4k4DwoD5&fc=None&ff=20261024233211&v=2.20.1

The sound of manufactured music: Reviewing the role of artificial stimuli in music cognition research.

📅 2024-01-22 📖 1 min 📝 259 words PSYCHOMUSICOLOGY

Summary: Having participants listen and react to musical stimuli is one of music cognition's foundational methods. Whereas most researchers have used stimuli adapted from existing musical traditions in such work, others have incorporated artificial stimuli (i.e., stimuli generated specifically for research t...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000304

Music-evoked nostalgia and charitable giving: A cross-cultural study in the United States and Mexico.

📅 2024-01-22 📖 1 min 📝 192 words PSYCHOMUSICOLOGY

Summary: Nostalgia, a past-oriented emotion characterized by complex affective responses, is a pervasive and fundamental human experience. Prior research has demonstrated that nostalgia serves various socioemotional functions, such as promoting a sense of belonging, enhancing one's perception of meaning in l...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000302

Preferred music listening does not affect cognitive inhibition in young and older adults.

📅 2023-10-12 📖 1 min 📝 227 words PSYCHOMUSICOLOGY

Summary: Previous literature has found links between music listening and cognitive performance. Specifically, background music may play a role in modulating cognitive inhibition. However, determining what type of background music affects cognitive inhibition throughout the lifespan has not been studied. The ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000300

Absolute pitch: A literature review of underlying factors, with special regard to music pedagogy.

📅 2023-07-10 📖 1 min 📝 202 words PSYCHOMUSICOLOGY

Summary: Absolute pitch (AP) is a fairly rare and special phenomenon that has relevance for musicology, psychology, genetics, and neuroscience. AP possessors are able to identify the pitch of an isolated sound or to produce that sound without a reference point. The authors' aim is to review the literature on...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000298

Capturing coordination and intentionality in joint musical improvisation.

📅 2023-08-03 📖 1 min 📝 217 words PSYCHOMUSICOLOGY

Summary: Humans collaborate with each other on a wide variety of tasks that are often largely improvised and unscripted. In this study, we investigated the dynamics of coordination in a joint musical improvisation task, what the effect of intentions is on coordination, and how musicians propagate these inten...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000299

Continuous affect responses to a large diverse set of unfamiliar music: Bayesian time-series and cluster analyses.

📅 2023-04-20 📖 1 min 📝 252 words PSYCHOMUSICOLOGY

Summary: Sixty-nine participants made continuous response judgments of perceived arousal and valence while listening to 30-s extracts of 100 unfamiliar pieces within a novel recommender system. Our purpose was to take advantage of the relatively large number of participants and pieces studied (compared with ...

🔗 **Read full article:**
http://doi.org/10.1037/pmu0000295

Monthly Updates [July]

📅 2026-07-01 📖 3 min 📝 640 words FMHY

> **Summary:** <h1 id="wiki-updates" tabindex="-1">Wiki Updates </h1>   <p>Added FMHY Plugin to <a href="https://www.flowlau...

🔗 **Read full article:**
https://fmhy.net/posts/july-2026

Sunday Daily Thread: What's everyone working on this week?

👤 /u/ AutoModerator 📅 2026-10-25 📖 1 min 📝 211 words REDDIT PYTHON

> **Summary:** <!-- SC_OFF --> <h1>Weekly Thread: What's Everyone Working On This Week? 🛠️</h1> <p>Hello r/Python! It's time to share what you've been working on! Whether it's a work-in-progress, a completed masterpiece, or just a rough idea, let us know what you're up to!</p...

🔗 **Read full article:**
https://www.reddit.com/r/Python/comments/1xennpj/sunday_daily_thread_whats_everyone_working_on/

America has lost 200k of jobs in media, film and the arts. How much is AI?

👤 gnabgib 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.apricitas.io/p/ai-and-the-fall-of-the-creative-class Comments URL: https://news.ycombinator.com/item?id=50226419 Points...

🔗 **Read full article:**
https://www.apricitas.io/p/ai-and-the-fall-of-the-creative-class

Why Gopher in 2026?

👤 andsoitis 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://gopher.muffinlabs.com/sdf.org/users/nervtoji/phlog/001.txt Comments URL: https://news.ycombinator.com/item?id=50226577 Po...

🔗 **Read full article:**
https://gopher.muffinlabs.com/sdf.org/users/nervtoji/phlog/001.txt

FindMyWeb: Apple Find My, reverse enginiered

👤 Velocifyer 📅 2026-10-24 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://codeberg.org/Misom/FindMyWeb Comments URL: https://news.ycombinator.com/item?id=50226646 Points: 27 # Comments: 7

🔗 **Read full article:**
https://codeberg.org/Misom/FindMyWeb

Cerebras Deploys Trillion-Parameter AI Models

👤 gmays 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.cerebras.ai/blog/how-we-deploy-trillion-parameter-frontier-models-on-cerebras Comments URL: <a href="https://news.ycombinator.com/item?id=50227356">https://news....

🔗 **Read full article:**
https://www.cerebras.ai/blog/how-we-deploy-trillion-parameter-frontier-models-on-cerebras

Meta employees say Lula’s accounts restricted in Brazil election: Report

👤 nidnogg 📅 2026-10-25 📖 1 min 📝 13 words HACKER NEWS

> **Summary:** Article URL: https://www.aljazeera.com/economy/2026/10/16/meta-employees-say-lulas-accounts-restricted-in-brazil-election-report Comments URL: <a href="https://...

🔗 **Read full article:**
https://www.aljazeera.com/economy/2026/10/16/meta-employees-say-lulas-accounts-restricted-in-brazil-election-report

Dogmatic Bayesianism Disorder

👤 noreply@blogger.com (Daniel Lakens) 📅 2025-12-06 📖 4 min 📝 910 words

TWENTY PERCENT STATISTICIAN

> **Summary:** Note: This humorously intended sarcastic blog post directly mimics classifications of psychological disorders in the Diagnostic and Statistical Manual of the American Psychological Association, but Dogmatic Bayesianism is not in the DSM-5 as an actual psychologic...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2025/12/dogmatic-bayesianism-disorder.html

On the reliability and reproducibility of qualitative research

noreply@blogger.com (Daniel Lakens)
2026-02-08 14 min 2928 words

TWENTY PERCENT STATISTICIAN

Summary: <p class="MsoNormal">With my collaborators, I am increasingly performing qualitative research. I find qualitative research projects a useful way to improve my understanding of behaviors that I want to explore with other methods in the future. For example, some years ago I performe...

🔗 **Read full article:**
http://daniellakens.blogspot.com/2026/02/on-reliability-and-reproducibility-of.html

New Papers: Optimal Filter Settings for ERP Research

Steve Luck
2024-02-04 2 min 569 words

ERP BOOT CAMP

Summary: <p class="">Zhang, G., Garrett, D. R., & Luck, S. J. (in press). Optimal filters for ERP research I: A general approach for selecting filter settings. Psychophysiology. https://doi.org/10.1111/psyp.14531 [<a href="https://www...

🔗 **Read full article:**
https://erpinfo.org/blog/2024/2/4/optimal-filters

Q&A with Dr. Richard Carson, Professor of Biomedical Engineering and Radiology & Biomedical Imaging, Yale University and Yale School of Medicine

Adriel Carridice 2025-11-04 1 min 0 words BRAIN

🔗 **Read full article:**
https://brain.ieee.org/podcasts/qa-with-dr-richard-carson-professor-of-biomedical-engineering-and-radiology-biomedical-imaging-yale-university-and-yale-school-of-medicine/

Single-cell RNA sequencing reveals vascular heterogeneity and cell–cell communication remodeling in the glioma blood–tumor barrier

1 min 31 words BRAIN RESEARCH

Summary: Publication date: 1 January 2027 Source: Brain Research, Volume 1894 Author(s): Zhipeng Zhao, Jiachen Lang, Haiyan Gu, Luodan Wang, Jianchang Luo, Jiawang Lang, Qiongying Yao, Xinyu Qiao, Zida Wang, Ling Yin, Caidi He

🔗 **Read full article:**
https://www.sciencedirect.com/science/article/pii/S0006899326004579?dgcid=rss_sd_all

From pose estimation accuracy to motor biomarker reliability: a reliability-centred evaluation framework for markerless movement analysis

Christine Fernandez-Maloigne
2026-10-01 1 min 246 words

FRONTIERS NEUROINFORMATICS

Summary: Markerless pose estimation has become an essential tool for quantitative movement analysis in neuroscience. However, current evaluation frameworks primarily rely on frame-wise spatial accuracy metrics, which provide only limited information about the reliability of the downstream kinematic biomarker...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1790241

Altered interictal alpha-band organization in childhood absence epilepsy

Justyna Paprocka
2026-10-23 1 min 318 words

FRONTIERS NEUROINFORMATICS

Summary: ObjectiveInterictal background EEG in childhood absence epilepsy (CAE) may appear normal. We asked whether drug-naive children with CAE differ from controls in alpha frequency and the regional distribution of phase-lagged synchronization, and how these differences depend on participant-specific surr...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fninf.2026.1875377

Short-term synaptic plasticity modulates the outcome of neurodegenerative diseases

Chi Chung Alan Fung 2026-10-23 1 min 264 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: IntroductionAlzheimer's disease (AD) is characterized by progressive neuronal loss and synaptic dysfunction that disrupt memory-encoding neural circuits. Short-term synaptic plasticity (STP), which governs transient activity-dependent changes in synaptic efficacy on millisecond-to-second timescales,...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1923602

Orientation detection for self-calibrating neuromorphic systems

Elisabetta Chicca 2026-10-23 1 min 183 words

FRONTIERS COMPUTATIONAL NEUROSCIENCE

Summary: Bioinspired sensory architectures help build adaptive touch systems with efficient hardware implementations. Orientation detection is a fundamental capability for manipulating objects in real-world scenarios, with diverse applications in robotic manipulation and manufacturing assessment processes. I...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fncom.2026.1878557

A thalamus-centered network model of restless legs syndrome: an integrative hypothesis illustrated by three clinical phenotypes

Szabolcs Várbíró 2026-10-23 1 min 231 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Restless legs syndrome (RLS) is a clinically heterogeneous sensorimotor disorder whose pathophysiology reflects interacting biological mechanisms rather than a single causal pathway. Established influences—including brain iron biology, dopaminergic regulation, glutamatergic and GABAergic balance, ad...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1977941

A systems-level energetic framework for conscious processing: energetic organization as a constraint on large-scale neural integration

Holly Pollard-Wright 2026-10-23 1 min 259 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Conscious processing is associated with coordinated interactions among distributed neural systems, yet the biological constraints that enable and sustain large-scale neural integration remain incompletely understood. Contemporary theories emphasize computational, informational, and network mechanism...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1966072

Cortical responses to lipread and text-based audiovisual stimuli in adults with and without dyslexia

Milene Bonte 2026-10-23 1 min 235 words FRONTIERS HUMAN NEUROSCIENCE

Summary: Phonetic recalibration enables listeners to adjust their perception of ambiguous speech sounds based on visual contextual information. In line with a specific difficulty in forming letter-speech sound associations, adults with dyslexia have been found to show no text-based, but intact lipread-based,...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.1806964

Editorial: New horizons in stroke management, volume II

Nasser Kashou 2026-10-23 1 min 0 words FRONTIERS HUMAN NEUROSCIENCE

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnhum.2026.2023091

Immediate effect of gait training using the hybrid assistive limb in patients in the acute phase of stroke: a prospective pilot study

Yasushi Takagi 2026-10-23 1 min 360 words FRONTIERS NEUROROBOTICS

Summary: IntroductionThe effectiveness of Hybrid Assistive Limb (HAL) gait training in patients in the acute phase of stroke remains unclear. We prospectively assessed the immediate effects of HAL gait training in this patient population.MethodsIn this prospective pilot study, four patients with acute-phase ...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnbot.2026.1985500

The perioperative sensory–cognitive interface: multimodal neuroimaging of hierarchical network reconfiguration in perioperative neurocognitive disorders

Zhiheng Liu 2026-10-21 1 min 257 words FRONTIERS NEUROSCIENCE

Summary: Perioperative neurocognitive disorders (PNDs) are commonly attributed to neuroinflammation, cerebrovascular stress, anesthetic neurophysiology, and pre-existing brain vulnerability. These mechanisms identify important insults but do not fully explain how they become disturbances of attention, percep...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1956385

Comparison of short-term peripheral nerve stimulation, single-target supraorbital nerve pulsed radiofrequency, and dual-target supraorbital nerve–stellate ganglion pulsed radiofrequency for herpes zoster ophthalmicus–associated pain: a retrospective cohort study

Wei Wang 2026-10-23 1 min 326 words FRONTIERS NEUROSCIENCE

Summary: ObjectiveTo compare the clinical outcomes of short-term peripheral nerve stimulation (st-PNS), supraorbital nerve pulsed radiofrequency (SON-PRF), and combined supraorbital nerve and stellate ganglion pulsed radiofrequency (SON + SG-PRF) for herpes zoster ophthalmicus (HZO)-associated pain.MethodsTh...

🔗 **Read full article:**
https://www.frontiersin.org/articles/10.3389/fnins.2026.1976324

Human cortical high-gamma power scales with movement rate in healthy participants and stroke survivors

Fanny Quandt 2025-01-09 1 min 65 words OOSTENVELD ROBERT

Summary: Motor cortical high-gamma oscillations (60-90 Hz) occur at movement onset and are spatially focused over the contralateral primary motor cortex. Although high-gamma oscillations are widely recognized for their significance in human motor control, their precise function on a cortical level remains el...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39786979/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

NIRS-BIDS: Brain Imaging Data Structure Extended to Near-Infrared Spectroscopy

👤 Luca Pollonini 📅 2025-01-27 📖 1 min 📝 70 words OOSTENVELD ROBERT

> **Summary:** Functional near-infrared spectroscopy (fNIRS) is an increasingly popular neuroimaging technique that measures cortical hemodynamic activity in a non-invasive and portable fashion. Although the fNIRS community has been successful in disseminating open-source processing tools and a standard file forma...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/39870674/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Pseudonymisation of neuroimages and data protection: Increasing access to data while retaining scientific utility

👤 Lyuba Zehl 📅 2025-06-26 📖 1 min 📝 67 words OOSTENVELD ROBERT

> **Summary:** For a number of years, facial features removal techniques such as 'defacing', 'skull stripping' and 'face masking/blurring', were considered adequate privacy preserving tools to openly share brain images. Scientifically, these measures were already a compromise between data protection requirements a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40568426/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Cycling on the Freeway: The perilous state of open-source neuroscience software

👤 Tim M Tierney 📅 2025-08-13 📖 1 min 📝 74 words OOSTENVELD ROBERT

Summary: Most scientists need software to perform their research (Barker et al., 2020;Carver et al., 2022;Hettrick, 2014;Hettrick et al., 2014;Switters & Osimo, 2019), and neuroscientists are no exception. Whether we work with reaction times, electrophysiological signals, or magnetic resonance imaging data, ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800958/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Optimal configuration of on-scalp OPMs with fixed channel counts

👤 Robert Oostenveld 📅 2025-08-13 📖 1 min 📝 69 words OOSTENVELD ROBERT

Summary: Recent technological developments have brought optically pumped magnetometers (OPMs) within reach of the larger neuroscientific community. The current state-of-the-art consists of whole-head systems that measure the magnetic field at >100 locations. OPM sensors can be constructed to measure the fiel...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/40800964/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

ARTEM-IS for ERP: Agreed Reporting Template for EEG Methodology-International Standard for Event-Related Potential Experiments

👤 Suzy J Styles 📅 2025-12-08 📖 1 min 📝 73 words OOSTENVELD ROBERT

Summary: The choices we make during the recording, preprocessing and analysis of event-related potentials (ERP) data can affect study outcomes. As such, it is critical that they are transparently reported to allow for reproducibility. Yet, systematic reviews of reporting practices in the field have shown tha...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41358599/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Eye-Tracking-BIDS: the Brain Imaging Data Structure extended to gaze position and pupil data

👤 Julia-Katharina Pfarr 📅 2026-02-12 📖 1 min 📝 68 words OOSTENVELD ROBERT

Summary: The Brain Imaging Data Structure (BIDS) is a widely adopted, community-driven standard to organize neuroimaging data and metadata. Although numerous extensions have been developed to incrementally extend coverage to new modalities and data types, an unambiguous, granular specification for eye-tracki...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41676644/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Facilitating unusual bodily experiences and out-of-body experiences across wakefulness and sleep: A high-density EEG and neurophenomenology study

👤 Robert Oostenveld 📅 2026-02-12 📖 1 min 📝 67 words OOSTENVELD ROBERT

Summary: Unusual bodily experiences (UBEs) are illusory bodily perceptions that are not coherent with typical wakeful experiences, including flying or floating sensations, body distortions, and out-of-body experiences. This study examines UBEs in a controlled sleep laboratory using meditation and light stimu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41678848/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

The Impact of Brain Tumors and Craniotomy Lesions on Scalp EEG

👤 Vitória Piai 📅 2026-02-17 📖 1 min 📝 65 words OOSTENVELD ROBERT

Summary: Electroencephalography (EEG) is widely used in both research and clinical settings, yet its accuracy can be significantly impacted by subject-specific anatomical anomalies such as brain lesions and skull defects. This study investigates the effects of glioma-related brain lesions and craniotomy-indu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/41703344/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

EMG-BIDS: an extension to the Brain Imaging Data Structure for electromyography

Arnaud Delorme 2026-08-01 1 min 64 words OOSTENVELD ROBERT

Summary: Electromyography (EMG) is fundamental to clinical assessment, rehabilitation, neuromuscular research, and human-machine interfaces. Despite decades of use, no widely adopted standard exists for organizing and sharing EMG data, limiting reusability and large-scale data aggregation. We present EMG-BID...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42538927/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1BUB2BG5RbxOblm-hBbiJWEhGG43qlVrvGNHOTqBKva9wWrItM&fc=None&ff=20261024193344&v=2.20.1

Ultrabright Quasi-Compact Quantum Dot Assembly for Sensitive and Color-Fixed Immunoassays

Liang Huang 2026-10-23 1 min 63 words LOW VISION

Summary: Home-based immunoassay platforms constitute critical tools for the rapid screening of infectious respiratory viruses. Notably, viral loads can remain low at certain stages yet vary over several orders of magnitude during infection, and such variations are closely associated with the disease progress...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916099/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Supercritical Carbon Dioxide-Peracetic Acid Treatment Inactivates Low-Level Bacterial Inocula in Collagen Analogue-Phosphorylcholine Hydrogels while Preserving Functional Properties

👤 May Griffith
📅 2026-10-23 📖 1 min 📝 57 words LOW VISION

Summary: Terminal sterilization of hydrogels is challenging because their high-water-content, chemical structures, and cell-friendly properties are often altered by conventional sterilization methods. Hydrogel implants comprising collagen-like peptide (CLP), polyethylene glycol (PEG), and poly (2-methacryloy...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916212/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

A Bidirectional Photosensitive Multimodal PdSe2/MoS2 van der Waals Heterostructure Memristor Array for In-Sensor Neuromorphic Vision

👤 Jun He 📅 2026-10-23 📖 1 min 📝 60 words LOW VISION

Summary: Optoelectronic van der Waals (vdW) memristors integrating photosensing, memory, and computing capabilities are promising for artificial vision but are limited by single photoresponse modes, low yields, and high device variability. Here, we demonstrate a 1-kb PdSe2/MoS2 van der Waals heterostructure ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42916623/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Al-Stoichiometry-Engineered Defect Profiles in InAlZnO Nanofibers for Balanced Charge Transport and Optical Plasticity

👤 Fengyun Wang
📅 2026-10-23 📖 1 min 📝 64 words

LOW VISION

Summary: Metal oxide optoelectronic synapses are promising for neuromorphic vision, but combining a low dark current with sustained photoinduced plasticity remains challenging. Here, Al stoichiometry is engineered in electrospun In1AlxZn0.08O (x = 0.007, 0.011, and 0.015) nanofiber networks to tune sub-bandg...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918218/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Effect of 0.01%, 0.02% and 0.04% Atropine eyedrops vs Placebo on myopia incidence in pre-myopic children: A randomized clinical trial

Xiangui He 2026-10-23 1 min 47 words LOW VISION

Summary: CONCLUSIONS: Low-concentration atropine demonstrated a dose-response relationship for reducing cumulative myopia incidence and slowing refractive progression in pre-myopic children, but no such relationship on axial length. This preliminary evidence suggests potential for early myopia prevention, bu...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42918548/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Diagnosis of a chiasmal lesion compressing optic chiasm in patients with severe retinal degeneration: a two-case report

Kyung-Ah Park 2026-10-23 1 min 46 words LOW VISION

Summary: CONCLUSIONS: Optic chiasmal compression should be considered in patients with severe retinal degeneration presenting with progressive visual decline that cannot be fully explained by retinal pathology. Visual field testing and timely neuroimaging, particularly MRI, are essential for accurate diagnos...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42919189/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Reading Arabic Under Simulated Low Vision: Orthographic Complexity Shapes the Effect of Contrast Polarity

👤 Mosaad Alhassan 📅 2026-10-23 📖 1 min 📝 45 words LOW VISION

Summary: CONCLUSION: Arabic relies on small, high-spatial-frequency features such as dots for letter discrimination, which appear to modulate how contrast polarity interacts with optical degradation at threshold. These findings provide preliminary evidence that may guide future studies of reading performance...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920077/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Screening-based prevalence and axis distribution of astigmatism among children and adolescents in Lintong District, Xi'an: a large-scale school-based cross-sectional study

👤 Zhaojiang Du
📅 2026-10-23 📖 1 min 📝 51 words

LOW VISION

Summary: CONCLUSIONS: Astigmatism was common in this large district school screening dataset and differed by school stage, axis type, and refractive-status category. The findings may help local screening programs plan re-examination and referral pathways, but they should not be interpreted as cycloplegic cli...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920121/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Genome mining and comparative genome analysis of Pseudomonas fluorescens revealed diverse biosynthetic and metabolic potential

👤 Farida Begum 📅 2026-10-24 📖 1 min 📝 70 words LOW VISION

Summary: Bacterial genome sequencing has been used to identify a myriad of bioactive compounds that have yet to be characterised. Pseudomonas fluorescens is a widely distributed Gram-negative bacterium known for its plant growth-promoting traits and production of diverse secondary metabolites. P. fluorescens...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920415/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Clinical profiles, referral patterns and low vision aid prescribing across four rehabilitation centres in Ghana: protocol for a multicentre retrospective record review

Werner Eisenbarth 2026-10-24 1 min 79 words LOW VISION

Summary: BACKGROUND: Low vision, defined as best-corrected visual acuity of less than 6/18 in the better eye or a visual field constriction of 20° or less, is a condition in which residual vision may be optimized through optical and non-optical aids. Despite the importance of low vision services in maximizin...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42920502/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1xePBFBNvSIegfqCbvp45N3V9WgCNCS63Z1PLmhwJSPGd18QMT&fc=None&ff=20261024193342&v=2.20.1

Altered abdominal spatial mapping despite preserved tactile acuity in adolescents with Restrictive Eating Disorders

Martina M Mensi 2026-06-25 1 min 65 words TACTILE ACUITY

Summary: Disturbances in body perception are a consistent feature of Restrictive Eating Disorders (REDs). In adult patients diagnosed with REDs, body dissatisfaction and overestimation of body weight have been associated with altered tactile acuity and biases in proprioceptive localization. Whether similar a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42349194/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

Immersive virtual reality with synchronous neurostimulation for upper-limb recovery after stroke: a randomized feasibility trial

Stanisa Raspopovic 2026-06-26 1 min 60 words TACTILE ACUITY

Summary: Stroke affects 15 million people annually and leaves 5 million permanently disabled. In the chronic phase (>3 months after stroke), patients often experience persistent sensorimotor deficits and altered body representation, yet rehabilitation delivery remains partial and inconsistent, highlighting a...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42362865/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

Variability in cross-modal proprioceptive judgements impairs upper-limb function across the lifespan

Martin E Héroux 2026-07-18 1 min 69 words TACTILE ACUITY

Summary: Proprioceptive deficits are thought to contribute to age-related decline in upper-limb function. We aimed to estimate the effect of proprioceptive ability on upper-limb function under an explicitly specified causal framework and to determine whether this effect varied with age. A causal graph was de...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42470115/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

A single session of high-definition transcranial direct current stimulation does not modulate effects of knee two-point discrimination training or sensorimotor function in healthy adults: Double-blind randomised controlled trial

👤 Paul W Hodges
📅 2026-07-30 📖 1 min 📝 53 words

TACTILE ACUITY

Summary: CONCLUSION: A single 20-minute session of 1 mA HD-tDCS, with or without brief TPD training, does not acutely modify knee somatosensory, sensorimotor, or functional performance in healthy adults. Existing evidence at the hand may not translate to the lower limb. Future work should investigate higher-...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42532383/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

Variation in glabrous skin physiology across anatomical locations on the human hand

Martina C Meinke 2026-08-13 1 min 76 words TACTILE ACUITY

Summary: Skin physiology varies greatly between anatomical locations, with impact on tactile sensitivity. Research on the variations in morphology and physiology between different anatomical locations of glabrous skin is limited so far. This study investigates the morphology and physiology of glabrous skin o...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42590984/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

Beyond Hamstring Shortness: Continuous Flexibility Is Associated With Balance and Stability but Not Sensory Measures-A Cross-Sectional Study

Senanur Akıncı 2026-08-14 1 min 66 words TACTILE ACUITY

Summary: CONCLUSIONS: Greater hamstring flexibility was associated with better dynamic balance performance and showed a weaker association with postural stability, whereas no robust associations were observed with sensory measures of postural control. These findings suggest that hamstring flexibility may be ...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42596634/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

Resting-state EEG microstate dynamics reflect individual differences in tactile angle discriminability

👤 Liu Yang 📅 2026-08-19 📖 1 min 📝 63 words TACTILE ACUITY

Summary: Tactile spatial acuity, the ability to discriminate fine spatial details, is a fundamental sensory capacity modulated by both peripheral and central mechanisms. Here, we investigated whether resting-state EEG microstate dynamics are associated with individual differences in tactile spatial acuity. F...

🔗 **Read full article:**
https://pubmed.ncbi.nlm.nih.gov/42614895/?utm_source=BucketBot&utm_medium=rss&utm_campaign=None&utm_content=1no_pWrlHWS46ep2l9cVOQkZ1QsEMPlx7YY7aF6AfCIqP-RYZd&fc=None&ff=20261024193339&v=2.20.1

🪣 **Bucket Newsletter**

Generated automatically from 36 RSS feeds

Powered by GitHub Actions • Updated every 30 minutes

Visit: yuckyman.github.io/bucket