Docker Networking Comparison

None Network Mode

"NetworkMode": "none", "PortBindings": {}, "NetworkSettings": { "Bridge": "", "SandboxID": "e947c020d3d2e8e...", "HairpinMode": false, "LinkLocalIPv6Address": "" "LinkLocalIPv6PrefixLen": 0, "Ports": {}. "SandboxKev": "/var/run/docker/netns/e947c020d3d2", "SecondaryIPAddresses": null, "SecondaryIPv6Addresses": null, "EndpointID": "", "Gateway": "", "GlobalIPv6Address": "" "GlobalIPv6PrefixLen": 0, "IPAddress": "", "IPPrefixLen": 0, "IPv6Gateway": "", "MacAddress": "", "Networks": { "none": { "IPAMConfig": null, "Links": null. "Aliases": null, "NetworkID": "acd8568a7a3...", "EndpointID": "12a0fc1762...", "Gateway": "", "IPAddress": "", "IPPrefixLen": 0, "IPv6Gateway": "", "GlobalIPv6Address": "" "GlobalIPv6PrefixLen": 0. "MacAddress": ""

Host Network Mode

```
"NetworkMode": "host",
             "PortBindings": {},
"NetworkSettings": {
    "Bridge": "",
    "SandboxID": "dd1619398917...,
    "HairpinMode": false,
    "LinkLocalIPv6Address": ""
    "LinkLocalIPv6PrefixLen": 0,
    "Ports": {}.
    "SandboxKey":
        "/var/run/docker/netns/default",
    "SecondaryIPAddresses": null,
    "SecondaryIPv6Addresses": null,
    "EndpointID": "",
    "Gateway": "",
    "GlobalIPv6Address": ""
    "GlobalIPv6PrefixLen": 0,
    "IPAddress": "",
    "IPPrefixLen": 0,
    "IPv6Gateway": "",
"MacAddress": "",
    "Networks": {
        "host": {
             "IPAMConfig": null,
             "Links": null.
              "Aliases": null,
              "NetworkID": "889191759d767...",
             "EndpointID": "bd9cb7ba57d4...",
             "Gateway": "",
"IPAddress": "",
             "IPPrefixLen": 0,
             "IPv6Gateway": "",
             "GlobalIPv6Address": ""
              "GlobalIPv6PrefixLen": 0.
              "MacAddress": ""
```

Default Network Mode

```
"NetworkMode": "default",
            "PortBindings": {},
"NetworkSettings": {
    "Bridge": "",
    "SandboxID": "374a497083a0d8ee...",
    "HairpinMode": false,
    "LinkLocalIPv6Address": ""
    "LinkLocalIPv6PrefixLen": 0,
    "Ports": {},
    "SandboxKey":
        "/var/run/docker/netns/374a497083a0",
    "SecondaryIPAddresses": null,
    "SecondaryIPv6Addresses": null,
    "EndpointID": "b62e76fe791cab8a...",
    "Gateway": "172.17.0.1",
    "GlobalIPv6Address": ""
    "GlobalIPv6PrefixLen": 0.
    "IPAddress": "172.17.0.2",
    "IPPrefixLen": 16,
   "IPv6Gateway": "",
"MacAddress": "02:42:ac:11:00:02",
    "Networks": {
        "bridge": {
            "IPAMConfig": null,
            "Links": null.
            "Aliases": null,
            "NetworkID": "b578ad519da3e6...",
            "EndpointID": "b62e76fe791ca...",
            "Gateway": "172.17.0.1",
            "IPAddress": "172.17.0.2".
            "IPPrefixLen": 16,
            "IPv6Gateway": "",
            "GlobalIPv6Address": ""
            "GlobalIPv6PrefixLen": 0.
            "MacAddress": "02:42:ac:11:00:02"
       }
```

User-defined Network Mode

```
"NetworkMode": "mynetwork1",
            "PortBindings": {},
"NetworkSettings": {
    "Bridge": "",
    "SandboxID": "e25f5febb4bd0b...",
    "HairpinMode": false,
    "LinkLocalIPv6Address": "",
    "LinkLocalIPv6PrefixLen": 0,
    "Ports": {},
    "SandboxKey":
         "/var/run/docker/netns/e25f5febb4bd",
    "SecondaryIPAddresses": null,
    "SecondaryIPv6Addresses": null,
    "EndpointID": "",
    "Gateway": "",
    "GlobalIPv6Address": "",
    "GlobalIPv6PrefixLen": 0,
    "IPAddress": "",
    "IPPrefixLen": 0,
    "IPv6Gateway": "",
    "MacAddress": "",
    "Networks": {
        "mynetwork1": {
            "IPAMConfig": null,
            "Links": null,
            "Aliases": [
                "57f19a46e5d3"
            "NetworkID": "45810ff9b...",
            "EndpointID": "2f2ec098f84....,
            "Gateway": "172.18.0.1",
            "IPAddress": "172.18.0.2",
            "IPPrefixLen": 16,
            "IPv6Gateway": "",
            "GlobalIPv6Address": ""
            "GlobalIPv6PrefixLen": 0,
            "MacAddress": "02:42:ac:12:00:02"
```

MACVLAN Network Mode

```
"NetworkMode": "mv-macvlan-net".
      "PortBindings": {},
"Networks": {
        "my-macvlan-net": {
          "IPAMConfig": null.
          "Links": null,
          "Aliases": [
             "e4c5b88eb8da"
          "NetworkID": "fdbc965f0800...".
          "EndpointID": "f44aa90b72...",
          "Gateway": "10.10.50.1",
          "IPAddress": "10.10.50.2",
          "IPPrefixLen": 24,
          "IPv6Gateway": "",
          "GlobalIPv6Address": "",
          "GlobalIPv6PrefixLen": 0,
          "MacAddress": "02:42:0a:0a:32:02"
```

Publishing Port

```
"NetworkMode": "default",
               "PortBindings": {
                    "80/tcp": [
                              "HostIp": "",
                              "HostPort": "8080"
              },
"NetworkSettings": {
      "Bridge": "",
      "SandboxID": "c5a68082ea08f3...",
      "HairpinMode": false,
      "LinkLocalIPv6Address": ""
      "LinkLocalIPv6PrefixLen": 0.
      "Ports": {
       "80/tcp": [
            "Hostip": "0.0.0.0",
            "HostPort": "8080"
      "SandboxKev":
       "/var/run/docker/netns/c5a68082ea08",
      "SecondaryIPAddresses": null,
      "SecondaryIPv6Addresses": null,
      "EndpointID": "d771e7146bd",
      "Gateway": "172.17.0.1",
      "GlobalIPv6Address": "".
      "GlobalIPv6PrefixLen": 0,
      "IPAddress": "172.17.0.2",
      "IPPrefixLen": 16.
      "IPv6Gateway": "",
      "MacAddress": "02:42:ac:11:00:02",
      "Networks": {
       "bridge": {
          "IPAMConfig": null,
          "Links": null,
          "Aliases": null,
          "NetworkID": "b578ad519da3....",
          "EndpointID": "d771e7146bd...",
          "Gateway": "172.17.0.1",
          "IPAddress": "172.17.0.2",
          "IPPrefixLen": 16.
          "IPv6Gateway": "",
          "GlobalIPv6Address": ""
          "GlobalIPv6PrefixLen": 0.
          "MacAddress": "02:42:ac:11:00:02"
```