BSTT562 Project I

Ruizhe Chen, Hesen Li November 29, 2018

```
rm(list = ls())
library(ggplot2)
library(data.table)
# read data from github
data <- read.csv('https://raw.githubusercontent.com/yuebanfengqing/BSTT-562/master/data.csv', sep = ','</pre>
## transform data from wide to long
zero <- data[,3]</pre>
twenty <- data[,4]</pre>
hundred <- data[,5]</pre>
con1 <- cbind(data[,1:2], zero)</pre>
con1$Concentration <- rep(0, 25)
colnames(con1)[3] <- 'Real'</pre>
con2 <- cbind(data[,1:2], twenty)</pre>
con2$Concentration <- rep(20, 25)
colnames(con2)[3] <- 'Real'</pre>
con3 <- cbind(data[,1:2], hundred)</pre>
con3$Concentration <- rep(100, 25)
colnames(con3)[3] <- 'Real'</pre>
p1.data <- rbind(con1, con2, con3)
head(p1.data)
     Lab Rep Real Concentration
## 1
          1 -3.00
     1
## 2
     1 2 4.00
                                 0
## 3 1 3 -4.00
                                 0
          4 3.00
## 4
       1
## 5
       1 5 3.10
                                 0
```

Abstract

6

In this project, we want to reproduce the results presented in Table 3 Interlaboratory Data for Cadmium from \dots

Introduction

2 1 -0.06

A key characteristics of the data is its heteroscedasticity.