Milestone 1 end-to-end verification

Independent check of `main` at `2f5046a` (Milestone 2 frontend #11 — project rename/archive — on top of the M2 agent-runs backend, simplified UI, and M2 plan). The feature list comes from `docs/PRODUCT_SPEC.md` steps 1–7 and the model-tiering section. Steps 8–15 are later milestones and were not implemented here. Harness run on verification branch tip `b70d876`.

> **Screenshots:** relative `screenshots/*.png` links in this file are not committed to git (they 404 on GitHub). Full-size PNGs are published as the CI artifact **`m1-verification-screenshots`** from the e2e job. This PDF embeds downscaled copies of those same shots.

Checked on 2026-10-27 against a local stack. Browser flows used `http://localhost:3000` at 1920×1080, 768×1024, and 375×667. API flows called the middleware on `127.0.0.1:3001`.

Stack

Docker Compose brought up Postgres 16 with pgvector (`pgvector/pgvector:pg16`, container `aria-postgres`, database `aria_dev`) and Redis 7 (`aria-redis`). Flyway V1–V20 were applied. `node scripts/check-schema-drift.cjs` passed.

The Java backend, middleware, and web app ran on the host so they could reach the loopback stub:

- Java 21 Spring Boot on port 8080 (`GET /api/health` healthy). - Middleware on `127.0.0.1:3001` with `ARIA_LLM_MODE=live` and `ARIA_GITHUB_MODE=live` (`OPENAI_API_BASE` / `NVIDIA_API_BASE` = `http://127.0.0.1:4010/v1`). - Next.js on port 3000. `NEXT_PUBLIC_MIDDLEWARE_URL=http://localhost:3001`. - `scripts/provider-stub.mjs` on `127.0.0.1:4010` for Cursor, OpenAI, Anthropic, NVIDIA, Ollama, OpenAI-compatible, and GitHub. The stub catalog includes a planning id and a standard id for each of those providers, plus `GET /api/tags`.

Opening the site at `http://127.0.0.1:3000` fails the CORS preflight, because `CORS_ORIGINS` is `http://localhost:3000`. Verification used `localhost`.

Harness result

`scripts/m1-verify.mjs` drove the API and the three browser sizes.

Result	Count
pass	137
fixed	6
deferred	0
fail	0
rows	143

No deferred rows. `PATCH /api/projects/:id` returns 200 with the renamed body. The projects page exposes `data-testid="rename-project"` and `archive-project` at every viewport. `DELETE /api/projects/:id` archives the row and passed.

Bugs fixed on this branch

1. **Signup and other callers showed "Validation failed" instead of the field message.** The API returns Zod issues in `details`. `messageFromApiBody` in `apps/web/src/lib/api.ts` prefers the first detail message. Covered by a Vitest unit test on `messageFromApiBody` and by `apps/e2e/tests/m1-validation-message.spec.ts`. Screenshot (full-size): CI artifact `m1-verification-screenshots`; embedded in the PDF at a lower resolution.

2. **An expired access token sent the user to login while the refresh cookie was still valid.** `POST /api/auth/refresh` already worked. On a 401, `api()` / `authorizedFetch` refreshes once and retries. Login, signup, refresh, and logout are matched on pathname (query string ignored). An in-flight refresh cannot rewrite the token after `abandonSession()` (logout). If the stored token

already changed after the failing request was sent, the client replays without a second refresh. Failing test: `apps/e2e/tests/m1-session-refresh.spec.ts` (asserts `/api/auth/refresh` ran and `aria_token` changed). After sign-in the app lands on `/projects`.

3. **An unknown model id was accepted after a catalog refresh.** Test Connection stores model ids as strings. `resolveForRun` later rewrites `llm_model_catalog` as `{ id }` objects. `updateModelTiers` only kept strings, so the catalog looked empty and any id was saved. `catalogModelIds` reads both shapes, including aliases. Failing test first: `apps/middleware/src/__tests__/reviewFixes.integration.test.ts`. The mobile company page now returns HTTP 422 and shows the catalog error.

Middleware already treats `ANTHROPIC_ENABLED=false` as off on `main`. The unused `@aria/config` package was left unchanged. Project rename/archive UI and `PATCH /api/projects/:id` shipped in #11 and are asserted by this harness.

The extra stub model ids are verification support so live-mode Test Connection can see both tier models. They are not a product change.

What was exercised

- Signup, duplicate email, weak password, short name, login, wrong password, logout, HttpOnly `aria_refresh`, revoked refresh after logout. - Garbage bearer token rejected. Refresh cookie issues a new access token. With `localStorage` set to `not-a-jwt`, the projects page stays signed in. - Create project from the API and from the projects page. Empty, loading, and error states. The projects page offers setup. Signup lands on `/setup`. Login lands on `/projects`. Rename and archive controls are present on project cards. - User B cannot read, list, or archive user A's project, cannot read the knowledge map, and has no GitHub token. - Test Connection for Cursor, OpenAI, Anthropic, NVIDIA, Ollama, OpenAI-compatible, and custom against the stub. Gemini and Groq fail closed against their real hosts. `aria-mock-key` is not a live-mode bypass. An unknown Ollama model is rejected. Saving Cursor stores `claude-opus-5` and `auto` and does not echo the key. The setup UI repeats the success/failure matrix on desktop. - Repo names must be `owner/name`. `../secret` is rejected. A stub token lists `acme/demo-app`. A token shorter than 8 characters cannot list repos. Analysis produces Signup, Login, Homepage, and Auth API. - Company sizes 3, 10, 12, and 40 return HTTP 202 when a workspace model is configured (the template is applied and a company-generation run is queued). ON seats match the size. Documentation and the PR coordinator always exist: OFF below 12, ON at 12 and above. Size 3 and 10 include CEO and CTO. Size 12 and 40 also include CFO. Sizes 2 and 41 are rejected. - Org chart on all three sizes: view, edit instructions, toggle an agent OFF and back ON, add a seat, confirm delete. Flow owner can be changed in the chart and by the API. A backup is stored. An owner from another project is rejected. Deleting the owner promotes the backup. - Regeneration with an open ticket returns 409 and keeps the same agent ids. `force: true` returns 202 and replaces the org. Legacy `POST /api/projects/:id/skills` returns 410. - Model tiers: an id outside the tested catalog is rejected, including when the stored catalog is `{ id, aliases }`. `claude-opus-5` / `auto` can be pinned. The UI can move development to the top tier. An unknown id shows an error on desktop, tablet, and mobile.

Could not verify

Item	Why
Gemini Test Connection success	The host is hardcoded to Google. No API key. Failure (HTTP 400 / 422) was verified.
Groq Test Connection success	The host is hardcoded to Groq. No API key. Credential rejection was verified.
A real Cursor key, and Cursor chat completions	No Cursor key. The stub proves key check and model listing. Completions still throw `CURSOR_NO_CHAT_API` by design.
Real GitHub OAuth or a real personal access token	No GitHub app credentials or PAT. The stub issued `acme/demo-app` and the connect-plus-analysis path ran against that.
Compose-built app containers and a real Ollama model	Postgres and Redis came from Compose. The apps ran on the host so they could reach the loopback stub.

Existing suite

Run on this branch after merging `main` at `2f5046a` (#11) and the verification harness/assert fixes.


Check	Result

`pnpm -F @aria/middleware test` (Vitest)	29 files, 148 tests passed (post-#11)
`pnpm -F @aria/web` api unit tests	8 passed
`mvn -B -ntp -f apps/backend/pom.xml test`	44 tests, 0 failures, 1 skipped (`AriaBackendApplicationTests`)
`pnpm -F @aria/middleware typecheck`	passed
`pnpm -F @aria/web exec tsc --noEmit`	passed
Playwright `m1-validation-message` + `m1-session-refresh` × 3 viewports	6 passed
`scripts/m1-verify.mjs` (this report)	137 pass, 6 fixed, 0 deferred, 0 fail


Checklist

Feature	Scenario	Result	Evidence
Stack	middleware health	pass	API HTTP 200
Stack	Java backend health	pass	API HTTP 200
Stack	provider stub /v1/me	pass	API HTTP 200
Signup	API creates account and returns an access token	pass	API HTTP 201
Signup	duplicate email rejected	pass	API HTTP 409
Signup	weak password rejected	pass	API HTTP 400
Login	wrong password rejected	pass	API HTTP 401
Login	valid password returns a token and an HttpOnly refresh cookie	pass	API HTTP 200
Session	access token reads the current user	pass	API HTTP 200
Session	missing token is rejected	pass	API HTTP 401
Session	garbage access token is rejected	pass	API HTTP 401
Session	refresh cookie issues a new access token	pass	API HTTP 200
Logout	refresh cookie is revoked	pass	API logout 200 refresh 401
Projects	create project	pass	API HTTP 201
Projects	edit project name	pass	API HTTP 200 name=Renamed Shop
Authorization	user B cannot read user A project	pass	API HTTP 404
Authorization	user B project list hides user A	pass	API HTTP 200
Projects	delete archives the project	pass	API delete 204 status archived
Authorization	user B cannot archive user A project	pass	API HTTP 404
LLM providers	cursor Test Connection against the stub	pass	API HTTP 200 Cursor API key verified. Planning model claude-opus-5. Auto model auto. This key cannot run chat completions.
LLM providers	openai Test Connection against the stub	pass	API HTTP 200 openai connection succeeded. Planning model gpt-4.1. Standard model gpt-4.1-mini.
LLM providers	anthropic Test Connection against the stub	pass	API HTTP 200 anthropic connection succeeded. Planning model claude-opus-4-7. Standard model claude-sonnet-4-6.
LLM providers	nvidia Test Connection against the stub	pass	API HTTP 200 nvidia connection succeeded. Planning model nvidia/llama-3.1-nemotron-70b-instruct. Standard model meta/llama-3.1-8b-instruct.
LLM providers	ollama Test Connection against the stub	pass	API HTTP 200 ollama connection succeeded. Planning model qwen2.5-coder:7b. Standard model nomic-embed-text.
LLM providers	openai_compatible Test Connection against the stub	pass	API HTTP 200 openai_compatible connection succeeded. Planning model local-model. Standard model claude-opus-5.
LLM providers	custom Test Connection against the stub	pass	API HTTP 200 custom connection succeeded. Planning model local-model. Standard model claude-opus-5.


LLM providers	gemini Test Connection without a real key fails closed	pass	API HTTP 422 Provider returned HTTP 400
LLM providers	groq Test Connection without a real key fails closed	pass	API HTTP 422 Credentials were rejected
LLM providers	live mode does not treat aria-mock-key as a mock success	pass	API HTTP 422 Provider returned HTTP 400
Model validation	unknown Ollama model is rejected	pass	API Provider returned HTTP 404
LLM providers	saving Cursor stores tier ids and hides the key	pass	API HTTP 200 top=claude-opus-5 auto=auto
GitHub	repo name that is not owner/name is rejected	pass	API HTTP 400
GitHub	repo name with .. is rejected	pass	API HTTP 400
Model tiers	model id outside the tested catalog is rejected	pass	API HTTP 422
Model tiers	catalog ids can be pinned	pass	API HTTP 200
GitHub	token connects and lists the stub repo	pass	API token 200 repos 200
Authorization	user B has no GitHub token	pass	API HTTP 400
GitHub	connecting a listed repo queues analysis	pass	API HTTP 201
Knowledge map	analysis builds flows for signup, login, and the homepage	pass	API Signup, Login, Homepage, Auth API
Authorization	user B cannot read the knowledge map	pass	API HTTP 404
Company	size 3 counts ON seats and always includes docs + PR coordinator	pass	API HTTP 202 on=3 docs=false pr=false
Company	size 10 counts ON seats and always includes docs + PR coordinator	pass	API HTTP 202 on=10 docs=false pr=false
Company	size 12 counts ON seats and always includes docs + PR coordinator	pass	API HTTP 202 on=12 docs=true pr=true
Company	size 40 counts ON seats and always includes docs + PR coordinator	pass	API HTTP 202 on=40 docs=true pr=true
Company	size below 3 and above 40 is rejected	pass	API 400/400
Flow ownership	owner and backup can be reassigned on the same project	pass	API HTTP 200
Flow ownership	an owner from another project is rejected	pass	API HTTP 400
Flow ownership	deleting the owner promotes the backup	pass	API delete 204 owner true
Company	regeneration without force returns 409 and keeps the org	pass	API ticket 201 regen 409
Company	forced regeneration replaces the org in one response	pass	API HTTP 202 on=8
Company	legacy unvalidated skill create returns 410	pass	API HTTP 410
Landing	home page renders (desktop)	pass	landing-desktop.png




Signup	name shorter than 2 characters is rejected (desktop)	fixed	signup-validation-desktop.png Name must be at least 2 characters




Signup	account lands on setup (desktop)	pass	signup-dashboard-desktop.png




Projects	empty state (desktop)	pass	projects-empty-desktop.png




Projects	loading state (desktop)	pass	projects-loading-desktop.png




Projects	error state (desktop)	pass	projects-error-desktop.png




Setup	projects page offers setup (desktop)	pass	dashboard-empty-desktop.png




LLM providers	provider picker (desktop)	pass	providers-desktop.png




LLM providers	cursor Test Connection success in the setup UI	pass	provider-cursor-ok.png Cursor API key verified. Planning model claude-opus-5. Auto model auto. This key cannot run chat completions.




LLM providers	openai Test Connection success in the setup UI	pass	provider-openai-ok.png openai connection succeeded. Planning model gpt-4.1. Standard model gpt-4.1-mini.




LLM providers	anthropic Test Connection success in the setup UI	pass	provider-anthropic-ok.png anthropic connection succeeded. Planning model claude-opus-4-7. Standard model claude-sonnet-4-6.




LLM providers	ollama Test Connection success in the setup UI	pass	provider-ollama-ok.png ollama connection succeeded. Planning model qwen2.5-coder:7b. Standard model nomic-embed-text.




LLM providers	openai_compatible Test Connection success in the setup UI	pass	provider-openai_compatible-ok.png openai_compatible connection succeeded. Planning model local-model. Standard model claude-opus-5.




LLM providers	gemini Test Connection failure in the setup UI	pass	provider-gemini-fail.png Provider returned HTTP 400




LLM providers	groq Test Connection failure in the setup UI	pass	provider-groq-fail.png Credentials were rejected




LLM providers	ollama Test Connection failure in the setup UI	pass	provider-ollama-fail.png Connection failed: fetch failed




GitHub	token shorter than 8 characters cannot list repos (desktop)	pass	github-short-token-desktop.png




GitHub	stub repo is listed (desktop)	pass	github-repos-desktop.png




Knowledge map	setup shows the map (desktop)	pass	knowledge-desktop.png



Company	generation finishes and offers the org chart (desktop)	pass	company-ready-desktop.png



Org chart	chart, documentation, and PR coordinator are visible (desktop)	pass	org-chart-desktop.png docs=Caleb Nguyen Documentation Lead OFF pr=Harun Demir PR Merge Coordinator OFF



Org chart	edit instructions (desktop)	pass	org-edit-desktop.png

ARIA

Projects
Company
Board
Runs
Settings

ARIA online

Dark mode

M Milleston... desktop-17... Sign out

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers



Chloe Dubois

This person is ON and can take work.

Role: Chief Executive Officer

Responsibilities: Chief Executive Officer for this repository.

Instructions: Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier: Inherit project

Development tier: Inherit project

Manager: No manager

Backup: Priya Nair

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title: Engineer

Role: fullstack

Manager: No manager

Add person

Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup
Frontend	No owner	No backup
Backend	Isaac Cohen	Nora Lindgren

Org chart	toggle CEO off (desktop)	pass	org-toggle-desktop.png

ARIA

Projects
Company
Board
Runs
Settings

ARIA online

Dark mode

M Milleston... desktop-17... Sign out

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers



Chloe Dubois

This person is OFF and uses no tokens.

Role: Chief Executive Officer

Responsibilities: Chief Executive Officer for this repository.

Instructions: Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier: Inherit project

Development tier: Inherit project

Manager: No manager

Backup: Priya Nair

Model override

Save | Turn ON | Delete

Add a person

Name

Role title: Engineer

Role: fullstack

Manager: No manager

Add person

Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup
Frontend	No owner	No backup
Backend	Isaac Cohen	Nora Lindgren

Org chart	toggle CEO back on (desktop)	pass	org-toggle-on-desktop.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Milleston... desktop-17... Sign out

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers



Chloe Dubois

This person is ON and can take work.

Role: Chief Executive Officer

Responsibilities: Chief Executive Officer for this repository.

Instructions: Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier: Inherit project

Development tier: Inherit project

Manager: No manager

Backup: Priya Nair

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title: Engineer

Role: fullstack

Manager: No manager

Add person

Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup
Frontend	No owner	No backup
Backend	Isaac Cohen	Nora Lindgren

Org chart	add an agent (desktop)	pass	org-add-desktop.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Milleston... desktop-17... Sign out

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers



Chloe Dubois

This person is ON and can take work.

Role: Chief Executive Officer

Responsibilities: Chief Executive Officer for this repository.

Instructions: Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier: Inherit project

Development tier: Inherit project

Manager: No manager

Backup: Priya Nair

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title: QA Analyst

Role: qa

Manager: Priya Nair

Add person

Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup
Frontend	No owner	No backup
Backend	Isaac Cohen	Nora Lindgren

Org chart	delete asks for confirmation (desktop)	pass	org-delete-confirm-desktop.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Milleston... desktop-17... Sign out

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers



Nora Analyst

This person is ON and can take work.

Role: QA Analyst

Responsibilities

Instructions: Describe the work this person owns.

Planning model claude-opus-5. Development model auto.

Planning tier: Inherit project

Development tier: Inherit project

Manager: Priya Nair

Backup: No backup

Model override

Save | Turn OFF | Confirm delete

Add a person

Name

Role title: QA Analyst

Role: qa


Manager: Priya Nair

Add person


Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Nora Lindgren	Isaac Cohen
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup
Frontend	No owner	No backup
Backend	Isaac Cohen	Nora Lindgren


Org chart	confirmed delete removes the agent (desktop)	pass	org-deleted-desktop.png




Flow ownership	owner select changes in the org chart (desktop)	pass	flow-owner-desktop.png before=3da03f14-8ac4-4c43-a209-1c3ea4cde12b




Model tiers	unknown model id shows an error (desktop)	pass	tiers-invalid-desktop.png HTTP 422 Model not-a-real-model is not in the provider catalog from Test Connection




Model tiers	valid tier change is saved (desktop)	pass	tiers-saved-desktop.png




Projects	create from the projects page (desktop)	pass	projects-created-desktop.png




Projects	edit and delete controls on the projects page (desktop)	pass	projects-edit-delete-desktop.png rename=2 archive=2




Logout	sign out returns to login (desktop)	pass	logout-desktop.png




Login	wrong password shows an error (desktop)	pass	login-error-desktop.png



Login	valid password returns to projects (desktop)	pass	login-ok-desktop.png



Session	expired access token is refreshed from the cookie (desktop)	fixed	session-expiry-desktop.png http://localhost:3000/projects



Landing	home page renders (tablet)	pass	landing-tablet.png

ARIA

Sign in Get Started

Your AI Engineering company

ARIA turns one GitHub repository into a software company that plans, writes, tests, and waits for you to merge.

Get Started Sign in

How ARIA Works

Sign up, point ARIA at a repository, then edit the company it proposes.

01

Connect your repository

ARIA reads the code and writes down how the product works.

02

Build the company

You get a small team with names, roles, and owners for each flow. Turn anyone off.

03

Work from the board

Stories move through review and QA. You approve every merge.

ARIA runs on your machine. You approve every merge.

Signup	name shorter than 2 characters is rejected (tablet)	fixed	signup-validation-tablet.png Name must be at least 2 characters

ARIA

Create your account

Next you will name a project, connect a model, and read a repository.

Continue with GitHub

or use email

Name must be at least 2 characters

Full name

A

Email address

tablet-1793092157387-urcme@aria.dev

Password

••••••••• Show

Done: At least 8 characters
Done: One uppercase letter
Done: One lowercase letter
Done: One number
Done: One special character

Confirm password

•••••••••

Continue

Already have an account? Sign in

Signup	account lands on setup (tablet)	pass	signup-dashboard-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Create a project

One product, one company.

Project name

Continue

Projects	empty state (tablet)	pass	projects-empty-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

No projects yet

Use New Project for a blank project, or Set up a company to connect a repository.

Projects	loading state (tablet)	pass	projects-loading-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

Loading projects...

Projects	error state (tablet)	pass	projects-error-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

Failed to load projects. Please refresh the page.

Setup	projects page offers setup (tablet)	pass	dashboard-empty-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Create a project

One product, one company.

Project name

Continue

LLM providers	provider picker (tablet)	pass	providers-tablet.png

ARIA

Projects

Company

Board

Runs

Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Choose a model provider

Cursor is the default. Test Connection must succeed before you continue.

Cursor | Gemini | Groq | Ollama | OpenAI | Anthropic | OpenAI-compatible

Default. Verifies a Cloud Agents API key. Cursor cannot complete chat prompts.

Model

cursor-agent

API key

Test Connection Next

GitHub	token shorter than 8 characters cannot list repos (tablet)	pass	github-short-token-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Connect GitHub

The token is encrypted before it is stored. It is not shown again.

Personal access token

•••••

List repositories

Connect and analyze

GitHub	stub repo is listed (tablet)	pass	github-repos-tablet.png

ARIA

Projects

Company

Board

Runs

Settings

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Connect GitHub

The token is encrypted before it is stored. It is not shown again.

Personal access token

••••••••••••••••

List repositories

☐ acme/demo-app

Connect and analyze

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Knowledge map	setup shows the map (tablet)	pass	knowledge-tablet.png

ARIA

Projects

Company

Board

Runs

Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge 5 Company

Knowledge map

Flows found in the repository. Generate a company that can own them.

Repository uses Next.js, React, Express, PostgreSQL. Detected flows: Signup, Login, Homepage, Auth API. 4 modules and 2 data entities were indexed from structure, not from a model.

AI enrichment: template. You can continue with the template company while a planning run is still going.

Signup · ui
Signup is implemented in 1 path.

Login · ui
Login is implemented in 1 path.

Homepage · ui
Homepage is implemented in 1 path.

Auth API · api
Auth API is implemented in 1 path.

Company size

10


business	qa	frontend
1	2	1

backend	fullstack	junior
1	1	1

aiml	devops	security
0	0	0

Planning model

Development model



Company	generation finishes and offers the org chart (tablet)	pass	company-ready-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub 4 Knowledge

5 Company

Company is ready

Open the org chart to edit roles, add people, or turn agents off. A generation run keeps going in the queue and does not block the chart.

Open org chart | View knowledge map

Org chart	chart, documentation, and PR coordinator are visible (tablet)	pass	org-chart-tablet.png docs=Sofia Rossi Documentation Lead OFF pr=Esme Laurent PR Merge Coordinator OFF

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier

Development: Auto / standard

Top model id

Auto / standard model id

Save tiers





Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners


Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage



Org chart	edit instructions (tablet)	pass	org-edit-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



ARIA



Caleb Nguyen

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Leila Mensah

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login


Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Auth API

Fullstack	No owner	No backup



Org chart	toggle CEO off (tablet)	pass	org-toggle-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



ARIA



Projects

Company

Board

Runs

Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Caleb Nguyen

This person is OFF and uses no tokens.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Leila Mensah

Model override

Save Turn ON Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login


Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Auth API

Fullstack	No owner	No backup



Org chart	toggle CEO back on (tablet)	pass	org-toggle-on-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



ARIA



Caleb Nguyen

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Leila Mensah

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login


Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Auth API

Fullstack	No owner	No backup



Org chart	add an agent (tablet)	pass	org-add-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers





Caleb Nguyen

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Leila Mensah

Model override

Save | Turn OFF | Delete

Add a person

Name

ARIA

Projects

Company

Board

Runs

Settings

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person

Flow owners

Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup


Auth API

Fullstack	No owner	No backup

ARIA online

Dark mode

M Mileston... tablet-179... Sign out



Org chart	delete asks for confirmation (tablet)	pass	org-delete-confirm-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers





ARIA

- Projects
- Company
- Board
- Runs
- Settings

Nora Analyst

This person is ON and can take work.

Role

QA Analyst

Responsibilities

Instructions

Describe the work this person owns.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

Leila Mensah

Backup

No backup

Model override

Save | Turn OFF | Confirm delete

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person


ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Flow owners

Signup		
Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup
Login		
Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup
Homepage		
Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup
Auth API		
Fullstack	No owner	No backup



Org chart	confirmed delete removes the agent (tablet)	pass	org-deleted-tablet.png

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



ARIA

- Projects
- Company
- Board
- Runs
- Settings



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Flow owners


Signup

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage



Flow ownership	owner select changes in the org chart (tablet)	pass	flow-owner-tablet.png before=4413860e-de71-4efc-a993-66487a29644e

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



ARIA

- Projects
- Company
- Board
- Runs
- Settings



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Flow owners


Signup

Fullstack	No owner	No backup
Frontend	Ines Moreau	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage



Model tiers	unknown model id shows an error (tablet)	pass	tiers-invalid-tablet.png HTTP 422 Model not-a-real-model is not in the provider catalog from Test Connection

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model not-a-real-model is not in the provider catalog from Test Connection

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model


Planning: Top tier


Development: Auto / standard

Top model id: not-a-real-model

Auto / standard model id:

Save tiers





Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person


Flow owners

Signup

Fullstack	No owner	No backup
Frontend	Ines Moreau	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren



Model tiers	valid tier change is saved (tablet)	pass	tiers-saved-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Company

source: template Knowledge map

People, who they report to, and whether they are allowed to work.

Model tiers


Planning uses claude-opus-5. Development uses claude-opus-5. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning	Development
Top tier	Top tier

Top model id	Auto / standard model id
claude-opus-5	auto

Save tiers





Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Leila Mensah

Add person

Flow owners


Signup

Fullstack	No owner	No backup
Frontend	Ines Moreau	Nora Lindgren
Backend	No owner	No backup

Login

Fullstack	No owner	No backup
Frontend	Amina Diallo	Nora Lindgren
Backend	No owner	No backup

Homepage



Projects	create from the projects page (tablet)	pass	projects-created-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

UI Shop tablet

active

Created from the projects page

0 repositories

Rename | Archive

Setup tablet

active

1 repositories

Rename | Archive

Projects	edit and delete controls on the projects page (tablet)	pass	projects-edit-delete-tablet.png rename=2 archive=2

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

UI Shop tablet

active

Created from the projects page

0 repositories

Rename | Archive

Setup tablet

active

1 repositories

Rename | Archive

Logout	sign out returns to login (tablet)	pass	logout-tablet.png

ARIA

Sign in

Use the email you signed up with.

Continue with GitHub

or use email

Email

ada@company.com

Password

Your password Show

Sign in

No account yet? Create one

Login	wrong password shows an error (tablet)	pass	login-error-tablet.png

ARIA

Sign in

Use the email you signed up with.

Continue with GitHub

or use email

Invalid email or password

Email

tablet-1793092157387-urcme@aria.dev

Password

•••••••••• Show

Sign in

No account yet? Create one

Login	valid password returns to projects (tablet)	pass	login-ok-tablet.png

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

UI Shop tablet

active

Created from the projects page

0 repositories

Rename | Archive

Setup tablet

active

1 repositories

Rename | Archive

Session	expired access token is refreshed from the cookie (tablet)	fixed	session-expiry-tablet.png http://localhost:3000/projects

ARIA

- Projects
- Company
- Board
- Runs
- Settings

ARIA online

Dark mode

M Mileston... tablet-179... Sign out

Projects

Each project is one product. Set it up to connect a repository and generate a company.

Set up a company | New Project

UI Shop tablet

active

Created from the projects page

0 repositories

Rename | Archive

Setup tablet

active

1 repositories

Rename | Archive

Landing	home page renders (mobile)	pass	landing-mobile.png

ARIA

Sign in Get Started

Your AI Engineering company

ARIA turns one GitHub repository into a software company that plans, writes, tests, and waits for you to merge.

Get Started Sign in

How ARIA Works

Sign up, point ARIA at a repository, then edit the company it proposes.

01


Connect your repository

ARIA reads the code and writes down how the product works.

02

Build the company

You get a small team with names, roles, and owners for each flow. Turn anyone off.



ARIA runs on your machine. You approve every merge.

Signup	name shorter than 2 characters is rejected (mobile)	fixed	signup-validation-mobile.png Name must be at least 2 characters

ARIA

Create your account

Next you will name a project, connect a model, and read a repository.

Continue with GitHub

or use email

Name must be at least 2 characters

Full name

A

Email address

mobile-1793092167317-4cnac@aria.dev

Password

••••••••• Show

Done: At least 8 characters
Done: One uppercase letter
Done: One lowercase letter
Done: One number
Done: One special character


Confirm password

•••••••••


Continue

Already have an account? Sign in


Signup	account lands on setup (mobile)	pass	signup-dashboard-mobile.png




Projects	empty state (mobile)	pass	projects-empty-mobile.png




Projects	loading state (mobile)	pass	projects-loading-mobile.png




Projects	error state (mobile)	pass	projects-error-mobile.png




Setup	projects page offers setup (mobile)	pass	dashboard-empty-mobile.png




LLM providers	provider picker (mobile)	pass	providers-mobile.png



GitHub	token shorter than 8 characters cannot list repos (mobile)	pass	github-short-token-mobile.png



GitHub	stub repo is listed (mobile)	pass	github-repos-mobile.png



Knowledge map	setup shows the map (mobile)	pass	knowledge-mobile.png

Menu **ARIA**

Set up your company

One step at a time. You can leave and come back — setup resumes where you stopped.

1 Project 2 Model 3 GitHub
4 Knowledge 5 Company

Knowledge map

Flows found in the repository. Generate a company that can own them.

Repository uses Next.js, React, Express, PostgreSQL. Detected flows: Signup, Login, Homepage, Auth API. 4 modules and 2 data entities were indexed from structure, not from a model.

AI enrichment: template. You can continue with the template company while a planning run is still going.

Signup · ui
Signup is implemented in 1 path.

Login · ui
Login is implemented in 1 path.

Homepage · ui
Homepage is implemented in 1 path.

Auth API · api
Auth API is implemented in 1 path.

Company size


10

business


1

qa

2



Company	generation finishes and offers the org chart (mobile)	pass	company-ready-mobile.png



Org chart	chart, documentation, and PR coordinator are visible (mobile)	pass	org-chart-mobile.png docs=Nora Lindgren Documentation Lead OFF pr=Isaac Cohen PR Merge Coordinator OFF

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent


Backend

No owner

No backup

Homepage

Fullstack



Org chart	edit instructions (mobile)	pass	org-edit-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Elena Vasquez

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Luis Ortega

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Homepage


Fullstack

No owner

No backup

Frontend

Adrian Popov



Org chart	toggle CEO off (mobile)	pass	org-toggle-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Elena Vasquez

This person is OFF and uses no tokens.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Luis Ortega

Model override

Save | Turn ON | Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Homepage


Fullstack

No owner

No backup

Frontend

Adrian Popov



Org chart	toggle CEO back on (mobile)	pass	org-toggle-on-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier


Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Elena Vasquez

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Luis Ortega

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title

Engineer

Role

fullstack

Manager

No manager

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Homepage


Fullstack

No owner

No backup

Frontend

Adrian Popov



Org chart	add an agent (mobile)	pass	org-add-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Elena Vasquez

This person is ON and can take work.

Role

Chief Executive Officer

Responsibilities

Chief Executive Officer for this repository.

Instructions

Own the company priorities.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

No manager

Backup

Luis Ortega

Model override

Save | Turn OFF | Delete

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Homepage


Fullstack

No owner

No backup

Frontend

Adrian Popov



Org chart	delete asks for confirmation (mobile)	pass	org-delete-confirm-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Nora Analyst

This person is ON and can take work.

Role

QA Analyst

Responsibilities

Instructions

Describe the work this person owns.

Planning model claude-opus-5. Development model auto.

Planning tier

Inherit project

Development tier

Inherit project

Manager

Nora Lindgren

Backup

No backup

Model override

Save | Turn OFF | Confirm delete

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Homepage


Fullstack

No owner

No backup

Frontend

Adrian Popov



Org chart	confirmed delete removes the agent (mobile)	pass	org-deleted-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent


Backend

No owner

No backup

Homepage

Fullstack



Flow ownership	owner select changes in the org chart (mobile)	pass	flow-owner-mobile.png before=4d161d26-36d3-4efd-bf35-19f7e39b3e43

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Auto / standard

Top model id

Auto / standard model id

Save tiers



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Isaac Cohen

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent


Backend

No owner

No backup

Homepage

Fullstack



Model tiers	unknown model id shows an error (mobile)	pass	tiers-invalid-mobile.png HTTP 422 Model not-a-real-model is not in the provider catalog from Test Connection

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model not-a-real-model is not in the provider catalog from Test Connection

Model tiers

Planning uses claude-opus-5. Development uses auto. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development


Auto / standard

Top model id

not-a-real-model

Auto / standard model id

Save tiers



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Isaac Cohen

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend


Adrian Popov

Esme Laurent

Backend

No owner

No backup



Model tiers	valid tier change is saved (mobile)	pass	tiers-saved-mobile.png

Menu **ARIA**

Company

People, who they report to, and whether they are allowed to work.

source: template Knowledge map

Model tiers

Planning uses claude-opus-5. Development uses claude-opus-5. Leave a model id empty to keep the provider default.

Catalog: claude-opus-5, auto, gpt-4.1, gpt-4.1-mini, claude-opus-4-7, claude-sonnet-4-6, gemini-2.5-pro, gemini-2.5-flash, llama-3.3-70b-versatile, llama-3.1-8b-instant, nvidia/llama-3.1-nemotron-70b-instruct, meta/llama-3.1-8b-instruct, qwen2.5-coder:7b, local-model

Planning

Top tier

Development

Top tier


Top model id

claude-opus-5

Auto / standard model id

auto

Save tiers



Select a person to edit their role, instructions, manager, or backup.

Add a person

Name

Role title

QA Analyst

Role

qa

Manager

Nora Lindgren

Add person

Flow owners

Signup

Fullstack

No owner

No backup

Frontend

Isaac Cohen

Esme Laurent

Backend

No owner

No backup

Login

Fullstack

No owner

No backup

Frontend

Adrian Popov

Esme Laurent


Backend

No owner


No backup

Homepage


Fullstack




Projects	create from the projects page (mobile)	pass	projects-created-mobile.png




Projects	edit and delete controls on the projects page (mobile)	pass	projects-edit-delete-mobile.png rename=2 archive=2




Logout	sign out returns to login (mobile)	pass	logout-mobile.png




Login	wrong password shows an error (mobile)	pass	login-error-mobile.png



Login	valid password returns to projects (mobile)	pass	login-ok-mobile.png



Session	expired access token is refreshed from the cookie (mobile)	fixed	session-expiry-mobile.png http://localhost:3000/projects


Menu ARIA
Projects
Each project is one product. Set it up to connect a repository and generate a company.
Set up a company
New Project
UI Shop mobile
active
Created from the projects page
0 repositories
Rename
Archive
Setup mobile
active
1 repositories
Rename
Archive