
SivaComm — flow diagrams

Sivayaan Communications: central WhatsApp OTP and messaging service, and its integration with HMS_WEB.
Companion to **docs/WORKFLOWS.md** (every request and response body) and **docs/DEPLOYMENT.md** (step-by-step commands).

Contents

1. Password reset with SivaComm (`SivaComm:Enabled = true`)
2. Password reset, normal flow (`SivaComm:Enabled = false`, the default: unchanged HMS_WEB)
3. Failure paths
4. Welcome message and delivery receipts
5. Deployment steps

How to read them




Three rules the flows enforce

1. The password goes from the browser to HMS_WEB and stops there. SivaComm never receives it.
2. The verification grant goes from SivaComm to HMS_WEB only. The browser never sees it.
3. A timeout or outage anywhere is a retryable failure, never a success.

Generated 2026-10-25 from SivaComm commit e93ef60 and HMS_WEB commit 3855320.


1. Password reset with SivaComm

`SivaComm:Enabled = true` in HMS_WEB's config file. Calls marked “signed” carry an HMAC signature made with the key id and secret held in both config files.




2. Password reset, normal flow

`SivaComm:Enabled = false` — the default. HMS_WEB exactly as it was before SivaComm: the original page with the code and the new password on one screen, the original two requests, HMS_WEB's own WhatsApp settings. SivaComm is never called, and the three-step endpoints answer 404.



3. Failure paths


What each of HMS_WEB's two calls to SivaComm can return, and what the browser does next. “Expired, locked” covers EXPIRED, ATTEMPTS_EXCEEDED, ALREADY_USED and CANCELLED. Resubmitting after a timeout is safe: the same idempotency key makes SivaComm answer CONSUMED again rather than treat it as a replay.



Teal: success · Gray: retry, nothing changed · Coral: reset ended, start again


4. Welcome message and delivery receipts

HMS_WEB gets 202 QUEUED before anything is sent, so registration never waits on Meta. Reset codes use the same send path. Meta signs each receipt and SivaComm checks it first; a status never moves backwards.



5. Deployment steps

In order. Meta setup is first only because its approvals take days; steps 2–7 can run before it finishes (with the WhatsApp section empty, SivaComm runs and records each message as not sent). Commands for every step: docs/DEPLOYMENT.md.



Teal: SivaComm server · Purple: HMS_WEB · Gray: outside both