Started on	Monday, 5 October 2026, 1:11 PM
State	Finished
Completed on	Monday, 5 October 2026, 1:29 PM
Time taken	18 mins 1 sec

Question 1 | Complete Marked out of 1.00

Select which is true for Python tuple?

- a. We can change the tuple once created
- b. None of these
- c. A tuple is unordered
- d. A tuple maintains the order of items

Question 2 | Complete Marked out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. False
- b. True

Question 3 | Complete Marked out of 1.00

Choose the correct option.

- a. In Python, a tuple can contain only integers as its elements.
- b. In Python, a tuple can contain either string or integer but not both at a time.
- c. In Python, a tuple can contain both integers and strings as its elements.
- d. In Python, a tuple can contain only strings as its elements.

Question 4 | Complete Marked out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', True, ('cse', 'ece')}

b. {'rec', 1, ('cse', 'ece'),True}

c. {'rec', 1, ('cse', 'ece')}

d. Error

Question 5 | Complete Marked out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (25,19,18,17)

b. Error

c. (16,17,18,19)

d. (16,17,18)

Question 6 | Complete Marked out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. It will throw an error as there are two 0 while creating the set.

b. {0,0,9}

c. {9}

d. {0,9}

Question 7 | Complete Marked out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 1
b. 2
c. 5
d. Error

Question 8 | Complete Marked out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.discard("ECE")
b. del.sampleSet("ECE")
c. remove.sampleSet("ECE")
d. sampleSet.delete("ECE")

Question 9 | Complete Marked out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, ’10’, 50, 20, 60, 30}
b. {40, 10, 50, 20, 60, 30}
c. {40, ’10’, 50, 20, 60, 30}
d. SynatxError: Different types cannot be used with sets

Question 10 | Complete Marked out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer
b. (Computer)
c. ()
d. Error

Question 11 | Complete Marked out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2.
b. Elements of set1 will get appended to set2
c. Elements of set2 will get appended to set1
d. A new set will be created with the elements of both set1 and set2

Question 12 | Complete Marked out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,4}
b. {4}
c. {1,3,2}
d. {2}

Question 13 | Complete Marked out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")

print type(a)
```

a. str

b. <class 'str'>

c. <class 'int'>

d. <class 'tuple'>

Question 14 | Complete Marked out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)

>>>[t[i] for i in range(0, len(t), 2)]
```

a. [2, 3, 9]

b. (1, 4, 8)

c. [1, 4, 8]

d. [1, 2, 4, 3, 8, 9]

Question 15 | Complete Marked out of 1.00

Find the output of the given Python program?

```
t = (11, 3)

x = 3 * t

print(x)
```

a. [11,11,11,3,3,3]

b. (11, 3, 11, 3, 11, 3)

c. (11,3)(11,3)(11,3)

d. (11,3,11,11,3,11,11,11,3)