

For enquiries email at info@sbsyscon.in or call at +91-9899598955 /900



BCH

BCH
ELECTRIC
LIMITED



ENCLOSURES

Price List effective 17th November 2025

Modern facilities at Faridabad & Rudrapur

Our Strengths

- ◆ State-of-the-art product development and R&D
- ◆ Modern manufacturing facilities
- ◆ Tool room with latest facilities
- ◆ Serving customers for five decades
- ◆ Presence in ~50 locations
- ◆ 650 channel partners
- ◆ ISO 9001:2015 & ISO 14001:2015, ISO 45001: 2018 certified company



Core Values

- ◆ Integrity
- ◆ Nurturing People
- ◆ Commitment to Customers
- ◆ Striving for Excellence
- ◆ Long Term Thinking

Quality Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to provide Quality products and service in compliance with applicable Statutory and Regulatory requirements, to meet or exceed the customer need and expectations through -

- ◆ Continual improvement
- ◆ Involvement of employees
- ◆ Setting Quality objectives
- ◆ Training and development of employees



Health & Safety Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Health & Safety legislation and regulation.

We shall continually improve through -

- ◆ Provide Safe & Healthy working conditions for the prevention of work related injury and ill health.
- ◆ Develop & maintain the Health & Safety objectives & targets and conduct health & safety programs for achieving the objectives and target.
- ◆ The prevention of accidents through the identification, assessment and elimination of workplace hazards and the promotion of health & safety awareness among its employees and contractors.
- ◆ Encourage employee's participation and consultation in matters affecting the health, safety and well being of our people and seek suggestions from our employees of ways in which health, safety & well being can be furthered.



The Health & safety policy is publicly available on request.

Environmental Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Environmental legislation and regulation.

We shall continually improve through -


- ◆ Provide a framework for setting and reviewing environmental objectives and targets.
- ◆ Regularly review the impact of our activities on environment and strive to reduce the pollution/waste.
- ◆ Involve employees in our environmental program and provide necessary training to enable them to discharge their responsibilities towards environment management.
- ◆ Sustain the program of continual improvement in environment in environmental performance incorporating suitable metrics and monitoring.

www.bchindia.com

The Environment policy is publicly available on request.

Enclosure Systems

- Bhartia Enclosure 2.0
- Terminal Box 2.0
- 'BCH-SS' (Stainless Steel) Boxes
- Terminal Boxes
- Bhartia Boxes
- TCE Series Enclosure
- Techno - Modular Enclosures
- Compartmentalized Enclosure (Fixed & Draw-out)
- Control Desk
- IT Racks - 19" and ETSI Racks
- Non Metallic Enclosure



Bhartia Enclosure 2.O



- Available in 45 different variants
- Single/Double door version
- Min. Size : 200Wx300Hx150D mm
- Max. Size : 1200Wx1400Hx400D mm
- Degree of protection
IP66 - IK10 for Single door enclosure
IP55 - IK10 for Double door enclosure
- CE Certified



Bhartia Enclosure 2.O

HSN CODE: 8538

Type	SIZE (WxHxD) mm	MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR ENCLOSURE	200X300X120	1	BIL-40000	3660
SINGLE DOOR ENCLOSURE	200X300X150	1	BIL-40010	3990
SINGLE DOOR ENCLOSURE	250X300X150	1	BIL-40020	4140
SINGLE DOOR ENCLOSURE	300X300X150	1	BIL-40030	4460
SINGLE DOOR ENCLOSURE	300X300X210	1	BIL-40040	4755
SINGLE DOOR ENCLOSURE	300X400X150	1	BIL-40050	4960
SINGLE DOOR ENCLOSURE	300X400X210	1	BIL-40060	5560
SINGLE DOOR ENCLOSURE	400X300X150	1	BIL-40070	4860
SINGLE DOOR ENCLOSURE	400X300X210	1	BIL-40080	5450
SINGLE DOOR ENCLOSURE	400X400X150	1	BIL-40090	5560
SINGLE DOOR ENCLOSURE	400X400X210	1	BIL-40100	5895
SINGLE DOOR ENCLOSURE	400X500X150	1	BIL-40110	6280
SINGLE DOOR ENCLOSURE	400X500X210	1	BIL-40120	6655
SINGLE DOOR ENCLOSURE	400X600X210	1	BIL-40140	7845
SINGLE DOOR ENCLOSURE	400X600X350	1	BIL-40150	9730
SINGLE DOOR ENCLOSURE	500X500X210	1	BIL-40160	7845
SINGLE DOOR ENCLOSURE	500X500X300	1	BIL-40170	9410
SINGLE DOOR ENCLOSURE	500X600X210	1	BIL-40180	9000
SINGLE DOOR ENCLOSURE	500X700X210	1	BIL-40190	10230
SINGLE DOOR ENCLOSURE	500X700X300	1	BIL-40200	11770
SINGLE DOOR ENCLOSURE	600X400X210	1	BIL-40210	7995
SINGLE DOOR ENCLOSURE	600X400X300	1	BIL-40220	10275
SINGLE DOOR ENCLOSURE	600X600X210	1	BIL-40230	9650
SINGLE DOOR ENCLOSURE	600X600X300	1	BIL-40240	11590
SINGLE DOOR ENCLOSURE	600X600X350	1	BIL-40250	12295
SINGLE DOOR ENCLOSURE	600X800X210	1	BIL-40260	11650
SINGLE DOOR ENCLOSURE	600X800X250	1	BIL-40270	13365
SINGLE DOOR ENCLOSURE	600X800X300	1	BIL-40280	13335
SINGLE DOOR ENCLOSURE	600X1000X210	1	BIL-40290	14690
SINGLE DOOR ENCLOSURE	600X1000X300	1	BIL-40300	16665
SINGLE DOOR ENCLOSURE	600X1200X300	1	BIL-40310	19135
SINGLE DOOR ENCLOSURE	800X600X300	1	BIL-40320	13255
SINGLE DOOR ENCLOSURE	800X800X210	1	BIL-40330	14645
SINGLE DOOR ENCLOSURE	800X800X300	1	BIL-40340	15550
SINGLE DOOR ENCLOSURE	800X1000X250	1	BIL-40350	17675
SINGLE DOOR ENCLOSURE	800X1000X300	1	BIL-40360	17885
SINGLE DOOR ENCLOSURE	800X1200X300	1	BIL-40370	22280
DOUBLE DOOR ENCLOSURE	1000X800X210	1	BIL-40380	18690
DOUBLE DOOR ENCLOSURE	1000X800X300	1	BIL-40390	21430
DOUBLE DOOR ENCLOSURE	1000X1000X300	1	BIL-40400	24925
DOUBLE DOOR ENCLOSURE	1000X1200X300	1	BIL-40410	28645
DOUBLE DOOR ENCLOSURE	1000X1400X300	1	BIL-40420	34265
DOUBLE DOOR ENCLOSURE	1000X1400X400	1	BIL-40430	38095
DOUBLE DOOR ENCLOSURE	1200X1400X300	1	BIL-40440	36125
DOUBLE DOOR ENCLOSURE	1200X1400X400	1	BIL-40450	39760

MOQ : Minimum order quantity in nos.

Technical Particulars (Bhartia Enclosure 2.O)

- Enclosure body fabricated from 1.2mm/1.6mm
- Enclosure door fabricated from 1.2mm/1.6mm/2.0mm
- Cable entry plate 1.6mm provided at bottom
- Mounting plate made 2.0/2.5mm Galvanised steel
- Foamed in PU Gasket
- Hinged door interchangeable LHS/RHS
- Door opening angle 120°
- Die casted Cam lock provided up to 1000mm height
- 3 - point lock provide for 1200mm and above height
- Powder coated to RAL - 7035 structure finish

Note: Cutout charges will be extra

: Wall mounting bracket set is an additional accessory
(For Bhartia enclosure 2.O and Terminal Box 2.O it not a part of standard packing)

HSN CODE: 8538

Type	Cat No.	MOQ Nos.	List Price [₹]
Set of Wall Mounting Bracket (small)	BIL-WM-S	1	205
Set of Wall Mounting Bracket (big)	BIL-WM-B	1	235
Wall Mounting Bracket Kit 20mm	BIL-WM-H20	1	350

Note :

* Set of wall mounting bracket (small) is suitable for all range of terminal boxes 2.O and Bhartia Enclosure 2.O upto size : 400x500x200mm.

* Set of wall mounting bracket (big) is suitable for Bhartia Enclosure 2.O beyond size : 400x500x200mm.

***List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra**

www.bchindia.com

Effective from 17.11.2025



Terminal Box 2.0



- Available in 22 different variants
- Min. Size : 150Wx150Hx80D mm
- Max. Size : 600Wx400Hx120D mm
- Degree of protection:IP66 - IK10
- CE Certified



Terminal Box 2.0

HSN CODE: 8538

SIZE (W x H x D) mm	MOQ	Cat No.	List Price ₹]
150X150X80	1	BIL-30000	1785
200X150X80	1	BIL-30010	1970
300X150X80	1	BIL-30020	2275
200X200X80	1	BIL-30030	2070
300X200X80	1	BIL-30040	2210
400X200X80	1	BIL-30050	2365
600X200X80	1	BIL-30060	3210
150X150X120	1	BIL-30070	2035
200X150X120	1	BIL-30080	2105
300X150X120	1	BIL-30090	2320
400X150X120	1	BIL-30100	2730
200X200X120	1	BIL-30110	2275
300X200X120	1	BIL-30120	2520
400X200X120	1	BIL-30130	2865
500X200X120	1	BIL-30140	3590
600X200X120	1	BIL-30150	3970
300X300X120	1	BIL-30160	3055
400X300X120	1	BIL-30170	3660
500X300X120	1	BIL-30180	3950
600X300X120	1	BIL-30190	4775
400X400X120	1	BIL-30200	4140
600X400X120	1	BIL-30210	5200

MOQ : Minimum order quantity in nos.

Technical Particulars (Terminal Box 2.0)

- Enclosure body fabricated from 1.2mm
- Enclosure door fabricated from 1.2mm
- Holes with rubber grommet at top and bottom of enclosure body provided to facilitate cable entry
- Provision of din rail fixing in horizontal position on predrilled bracket
- Door removable type with quick release fastners
- Foamed in PU Gasket
- Powder coated to RAL - 7035 structure finish

Note: Cutout charges will be extra

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**


Enclosure Systems



- Fabricated from 1.2/1.5 mm stainless steel sheet
- Mounting Plate made up of 2.0mm Galvanised steel
- Cable entry plate 2.0mm SS 304 provided at bottom
- SS grade 304
- Foamed - in PU gasket
- Box upto BIL - 90405020 is made up of 1.2 mm SS & above of 1.5 MM SS.
- Degree of protection IP66
- 120 deg door open-able concealed hinge door with cam locking arrangement.



- 43 Different Versions
- Min. Size : 150 X 150 X 80
- Max Size : 800 X 400 X 120
- Degree of protection IP55/IP66/IK10
- CE Certified



Technical Particulars (TERMINAL BOXES)

- Fabricated from 1.2mm CRCA sheet steel
- Powder coated to shade RAL 7035 Structure finish
- Foamed-in PU gasket
- Provided with screwed cover on top
- Degree of protection IP55/IP66/IK10
- CE Certified
- Brackets provided inside to facilitate DIN rail mounting
- Holes with Gromet provided to facilitate cable entry in IP 55 terminal boxes

Note: Cutout charges will be extra

'BCH - SS' (Stainless Steel)

HSN Code : 8538

Type	Size (WxHxD) mm	MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR BOX	200X300X150	3	BIL-90203015	7765
SINGLE DOOR BOX	300X300X200	3	BIL-90303020	10755
SINGLE DOOR BOX	400X400X200	3	BIL-90404020	14230
SINGLE DOOR BOX	400X500X200	3	BIL-90405020	15850
SINGLE DOOR BOX	400X600X200	3	BIL-90406020	18165
SINGLE DOOR BOX	500X600X200	3	BIL-90506020	23265
SINGLE DOOR BOX	600X600X200	3	BIL-90606020	24880
SINGLE DOOR BOX	600X800X200	3	BIL-90608020	29575
SINGLE DOOR BOX	500X700X300	3	BIL-90507030	30040
SINGLE DOOR BOX	800X800X300	3	BIL-90808030	41360

MOQ - Minimum order quantity in nos.

Type		Cat No.	MOQ Nos.	List Price [₹]
SET OF SS WALL MOUNTING BRACKET (SMALL)		BIL-WM-S-SS	1	600
SET OF SS WALL MOUNTING BRACKET (BIG)		BIL-WM-B-SS	1	800

Terminal Boxes

HSN Code : 8538

Box Size (W x H x D)	IP-55 Range			IP-66 Range	
	MOQ	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]
150x150x80	5	BIL-70000	1680	BIL-80000	1735
200x150x80	-			BIL-80100	1910
300x150x80	5	BIL-70010	1975	BIL-80010	2205
200x200x80	5	BIL-70020	1890	BIL-80020	2010
300x200x80	5	BIL-70030	2070	BIL-80030	2150
400x200x80	-			BIL-80110	2295
600x200x80	-			BIL-80130	3125
150x150x120	5	BIL-70040	1860	BIL-80040	1975
200x150x120	-			BIL-80150	2050
300x150x120	5	BIL-70050	2205	BIL-80050	2245
200x200x120	5	BIL-70060	2150	BIL-80060	2205
300x200x120	5	BIL-70070	2395	BIL-80070	2445
400x200x120	5	BIL-70080	2685	BIL-80080	2775
300x300x120	5	BIL-70090	2860	BIL-80090	2965
400x150x120	-			BIL-80170	2650
400x300x120	5	BIL-70180	3165	BIL-80180	3555
400x400x120	5	BIL-70190	3720	BIL-80190	4020
500x200x120	5	BIL-70200	3260	BIL-80200	3485
500x300x120	5	BIL-70210	3620	BIL-80210	3835
600x200x120	5	BIL-70220	3645	BIL-80220	3845
600x300x120	5	BIL-70230	4455	BIL-80230	4640
600x400x120	5	BIL-70240	4890	BIL-80240	5050
800x200x120	5	BIL-70250	5155	BIL-80250	5320
800x400x120	5	BIL-70260	6270	BIL-80260	6390

MOQ-Minimum order quantity in nos.

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra




Enclosure Systems



- 51 Different Versions
- Single/Double door versions
- Min. Size : 200 X 200 X 150
- Max Size : 1200 X 1400 X 400
- Degree of protection IP55/IP66/IK10
- CE Certified

Double door version



Technical Particulars (BHARTIA BOXES)

- Fabricated from 1.2mm / 1.6mm CRCA sheet steel (Sizes upto BIL-50180 made from 1.2mm CRCA, beyond this using 1.6mm CRCA)
- Foamed-in PU gasket
- Hinged door, interchangeable LHS / RHS, opening angle 180 deg for standard hinge & 120 deg for concealed hinge in bigger sizes.
- Degree of protection IP55/IP66/IK10
- CE Certified
- Cable gland plate 2mm thick provided at bottom
- Cam locking arrangement
- Powder coated to RAL : 7035 structure finish
- Mounting Plate made up of 2.0mm Galvanised steel

Note : Cutout charges will be extra

: Wall mounting bracket set is an additional accessory
(for Bhartia Box & Terminal box it is not a part of standard packing)

HSN Code : 8538

Type	Cat. No.	MOQ	List Price [₹]
Set of Wall Mounting bracket (small)	BIL-WM-S	1	205
Set of Wall Mounting bracket (big)	BIL-WM-B	1	235
Set of Wall Mounting bracket Kit 20mm	BIL-WM-H20	1	350

Note :

- * Set of wall mounting bracket (small) is suitable for all range of terminal boxes and Bhartia boxes upto size : 400x500x200mm.
- * Set of wall mounting bracket (big) is suitable for Bhartia boxes beyond size : 400x500x200mm.

Bhartia Boxes

HSN Code : 8538

Type	Size (WxHxD) mm	IP-55 Range			IP-66 Range		
		Nos.	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]	
SINGLE DOOR BOX	200x200x150	1	BIL-50000	3380	BIL-60000	3555	
SINGLE DOOR BOX	200x300x150	1	BIL-50010	3870	BIL-60010	3945	
SINGLE DOOR BOX	250x300x150	1	BIL-50020	4020	BIL-60020	4145	
SINGLE DOOR BOX	300x300x150	1	BIL-50030	4335	BIL-60030	4505	
SINGLE DOOR BOX	300x300x200	1	BIL-50050	4620	BIL-60050	4890	
SINGLE DOOR BOX	300x400x150	1	BIL-50060	4815	BIL-60060	5070	
SINGLE DOOR BOX	300x400x200	1	BIL-50080	5405	BIL-60080	5435	
SINGLE DOOR BOX	400x300x150	1	BIL-50090	4720	BIL-60090	5000	
SINGLE DOOR BOX	400x300x200	1	BIL-50110	5290	BIL-60110	5370	
SINGLE DOOR BOX	400x400x150	1	BIL-50120	5405	BIL-60120	5505	
SINGLE DOOR BOX	400x400x200	1	BIL-50140	5725	BIL-60140	5900	
SINGLE DOOR BOX	400x500x150	1	BIL-50150	6095	BIL-60150	6415	
SINGLE DOOR BOX	400x500x200	1	BIL-50170	6460	BIL-60170	6645	
SINGLE DOOR BOX	500x500x200	1	BIL-50180	7615			
SINGLE DOOR BOX	400x600x200	1	BIL-50190	7615	BIL-60190	7725	
SINGLE DOOR BOX	500x600x200	1	BIL-50210	8735	BIL-60210	9000	
SINGLE DOOR BOX	500x700x200	1	BIL-50220	9930			
SINGLE DOOR BOX	500x700x300	1	BIL-50230	11425			
SINGLE DOOR BOX	600x400x200	1	BIL-50240	7760	BIL-60240	8050	
SINGLE DOOR BOX	600x400x300	1	BIL-50250	9975			
SINGLE DOOR BOX	600x500x200	1	BIL-50260	9000	BIL-60260	9725	
SINGLE DOOR BOX	600x600x200	1	BIL-50270	9365			
SINGLE DOOR BOX	600x600x300	1	BIL-50280	11255			
SINGLE DOOR BOX	600x700x200	1	BIL-50290	11280			
SINGLE DOOR BOX	600x800x200	1	BIL-50300	11310			
SINGLE DOOR BOX	600x800x300	1	BIL-50320	12945			
SINGLE DOOR BOX	600x1000x200	1	BIL-50330	14265			
SINGLE DOOR BOX	600x1000x300	1	BIL-50340	16185			
SINGLE DOOR BOX	800x800x300	1	BIL-50310	15100			
SINGLE DOOR BOX	800x1000x200	1	BIL-50350	16810			
SINGLE DOOR BOX	800x1000x250	1	BIL-50360	17160			
SINGLE DOOR BOX	800x1000x300	1	BIL-50390	17365			
SINGLE DOOR BOX	800x1200x300	1	BIL-50395	21635			
DOUBLE DOOR BOX	1000x800x200	1	BIL-50500	18145			
DOUBLE DOOR BOX	1000x800x300	1	BIL-50520	20805			
DOUBLE DOOR BOX	1000x1000x300	1	BIL-50540	24195			
DOUBLE DOOR BOX	1000x1200x300	1	BIL-50550	27815			
DOUBLE DOOR BOX	1000x1400x300	1	BIL-50560	33265			
DOUBLE DOOR BOX	1200x1400x300	1	BIL-50570	36980			
DOUBLE DOOR BOX	1000x1400x400	1	BIL-50580	35080			
DOUBLE DOOR BOX	1200x1400x400	1	BIL-50590	38605			

MOQ. Minimum order quantity in nos.

Canopy for Bhartia Boxes

HSN Code : 8538

Size (WxHxD) mm	Cat. No.	MOQ Nos.	List Price [₹]	Size (WxHxD) mm	Cat. No.	MOQ Nos.	List Price [₹]
200WX150D	BIL-12-CAN-2015	1	890	600WX200D	BIL-16-CAN-6020	1	1705
250WX150D	BIL-12-CAN-2515	1	1010	600WX300D	BIL-16-CAN-6030	1	2090
300WX150D	BIL-12-CAN-3015	1	1080	800WX300D	BIL-16-CAN-8030	1	2545
300WX200D	BIL-12-CAN-3020	1	1175	800WX200D	BIL-16-CAN-8020	1	2070
400WX150D	BIL-12-CAN-4015	1	1225	800WX250D	BIL-16-CAN-8025	1	2230
400WX200D	BIL-12-CAN-4020	1	1350	1000WX200D	BIL-16-CAN-1020	1	2425
500WX200D	BIL-12-CAN-5020	1	1530	1000WX300D	BIL-16-CAN-1030	1	2985
500WX300D	BIL-12-CAN-5030	1	1875				

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra

TCE Series Enclosure



TCE Series Enclosure Code Selection |

Example:-

TCE	06	18	05	-	001
-----	----	----	----	---	-----



TCE Series of
Enclosure

Width

Height

Depth

Version

Sizes Available |

Width	Height	Depth
06-600 W	18-1800 H	04-400 D
08-800 W	20-2000 H	05-500 D
10-1000 W	22-2200 H	06-600 D
12-1200 W		08-800 D

Version Details |

001	002	003	004	005
Structure:	Structure:	Structure:	Structure:	Structure:
Front Door with Hinge				
Rear Bolted Cover	Rear Door with Hinge	Rear Bolted Cover	Rear Door with Hinge	Rear Door with Hinge
STD Gland Plate				
Top Cover				
Eye Bolt				
01 Mounting Plate	01 Mounting Plate	No Mounting Plate	No Mounting Plate	2 Mounting Plate

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**



TCE Series Enclosure



Technical Particulars for TCE Series

- IP66-IK10 for single door enclosure
- IP65-IK10 for double door enclosure
- Structure made up with 2.0mm CRCA
- Door made up with 2.0mm CRCA and covers made up with 1.6mm CRCA
- Bottom 3-part cable entry provision as standard and made up with 2.0mm GPSP
- Mounting plate with sliding arrangement and made up with 3.0mm GPSP
- Push fit Die casted hinge provided at doors.
- Door with Interchangeability features (LHS/RHS)
- 4-point locking provides as standards
- Separate locking at LHS door with swing handle
- Door stiffener with provision of drilling holes for wiring harness.
- Eye bolt as standard for lifting
- Modular Plinth (optional) 100mm Height with Black finish
- Side Covers – Pair consisting of 1no. LHS and 1no. RHS cover
- Surface finish to enclosure RAL-7035




Note: up to 800 mm width single door
1000 mm & 1200 mm width double door

IK10

IP66 | IP65

CE



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
***GST to be charged extra**

TCE Series Enclosure



HSN Code: 8538

Size of Enclosure in mm			Cat No.	Enclosure Version*				
Width (W)	Height (H)	Depth (D)		VER-001 LP [₹]	VER-002 LP [₹]	VER-003 LP [₹]	VER-004 LP [₹]	VER-005 LP [₹]
600	1800	400	TCE061804	35075	39070	27855	32165	
800	1800	400	TCE081804	41895	45975	31850	36825	
1000	1800	400	TCE101804	57665	62145	44725	48910	
1200	1800	400	TCE121804	64805	72380	50270	55725	
600	1800	500	TCE061805	36645	40335	29730	33410	
800	1800	500	TCE081805	42665	48035	34100	38190	
1000	1800	500	TCE101805	59220	63730	46655	51440	
1200	1800	500	TCE121805	66035	75025	52895	59430	
800	1800	600	TCE081806	45490	47730	37020	40530	55460
800	1800	800	TCE081808	47470	52225	39485	44225	63355
600	2000	400	TCE062004	37800	42500	29030	34485	
800	2000	400	TCE082004	44005	48315	33620	38170	
1000	2000	400	TCE102004	63010	66540	49000	52405	
1200	2000	400	TCE122004	67690	74815	54165	61395	
600	2000	500	TCE062005	40120	43450	32935	37220	
800	2000	500	TCE082005	45015	49685	34685	39545	
1000	2000	500	TCE102005	62345	69760	49685	55130	
1200	2000	500	TCE122005	68170	75025	53590	59430	
600	2000	600	TCE062006	40715	44725	34875	38880	53815
800	2000	600	TCE082006	46570	50745	37395	41585	60230
1000	2000	600	TCE102006	63335	72665	50445	58815	88110
1200	2000	600	TCE122006	69515	77070	56300	63515	93570
600	2000	800	TCE062008	41895	45015	34990	39360	58630
800	2000	800	TCE082008	48510	52105	39645	43415	63450
1000	2000	800	TCE102008	69515	74125	53590	59430	86575
1200	2000	800	TCE122008	73075	81055	60030	66035	96700
600	2200	600	TCE062206	45890	50270	36430	43245	60230
800	2200	600	TCE082206	51930	55335	41805	46085	64580
1000	2200	600	TCE102206	71900	77440	59080	64620	90510
1200	2200	600	TCE122206	74710	83400	58065	64875	103730
600	2200	800	TCE062208	50035	54275	38390	44320	57760
800	2200	800	TCE082208	60395	63915	46370	50445	69875
1000	2200	800	TCE102208	76570	82500	62145	66840	96140
1200	2200	800	TCE122208	82815	87485	67815	72380	108425

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

TCE Series Enclosure

TCE Bottom Plinth 100mm Height

HSN Code: 8538

Size in MM		Cat No	LP [₹]
Width (W)	Depth (D)		
600	400	TCEPL0604	3160
800	400	TCEPL0804	3605
1000	400	TCEPL1004	4035
1200	400	TCEPL1204	4420
600	500	TCEPL0605	3380
800	500	TCEPL0805	3795
1000	500	TCEPL1005	4235
1200	500	TCEPL1205	4615
600	600	TCEPL0606	3575
800	600	TCEPL0806	3975
1000	600	TCEPL1006	4385
1200	600	TCEPL1206	4785
600	800	TCEPL0608	3975
800	800	TCEPL0808	4385
1000	800	TCEPL1008	4745
1200	800	TCEPL1208	5210



TCE Side Panel

HSN Code: 8538

Size in MM		Cat No	LP [₹]
Height (H)	Depth (D)		
1800	400	TCESP0418	6300
1800	500	TCESP0518	7315
1800	600	TCESP0618	8140
1800	800	TCESP0818	10850
2000	400	TCESP0420	6765
2000	500	TCESP0520	7960
2000	600	TCESP0620	8840
2000	800	TCESP0820	11380
2200	600	TCESP0622	10240
2200	800	TCESP0822	13310

MOQ-Minimum order quantity in nos.

Note: Cutout charges will be extra

Freight charges will be extra at actuals

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

TCE Series Enclosure

**TCE Series Enclosure Accessories****Baying system****HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Baying Kit	TCE-14280	2340
2	Combination Angle (Pack of 2)	TCE-14281	1230

Mounting plate filler profile**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Filler plate for 1800mm Height	TCE-FP-1800	1780
2	Filler plate for 2000mm Height	TCE-FP-2000	1960
3	Filler plate for 2200mm Height	TCE-FP-2200	2150

Wiring plan pocket**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	File pocket 500mm Width	TCE-TPKT-500	870
2	File pocket 600mm Width	TCE-TPKT-600	1040
3	File pocket 800mm Width	TCE-TPKT-800	1350

Lamp rail**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Lamp rail 600mm Width	TCE-LAMP-RAIL-600	250
2	Lamp rail 800mm Width	TCE-LAMP-RAIL-800	340
3	Lamp rail 1000mm Width	TCE-LAMP-RAIL-1000	420
4	Lamp rail 1200mm Width	TCE-LAMP-RAIL-1200	510

Limit switch with fixing arrangement**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	BCH Limit switch	TCE-LC	1040

Punched section for depth**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Punched section 400mm depth	TCE-PSD-400	615
2	Punched section 500mm depth	TCE-PSD-500	870
3	Punched section 600mm depth	TCE-PSD-600	1110
4	Punched section 800mm depth	TCE-PSD-800	1480

Punched section for width**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Punched section 600mm width	TCE-PSW-600	1230
2	Punched section 800mm width	TCE-PSW-800	1480
3	Punched section 1000mm width	TCE-PSW-1000	1725
4	Punched section 1200mm width	TCE-PSW-1200	1960

Air Filter Unit**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Snap fit air filter 148x148	BIL-SF-1414	965
2	Snap fit air filter 204x204	BIL-SF-2020	1450
3	Snap fit air filter 255x255	BIL-SF-2525	1605
4	Snap fit air filter 204x204 with mounting adaptor	BIL-SFMA-2020	1690
5	Snap fit air filter 255x255 with mounting adaptor	BIL-SFMA-2525	2120

Door Stay**HSN Code: 8538**

Sl. No	Description	Cat No	LP [₹]
1	Door Stay for TCE Series	TCE-DS	1340

***GST to be charged extra**

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

Enclosure Systems



Techno Modular Enclosures

HSN Code : 8538

Size of Enclosure (W x H x D in mm)	Cat. No.	Enclosure Version*				Plinth		Side Covers (Pair)	
		Ver 001 LP [₹]	Ver 002 LP [₹]	Ver 003 LP [₹]	Ver 004 LP [₹]	Cat. No.	List Price [₹]	Cat. No.	List Price [₹]
600 x 1800 x 400	TME 061804	32740	36465	26000	30015	TPL 061804	3180	TSC 061804	6345
800 x 1800 x 400	TME 081804	39110	42915	29735	34370	TPL 081804	3620	TSC 081804	6345
1000 x 1800 x 400	TME 101804	53825	58010	41740	45660	TPL 101804	4060	TSC 101804	6345
1200 x 1800 x 400	TME 121804	60470	67555	46925	52010	TPL 121804	4455	TSC 121804	6345
600 x 1800 x 500	TME 061805	34195	37650	27745	31185	TPL 061805	3405	TSC 061805	7370
800 x 1800 x 500	TME 081805	39820	44835	31835	35645	TPL 081805	3835	TSC 081805	7370
1000 x 1800 x 500	TME 101805	55290	59470	43560	48025	TPL 101805	4270	TSC 101805	7370
1200 x 1800 x 500	TME 121805	61640	70030	49370	55475	TPL 121805	4645	TSC 121805	7370
800 x 1800 x 600	TME 081806	42455	44570	34565	37825	TPL 081806	4005	TSC 081806	8195
600 x 2000 x 400	TME 062004	35290	39650	27100	32205	TPL 062004	3180	TSC 062004	6825
800 x 2000 x 400	TME 082004	41065	45105	31380	35625	TPL 082004	3620	TSC 082004	6825
1000 x 2000 x 400	TME 102004	58825	62100	45740	48910	TPL 102004	4060	TSC 102004	6825
1200 x 2000 x 400	TME 122004	63195	69840	50560	57295	TPL 122004	4455	TSC 122004	6825
600 x 2000 x 500	TME 062005	37460	40555	30735	34740	TPL 062005	3405	TSC 062005	8010
800 x 2000 x 500	TME 082005	42020	46385	32380	36925	TPL 082005	3835	TSC 082005	8010
1000 x 2000 x 500	TME 102005	58195	65115	46385	51465	TPL 102005	4270	TSC 102005	8010
1200 x 2000 x 500	TME 122005	63635	70030	50010	55475	TPL 122005	4645	TSC 122005	8010
600 x 2000 x 600	TME 062006	38000	41740	32555	36295	TPL 062006	3590	TSC 062006	8915
800 x 2000 x 600	TME 082006	43470	47375	34910	38825	TPL 082006	4005	TSC 082006	8915
1000 x 2000 x 600	TME 102006	59110	67825	47100	54910	TPL 102006	4430	TSC 102006	8915
1200 x 2000 x 600	TME 122006	64885	71930	52540	59285	TPL 122006	4840	TSC 122006	8915
600 x 2000 x 800	TME 062008	39110	42020	32650	36725	TPL 062008	4005	TSC 062008	11460
800 x 2000 x 800	TME 082008	45280	48650	37005	40525	TPL 082008	4430	TSC 082008	11460
1000 x 2000 x 800	TME 102008	64885	69200	50010	55475	TPL 102008	4775	TSC 102008	11460
1200 x 2000 x 800	TME 122008	68210	75640	56030	61640	TPL 122008	5265	TSC 122008	11460
600 x 2200 x 600	TME 062206	42830	46925	34020	40365	TPL 062206	3590	TSC 062206	10325
800 x 2200 x 600	TME 082206	48475	51655	39005	43010	TPL 082206	4005	TSC 082206	10325
1000 x 2200 x 600	TME 102206	67110	72280	55140	60320	TPL 102206	4430	TSC 102206	10325
1200 x 2200 x 600	TME 122206	69735	77840	54205	60560	TPL 122206	4840	TSC 122206	10325
600 x 2200 x 800	TME 062208	46710	50665	35835	41380	TPL 062208	4005	TSC 062208	13410
800 x 2200 x 800	TME 082208	56375	59660	43305	47100	TPL 082208	4430	TSC 082208	13410
1000 x 2200 x 800	TME 102208	71460	77000	58010	62385	TPL 102208	4775	TSC 102208	13410
1200 x 2200 x 800	TME 122208	77295	81645	63290	67555	TPL 122208	5265	TSC 122208	13410

*Baying kit (BIL-14280) Rs. 2150/- is also available for Enclosure Version. For extra accessories, please contact nearest branch office.

MOQ-Minimum order quantity in nos.


Note : Cutout charges will be extra

Freight charges will be extra at actuals

***List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.**

***GST to be charged extra**

Enclosure Systems



Enclosure Versions

- 001 - with mounting plate and rear cover
- 002 - with mounting plate and rear door
- 003 - without mounting plate and with rear cover
- 004 - without mounting plate and with rear door

To Order And Calculate List Price

- (a) Choose Cat. No. and LP of Enclosure version from 001, 002, 003 or 004
- (b) Add Cat. No. and LP of Plinth
- (c) Add Cat. No. and LP of Side Covers pair

General Technical Particulars

- Degree of protection IP55/IK10
- CE Certified
- Fabricated from 2/1.6 mm CRCA/GPSP (frame made up of 2.0mm GPSP, doors & covers made up of 1.6 mm CRCA).
- Fully bolted construction
- Mounting Plate with sliding arrangement - standard & Powder coated to RAL-2000
- Modular Plinth (optional) 100mm high fabricated from CRCA
- Cable entry provision is given from Bottom & made in 3-part construction with Galvanized steel [Unpainted]
- Foamed-in PU gasket
- Powder coated to RAL : 7035 structure finish
- Hinge design allows 120 deg. Door opening
- 3 point lock provided as standard
- Door stiffener with provision of drilling holes for wiring harness.
- Side Covers - Pair : consisting of 1no. LHS and 1no. RHS cover
- To calculate limiting dimension of the enclosure, add 44mm to the width to account for Side Covers, 22mm to the height for Top Cover & 44mm to the depth on account of Front and Rear door / cover.

Note : upto 800 mm width single door
1000 mm & 1200 mm width double leaf door

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**
www.bchindia.com

Modular Enclosures

- Enclosures
- Minimum size in mm : 600 x 1800 x 400 (W x H x D)
- Maximum size in mm : 1200 x 2200 x 800 (W x H x D)
- Degree of protection IP55/IK10
- CE Certified
- Wide range of accessories



Features

- Completely modular in all the three axis
- Powder coated surface (RAL 7035) for excellent finish and durability
- PU Gasket ensuring higher degree of ingress protection
- 3mm mounting plate as a standard
- Manufactured on CNC Turret punch press for higher precision, finish and repeated accuracy
- Ideal for :
 - Special purpose machines
 - Control panels
 - Drives
 - Starter enclosures
 - Accessories for mounting 19" equipment

Highlights of **BCH Compartmentalized** **MCC / PCC / PMCC Solution (Fixed & Drawed Type)**



- 100% Modular Structure; can be dispatched in flat pack.
- Flexible compartmentalized -up to From 4.
- IP 54 degree of protection with polyurethane foam gasket.
- Compartment size available from 200mm height & multiples of 100mm.
- Additional accessories like Cable support, Busbar support, Limit Switch and Lamp brackets are available.
- Adjustable mounting plates (Depth wise at the pitch of 25mm).
- Panel can be expended in all 3 dimensions and bayed together by using Baying Kit.
- All Structure members (Corner & Cross bar) having M6 extrude hole at 25mm intervals, No need of any Captive hardware.
- Standard Module dimension for Drawout Enclosures.
 - ▷ Single Front :- 900(W) x 2400(H) x 600(D)
 - ▷ Double Front :- 900(W) x 2400(H) x 1200(D)
- Draw-out feeder available from 200mm height (2SU) to 800mm height (8SU).
- Colours:- RAL-7035 (Structure finish) for structure, doors, covers & internal parts RAL-2000 (smooth finish) for Mounting plates, Ral-9000 (Smooth Finish) for Plinth.
- Sheet thickness 2.0mm GPSP for structure, 2.0mm CRCA for Mounting Plate & Mounting rail, 1.6mm CRCA for Doors & Covers, 1.2mm CRCA for Separation plates.



Control Desk

Technical Particulars (CONTROL DESK):

- Desk body: 1.6mm CRCA sheet
- Hinged door: 1.6mm CRCA sheet
- Bottom Gland plate: 2.0mm CRCA sheet
- Mounting plate: 2.0mm GPSP sheet
- Plinth corner: 2.0mm CRCA sheet
- Plinth Trim Plates: 1.6mm CRCA sheet
- Foamed-in PU gasket at front door
- Powder coated to RAL: 7035 structure finish
- Bottom plinth painted with smooth black color
- Mounting plate Zn galvanized


Control Desk
HSN Code : 8538

Type	SIZE (WxHxD) mm	Control DESK		
		MOQ Nos.	Cat No.	List Price [₹]
SINGLE DOOR CONTROL DESK	600X1000X400	3	BIL-CD-061004	19750
SINGLE DOOR CONTROL DESK	800X1000X400	3	BIL-CD-081004	23500
SINGLE DOOR CONTROL DESK	600X1000X500	3	BIL-CD-061005	21500
SINGLE DOOR CONTROL DESK	800X1000X500	3	BIL-CD-081005	26000
DOUBLE DOOR CONTROL DESK	1000X1000X400	3	BIL-CD-101004	27500
DOUBLE DOOR CONTROL DESK	1200X1000X400	3	BIL-CD-121004	32000
DOUBLE DOOR CONTROL DESK	1000X1000X500	3	BIL-CD-101005	31400
DOUBLE DOOR CONTROL DESK	1200X1000X500	3	BIL-CD-121005	35500

Bottom Plinth for Control Desk
HSN Code : 8538

Width (W)	Depth (D)	MOQ Nos.	Size in MM	
			Cat No	List Price [₹]
600	400	3	BIL-CDPL-0604	3250
800	400	3	BIL-CDPL-0804	3700
1000	400	3	BIL-CDPL-1004	4150
1200	400	3	BIL-CDPL-1204	4550
600	500	3	BIL-CDPL-0605	3500
800	500	3	BIL-CDPL-0805	3950
1000	500	3	BIL-CDPL-1005	4400
1200	500	3	BIL-CDPL-1205	4800

**Key Attributes:**

- Aesthetic & robust construction
- Mounting Fan /s in top doesn't take usable "U" space.
- Special type of Wallmounting hardware.
- Provision for earthing available in the cabinets.
- Highly corrosion resistant in nature.
- Power coated to shade RAL : 7035 structure finish.

19" Wall Mount Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
6UX550X400	1	BIL-W-6-5504	6065
9UX550X400	1	BIL-W-9-5504	7315
6UX550X500	1	BIL-W-6-5505	6695
9UX550X500	1	BIL-W-9-5505	7805
12UX550X500	1	BIL-W-12-5505	8670
15UX550X500	1	BIL-W-15-5505	10205

MOQ-Minimum order quantity in nos.

Standard Configuration: Wallmount cabinet, 2-Pairs of 19" rail.

Notes : Accessories viz. Shelves, Fans, power strips, cable managers captive H/W & wall mounting hardware etc. will be extra as per the accessories list furnished in the price list.
Wall mount racks price do not include freight & will be extra at actuals

**19" Networking Racks**

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
24U X 600 X 600	1	BIL-N-062406	33915
24U X 600 X 800	1	BIL-N-062408	37495
24U X 800 X 600	1	BIL-N-082406	42500
24U X 800 X 800	1	BIL-N-082408	46445
30U X 600 X 600	1	BIL-N-063006	37495
30U X 600 X 800	1	BIL-N-063008	41085
30U X 800 X 600	1	BIL-N-083006	46445
30U X 800 X 800	1	BIL-N-083008	50910
36U X 600 X 600	1	BIL-N-063606	41085
36U X 600 X 800	1	BIL-N-063608	45540
36U X 800 X 600	1	BIL-N-083606	50930
36U X 800 X 800	1	BIL-N-083608	55295
42U X 600 X 600	1	BIL-N-064206	47345
42U X 600 X 800	1	BIL-N-064208	50730
42U X 800 X 600	1	BIL-N-084206	55725
42U X 800 X 800	1	BIL-N-084208	61605
45U X 600 X 600	1	BIL-N-064506	54475
45U X 600 X 800	1	BIL-N-064508	57175
45U X 800 X 600	1	BIL-N-084506	59825
45U X 800 X 800	1	BIL-N-084508	65185

MOQ-Minimum order quantity in nos.

Notes : 1) Networking racks price do not include freight & this will be extra at actuals.

For more details visit : www.bchindia.com/technorack***List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.*****GST to be charged extra**

19" Server Racks

HSN Code : 8538

Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking
- Locking in extra wide (800mm) racks.
- Power coated to shade RAL : 7035 structure finish.

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
24U X 600 X 900	1	BIL-S-062409	38315
24U X 600 X 1000	1	BIL-S-062410	40715
30U X 600 X 900	1	BIL-S-063009	43325
30U X 600 X 1000	1	BIL-S-063010	45015
36U X 600 X 900	1	BIL-S-063609	47500
36U X 600 X 1000	1	BIL-S-063610	50035
42U X 600 X 900	1	BIL-S-064209	53410
42U X 600 X 1000	1	BIL-S-064210	56800
42U X 800 X 1000	1	BIL-S-084210	65365
45U X 600 X 900	1	BIL-S-064509	61720
45U X 600 X 1000	1	BIL-S-064510	65300

MOQ - Minimum order quantity in nos.

Notes : Server racks price do not include freight & this will be extra at actuals.

STANDARD CONFIGURATION: Basic frame, Top & bottom, Front Glass door with perforation, Rear vented door, Lockable & detachable side panels, 2-Pairs of 19" rails with depth members.**Key Attributes:**

- Includes 1-Pair of 21" rails.
- Integrated side panels.
- Grouting arrangements along with grouting bolts as std. BOM
- Provision for power & detachable Cable entry/exit in top & bottom.
- Power coated to shade RAL : 7035 structure finish.

ETSI Racks

HSN Code : 8538

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price [₹]
2200 X 600 x 300	1	ITE-062203	On request
2200 X 600 x 600	1	ITE-062206	On request

MOQ - Minimum order quantity in nos.

Notes : Above ETSI configuration do not include front & rear door and covers.

All other accessories will be extra & will be furnished on request.

The prices mentioned above do not include freight.

**Key Attributes:**

- 1-Pair of vertical cable manager is default design.
- Surface pretreated and advance powder coated
- Goruting bolts as std. BOM.
- Power coated to shade RAL : 7035 structure finish.

19" Open Racks

HSN Code : 8538

Dimensions (H x W) mm	MOQ Nos.	Cat. No.	List Price [₹]
36U X 600	1	ITE-OF-0636	On request
45U X 600	1	ITE-OF-0645	On request

MOQ - Minimum order quantity in nos.

Notes : 1) Above Open Rack configuration does not include Shelves, Doors and Covers. All other accessories prices will be extra and will be furnished on request.

2) The Prices above do not include Freight and this will be extra at actuals.

For more details, visit : www.bchindia.com/technorack

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Fixed Shelf/Stationary Shelf

- Compatible to keep monitor, servers, non 19" Networking & allied equipments.

Key-Board Tray

- Sliding & rotatory type.

Canteliver Shelf

- It can accomodate light weighted networking & allied equipments like modem, routers etc.

Equipment Support Angle

- "L" type angles. Useful to keep non 19" heavy duty equipment in rack mounting position.

Sliding Shelf

- Useful to keep servers, networking & allied equipment which are required to slide out for operational & other purpose.

Fans/Fan Tray

- 220V 90 CFM Capacity. Can be mounted at the top either directly or through Fan housing unit (Fan Tray)

Accessories for 19" Racks**Shelves****HSN Code : 8538**

Description	Cat No.	List Price [₹]
Fixed Shelf (600mmD)	BIL-A-FS-L-06	1545
Fixed Shelf (800mmD)	BIL-A-FS-L-08	2390
Fixed Shelf (900mmD)	BIL-A-FS-L-09	2655
Fixed Shelf (1000mmD)	BIL-A-FS-L-10	2860
Key board tray (Sliding & Rotatory)	BIL-A-KB-06	4565
Canteliver Shelf (1U)	BIL-A-CS-1	925
Canteliver Shelf (2U)	BIL-A-CS-2	1370
Equipment Support Angle (800mmD)	BIL-A-ESA-06	580
Equipment Support Angle (800mmD)	BIL-A-ESA-08	655
Equipment Support Angle (900mmD)	BIL-A-ESA-09	810
Equipment Support Angle (1000mmD)	BIL-A-ESA-10	940
Sliding Shelf (900mmD)	BIL-A-SS-09	4565
Sliding Shelf (1000mmD)	BIL-A-SS-10	4740

Thermal Management**HSN Code : 8538**

Description	Cat No.	List Price [₹]
1-Fan (Direct mounted)	BIL-A-SF	1545
Fan-tray with 2-Fans (FHU)	BIL-A-FHU-2FANS	3300
Fan-tray with 4-Fans (FHU)	BIL-A-FHU-4FANS	5745

Cable Management**HSN Code : 8538**

Description	Cat No.	List Price [₹]
Horizontal Cable Manager (1U)	BIL-A-HCM-1U	370
Horizontal Cable Manager (2U)	BIL-A-HCM-2U	455
Vertical Cable Manager (24U)	BIL-A-VCM-24U	580
Vertical Cable Manager (30U)	BIL-A-VCM-30U	735
Vertical Cable Manager (36U)	BIL-A-VCM-36U	835
Vertical Cable Manager (42U)	BIL-A-VCM-42U	925
Vertical Cable Manager (45U)	BIL-A-VCM-45U	1010

Power Management**HSN Code : 8538**

Description	Cat No.	List Price [₹]
6-Point 5Amp Horizontal Power Strip (19")	BIL-A-HPS-5AMP	1510
5-Point 5/15Amp Horizontal Power Strip (19")	BIL-A-HPS-15AMP	2010
12-Point 5Amp Vertical Power Strip	BIL-A-12VPS-5AMP	2940
10-Point 5/15Amp Vertical Power Strip	BIL-A-10VPS-15AMP	3375
Earth continuity Kit (Earthing Kit)	BIL-A-ECT	1145

Stability Management**HSN Code : 8538**

Description	Cat No.	List Price [₹]
Castors (1-Set) Heavy Duty	BIL-A-CAS-HD	5510
Castors (1-Set) Light Duty	BIL-A-CAS	4385
Levelling Feet (1-Set)	BIL-A-LF	750

Miscellaneous**HSN Code : 8538**

Description	Cat No.	List Price [₹]
BAYING KIT	BIL-A-BK	545
BLANKING PANEL (1U)	BIL-A-BP-1U	255
BLANKING PANEL (2U)	BIL-A-BP-2U	340
BLANKING PANEL (3U)	BIL-A-BP-3U	425
BLANKING PANEL (4U)	BIL-A-BP-4U	525
BLANKING PANEL (5U)	BIL-A-BP-5U	590
Captive H/w (set of 10)	BIL-A-Captive-M6	255
Wallmounting H/w (set of 4)	BIL-A-WALLMOUNTHW	265

Notes : Packing & forwarding will be extra if accessories are ordered separately.

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Non Metallic Enclosure



Technical Particulars :

- Enclosure with In built hinges for front door
- Pad locking provision for front door
- Suitable for wall & pole mounting
- Front door locked with rust proof hardware
- Silicon Gasket between enclosure and front door for sealing
- Protection Category IP-67

Type-1 (Inbulit Hinged Door Enclosure)

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-1.01	1270	BIL-AP-1.01	1405	BIL-PC-1.01	1550
BIL-AB-1.02	1310	BIL-AP-1.02	1455	BIL-PC-1.02	1590
BIL-AB-1.03	1535	BIL-AP-1.03	1695	BIL-PC-1.03	1860
BIL-AB-1.04	1815	BIL-AP-1.04	2010	BIL-PC-1.04	2195
BIL-AB-1.05A	2570	BIL-AP-1.05A	2860	BIL-PC-105A	3150
BIL-AB-1.05B	2780	BIL-AP-1.05B	3085	BIL-PC-105B	3400
NA	-	NA	-	BIL-PC-1.06	13795

Technical Particulars :

- Plain walled enclosures came along with front removable Cover
- Rust proof polyamide screw for front cover
- Equipped with parallel inner bush ribs for din channels Self-tapping screws
- Silicon Gasket between enclosure and front cover for sealing
- Protection Category IP-67

Type-2 (Plain Walled Industrial Enclosure)

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-2.00A	775	BIL-AP-2.00A	845	BIL-PC-2.00A	920
BIL-AB-2.01A	910	BIL-AP-2.01A	1000	BIL-PC-2.01A	1085
BIL-AB-2.01	1030	BIL-AP-2.01	1125	BIL-PC-2.01	1225
BIL-AB-2.02	1280	BIL-AP-2.02	1405	BIL-PC-2.02	1535
BIL-AB-2.03	1895	BIL-AP-2.03	2095	BIL-PC-2.03	2300
BIL-AB-2.04	2925	BIL-AP-2.04	3240	BIL-PC-2.04	3550
BIL-AB-2.04B	3735	BIL-AP-2.04B	4085	BIL-PC-2.04B	4435
BIL-AB-2.05A	5380	BIL-AP-2.05A	6040	BIL-PC-2.05A	6700
NA	-	NA	-	BIL-PC-2.05B	8175
NA	-	NA	-	BIL-PC-2.06	6645

Technical Particulars :

- Modular in nature and ideal for LV compartmentalized Panel
- Knock outs on box walls for bus bar and cables routing
- Molded silicon push lock jointing kits to maintain IP rating of enclosure After joining each other
- Silicon Gasket between enclosure and front cover for sealing
- Can be joined in modules to make any size of electrical LV panel
- Protection Category IP-67

Type-3 (Modular Panel Enclosure)

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-3.01A	2030	BIL-AP-3.01A	2215	BIL-PC-3.01A	2400
BIL-AB-3.01B	2390	BIL-AP-3.01B	2610	BIL-PC-3.01B	2820
BIL-AB-3.02	3305	BIL-AP-3.02	3630	BIL-PC-3.02	3955
BIL-AB-3.03	4035	BIL-AP-3.03	4435	BIL-PC-3.03	4840
BIL-AB-3.04	4995	BIL-AP-3.04	5520	BIL-PC-3.04	6040

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

www.bchindia.com

Effective from 17.11.2025

Non Metallic Enclosure



Technical Particulars :

- Equipped with multiple knockouts to accommodate different size of cables
- Front cover fixes with SS304 screws
- No of inner bush for din rail fixing
- Silicon Gasket between enclosure and front cover for sealing
- Outside bushes provided to mount box without tampering enclosures to maintain IP rating
- Protection Category IP-67

Type-4 (Junction Boxes)

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-4.01B	350	BIL-AP-4.01B	375	BIL-PC-4.01B	395
BIL-AB-4.02B	450	BIL-AP-4.02B	490	BIL-PC-4.02B	525
BIL-AB-4.03B	560	BIL-AP-4.03B	610	BIL-PC-4.03B	655
BIL-AB-4.04B	655	BIL-AP-4.04B	710	BIL-PC-4.04B	765
BIL-AB-4.05B	720	BIL-AP-4.05B	785	BIL-PC-4.05B	855
BIL-AB-4.06	880	BIL-AP-4.06	955	BIL-PC-4.06	1030
BIL-AB-4.07	1460	BIL-AP-4.07	1725	BIL-PC-4.07	1985

Type-5 (Power Distribution Boxes With Poly Carbonate Window)

Technical Particulars :

- Suitable for wall or Pole mounting
- Polycarbonate hinged window for easy operation of MCB
- Number of horizontal inner bush for din rail fixing
- Rust proof SS304 screw for front cover fixing
- Silicon Gasket between enclosure and front cover for sealing
- Front cover fixed with rust proof SS304 screws
- Protection Category IP-65

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
NA	-	BIL-AP-5.01 Eco	890	NA	-
NA	-	BIL-AP-5.01B Eco	805	NA	-
NA	-	BIL-AP-5.01	1255	NA	-
NA	-	BIL-AP-5.02 Eco	1145	NA	-
NA	-	BIL-AP-5.02B Eco	1010	NA	-
NA	-	BIL-AP-5.02	1625	NA	-
NA	-	BIL-AP-5.03	2075	NA	-
NA	-	BIL-AP-5.04	2530	NA	-
NA	-	BIL-AP-5.05 A	3745	NA	-
NA	-	BIL-AP-5.05	4630	NA	-
NA	-	BIL-AP-5.06	6620	NA	-

Type-6 (Enclosure With External Mounting)

Technical Particulars :

- Provision of outside mounting on enclosure
- Suitable for heavy duty application like Bus bars, industrial plugs sockets & Solar application
- Number of horizontal inner bush for din rail fixing
- Rust proof SS304 screw for front cover fixing
- Silicon Gasket between enclosure and front cover for sealing
- Protection Category IP-67

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-6.01	430	NA	-	NA	-
BIL-AB-6.02A	560	BIL-AP-6.02A	605	NA	-
BIL-AB-6.02B	665	BIL-AP-6.02B	720	NA	-
BIL-AB-6.03	575	BIL-AP-6.03	620	NA	-
BIL-AB-6.04	795	NA	-	NA	-
BIL-AB-6.05	1085	NA	-	NA	-
BIL-AB-6.06A	965	BIL-AP-6.06A	1040	NA	-
BIL-AB-6.06B	1200	BIL-AP-6.06B	1300	NA	-
BIL-AB-6.07	1690	BIL-AP-6.07	1870	NA	-
BIL-AB-6.08	2725	NA	-	NA	-
BIL-AB-6.09	3865	NA	-	NA	-

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Non Metallic Enclosure

Technical Particulars :

- Specially designed for IT, electronics and automation industrial solutions
- Available in 31 different sizes
- Provision of PCB & Electronics component mounting
- Rust proof SS304 screw for front cover fixing
- Silicon Gasket between enclosure and front door for sealing
- Suitable for wall & pole mounting
- Protection Category IP-67

Type-7 (Enclosure With External Mounting)

Box & Cover both in ABS		Box in ABS & Cover in PC(TR)		Box & Cover both in PC	
Cat No.	List Price [₹]	Cat No.	List Price [₹]	Cat No.	List Price [₹]
BIL-AB-7.01	305	NA	-	BIL-PC-7.01	340
BIL-AB-7.02	460	BIL-AP-7.02	500	NA	-
BIL-AB-7.03	350	NA	-	NA	-
BIL-AB-7.04	450	NA	-	NA	-
BIL-AB-7.05	560	BIL-AP-7.05	615	NA	-
BIL-AB-7.06A	395	NA	-	NA	-
BIL-AB-7.06B	515	NA	-	NA	-
BIL-AB-7.07	720	BIL-AP-7.07	785	NA	-
BIL-AB-7.07B	600	BIL-AP-7.07B	635	NA	-
BIL-AB-7.08	600	NA	-	NA	-
BIL-AB-7.08A	820	BIL-AP-7.08A	900	BIL-PC-7.08A	975
BIL-AB-7.08C	910	BIL-AP-7.08C	995	BIL-PC-7.08C	1075
BIL-AB-7.09A	710	NA	-	NA	-
BIL-AB-7.09B	775	NA	-	NA	-
BIL-AB-7.10A	840	BIL-AP-7.10A	On request	BIL-PC-7.10A	935
BIL-AB-7.10B	830	NA	-	BIL-PC-7.10B	1010
BIL-AB-7.11	460	NA	-	NA	-
BIL-AB-7.12	880	NA	-	NA	-
BIL-AB-7.13	865	NA	-	NA	-
BIL-AB-7.13A	775	NA	-	NA	-
BIL-AB-7.14	900	NA	-	NA	-
BIL-AB-7.15	890	NA	-	NA	-
BIL-AB-7.16	1840	NA	-	NA	-
BIL-AB-7.18	1515	BIL-AP-7.18	1660	BIL-PC-7.18	1805
BIL-AB-7.19	1065	NA	-	NA	-
BIL-AB-7.20	2345	NA	-	NA	-
BIL-AB-7.01L	280	BIL-AP-7.01L	300	NA	-
BIL-AB-7.02L	405	BIL-AP-7.02L	435	BIL-PC-7.02L	460
BIL-AB-7.03L	675	BIL-AP-7.03L	720	NA	-



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

www.bchindia.com



BCH

Price List

General Terms & Conditions

Prices are subject to change without any prior notice and will be applicable as prevailing at the time of dispatch.

- The prices are ex-works basis..
- The prices given in this list are effective as on date and are subject to change without notice.
- The List Prices (LP) mentioned are exclusive of GST.
- The duties, taxes and other statutory levies are based on rates prevailing at the time of billing. Any subsequent revision of those rates having retrospective effect shall be to customer's account.
- In case where any GST exemption has been claimed, the purchaser is responsible for providing the necessary GST exemption form within the specified period, failing which the purchaser would be liable for the payment of full GST plus applicable interest and penalties
- All Prices are in Indian Rupees (₹).
- Alteration made after receipt of confirmation of order are subject to price & delivery revisions and any other expenses or levies
- The dispute, if any, will be resolved mutually by discussion. However, if no settlement is forthcoming then, the Courts at New Delhi shall only have territorial jurisdiction to hear and decide the dispute.

Warranty

All products, unless specifically mentioned otherwise, shall have warranty, against manufacturing defects for a period of 18* months from the date of invoicing & 24 months from date of manufacturing whichever is later subject to the provision of proper usage and does not cover defects arising out of fire, accident, inefficient maintenance, faulty operation and willful or accidental damage. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.

* Proof of purchase to be retained to avail warranty.

a strong commitment
to serve better
always ...



**Switchgear | Contolgear | Enclosures | Motor Starters & Submersible Pump Starters |
Brakes and Crane Controls | MCC | PCC | Customised Solutions | Automation |
Wires & Cables | Motors | Reactive Power Management**



**BCH
ELECTRIC
LIMITED**

www.bchindia.com

Power Control Products
Starters & Submersible Pump Starters
Industrial Enclosures
Industrial Products
Wires & Cables
Motor Control Products
Power Bus Duct
Customised Solution
Automation

a strong commitment to serve better always ..




BCH ELECTRIC LIMITED



www.bchindia.com



1800-103-9262

customercare@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100

CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com

Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udhampur Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad
401, Shilp Zevari,
Beside Shyamal Iconic,
Above Westside,
Shyamal Cross Road,
Ahmedabad - 380015
E-mail.: ahmedabad@bchindia.com

Bangalore
2nd Floor, 130/5,
K.H. Road (Double road),
Bangalore - 560 027
Tel. : 080-41144879 / 22236759
E-mail.: bangalore@bchindia.com

Bhubaneswar
Mallick Commercial
Complex Plot No.: A/69, unit - 3
Bhubaneswar - 751 001
Tel.: 0674-2380988
E-mail.: bhubaneswar@bchindia.com

Chandigarh (Panchkula)
SCO - 270, 2nd Floor,
Sector-16, Panchkula
Haryana-134 113
Tel.: 0172-5078957 / 5049905
E-mail.: chandigarh@bchindia.com

Chennai
Flat No. 3A, 3rd Floor,
Sree Apartments,
No.508, TTK Road,
Alwarpet, Chennai 600 018
Tel.: 044-24337046, 24337047
E-mail.: chennai@bchindia.com

Coimbatore
87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311 / 2302599
E-mail : coimbatore@bchindia.com

Delhi 1
801, Akash Deep Building,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878 / 43518200
E-mail : delhi@bchindia.com

Delhi 2
710, Deepali Building, 92
Nehru Place, New Delhi - 110
019 Tel. : 011-45720334
E-mail : delhi2@bchindia.com

Dehradun
8, Co-operative Industrial Estate,
Patel Nagar, Dehradun-248001
E-mail : dehradun@bchindia.com

Faridabad
20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Tel/Fax : 0129-4293009
E-mail : faridabad@bchindia.com

Hyderabad
1-8-303/48/13/102, Arya One,
2nd Floor, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27890306
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore
330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011 / 2510012
E-mail : indore@bchindia.com

Jaipur
25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur
A.J. Tower, 2B,
2nd Floor, R-Road, Bistupur,
Jamshedpur - 831 001
E-mail : jamshedpur@bchindia.com

Kolkata
Block 1E, 216,
Acharya Jagadish Chandra Bose
Road, Kolkata - 700 017
Tel. : 033-22871728 / 46021884
E-mail : kolkata@bchindia.com

Lucknow
Shop No. 3, First Floor,
Tower T-10, Millennium Place IBB - 2,
Sushant Golf City, Sultanpur Road,
Lucknow U.P. - 226030
Tel. : 0522-4025597/4025997
E-mail : lucknow@bchindia.com

Ludhiana
S.C.O.- 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
E-mail : ludhiana@bchindia.com

Madurai
12, Parvathi Plaza-3rd Floor,
70 Feet Road, Ellis Nagar
Madurai-625016, Tamilnadu
Email: madurai@bchindia.com

Mumbai
A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22850162
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Patna
No.703, 7th Floor, Luv Kush
Tower, Exhibition Road,
Patna - 800001

Pune
8, Sarosh Bhavan,
16-B/1, Dr. Ambedkar Road,
Pune - 411 001
Tel. : 020-41210002
E-mail : pune@bchindia.com

Raipur
6th Floor, Office No. 607,
Babylon Capital, Near Oswal
Petrol Pump, VIP Chowk,
G.E. Road, Raipur - 492 006
Tel. : 0771-4045053
E-mail : raipur@bchindia.com

Vadodara
301, Third Floor, "Florence Classic",
10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA
Housing, Near Cow Circle, Akota, Vadodara - 390 020
Tel. : 0265-2345068/2345069
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati** : guwahati@bchindia.com, **Vishakapatnam** : vizag@bchindia.com, **Surat** : surat@bchindia.com, **Trichy** : Trichy@bchindia.com

Resident Engineer Locations

Agra	Bhopal	Hospet	Kanpur	Muzaffarnagar	Rajahmundry	Siliguri	Varanasi
Ahmednagar	Calicut	Hubli	Karimnagar	Nanded	Ranchi	Solapur	Vijaywada
Ambala	Goa	Idukki	Karnal	Nashik	Rourkela	Srinagar	Vishakapatnam
Anantapur	Gulbarga	Jabalpur	Kota	Panipat	Rudarpur	Trivendrum	Vellore
Ankleshwar	Gurgaon	Jalandhar	Kurnool	Patna	Salem	Tirunelveli	Vilupuram
Aurangabad	Haridwar	Jodhpur	Midnapore	Puducherry	Sikar	Udaipur	Warangal
Bhiwadi	Hisar	Kashipur	Mahua	Rajkot	Silchar	Vapi	Yamunanagar