



SIMATS Online Programming Lab

DS PROGRAMMING



YUGITHA B
192424102RD



QUESTIONS

10 / 10 completed

Deletion Operations

DELETION OPERATIONS

"A company maintains employee records in a linked list. Employees may leave the organization, requiring their records to be removed. Write a C program to implement deletion operations from the beginning, end, and a specified position

Test Case 1

Input

List: 10 → 20 → 30 → 40

Delete node from beginning

Output

20 → 30 → 40 → NULL"

PROGRAM EDITOR

C

Run

Save

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 struct Node {
5     int data;
6     struct Node* next;
7 };
8
9 struct Node* createNode(int value) {
10     struct Node* newNode = (struct Node*)malloc(sizeof(struct N
11     if (newNode == NULL) {
12         printf("Memory allocation failed\n");
13         exit(1);
14     }
15     newNode->data = value;
16     newNode->next = NULL;
17     return newNode;
18 }
19
20 void insertAtEnd(struct Node** head, int value) {
21     struct Node* newNode = createNode(value);
```

OUTPUT

Enter number of nodes: Enter 10 node values:
Current List: 20 -> 30 -> 40 -> 40 -> 40 -> 40 -> 40 -> 40
-> 40 -> 40 -> NULL

Deletion Operations:
1. Delete from beginning
2. Delete from end
3. Delete at specified position
Enter choice: Invalid choice

INPUT

10 20 30 40

delete node at beginning

© 2026 **SIMATS Online Lab**. All rights reserved.