



SIMATS Online Programming Lab

DS PROGRAMMING



YUGITHA B
192424102RD



QUESTIONS

10 / 10 completed

Singly Linked List-Reverse

SINGLY LINKED LIST-REVERSE

"In a logistics application, delivery locations are stored in a linked list. Sometimes the route needs to be traversed in reverse order Write a C program to reverse a singly linked list and display the reversed list

Test Case 1

Input

10 → 20 → 30 → 40

Output

40 → 30 → 20 → 10 → NULL

"

PROGRAM EDITOR

C

Run

Save

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 struct Node {
5     int data;
6     struct Node *next;
7 };
8
9 struct Node* createNode(int value) {
10     struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
11     newNode->data = value;
12     newNode->next = NULL;
13     return newNode;
14 }
15
16 void insertEnd(struct Node* head, int value) {
17     struct Node* newNode = createNode(value);
18     struct Node* temp = head;
19
20     while (temp->next != NULL)
21         temp = temp->next;
```

OUTPUT

```
40 -> 40 -> 40 -> 40 -> 40 -> 40 -> 40 -> 40 -> 30 -> 20 ->
NULL
```

INPUT

10 20 30 40

© 2026 **SIMATS Online Lab**. All rights reserved.