

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

**Date:** 04 Aug 2022 1 of 3

### **Sample Information**

Patient Name: 蔡秀華 Gender: Female ID No.: A224034314 History No.: 48482515

**Age:** 44

Ordering Doctor: DOC3697E 陳怡仁 Ordering REQ.: 0BYBDVF Signing in Date: 2022/08/03

**Path No.:** S111-97824 **MP No.:** BR22047

Assay: Oncomine BRCA1/2 Assay

Sample Type: FFPE Block No.: S111-67084M Percentage of tumor cells: 60%

Reporting Doctor: DOC5424G 彭昱璟 (Phone: 8#5424)

Note:

### Sample Cancer Type: Ovarian Cancer

Table of Contents	Page
Variant Details	1

Report Highlights
0 Therapies Available
0 Clinical Trials

#### **Relevant Ovarian Cancer Variants**

Gene	Finding
BRCA1	None detected
BRCA2	None detected

#### **Relevant Biomarkers**

No clinically significant biomarkers found in this sample.

#### **Variant Details**

#### **DNA Sequence Variants** Allele Variant Effect ClinVar1 Gene Amino Acid Change Codina Locus Frequency Transcript Coverage BRCA2 p.(N289H) c.865A>C chr13:32906480 49.32% NM\_000059.3 missense Benign 880

<sup>1</sup> Based on Clinvar version 20200329

# **Variant Details (continued)**

## **DNA Sequence Variants (continued)**

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVor1	Coverage
	Amino Acid Change	County	Locus	rrequericy	паньспрі	Variant Enect	Cilityai	
BRCA2	p.(S455=)	c.1365A>G	chr13:32906980	40.75%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(H743=)	c.2229T>C	chr13:32910721	51.45%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(N991D)	c.2971A>G	chr13:32911463	49.49%	NM_000059.3	missense	Benign	1556
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.90%	NM_000059.3	synonymous	Benign	1997
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	100.00%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.80%	NM_000059.3	missense	Benign	1998
BRCA1	p.(S1613G)	c.4837A>G	chr17:41223094	63.91%	NM_007294.4	missense	Benign	1992
BRCA1	p.(S1436=)	c.4308T>C	chr17:41234470	63.80%	NM_007294.4	synonymous	Benign	2000
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	66.25%	NM_007294.4	missense	Benign	2000
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	64.27%	NM_007294.4	missense	Benign	1990
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	61.09%	NM_007294.4	missense	Benign	1997
BRCA1	p.(L771=)	c.2311T>C	chr17:41245237	63.04%	NM_007294.4	synonymous	Benign	1994
BRCA1	p.(S694=)	c.2082C>T	chr17:41245466	61.12%	NM_007294.4	synonymous	Benign	1996

<sup>1</sup> Based on Clinvar version 20200329

**Date:** 04 Aug 2022

3 of 3

# **Signatures**

Testing Personnel:

Laboratory Supervisor:

Pathologist: