



Sample Information

Patient Name: 鍾婉君
Gender: Female
ID No.: F220730212
History No.: 46913853
Age: 52

Ordering Doctor: DOC2589K 曾令民
Ordering REQ.: D714PG4
Signing in Date: 2022/07/21

Path No.: S111-99873
MP No.: BR22044
Assay: Oncomine BRCA1/2 Assay
Sample Type: Blood
Date of blood drawing: 2022/07/11

Reporting Doctor: DOC5424G 彭昱璟 (Phone: 8#5424)

Note:

Sample Cancer Type: Breast Cancer

Table of Contents	Page	Report Highlights
Variant Details	1	0 Therapies Available 0 Clinical Trials

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants								
Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(?)	c.-26G>A	chr13:32890572	50.86%	NM_000059.3	unknown	Benign	3995
BRCA2	p.(N372H)	c.1114A>C	chr13:32906729	49.95%	NM_000059.3	missense	Benign	3998
BRCA2	p.(K1132=)	c.3396A>G	chr13:32911888	50.61%	NM_000059.3	synonymous	Benign	3995
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.86%	NM_000059.3	synonymous	Benign	2074
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	100.00%	NM_000059.3	synonymous	Benign	2997
BRCA2	p.(S2414=)	c.7242A>G	chr13:32929232	50.97%	NM_000059.3	synonymous	Benign	1191
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.95%	NM_000059.3	missense	Benign	1892

¹ Based on Clinvar version 20200329

Variant Details (continued)

DNA Sequence Variants (continued)

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA1	p.(S1613G)	c.4837A>G	chr17:41223094	50.29%	NM_007294.4	missense	Benign	3981
BRCA1	p.(S1436=)	c.4308T>C	chr17:41234470	49.67%	NM_007294.4	synonymous	Benign	3998
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	50.83%	NM_007294.4	missense	Benign	3998
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	53.03%	NM_007294.4	missense	Benign	4000
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	49.51%	NM_007294.4	missense	Benign	3999
BRCA1	p.(L771=)	c.2311T>C	chr17:41245237	51.74%	NM_007294.4	synonymous	Benign	2238
BRCA1	p.(S694=)	c.2082C>T	chr17:41245466	50.81%	NM_007294.4	synonymous	Benign	3995

¹ Based on Clinvar version 20200329

Signatures

Testing Personnel:

Laboratory Supervisor:

Pathologist: