

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

**Date**: 15 Feb 2023 1 of 3

### **Sample Information**

Patient Name: 楊璵禎 Gender: Female ID No.: F223204335 History No.: 47643914

**Age:** 49

Ordering Doctor: DOC2419D 謝宗諺 Ordering REQ.: 0CFWRHU Signing in Date: 2023/02/15

**Path No.:** M112-00028 **MP No.:** BR23008

Assay: Oncomine BRCA1/2 Assay

Sample Type: Blood

Date of blood drawing: 2023/02/08

Reporting Doctor: DOC5424G 彭昱璟 (Phone: 8#5424)

Note:

## Sample Cancer Type: Breast Cancer

Table of Contents	Page
Variant Details	1

Report Highlights 0 Therapies Available 0 Clinical Trials

### **Relevant Biomarkers**

No clinically significant biomarkers found in this sample.

#### **Variant Details**

### **DNA Sequence Variants**

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar <sup>1</sup>	Coverage
BRCA2	p.(?)	c26G>A	chr13:32890572	99.95%	NM_000059.3	unknown	Benign	4000
BRCA2	p.(K1132=)	c.3396A>G	chr13:32911888	99.47%	NM_000059.3	synonymous	Benign	3996
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.93%	NM_000059.3	synonymous	Benign	1441
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	99.97%	NM_000059.3	synonymous	Benign	2976
BRCA2	p.(S2414=)	c.7242A>G	chr13:32929232	99.50%	NM_000059.3	synonymous	Benign	2216
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.87%	NM_000059.3	missense	Benign	1564
BRCA1	p.(S1613G)	c.4837A>G	chr17:41223094	99.97%	NM_007294.4	missense	Benign	3997

<sup>1</sup> Based on Clinvar version 20200329

# **Variant Details (continued)**

## **DNA Sequence Variants (continued)**

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar <sup>1</sup>	Coverage
BRCA1	p.(S1436=)	c.4308T>C	chr17:41234470	99.61%	NM_007294.4	synonymous	Benign	2829
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	99.52%	NM_007294.4	missense	Benign	3997
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	99.30%	NM_007294.4	missense	Benign	3707
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	99.65%	NM_007294.4	missense	Benign	3999
BRCA1	p.(L771=)	c.2311T>C	chr17:41245237	99.80%	NM_007294.4	synonymous	Benign	1481
BRCA1	p.(S694=)	c.2082C>T	chr17:41245466	99.77%	NM_007294.4	synonymous	Benign	3992

<sup>1</sup> Based on Clinvar version 20200329

Date: 15 Feb 2023

3 of 3

# **Signatures**

**Testing Personnel: Laboratory Supervisor:** Pathologist: