

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

Date: 03 Jun 2021 1 of 3

Sample Information

Patient Name: 程婉禎 Gender: Female ID No.: V221046034 History No.: 37817859

Age: 39

Ordering Doctor: DOC5819D 林敬皓

Ordering REQ.: 0BGKFKY Signing in Date: 2021/06/02

Path No.: S110-98909 **MP No.:** BR21024

Assay: Oncomine BRCA1/2 Assay

Sample Type: FFPE Block No.: S110-175331 Percentage of tumor cells: 60%

Note:

Sample Cancer Type: Breast Cancer

Table of Contents	Page
Variant Details	1

Report Highlights 0 Therapies Available 0 Clinical Trials

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants Allele Gene Amino Acid Change Coding Locus Frequency Transcript Variant Effect ClinVar1 Coverage BRCA2 p.(N289H) c.865A>C chr13:32906480 NM_000059.3 Benign 1999 48.67% missense BRCA2 p.(=)c.1365A>G chr13:32906980 44.37% NM_000059.3 synonymous Benign 1997 chr13:32910721 BRCA2 p.(=)c.2229T>C 48.85% NM_000059.3 synonymous Benign 1998 BRCA2 p.(N991D) c.2971A>G chr13:32911463 52.40% NM_000059.3 missense Benign 1998 BRCA2 chr13:32913055 p.(=)c.4563A>G 99.80% NM_000059.3 1994 svnonvmous Benian BRCA2 p.(I1929V) c.5785A>G chr13:32914277 47.58% NM_000059.3 1980 missense Benign BRCA2 chr13:32915005 p.(=)c.6513G>C 99.75% NM_000059.3 synonymous Benign 1984

¹ Based on Clinvar version 20180225

Variant Details (continued)

DNA Sequence Variants (continued)

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.65%	NM_000059.3	missense	Conflicting interpretations of pathogenicity	1997
BRCA1	p.(S1634G)	c.4900A>G	chr17:41223094	35.64%	NM_007300.3	missense	Benign	1998
BRCA1	p.(=)	c.4308T>C	chr17:41234470	37.05%	NM_007300.3	synonymous	Benign	2000
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	35.80%	NM_007300.3	missense	Benign	2000
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	38.20%	NM_007300.3	missense	Benign	2000
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	35.49%	NM_007300.3	missense	Benign	1998
BRCA1	p.(=)	c.2311T>C	chr17:41245237	36.27%	NM_007300.3	synonymous	Benign	1999
BRCA1	p.(=)	c.2082C>T	chr17:41245466	35.40%	NM_007300.3	synonymous	Benign	1997

¹ Based on Clinvar version 20180225

Date: 03 Jun 2021

Signatures

Testing Personnel:

Laboratory Supervisor:

Pathologist: