

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

Date: 13 May 2021 1 of 3

Sample Information

Patient Name: 張素玫 Gender: Female ID No.: Q220610875 History No.: 46509573

Age: 61

Ordering Doctor: DOC3697E 陳怡仁 Ordering REQ.: 0BFWTGH Signing in Date: 2021/05/12

Path No.: S110-98767 **MP No.:** BR21021

Assay: Oncomine BRCA1/2 Assay

Sample Type: FFPE Block No.: \$110-61269M Percentage of tumor cells: 20%

Note:

Sample Cancer Type: Ovarian Cancer

Table of Contents	Page
Variant Details	1

Report Highlights 0 Therapies Available 0 Clinical Trials

Relevant Ovarian Cancer Variants

Gene	Finding
BRCA1	Not detected
BRCA2	Not detected

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants								
Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar1	Coverage
BRCA2	p.(?)	c26G>A	chr13:32890572	60.83%	NM_000059.3	unknown	Benign	1994
BRCA2	p.(N372H)	c.1114A>C	chr13:32906729	36.50%	NM_000059.3	missense	Benign	1989
BRCA2	p.(=)	c.3396A>G	chr13:32911888	60.57%	NM_000059.3	synonymous	Benign	1973

¹ Based on Clinvar version 20180225

Variant Details (continued)

DNA Sequence Variants (continued)

		o !:		Allele			01: 1/ 1	
Gene	Amino Acid Change	Coding	Locus	Frequency	Transcript	Variant Effect	Clinvari	Coverage
BRCA2	p.(=)	c.4563A>G	chr13:32913055	99.95%	NM_000059.3	synonymous	Benign	1996
BRCA2	p.(=)	c.6513G>C	chr13:32915005	99.70%	NM_000059.3	synonymous	Benign	1975
BRCA2	p.(=)	c.7242A>G	chr13:32929232	59.80%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.65%	NM_000059.3	missense	Conflicting interpretations of pathogenicity	1998
BRCA1	p.(S1634G)	c.4900A>G	chr17:41223094	99.80%	NM_007300.3	missense	Benign	1997
BRCA1	p.(=)	c.4308T>C	chr17:41234470	99.65%	NM_007300.3	synonymous	Benign	2000
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	99.30%	NM_007300.3	missense	Benign	1998
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	98.70%	NM_007300.3	missense	Benign	1999
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	99.20%	NM_007300.3	missense	Benign	2000
BRCA1	p.(=)	c.2311T>C	chr17:41245237	99.75%	NM_007300.3	synonymous	Benign	1992
BRCA1	p.(=)	c.2082C>T	chr17:41245466	99.90%	NM_007300.3	synonymous	Benign	1997

¹ Based on Clinvar version 20180225

Date: 13 May 2021 3 of 3

Signatures

Testing Personnel:

Laboratory Supervisor:

Pathologist: