

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C. Tel: 02-2875-7449

Date: 12 Oct 2020

1 of 3

Sample Information

Patient Name: 劉淑惠 Gender: Female ID No.: Q221944101 History No.: 39387649

Age: 49

Ordering Doctor: DOC3697E 陳怡仁

Ordering REQ.: 0AWVLXT Signing in Date: 2020/10/07

Path No.: S109-89713 **MP No.:** BR20003

Assay: Oncomine BRCA1/2 Assay

Sample Type: FFPE Block No.: \$109-67828G Percentage of tumor cells: 80%

Note:

Sample Cancer Type: Ovarian Cancer

Table of Contents	Page
Variant Details	1

Report Highlights
0 Therapies Available
0 Clinical Trials

Relevant Ovarian Cancer Findings

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants								
Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(?)	c26G>A	chr13:32890572	99.80%	NM_000059.3	unknown	Benign	1998
BRCA2	p.(C315S)	c.943T>A	chr13:32906558	84.91%	NM_000059.3	missense	Conflicting interpretations of pathogenicity	1869

¹ Based on Clinvar version 20180225





Variant Details (continued)

c.2082C>T

2 of 3 Date: 12 Oct 2020

synonymous

99.85% NM_007300.3

Benign

1998

DNA Sequence Variants (continued)								
Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(=)	c.3396A>G	chr13:32911888	99.70%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(=)	c.4563A>G	chr13:32913055	99.95%	NM_000059.3	synonymous	Benign	1996
BRCA2	p.(=)	c.6513G>C	chr13:32915005	99.90%	NM_000059.3	synonymous	Benign	1993
BRCA2	p.(=)	c.7242A>G	chr13:32929232	99.80%	NM_000059.3	synonymous	Benign	1999
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.75%	NM_000059.3	missense	Conflicting interpretations of pathogenicity	1998
BRCA1	p.(S1634G)	c.4900A>G	chr17:41223094	99.75%	NM_007300.3	missense	Benign	2000
BRCA1	p.(=)	c.4308T>C	chr17:41234470	99.65%	NM_007300.3	synonymous	Benign	1999
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	99.65%	NM_007300.3	missense	Benign	2000
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	99.70%	NM_007300.3	missense	Benign	2000
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	99.65%	NM_007300.3	missense	Benign	1996
BRCA1	p.(=)	c.2311T>C	chr17:41245237	99.95%	NM_007300.3	synonymous	Benign	1997

chr17:41245466

p.(=)

BRCA1

¹ Based on Clinvar version 20180225

Taipei Veterans General Hospital



Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

Date: 12 Oct 2020 3 of 3

Signatures	
Testing Personnel:	
Laboratory Supervisor:	
Pathologist:	