



Sample Information

Patient Name: 王玉春
Gender: Female
ID No.: F221578378
History No.: 47155453
Age: 61

Ordering Doctor: DOC3697E 陳怡仁
Ordering REQ.: 0BJPPZF
Signing in Date: 2021/08/04

Path No.: S110-99213
MP No.: BR21032
Assay: Oncomine BRCA1/2 Assay
Sample Type: FFPE
Block No.: S110-66908G
Percentage of tumor cells: 70%

Reporting Doctor: DOC5452C 周德盈 (Phone: 8#5452)

Note:

Sample Cancer Type: Ovarian Cancer

Table of Contents	Page
Variant Details	1

Report Highlights
0 Therapies Available
0 Clinical Trials

Relevant Ovarian Cancer Variants

Gene	Finding
BRCA1	None detected
BRCA2	None detected

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(?)	c.-26G>A	chr13:32890572	99.75%	NM_000059.3	unknown	Benign	1999

¹ Based on Clinvar version 20200329

Variant Details (continued)

DNA Sequence Variants (continued)

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(K1132=)	c.3396A>G	chr13:32911888	99.65%	NM_000059.3	synonymous	Benign	2000
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.95%	NM_000059.3	synonymous	Benign	1995
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	100.00%	NM_000059.3	synonymous	Benign	1999
BRCA2	p.(S2414=)	c.7242A>G	chr13:32929232	99.65%	NM_000059.3	synonymous	Benign	1999
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.80%	NM_000059.3	missense	Benign	1999
BRCA1	p.(S1613G)	c.4837A>G	chr17:41223094	99.80%	NM_007294.4	missense	Benign	2000
BRCA1	p.(S1436=)	c.4308T>C	chr17:41234470	99.90%	NM_007294.4	synonymous	Benign	2000
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	99.75%	NM_007294.4	missense	Benign	2000
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	99.75%	NM_007294.4	missense	Benign	2000
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	99.80%	NM_007294.4	missense	Benign	1999
BRCA1	p.(L771=)	c.2311T>C	chr17:41245237	100.00%	NM_007294.4	synonymous	Benign	2000
BRCA1	p.(S694=)	c.2082C>T	chr17:41245466	99.80%	NM_007294.4	synonymous	Benign	2000

¹ Based on Clinvar version 20200329

Signatures

Testing Personnel:

Laboratory Supervisor:

Pathologist: