

Department of Pathology and Laboratory Medicine No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan 11217, R.O.C.

Tel: 02-2875-7449

Date: 17 Dec 2021 1 of 3

Sample Information

Patient Name: 劉玉錫 Gender: Male ID No.: H101688597 History No.: 24509920

Age: 83

Ordering Doctor: DOC8696E 蔡明軒

Ordering REQ.: 0BPQLTL Signing in Date: 2021/12/17

Path No.: S110-94851 **MP No.**: BR21054

Assay: Oncomine BRCA1/2 Assay

Sample Type: Blood

Date of blood drawing: 2021/12/7

Reporting Doctor: DOC5452C 周德盈 (Phone: 8#5452)

Note:

Sample Cancer Type: Prostate Cancer

Table of ContentsPageVariant Details1

Report Highlights 0 Therapies Available 0 Clinical Trials

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA2	p.(?)	c26G>A	chr13:32890572	52.42%	NM_000059.3	unknown	Benign	3995
BRCA2	p.(N372H)	c.1114A>C	chr13:32906729	49.70%	NM_000059.3	missense	Benign	3998
BRCA2	p.(K1132=)	c.3396A>G	chr13:32911888	51.82%	NM_000059.3	synonymous	Benign	3991
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.89%	NM_000059.3	synonymous	Benign	2638
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	99.85%	NM_000059.3	synonymous	Benign	3993
BRCA2	p.(S2414=)	c.7242A>G	chr13:32929232	50.86%	NM_000059.3	synonymous	Benign	3997
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.72%	NM_000059.3	missense	Benign	3995

¹ Based on Clinvar version 20200329

Variant Details (continued)

DNA Sequence Variants (continued)

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar ¹	Coverage
BRCA1	p.(S1613G)	c.4837A>G	chr17:41223094	99.97%	NM_007294.4	missense	Benign	3996
BRCA1	p.(S1436=)	c.4308T>C	chr17:41234470	99.35%	NM_007294.4	synonymous	Benign	3999
BRCA1	p.(K1183R)	c.3548A>G	chr17:41244000	99.47%	NM_007294.4	missense	Benign	3997
BRCA1	p.(E1038G)	c.3113A>G	chr17:41244435	98.07%	NM_007294.4	missense	Benign	3999
BRCA1	p.(P871L)	c.2612C>T	chr17:41244936	99.55%	NM_007294.4	missense	Benign	3994
BRCA1	p.(L771=)	c.2311T>C	chr17:41245237	99.72%	NM_007294.4	synonymous	Benign	3987
BRCA1	p.(S694=)	c.2082C>T	chr17:41245466	99.75%	NM_007294.4	synonymous	Benign	3988

¹ Based on Clinvar version 20200329

Date: 17 Dec 2021 3 of 3

Signatures

Testing Personnel:

Laboratory Supervisor:

Pathologist: