Taipei Veterans General Hospital

Department of Pathology and Laboratory Medicine
No.201, Sec. 2, Shipai Rd., Beitou District, Taipei City, Taiwan
11217, R.O.C.
Tel: 02-2875-7449

Sample Information

Patient Name: 孫景柔
Gender: Female
ID No.: A229130599
History No.: 31035162
Age: 32

Ordering Doctor: DOC2589K 曾令民
Ordering REQ.: D6H8FGP
Signing in Date: 2021/12/17

Path No.: S110-94852
MP No.: BR21055
Assay: Oncomine BRCA1/2 Assay
Sample Type: Blood
Date of blood drawing: 2021/12/8

Reporting Doctor: DOC5452C 周德盈 (Phone: 8#5452)

Note:

Sample Cancer Type: Breast Cancer

Report Highlights
0 Therapies Available
0 Clinical Trials

Relevant Biomarkers

No clinically significant biomarkers found in this sample.

Variant Details

DNA Sequence Variants

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar[1]	Coverage
BRCA2	p.(N289H)	c.865A>C	chr13:32906480	49.89%	NM_000059.3	missense	Benign	3221
BRCA2	p.(S455=)	c.1365A>G	chr13:32906980	43.93%	NM_000059.3	synonymous	Benign	3995
BRCA2	p.(H743=)	c.2229T>C	chr13:32910721	48.07%	NM_000059.3	synonymous	Benign	3996
BRCA2	p.(N991D)	c.2971A>G	chr13:32911463	50.12%	NM_000059.3	missense	Benign	3338
BRCA2	p.(V1269=)	c.3807T>C	chr13:32912299	49.74%	NM_000059.3	synonymous	Benign	3993
BRCA2	p.(L1521=)	c.4563A>G	chr13:32913055	99.95%	NM_000059.3	synonymous	Benign	2123
BRCA2	p.(V2171=)	c.6513G>C	chr13:32915005	99.92%	NM_000059.3	synonymous	Benign	3995

[1] Based on Clinvar version 20200329

Disclaimer: The data presented here is from a curated knowledgebase of publicly available information, but may not be exhaustive. The data version is 2021.11(003).The content of this report has not been evaluated or approved by the FDA or other regulatory agencies.

Variant Details (continued)

DNA Sequence Variants (continued)

Gene	Amino Acid Change	Coding	Locus	Allele Frequency	Transcript	Variant Effect	ClinVar[1]	Coverage
BRCA2	p.(V2466A)	c.7397T>C	chr13:32929387	99.62%	NM_000059.3	missense	Benign	3998

[1] Based on Clinvar version 20200329

Disclaimer: The data presented here is from a curated knowledgebase of publicly available information, but may not be exhaustive. The data version is 2021.11(003).

Signatures

Testing Personnel:

2021.12.20
08:22:50 +08'00'

Laboratory Supervisor:

2021.12.20
08:23:03 +08'00'

Pathologist:



2021.12.20
08:23:14 +08'00'

Disclaimer: The data presented here is from a curated knowledgebase of publicly available information, but may not be exhaustive. The data version is 2021.11(003).