

```
Launcher:
  b/pkg/virt-launcher/virtwrap/api/converter.go
      EFIPathSecureBoot = ...
      domain.Spec.OS.BootLoader = ...
      domain.Spec.OS.NVRam = ...

  b/pkg/virt-launcher/virtwrap/api/converter_test.go
      Describe("Convert",...)

  b/cmd/virt-launcher/Dockerfile
      edk2-ovmf

Test:
  tests/vmi_configuration_test.go: 537
  test_id: 4437

  tests/utls.go:
      def of NewRandomVMIWithEFIBootloader
      def of NewRandomVMIWithSecureBoot
      def of ContainerDiskFor
      def of SecureBootExpecter

Tools:
  tools/vms-generator/utls/utls.go
      def of GetVMISecureBoot
          SecureBoot: &_false,

Generated:
  b/staging/src/kubevirt.io/client-go/api/v1/schema.go
      type EFI struct { ... SecureBoot *bool...
      BootloaderEFI Bootloader = "efi"

  b/staging/src/kubevirt.io/client-go/api/v1/openapi_generated.go
      "secureBoot":

  b/staging/src/kubevirt.io/client-go/api/v1/schema_swagger_generated.go
      func (EFI) SwaggerDoc() ...
          "secureBoot": ...

  b/staging/src/kubevirt.io/client-go/api/v1/deepcopy_generated.go
      func (in *DomainSpec) DeepCopy() *DomainSpec
      function (in *OS) DeepCopyInto( out *OS )
          if in.Loader != nil {...
          if in.Bootloader != nil

API:
  b/api/openapi-spec/swagger.json
      "v1.EFI": { ...
          "secureBoot": {...

webhooks:
  b/pkg/virt-api/webhooks/validating-webhook/admitters/vmi-create-admitter.go
      func validateDomainSpec
          spec.Firmware.Bootloader.EFI.SecureBoot == ...

  a/pkg/virt-api/webhooks/validating-webhook/admitters/vmi-create-admitter_test.
  go
      Describe("Validating VMICreate Admitter",
          It("should accepte EFI..."
```

```
It("should not accepte EFI..."
It("should accepte EFI without ..."
It("should not accepte BIOS and EFI EFI together ..."
```

example:

```
  b/examples/vmi-alpine-efi.yaml
      secureBoot: false
```