














Completed cyclic LLM experiments | six-prompt means, seed 0
IPO beta=0.2; DPO beta=0.8; alpha=0.9, lambda=0.8; all states 0-100









IPO | matched pi trajectories: aligned vs mixed ordinary
Same response colors and axes; pi = softmax(response sequence-sum log probability)









Response 1 Response 2 Response 3 Response 4

IPO | mixed ordinary: all six prompts
Four fixed responses; raw panel probability, not relative-to-initial probability









— Response 1 — Response 2 — Response 3 — Response 4

IPO | aligned vs mixed ordinary, all prompts
 $H(\text{softmax}(s_t - s_0))$; not raw panel entropy




— Aligned ordinary — Mixed ordinary

IPO | aligned vs mixed ordinary, all prompts
TV = 0.5 sum $|p_{i,t} - p_{i,t-1}|$; zero means no panel-probability movement















— Aligned ordinary — Mixed ordinary

IPO | measured trajectories in a COMMON probability plane
Fixed role contrasts, NOT an eigenmode or fixed-point error; circle=start, square=end; pale=0-20









DPO | matched pi trajectories: aligned vs mixed ordinary
Same response colors and axes; pi = softmax(response sequence-sum log probability)









— Response 1 — Response 2 — Response 3 — Response 4

DPO | mixed ordinary: all six prompts
Four fixed responses; raw panel probability, not relative-to-initial probability









— Response 1 — Response 2 — Response 3 — Response 4

DPO | aligned vs mixed ordinary, all prompts
 $H(\text{softmax}(s_t - s_0))$; not raw panel entropy



— Aligned ordinary — Mixed ordinary

DPO | aligned vs mixed ordinary, all prompts
TV = 0.5 sum $|\pi_t - \pi_{(t-1)}|$; zero means no panel-probability movement



— Aligned ordinary — Mixed ordinary

DPO | measured trajectories in a COMMON probability plane
Fixed role contrasts, NOT an eigenmode or fixed-point error; circle=start, square=end; pale=0-20

