



IPO | Reference | Prompt 54 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Reference | Prompt 251 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Reference | Prompt 612 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Reference | Prompt 737 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Reference | Prompt 867 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Reference | Prompt 945 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 54 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 251 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 612 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 737 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 867 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




IPO | Feedback | Prompt 945 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 54 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 251 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 612 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 737 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 867 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Reference | Prompt 945 | Ordinary B1-B5, then ten configurations sorted by nu

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Feedback | Prompt 54 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Feedback | Prompt 251 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Feedback | Prompt 612 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs




DPO | Feedback | Prompt 737 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs



DPO | Feedback | Prompt 867 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs



DPO | Feedback | Prompt 945 | Ordinary B1-B5, then ten configurations sorted by kappa

Measured fixed-panel pi, four responses | Seed 0 | Outer states 0-100 | Identical panel sizes and axes | No smoothing | B labels identify matched ordinary runs

