



IPO | Ordinary vs 90% previous reference | All six prompts
 lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$

Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




Response 1 Response 2 Response 3 Response 4

IPO | Ordinary vs 90% previous reference | Prompt 54
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.


Ordinary | alpha=.9, nu=0

$$r_t = 0.1s_0 + 0.9s_t$$



Reference90 | alpha=1, nu=.9

$$r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$$




Response 1 Response 2 Response 3 Response 4


IPO | Ordinary vs 90% previous reference | Prompt 251
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4

IPO | Ordinary vs 90% previous reference | Prompt 612
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.


Ordinary | alpha=.9, nu=0

$$r_t = 0.1s_0 + 0.9s_t$$



Reference90 | alpha=1, nu=.9

$$r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$$




Response 1 Response 2 Response 3 Response 4


IPO | Ordinary vs 90% previous reference | Prompt 737
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




Response 1 Response 2 Response 3 Response 4


IPO | Ordinary vs 90% previous reference | Prompt 867
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4

IPO | Ordinary vs 90% previous reference | Prompt 945
lambda=.8, beta=0.2, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.


Ordinary | alpha=.9, nu=0

$$r_t = 0.1s_0 + 0.9s_t$$



Reference90 | alpha=1, nu=.9

$$r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$$





— Response 1 - - - Response 2 - . - Response 3 . . . Response 4

DPO | Ordinary vs 90% previous reference | All six prompts
 lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$

Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4


DPO | Ordinary vs 90% previous reference | Prompt 54
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




Response 1 Response 2 Response 3 Response 4


DPO | Ordinary vs 90% previous reference | Prompt 251
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4


DPO | Ordinary vs 90% previous reference | Prompt 612
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




Response 1 Response 2 Response 3 Response 4


DPO | Ordinary vs 90% previous reference | Prompt 737
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4


DPO | Ordinary vs 90% previous reference | Prompt 867
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$




— Response 1 - - - Response 2 - . - Response 3 . . . Response 4


DPO | Ordinary vs 90% previous reference | Prompt 945
lambda=.8, beta=0.8, seed=0 | Measured fixed-panel pi

Different alpha (.9 vs 1): descriptive comparison, not a nu-only ablation.

Ordinary | alpha=.9, nu=0
 $r_t = 0.1s_0 + 0.9s_t$



Reference90 | alpha=1, nu=.9
 $r_t = 0s_0 + 0.1s_t + 0.9s_{t-1}$



— Response 1 - - - Response 2 - . - Response 3 . . . Response 4