Course : (WEB322) - Web Programming Tools and Frameworks

Assignment 3 of 6

Date: November 4, 2019

Yuki Waka

#141082180

Prof : Kadeem Best

*A table of contents

App.js

```
const express = require("express");
const exphbs = require(`express-handlebars`);
const bodyParser = require('body-parser');
const mongoose = require("mongoose");
const app = express();
app.use(express.static('public'));
app.engine('handlebars', exphbs());
app.set('view engine', 'handlebars');
app.use(bodyParser.urlencoded({ extended: false }));
//Connect Database
const DBURL = "mongodb+srv://yuheey3:goaxjflek8@testcluster-
v18ov.mongodb.net/test?retryWrites=true&w=majority";
mongoose.connect(DBURL, { useUnifiedTopology: true, useNewUrlParser: true })
    .then(() => {
        console.log(`Datbase is connected`)
    })
    .catch(err => {
        console.log(`Something went wrong : ${err}`);
    })
const MongoClient = require('mongodb').MongoClient;
const Schema = mongoose.Schema;
const taskSchema = new Schema({
    email: String,
    firstname: String,
    lastname: String,
    password: String,
});
app.get("/", (req, res) => {
    res.render("home")
});
```

```
app.get("/room", (req, res) => {
    res.render("room")
});
app.get("/register", (req, res) => {
    res.render("register")
});
app.get("/login", (req, res) => {
    res.render("login")
});
app.get("/dashboard", (req, res) => {
    res.render("dashboard")
});
app.post("/register", (req, res) => {
    //validation
    const errors = []
    var letterNumberOnly = /^[0-9a-zA-Z]+$/;
    var characterLength = /^.{6,12}$/;
    if (req.body.email == "") {
        errors.push("Email is required.")
    if (req.body.firstname == "") {
        errors.push("First name is required.")
    if (req.body.lastname == "") {
        errors.push("Last name is required.")
    //password validation
    if (req.body.password == "") {
        errors.push("Password is required.")
    else if (!letterNumberOnly.test(req.body.password)) {
```

```
errors.push("Password must have letters and numbers only.")
    else if (!characterLength.test(req.body.password)) {
        errors.push("Password must be 6 to 12 characters.")
    }
    //This implies that the user left out data in the form
   if (errors.length > 0) {
        res.render("register", {
            msgErrors: errors
            //document.getElementById("email").style.color = "blue";
        })
   else {
        //Store data
        const Tasks = mongoose.model('Tasks', taskSchema);
        const formData = {
            email: req.body.email,
            firstname: req.body.firstname,
            lastname: req.body.lastname,
            password: req.body.password,
        const ta = new Tasks(formData);
        ta.save()
            .then(() => {
                console.log(`Task was inserted into database`)
            })
            .catch((err) => {
                console.log(`task was not inserted into the database because ${er
r}`)
            })
        // SEND THE EMAIL
        const nodemailer = require('nodemailer');
        const sgTransport = require('nodemailer-sendgrid-transport');
        const options = {
            auth: {
```

```
api_key: 'SG.Dk2tT6MZT7m1ihvIaXqAmQ.udSsso5UrZU04WBXGCCighbbu4ZxY
sX1g9j3RTkCzjk'
        const mailer = nodemailer.createTransport(sgTransport(options));
        const email = {
            to: `${req.body.email}`,
            from: 'yuheey3@yahoo.co.jp',
            subject: 'Confirmation Email from Airbnb',
            html: `<h1>Welcome !</h1> <h3>Here is your account information.</h3>E
mail: ${req.body.email} <br>Name: ${req.body.firstname} ${req.body.lastname}`
        };
        mailer.sendMail(email, (err, res) => {
            if (err) {
                console.log(err)
            console.log(res);
        });
        //REDIRECT THE USER TO THE DASHBOARD ROUTE
        res.redirect("/dashboard");
    }
});
app.post("/login", (req, res) => {
    //validation
    const errorLog = []
    if (req.body.email == "") {
        errorLog.push("Email is required.")
    if (req.body.password == "") {
        errorLog.push("Password is required.")
    //This implies that the user left out data in the form
    if (errorLog.length > 0) {
```

Main.handlebars

```
<!DOCTYPE html>
<html>
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <title>Example App</title>
   <link rel="stylesheet" href="css/style.css">
   <script src="https://kit.fontawesome.com/ee6000b85a.js" crossorigin="anonymou</pre>
s"></script>
</head>
<body>
   <div>
        <header>
            <div id="navi">
                <div><i class="fab fa-airbnb fa-3x"></i></div>
                <div></div>
                <div></div>
                <nav>
                    <a href="/">Home</a>&nbsp;&nbsp;&nbsp;&nbsp;
                    <a href="/room">Room</a>&nbsp;&nbsp;&nbsp;&nbsp;
                    <a href="/register">SignUp</a>&nbsp;&nbsp;&nbsp;
                    <a href="/login">LogIn</a>
                </nav>
            </div>
        </header>
        <main>
    {{{body}}}
    </main>
    <footer>
       <section id="foo">
            <div>
                <h5>Airbnb</h5><br>
                <a href="">Careers</a><br>
                <a href="">News</a><br>
```

```
<a href="">Policies</a><br>
                <a href="">Help</a><br>
                <a href="">Diversity & Belonging</a><br>
            </div>
            <div>
                <h5>Discover</h5><br>
                <a href="">Trust & Safety</a><br>
                <a href="">Reiseguthaben</a><br>
                <a href="">Airbnb Citizen</a><br>
                <a href="">Business Travel</a><br>
                <a href="">Things To Do</a><br>
                <a href="">Airbnbmag</a><br>
            </div>
            <div>
                <h5>Hosting</h5><br>
                <a href="">Why Host</a><br>
                <a href="">Hospitality</a><br>
                <a href="">Responsible Hosting</a><br>
                <a href="">Community Centre</a><br>
                <a href="">Host an Experience</a><br>
                <a href="">Open Homes</a><br>
            </div>
            <div>
                <i class="fab fa-facebook-square fa-2x"></i>&nbsp;&nbsp;
                <i class="fab fa-twitter fa-2x"></i>&nbsp;&nbsp;
                <i class="fab fa-instagram fa-2x"></i><br><br>
                <a href="">Terms</a><br>
                <a href="">News</a><br>
                <a href="">Privacy</a><br>
                <a href="">Site Map</a><br>
            </div>
        </section>
        <div id="right">
            2019 Yuki Waka All rights reserved
       </div>
   </footer>
   </div>
   <script src="js/script.js"></script>
   </script>
</body>
</html>
```

Dashboard.handlebars

```
<link rel="stylesheet" href="css/dashboard.css">
<h1>Thank you for sign up our Airbnb!</h1>
<h3>We sent account information to your email.</h3>
```

Home.handlebars

```
<link rel="stylesheet" href="css/home.css">
<script src="https://kit.fontawesome.com/ee6000b85a.js" crossorigin="anonymous"><</pre>
/script>
<section id="container">
    <div></div>
   <div id="box">
        <br>
        <div id="booking">
            <h1>Book unique places to stay and things to do.</h1><br>
            <form>
                <div>
                    <label>WHERE</label><br>
                    <select id="where">
                        <option value="Tornto">Toronto</option>
                        <option value="Vancouver">Vancouver</option>
                        <option value="Nova Scotia">Nova Scotia</option>
                        <option value="Calgary">Calgary</option>
                    </select>
                    <br><br><br>
                </div>
                <div id="check">
                    <label>CHECK-IN</label>
                    <label>CHECK-OUT</label><br>
                    <input type="date" name="checkin" class="checkli">
                    <input type="date" name="checkout" class="checkli">
                    <br><br><br><br>
                </div>
                <div>
                    <div>
                        <label>GUESTS</label><br>
                        <select id="guest">
                            <option value="1guest">1guest</option>
                            <option value="2guests">2guests</option>
                            <option value="3guests">3guests</option>
                            <option value="4guests">4guests
```

```
</select>
               </div>
               <br><br><br>
               <input type="button" value="Search" id="btn">
           </div>
       </form>
   </div>
</div>
<section id="banner">
   <br><br><br>>
   <h2>Explore Airbnb</h2>
   <div id="banner-ex">
       <div><img src="../img/room.jpg">
           <span>$35 off </span>Room
       </div>
       <div><img src="../img/res.jpg">
           <span>20% off </span>Restaurant
       <div><img src="../img/cook.jpg">
           Experience
       <div><img src="../img/advanture.jpg">
           Advanture
       </div>
   </div>
</section>
<section>
   <div id="video container">
       <video width="1500" height="500" autoplay loop>
           <source src=".../video/MP4/its-clark2.mp4" type="video/mp4">
       </video>
       <div id="video over">
           <h6>INTRODUCING</h6>
           <h5>animals</h5>
           on Airbnb Experiences
           <button class="btn3" href="">Learn more</a>
       </div>
   </div>
```

```
</section>
<br>
<h2 id="toronto">Places to stay in Toronto</h2>
<section id="room1">
    <div id="figure1">
        <img src="../img/figure1.jpg" alt="figure1">
       <h6>ENTIRE LOFT.TORONTO</h6>
           French retro apartment near Sheppard
        </h3>
        <h4>$145 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.89(545)
    </div>
    <div id="figure2">
        <img src="../img/figure2.jpg" alt="figure2">
        <h6>ENTIRE LOFT.TORONTO</h6>
           Super-convenient apartment near Finch Station
       <h4>$143 CAD/night</h4>
        <i class="fas fa-star fa-xs"></i>4.77(359)
    </div>
    <div id="figure3">
        <img src="../img/figure3.jpg" alt="figure3">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Modern apartment near North York
        <h4>$118 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.07(357)
   </div>
</section>
<section id="info">
    <br><br><br>
   <h2>Traveling with Airbnb</h2>
   <div id="info-ex">
       <div>
```

```
<i class="far fa-heart fa-3x"></i><br>
               <h6>24/7 customer support</h6><br>
               Day or night, we're here for you. Talk to our support team fro
m anywhere in the world, any hour of
                   day.
           </div>
            <div>
               <i class="fas fa-home fa-3x"></i><br>
               <h6>Global hospitality standards</h6><br>
               Guests review their hosts after each stay. All hosts must main
tain a minimum rating and our
                   hospitality standards to be on Airbnb.
            </div>
            <div>
                <i class="fas fa-hand-holding-heart fa-3x"></i><br>
               <h6>5-start hosts</h6><br>
               From fresh-
pressed sheets to tips on where to get the best brunch, our hosts are full of loc
al
                   hospitality.
            </div>
       </div>
    </section>
    <section id="plus_stay">
       <br><br><br>></pr>
       <h2>Airbnb Plus places to stay</h2><br>
       A selection of places to stay verified for quality and design<br>
        <div class="container btn">
           <img src="../img/living2.jpg">
            <button class="btn" href="">EXPLORE STAYS <span>></span></a>
        </div>
    </section>
    <section id="conclude">
       <div>
            <h2>When are you traveling?</h2>
            Add dates for updated pricing and availability.
       </div>
        <div>
           <a class="btn2" href="">Add Dates</a>
        </div>
   </section>
```

```
</section>
```

Login.handlebars

```
<link rel="stylesheet" href="css/login.css">
<div id="myModal" class="modal">
    <!-- Modal content -->
    <div class="modal-content">
        <div id="form2">
            <form method="POST" action="/login">
            <input type="button" value="Log in with Facebook" id="face_btn"><</pre>
br><br>
                <input type="button" value="Log in with Google" id="google_btn"><</pre>
br><br>
                <span>or</span>
                <div>
                    <input type="email" name="email" id="email" placeholder="Emai</pre>
1 address"><br>>
                </div>
                <br>
                <div>
                    <input type="password" name="password" placeholder="Create a</pre>
Password">
                </div>
                <br>
                {{#each msgErrorLog}}
                <div class="errorLogCss">{{this}}</div>
                {{/each}}
                <br>
                <input type="checkbox" name="marketing" value="marketing">Remembe
r me<br><br>>
                <input type="submit" value="Log in" id="login_btn">
                <div id="forgot_id">
                    <a href="">Forgot password?</a>
```

Register.handlebars

```
<link rel="stylesheet" href="css/register.css">
<section id="container">
    <div></div>
    <div id="box">
        <br>
        <div id="register">
            <br>
            Sign up with<a href=""> Facebook</a> or <a href="">Google</a>
br>
            <span>or</span>
            <form method="POST" action="/register">
                    <input type="email" name="email" id="email" placeholder="Emai</pre>
1 address"><br>>
                </div>
                <br>
                    <input type="text" name="firstname" placeholder="First name">
<br>
                </div>
                <br>
                <div>
                    <input type="text" name="lastname" placeholder="Last name"><b</pre>
r>
                </div>
                <br>
                <div>
```

```
<input type="password" name="password" id="password" placehol</pre>
der="Create a Password">
                </div>
                <br>
                {{#each msgErrors}}
                <div class="error">{{this}}</div>
                {{/each}}
                <h3>Birthday</h3>
                To sign up, you need to be at least 18. Other people who use A
irbnb won't see your birthday.
                <select name='month' id='month'>
                    <option value="" selected disabled>Month
                    <option value='January'>January</option>
                    <option value='February'>February</option>
                    <option value='March'>March</option>
                    <option value='April'>April</option>
                    <option value='May'>May</option>
                    <option value='June'>June</option>
                    <option value='July'>July</option>
                    <option value='June'>June</option>
                    <option value='September'>September</option>
                    <option value='October'>October</option>
                    <option value='November '>November</option>
                    <option value='December'>December</option>
                </select>
                <select name='day' id='day'>
                    <option value="" selected disabled>Day</option>
                    <option value='1'>1</option>
                    <option value='2'>2</option>
                    <option value='3'>3</option>
                    <option value='4'>4</option>
                    <option value='5'>5</option>
                    <option value='6'>6</option>
                    <option value='7'>7</option>
                    <option value='8'>8</option>
                    <option value='9'>9</option>
                    <option value='10'>10</option>
                    <option value='11'>11</option>
                    <option value='12'>12</option>
```

```
<option value='13'>13</option>
    <option value='14'>14</option>
    <option value='15'>15</option>
    <option value='16'>16</option>
    <option value='17'>17</option>
    <option value='18'>18</option>
    <option value='19'>19</option>
    <option value='20'>20</option>
    <option value='21'>21</option>
    <option value='22'>22</option>
    <option value='23'>23</option>
    <option value='24'>24</option>
    <option value='25'>25</option>
    <option value='26'>26</option>
    <option value='27'>27</option>
    <option value='28'>28</option>
    <option value='29'>29</option>
    <option value='30'>30</option>
    <option value='31'>31</option>
</select>
<select name='year' id='year'>
    <option value="" selected disabled>Year</option>
    <option value='1947'>1947</option>
    <option value='1948'>1948</option>
    <option value='1949'>1949</option>
    <option value='1950'>1950</option>
    <option value='1951'>1951</option>
    <option value='1952'>1952</option>
    <option value='1953'>1953</option>
    <option value='1954'>1954</option>
    <option value='1955'>1955</option>
    <option value='1956'>1956</option>
    <option value='1957'>1957</option>
    <option value='1958'>1958</option>
    <option value='1959'>1959</option>
    <option value='1960'>1960</option>
    <option value='1961'>1961</option>
    <option value='1962'>1962</option>
    <option value='1963'>1963</option>
    <option value='1964'>1964</option>
    <option value='1965'>1965</option>
    <option value='1966'>1966</option>
```

```
<option value='1967'>1967</option>
<option value='1968'>1968</option>
<option value='1969'>1969</option>
<option value='1970'>1970</option>
<option value='1971'>1971</option>
<option value='1972'>1972</option>
<option value='1973'>1973</option>
<option value='1974'>1974</option>
<option value='1975'>1975</option>
<option value='1976'>1976</option>
<option value='1977'>1977</option>
<option value='1978'>1978</option>
<option value='1979'>1979</option>
<option value='1980'>1980</option>
<option value='1981'>1981</option>
<option value='1982'>1982</option>
<option value='1983'>1983</option>
<option value='1984'>1984</option>
<option value='1985'>1985</option>
<option value='1986'>1986</option>
<option value='1987'>1987</option>
<option value='1988'>1988</option>
<option value='1989'>1989</option>
<option value='1990'>1990</option>
<option value='1991'>1991</option>
<option value='1992'>1992</option>
<option value='1993'>1993</option>
<option value='1994'>1994</option>
<option value='1995'>1995</option>
<option value='1996'>1996</option>
<option value='1997'>1997</option>
<option value='1998'>1998</option>
<option value='1999'>1999</option>
<option value='2000'>2000</option>
<option value='2001'>2001</option>
<option value='2002'>2002</option>
<option value='2003'>2003</option>
<option value='2004'>2004</option>
<option value='2005'>2005</option>
<option value='2006'>2006</option>
<option value='2007'>2007</option>
<option value='2008'>2008</option>
<option value='2009'>2009</option>
<option value='2010'>2010</option>
<option value='2011'>2011</option>
```

```
<option value='2012'>2012</option>
                    <option value='2013'>2013</option>
                    <option value='2014'>2014</option>
                    <option value='2015'>2015</option>
                    <option value='2016'>2016</option>
                    <option value='2017'>2017</option>
                    <option value='2018'>2018</option>
                    <option value='2019'>2019</option>
                </select>
                We'll send you marketing promotions, special offers, inspirati
on, and policy updates via email.
                <input type="submit" value="Sign up" id="sign btn"><br><br><br></pr>
                <input type="checkbox" name="marketing" value="marketing"> I don'
t want to receive marketing messages
                from Airbnb. I can also opt out of receiving these at any time in
my account settings or via the link in
                the message.<br><br>>
        </div>
        </form>
        <div id="con"></div>
    </div>
    </div>
//section>
```

Room.handlebars

```
<div id="figure2">
       <img src="../img/figure2.jpg" alt="figure2">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Super-convenient apartment near Finch Station
       </h3>
       <h4>$143 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.77(359)
   </div>
   <div id="figure3">
       <img src="../img/figure3.jpg" alt="figure3">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Modern apartment near North York
       </h3>
       <h4>$118 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.07(357)
   </div>
</section>
<section id="room2">
   <div id="figure4">
       <img src="../img/figure4.jpg" alt="figure4">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Sunny luxury apartment in downtown
       </h3>
       <h4>$102 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.12(215)
   </div>
   <div id="figure5">
       <img src="../img/figure5.jpg" alt="figure5">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Cosy hotel apartment near Eglinton
       </h3>
```

Style.css

```
* {
    margin: 0;
    padding: 0;
}
body{
    font-family:Arial, Helvetica, sans-serif;
    background-color:#f7cac9;
    background-color: white;
}
html{
    width:100%;
    height:100%;
}
body{
    width:100%;
    height:100%;
}
#navi{
    padding: 1.5rem 0rem 1.5rem 0rem;
    display:grid;
```

```
grid-template-columns: 1fr 1fr 1fr;
#navi > div >i{
    padding: 0.5rem 2rem 2rem 2rem;
    color: white;
nav a
  text-decoration: none;
  color:white;
  font-size: 1.2rem;
  font-weight: bold;
 nav a:hover{
 text-decoration: underline;
h5{
    font-size:1rem;
    color: rgb(247, 71, 71);
footer{
    border-top: solid 0.3px deeppink;
#foo{
    padding: 1rem 5rem 3rem 5rem;
    display:grid;
    grid-template-columns: 1fr 1fr 1fr;
    background-color: white;
    margin: 1rem 3rem 0 3rem;
#foo a{
    text-decoration: none;
    color:grey;
#foo a:hover{
    text-decoration: underline;
#foo i{
```

```
color:grey;
#right{
    padding: 3rem 1rem 3rem 1rem;
    margin: 1rem 3rem 1rem 3rem;
    border-top: solid 0.3px deeppink;
#right p{
    color: grey;
#or{
    width: 100%;
    text-align: center;
    border-bottom: 1px solid grey;
    line-height: 0.1em;
    margin: 10px 0 20px;
    color: grey;
#or span{
    background:#fff;
    padding:0 10px;
#form2 {
    margin: 0 auto;
    width:90%;
 #face_btn {
    background-color:rgb(69, 104, 178);
    color: white;
    width: 100%;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 0.8rem 0 0.8rem 0;
    font-size:1rem;
```

```
font-weight: bold;
#google_btn {
    background-color:white;
    color: black;
    width: 100%;
    border: 3px solid #ccc;
    border-radius: 4px;
    cursor: pointer;
    padding: 0.7rem 0 0.7rem 0;
    font-size:1rem;
    font-weight: bold;
input[type=email] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
    position: center;
input[type=password] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
input[type=submit] {
    background-color:rgb(247, 71, 71);
    color: white;
    width: 100%;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 1rem 0 1rem 0;
    font-size:1rem;
    font-weight: bold;
```

```
input[type=submit]:hover {
 background-color:lightpink;
input[type=checkbox] {
   color: grey;
#form2 a{
   text-decoration: none;
    color: green;
#forgot_id{
    margin-left: 11.5rem;
    padding: 1rem 0 1rem 0;
#login_btn ~ p {
  color: grey;
 border-top: solid 0.3px grey;
  padding: 1rem 0 1rem 0;
#spanSign{
   color: green;
.errorLogCss
    background-color:rgb(244, 255, 195);
    color: red;
    font-size: 0.9rem;
    padding: 0.3rem 0 0.3rem;
@media only screen and (max-width: 500px) {
     nav a
       display:block;
       text-decoration: none;
       color:white;
       font-size: 1.2rem;
       font-weight: bold;
```

```
text-align: center;
      margin-right: 12rem;
    #foo{
         display: inline-block;
    h5{
        margin-top: 2rem;
         border-top: solid 0.3px deeppink;
    #foo :nth-child(4){
         margin-top: 2rem;
         border-top: solid 0.3px deeppink;
@media only screen and (max-width: 414px) {
    #navi > div >i{
        padding: 0.3rem 1rem 1rem;
   nav a
      text-align: center;
      margin-left: 10rem;
```

Dashboard.css

```
body{
    background-color:#f7cac9;
}
nav a{
    color: red;
}
#navi > div >i{
    color: red;
}
#login{
    color: red;
}
```

```
header{
    border-bottom: 1px solid deeppink;
}
h1,h3{
    padding: 3rem 1rem 3rem;
}
```

Home.css

```
body {
    overflow-x: hidden;
header{
    top:0;
    left:0;
    background-image: url("../img/victoria.jpg");
    min-height: 100vh;
    background-size: cover;
    background-position: center center;
p{
    font-size:1rem;
    color: grey;
h1,h2,h3,h4{
    font-family: 'Cardo', serif;
    font-size:2vw;
#box {
    position: absolute;
    top:110px;
    left:80px;
    background-color: white;
    width: 440px;
    height: 480px;
    border-radius: 5px;
#booking{
```

```
margin: 0.5rem 1.3rem 1rem 1.3rem;
}
h1{
    font-weight: bold;
    font-size:1.8rem;
    margin-right: 2rem;
    font-family:Arial, Helvetica, sans-serif;
label{
    font-weight: bold;
    font-size: 0.73rem;
    padding-bottom: 1rem;
#where {
    width: 375px;
    height: 50px;
    color:grey;
    font-size: 1rem;
#check label:nth-child(1){
    padding-right: 7rem;
.checkli{
    width: 180px;
    height: 50px;
    color:grey;
#guest {
    width: 375px;
    height: 50px;
    color:grey;
#btn{
    color:white;
    background-color:rgb(247, 71, 71);
    padding: 1rem 1.5rem 1rem 1.5rem;
    font-size: 1rem;
```

```
font-weight: bold;
    border-radius: 5px;
    margin-left: 17rem;
#banner{
    margin: 2rem 4rem 2rem 4rem;
#banner h2{
    margin-left:1rem;
#banner-ex{
    display:grid;
    grid-template-columns: 1fr 1fr 1fr;
#banner-ex span{
    color: red;
#banner-ex div{
   position: relative;
    border: 2px solid #d4d0d0;
   margin: 1rem 1rem 1rem;
    box-shadow: 1px 2px #d4d0d0;
    background-color: white;
#banner-ex div img{
   width: 40%;
    height: 100%;
#banner-ex div p{
   position: absolute;
   top: 50%;
   left: 70%;
   transform: translate(-50%, -50%);
    -ms-transform: translate(-50%, -50%);
    color: black;
    font-weight: bold;
    font-size: 1vw;
    cursor: pointer;
#video_container{
    position: relative;
    width: 100%;
video {
```

```
position: relative;
  margin: 0 5rem 0 5rem;
  height: 50%;
  width: 90%;
#video over{
  position: absolute;
  top: 30%;
  left: 35%;
  width: 30%;
  height: 50%;
  transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  color: white;
  cursor: pointer;
#video_over h5{
 color: white;
  font-size: 8vw;
  align-self: center;
  font-family: 'Cardo', serif;
#video_over p {
  color: white;
  font-size: 3vw;
  align-self: center;
.btn3{
  color:black;
  font-weight: bold;
  background-color:white;
  font-size: 1.5vw;
  padding: 1rem 2rem 1rem 2rem;
  border-radius: 10px;
  text-decoration: none;
  margin-top:2rem;
#toronto{
    padding: 2rem 2rem 1rem 5rem;
#room1
```

```
display: grid;
  grid-template-columns: 1fr 1fr 1fr;
  padding: 1rem 5rem 0 5rem;
  font-family: 'Work Sans', sans-serif;
 #room1 p
   padding: 1rem 0 1.8rem 0;
   text-align: left;
    color: grey;
   font-size: 0.9rem;
 #room1 img
   width:100%;
  height:auto;
#figure1,#figure2,#figure3{
   background-color: white;
   margin-right: 1rem;
    padding: 1rem 1rem 0 1rem;
    box-shadow: 1px 2px red;
    border: 1px solid #d4d0d0;
    border-radius: 3px;
#room1 h6{
   color: grey;
 font-size: 1rem;
#room1 h4{
   margin-top: 1rem;
 color: grey;
 font-size: 1rem;
#room1 i{
   color: deeppink;
#room1{
    margin-bottom: 1rem;
```

```
#info > h2{
    padding: 1rem 2rem 1rem 2rem;
    margin: 1rem 3rem 1rem 3rem;
#info-ex {
   display:grid;
    grid-template-columns: 1fr 1fr 1fr;
    border-bottom: solid 1px deeppink;
    border-top: solid 1px deeppink;
    margin: 1rem 5rem 1rem 5rem;
    padding:3rem 0 3rem 0;
    background-color:#FFFFB1;
    border-radius: 3px;
#info-ex div{
   margin: 0 2rem 0 2rem;
   background-color: white;
    border-radius: 5px;
    padding: 1rem 1rem 1rem;
h6{
    padding-top:1rem;
    font-size:1.2rem;
    font-weight:bold;
    font-family: 'Cardo', serif;
#info-ex p{
   font-size: 1rem;
    color: grey;
#plus_stay{
     margin: 2rem 5rem 2rem 5rem;
.container_btn {
    position: relative;
   width: 100%;
```

```
/* Make the image responsive */
  .container_btn img {
   width: 100%;
   height: auto;
  /* Style the button and place it in the middle of the container/image */
  .container btn .btn {
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    -ms-transform: translate(-50%, -50%);
    background-color: white;
    color: black;
    font-size: 16px;
    padding: 20px 30px;
    border: none;
    cursor: pointer;
    border-radius: 5px;
    font-family: 'Cardo', serif;
  .container btn .btn span{
      color: grey;
      font-weight:bold;
      font-size: 20px;
  .container_btn .btn:hover {
   background-color: black;
    color: white;
    font-family: 'Cardo', serif;
#conclude{
    padding: 2rem 2rem 5rem 5rem;
#conclude > div > p:nth-child(1)
    font-family: 'Cardo', serif;
    margin: 2rem 2rem 0 5rem;
 line-height: 9vw;
  font-size: 4rem;
```

```
#conclude > div > p:nth-child(2)
   margin: 2rem 2rem 0 5rem;
  font-size: 1rem;
#conclude > div:nth-child(2)
  padding: 1.5rem 0 2rem 19rem;
/*.btn
  position:relative;
  background-color:white;
  font-size: 0.5rem;
  padding: 1.2rem 2rem 1.2rem 2rem;
 border: 2px solid #000000;
 border-radius: 3px;
 text-decoration: none;
 margin: 8rem 0 4rem 8rem;
.btn2{
  color:white;
 font-weight: bold;
  background-color: rgb(255, 20, 130);
  font-size: 0.9rem;
  padding: 1.2rem 2rem 1.2rem 2rem;
  border-radius: 3px;
  text-decoration: none;
   margin-top: 3rem;
.btn2:hover {
   background-color: black;
    color: white;
 #right p{
   color: grey;
/* Medium devices (landscape tablets, 768px and up) */
@media only screen and (max-width: 768px) {
```

```
#banner-ex{
    display:inline-block;
#banner-ex div p{
 font-size: 1.5rem;
 padding: 0 2rem 0 2rem;
p span{
    font-size:2rem;
.banP{
    color: black;
h2{
    font-size:4vw;
video {
    height: 50%;
    width: 78%;
/* Extra small devices (phones, 600px and down) */
@media only screen and (max-width: 500px) {
    #box {
        top:220px;
        left:80px;
        width: 340px;
        height: 400px;
        border-radius: 5px;
    h1{
        font-size:1.5rem;
    #where {
       width: 275px;
```

```
height: 25px;
    color:grey;
    font-size: 1rem;
#check label:nth-child(1){
    padding-right: 1.5rem;
.checkli{
    width: 80px;
    height: 25px;
    color:grey;
#guest {
   width: 275px;
   height: 25px;
    color:grey;
h2{
   font-size:2rem;
    margin-top: 2rem;
#btn{
    padding: 1rem 1.5rem 1rem 1.5rem;
    font-size: 1rem;
    margin-left: 6rem;
#banner-ex div p{
   font-size: 1rem;
   p span{
       font-size:1.5rem;
    .btn3{
        display: none;
```

```
#room1{
           display: inline-block;
       #room1 div{
       margin-bottom: 1rem;
       #info-ex {
           display: inline-block;
       #conclude > div:nth-child(2){
           padding: 2rem 2rem 2rem;
@media only screen and (max-width: 414px) {
   #box {
       top: 260px;
        width: 240px;
        height: 360px;
   h1{
        display:none;
    #where {
       width: 175px;
        height: 25px;
        color:grey;
        font-size: 1rem;
   #check label:nth-child(1){
        padding-right: 0.7rem;
    .checkli{
        width: 60px;
        height: 25px;
        color:grey;
```

```
#guest {
   width: 175px;
    height: 25px;
   p span{
     font-size:1rem;
   video {
   height: 50%;
   width: 60%;
  .btn{
      display:none;
  #video_over h5{
   font-size: 5vw;
   margin-left: 2rem;
   #video_over h6{
   margin-left: 2rem;
   font-size: 3vw;
  #video_over p {
    font-size: 2vw;
    margin-left: 2rem;
```

Login.css

```
body{
    background-color:#f7cac9;
}
nav a{
    color: red;
}
#login{
    color: red;
```

```
#navi > div >i{
  color: red;
header{
    border-bottom: 1px solid deeppink;
/* The Modal (background) */
.modal {
    height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
.modal-content {
    background-color:white;
    width: 580px;
    height: 80%;
    border-radius: 5px;
    margin: 5rem 0 5rem 0;
    border: 1px solid deeppink;
#or{
    width: 100%;
    text-align: center;
    border-bottom: 1px solid grey;
    line-height: 0.1em;
    margin: 10px 0 20px;
    color: grey;
#or span{
    background:#fff;
    padding:0 10px;
#form2 {
    margin: 0 auto;
    width:90%;
```

```
#face btn {
    background-color:rgb(69, 104, 178);
    color: white;
    width: 100%;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 0.8rem 0 0.8rem 0;
    font-size:1rem;
    font-weight: bold;
#google_btn {
    background-color:white;
    color: black;
    width: 100%;
    border: 3px solid #ccc;
    border-radius: 4px;
    cursor: pointer;
    padding: 0.7rem 0 0.7rem 0;
    font-size:1rem;
    font-weight: bold;
input[type=email] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
    position: center;
input[type=password] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
```

```
input[type=submit] {
    background-color:rgb(247, 71, 71);
    color: white;
    width: 100%;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 1rem 0 1rem 0;
    font-size:1rem;
    font-weight: bold;
input[type=submit]:hover {
 background-color:lightpink;
input[type=checkbox] {
   color: grey;
#form2 a{
   text-decoration: none;
    color: green;
#forgot_id{
   margin-left: 11.5rem;
    padding: 1rem 0 1rem 0;
#login_btn ~ p {
  color: grey;
 border-top: solid 0.3px grey;
  padding: 1rem 0 1rem 0;
#spanSign{
    color: green;
.errorLogCss
    background-color:rgb(244, 255, 195);
    color: red;
    font-size: 0.9rem;
    padding: 0.3rem 0 0.3rem;
```

```
#right p{
    color: white;
}
```

Register.css

```
body{
    background-color:#f7cac9;
nav a{
    color: red;
#login{
  color: red;
#navi > div >i{
  color: red;
header{
    border-bottom: 1px solid deeppink;
#container{
   height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
#box {
    background-color:white;
    width: 580px;
    height: 80%;
    border-radius: 5px;
    margin: 5rem 0 5rem 0;
    border: 1px solid deeppink;
#register > p{
    font-size: 1rem;
    text-align: center;
```

```
#register a{
    color:rgb(84, 47, 252);
    text-decoration: none;
#register a:hover{
    text-decoration: underline;
#or{
    width: 100%;
    text-align: center;
    border-bottom: 1px solid grey;
    line-height: 0.1em;
    margin: 10px 0 20px;
    color: grey;
#or span{
    background:#fff;
    padding:0 10px;
form {
    margin: 0 auto;
    width:90%;
input[type=email] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
    position: center;
input[type=text] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
  input[type=password] {
   width: 100%;
```

```
padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
  input[type=submit] {
    background-color:rgb(247, 71, 71);
    color: white;
   width: 100%;
   border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 1rem 0 1rem 0;
   font-size:1rem;
    font-weight: bold;
  input[type=submit]:hover {
    background-color:lightpink;
 #day,#month,#year{
   margin: 1rem 0.2rem 1rem 0.2rem;
   width: 31%;
   padding: 10px;
   border: 1px solid #ccc;
   border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
 input[type=checkbox] {
  color: grey;
h3{
   padding: 1rem 0 1rem 0;
  color: grey;
#forgot_id{
```


```
margin-left: 10.2rem;
}
.error
{ background-color:rgb(244, 255, 195);
    color: red;
    font-size: 1rem;
}
#right p{
    color: white;
}
```


Room.css


```
nav a{
    color: red;
#navi > div >i{
  color: red;
#login{
  color: red;
header{
    border-bottom: 1px solid deeppink;
h2{
    padding: 2rem 5rem 2rem 5rem;
h6{
    color:grey;
    padding-top: 0.5rem;
    font-size: 0.7rem;
h3{
    padding: 0.5rem 0 0.5rem 0;
h4{
    color:grey;
#room1,#room2
```

```
display: grid;
  grid-template-columns: 1fr 1fr 1fr;
  padding: 0 5rem 0 5rem;
  font-family: 'Work Sans', sans-serif;
 #room1 p,#room2 p
   padding: 1rem 0 1.8rem 0;
   text-align: left;
    color: grey;
   font-size: 0.9rem;
 #room1 img,#room2 img
  width:100%;
  height:auto;
#room1 div,#room2 div
 padding-right: 1rem;
#room1 i, #room2 i{
    color: deeppink;
#room2{
   margin-bottom: 3rem;
#right p{
  color: grey;
@media only screen and (max-width: 500px) {
 #room1, #room2
   display: inline-block;
```

Desktop-Screenshot










O H 刘 옅 🔚 🐠 🧑 🚾


Type here to search


ヘ ② 型 11:44 PM 2019-11-04















*Tablet



Explore Airbnb



\$35 off Room



20% off Restaurant




Experience



Advanture





Places to stay in Toronto









4.89(545)

OTTO CAD/INSIII

★4.77(359)

★4.07(357)

Traveling with Airbnb



24/7 customer support

Day or night, we're here for you. Talk to our support team from anywhere in the world, any hour of day.



Global hospitality standards

Guests review their hosts after each stay. All hosts must maintain a minimum rating and our hospitality standards to be on Airbnb.



5-start hosts

From freshpressed sheets to tips on where to get the best brunch, our hosts are full of local hospitality.

Airbnb Plus places to stay

A selection of places to stay verified for quality and design



When are you traveling?

Add dates for updated pricing and availability.

Add Dates

When are you traveling?

Add dates for updated pricing and availability.

Add Dates

Airbnb

Careers News Policies Help Diversity & Belonging

Discover

Trust & Safety Reiseguthaben Hospitality Airbnb Citizen **Business Travel Hosting** Things To Do Airbnbmag

Hosting

Why Host Responsible Community Centre Host an Experience Open Homes





Terms News Privacy Site Map

2019 Yuki Waka All rights reserved



Places to stay in Toronto



ENTIRE LOFT.TORONTO

French retro apartment near Sheppard

\$145 CAD/night

4.89(545)



ENTIRE LOFT.TORONTO

Super-convenient apartment near Finch Station

\$143 CAD/night

★4.77(359)



ENTIRE LOFT.TORONTO

Modern apartment near North York

\$118 CAD/night

★4.07(357)



ENTIRE LOFT.TORONTO

Sunny luxury apartment in



ENTIRE LOFT.TORONTO

Cosy hotel apartment near



ENTIRE LOFT.TORONTO

Sun-filled loft apartment in



ENTIRE LOFT.TORONTO

Sunny luxury apartment in downtown

\$102 CAD/night

★4.12(215)



ENTIRE LOFT.TORONTO

Cosy hotel apartment near **Eglinton**

\$134 CAD/night

4.36(359)



ENTIRE LOFT.TORONTO

Sun-filled loft apartment in downtown

\$122 CAD/night

★4.45(403)

Airbnb

Careers News Policies Help Diversity & Belonging

Discover

Trust & Safety Reiseguthaben Hospitality Airbnb Citizen Business Travel Hosting Things To Do Airbnbmag

Hosting

Why Host Responsible Community Centre Host an Experience Open Homes







Terms News Privacy Site Map

2019 Yuki Waka All rights reserved



		or		
Email address				
First name				
Last name				
Create a Passi	vord			
irthday				

We'll send you marketing promotions, special offers, inspiration, and policy updates via email.

Sign up

■ I don't want to receive marketing messages from Airbnb. I can also opt out of receiving these at any time in my account settings or via the link in the message.

Airbnb Discover Hosting Why Host Careers Trust & Safety Terms Reiseguthaben Hospitality News News Policies Airbnb Citizen Responsible Privacy **Business Travel Hosting** Help

Community

Centre Host an Experience Open Homes

Things To Do

Airbnbmag

Site Map

2019 Yuki Waka All rights reserved

Diversity &

Belonging



	Log in with Facebook	
	Log in with Google	
	or	
Email address		
Create a Password		
Remember me		
	Log in	
	Forgot password?	

Log in

Forgot password?

Don't have an account? Sign up

Airbnb

Careers News Policies Help Diversity & Belonging

Discover

Trust & Safety Reiseguthaben Hospitality Airbnb Citizen Business Travel Hosting Things To Do Airbnbmag

Hosting


Why Host Responsible Community Centre Host an Experience Open Homes





Terms News Privacy Site Map

*mobile



Explore Airbnb



\$35 off Room




20% off Restaurant



Experience





Advanture





Places to stay in Toronto








ENTIRE LOFT.TORONTO

Super-convenient apartment near Finch Station

\$143 CAD/night

4.77(359)



ENTIRE LOFT.TORONTO

Modern apartment near North York

\$118 CAD/night

★4.07(357)

Traveling with Airbnb



24/7 customer support

Day or night, we're here for you. Talk to our support team from anywhere in the world, any hour of day.



Global hospitality standards

Guests review their hosts after each stay. All hosts must maintain a minimum rating and our hospitality standards to be on Airbnb.



5-start hosts

3-start nosts

From fresh-pressed sheets to tips on where to get the best brunch, our hosts are full of local hospitality.

Airbnb Plus places to stay

A selection of places to stay verified for quality and design



When are you traveling?

Add dates for updated pricing and availability.

Add Dates

Airbnb

Careers
News
Policies
Help
Diversity & Belonging

Discover

Trust & Safety Reiseguthaben Airbnb Citizen Business Travel Things To Do Airbnbmag

Hosting

Discover

Trust & Safety Reiseguthaben Airbnb Citizen Business Travel Things To Do Airbnbmag

Hosting

Why Host Hospitality Responsible Hosting Community Centre Host an Experience Open Homes







Terms News Privacy Site Map



Home

Room

SignUp

LogIn

Places to stay in Toronto



ENTIRE LOFT.TORONTO

French retro apartment near Sheppard

\$145 CAD/night

4.89(545)



near Finch Station

\$143 CAD/night

★4.77(359)



ENTIRE LOFT.TORONTO

Modern apartment near North York

\$118 CAD/night

★4.07(357)



Airbnb

Careers News Policies Help Diversity & Belonging

Discover

Trust & Safety Reiseguthaben Airbnb Citizen Business Travel Things To Do Airbnbmag

Hosting

Why Host Hospitality Responsible Hosting Community Centre Host an Experience Open Homes



@	Home	
	Room	
	SignUp	
	LogIn	

Sign up with Facebook or Google

or	
Email address	
First name	
Last name	
Create a Password	

Birthday

To sign up, you need to be at least 18. Other people who use

To sign up, you need to be at least 18. Other people who use Airbnb won't see your birthday.



We'll send you marketing promotions, special offers, inspiration, and policy updates via email.

Sign up

■ I don't want to receive marketing messages from Airbnb. I can also opt out of receiving these at any time in my account settings or via the link in the message.

Airbnb Careers News Policies Help Diversity & Belonging Discover Trust & Safety Reiseguthaben

Discover

Trust & Safety Reiseguthaben Airbnb Citizen **Business Travel** Things To Do Airbnbmag

Hosting


Why Host Hospitality Responsible Hosting Community Centre Host an Experience Open Homes







Terms News Privacy Site Map



Log in with Facebook
Log in with Google
or
Email address
Create a Password
Remember me

Log in

Policies

Diversity & Belonging

Help

Discover

Trust & Safety Reiseguthaben Airbnb Citizen **Business Travel** Things To Do Airbnbmag

Hosting

Why Host Hospitality Responsible Hosting Community Centre Host an Experience Open Homes








Terms News Privacy Site Map





Welcome!

Here is your account information.

Email: yuheey3@yahoo.co.jp

Name: yuki waka

