## (WEB322) -Web Programming Tools and Frameworks

**Prof: Kadeem Best** 

Yuki Waka #141082180 Seneca College

Date Due: October 7th 2019

# 1.Table of contents app.js

```
const express = require("express");
const exphbs = require(`express-handlebars`);
const app = express();
app.use(express.static('public'));
app.engine('handlebars', exphbs());
app.set('view engine', 'handlebars');
app.get("/", (req,res) =>{
    res.render("home")
});
app.get("/room", (req,res) =>{
    res.render("room")
});
app.get("/register", (req,res) =>{
    res.render("register")
});
const PORT = 3000;
app.listen(PORT, () =>{
    console.log(`Your web server is connected at ${PORT}`);
});
```

#### main.handlebars

```
<!DOCTYPE html>
<html>
<head>
   <meta charset="utf-8">
   <title>Example App</title>
   <link rel="stylesheet" href="css/style.css">
    <script src="https://kit.fontawesome.com/ee6000b85a.js" crossorigin="anonymou</pre>
s"></script>
</head>
<body>
   <div>
        <header>
            <div id="navi">
                <div><i class="fab fa-airbnb fa-3x"></i></div>
                <div></div>
                <div></div>
                <nav>
                    <a href="/">Home</a>&nbsp;&nbsp;&nbsp;
                    <a href="/room">Room</a>&nbsp;&nbsp;&nbsp;
                    <a href="/register">Sign up</a>
                </nav>
            </div
            </div>
        </header>
           {{{body}}}
        <footer>
            <section id="foo">
                <div>
                    <h5>Airbnb</h5><br>
                    <a href="">Careers</a><br>
                    <a href="">News</a><br>
                    <a href="">Policies</a><br>
```

```
<a href="">Help</a><br>
                    <a href="">Diversity & Belonging</a><br>
                </div>
                <div>
                    <h5>Discover</h5><br>
                    <a href="">Trust & Safety</a><br>
                    <a href="">Reiseguthaben</a><br>
                    <a href="">Airbnb Citizen</a><br>
                    <a href="">Business Travel</a><br>
                    <a href="">Things To Do</a><br>
                    <a href="">Airbnbmag</a><br>
                </div>
                <div>
                    <h5>Hosting</h5><br>
                    <a href="">Why Host</a><br>
                    <a href="">Hospitality</a><br>
                    <a href="">Responsible Hosting</a><br>
                    <a href="">Community Centre</a><br>
                    <a href="">Host an Experience</a><br>
                    <a href="">Open Homes</a><br>
                </div>
                <div>
                    <i class="fab fa-facebook-square fa-2x"></i>&nbsp;&nbsp;
                    <i class="fab fa-twitter fa-2x"></i>&nbsp;&nbsp;
                    <i class="fab fa-instagram fa-2x"></i><br><br>
                    <a href="">Terms</a><br>
                    <a href="">News</a><br>
                    <a href="">Privacy</a><br>
                    <a href="">Site Map</a><br>
                </div>
            </section>
            <div id="right">
                2019 Yuki Waka All rights reserved
            </div>
       </footer>
   <script src="js/script.js"></script>
   </script>
</body>
</html>
```

#### home.handlebars

```
<link rel="stylesheet" href="css/home.css">
<script src="https://kit.fontawesome.com/ee6000b85a.js" crossorigin="anonymous"><</pre>
/script>
<section id="container">
   <div></div>
   <div id="box">
        <hr>>
        <div id="booking">
            <h1>Book unique places to stay and things to do.</h1><br>
            <form>
                <div>
                    <label>WHERE</label><br>
                    <select id="where">
                        <option value="Tornto">Toronto</option>
                        <option value="Vancouver">Vancouver</option>
                        <option value="Nova Scotia">Nova Scotia</option>
                        <option value="Calgary">Calgary</option>
                    </select>
                    <br><br><br>
                </div>
                <div id="check">
                    <label>CHECK-IN</label>
                    <label>CHECK-OUT</label><br>
                    <input type="date" name="checkin" class="checkli">
                    <input type="date" name="checkout" class="checkli">
                    <br><br><br><br>
                </div>
                <div>
                    <div>
                        <label>GUESTS</label><br>
                        <select id="guest">
                            <option value="1guest">1guest</option>
                            <option value="2guests">2guests</option>
                            <option value="3guests">3guests</option>
                            <option value="4guests">4guests
                        </select>
                    </div>
                    <input type="button" value="Search" id="btn">
                </div>
            </form>
```

```
</div>
</div>
<section id="banner">
   <br><br><br>>
   <h2>Explore Airbnb</h2>
   <div id="banner-ex">
       <div><img src=".../img/room.jpg">
           <span>$35</span> Room discount
       </div>
       <div><img src="../img/res.jpg">
           <span>20% off </span>Restaurant
       </div>
       <div><img src="../img/cook.jpg">
           Experience
       </div>
       <div><img src="../img/advanture.jpg">
           Advanture
       </div>
   </div>
</section>
<section>
   <div id="video_container">
       <video width="1500" height="500" autoplay loop>
           <source src="../video/MP4/its-clark.mp4" type="video/mp4">
           <source src="../video/MP4/its-clark.ogg" type="video/ogg">
       </video>
       <div id="video over">
           <h6>INTRODUCING</h6>
           <h5>animals</h5>
           on Airbnb Experiences
           <button class="btn3" href="">Learn more</a>
       </div>
   </div>
</section>
<h2 id="toronto">Places to stay in Toronto</h2>
<section id="room1">
   <div id="figure1">
       <img src="../img/figure1.jpg" alt="figure1">
```

```
<h6>ENTIRE LOFT.TORONTO</h6>
               French retro apartment near Sheppard
            </h3>
            <h4>$145 CAD/night</h4>
            <i class="fas fa-star fa-xs"></i>4.89(545)
        </div>
        <div id="figure2">
            <img src="../img/figure2.jpg" alt="figure2">
            <h6>ENTIRE LOFT.TORONTO</h6>
               Super-convenient apartment near Finch Station
            </h3>
            <h4>$143 CAD/night</h4>
            <i class="fas fa-star fa-xs"></i>4.77(359)
        </div>
        <div id="figure3">
            <img src="../img/figure3.jpg" alt="figure3">
            <h6>ENTIRE LOFT.TORONTO</h6>
               Modern apartment near North York
            </h3>
            <h4>$118 CAD/night</h4>
            <i class="fas fa-star fa-xs"></i>4.07(357)
        </div>
    </section>
    <section id="info">
        <br><br><br>>
        <h2>Traveling with Airbnb</h2>
        <div id="info-ex">
            <div>
                <i class="far fa-heart fa-3x"></i><br>
               <h6>24/7 customer support</h6><br>
               Day or night, we're here for you. Talk to our support team fro
m anywhere in the world, any hour of
                   day.
            </div>
           <div>
```

```
<i class="fas fa-home fa-3x"></i><br>
               <h6>Global hospitality standards</h6><br>
               Guests review their hosts after each stay. All hosts must main
tain a minimum rating and our
                   hospitality standards to be on Airbnb.
           </div>
           <div>
               <i class="fas fa-hand-holding-heart fa-3x"></i>
               <h6>5-start hosts</h6><br>
               From fresh-
pressed sheets to tips on where to get the best brunch, our hosts are full of loc
al
                   hospitality.
           </div>
       </div>
    </section>
    <section id="plus_stay">
       <br><br><br>>
       <h2>Airbnb Plus places to stay</h2><br>
       A selection of places to stay verified for quality and design<br>
        <div class="container_btn">
           <img src="../img/living2.jpg">
           <button class="btn" href="">EXPLORE STAYS <span>></span></a>
       </div>
    </section>
    <section id="conclude">
       <div>
           <h2>When are you traveling?</h2>
           Add dates for updated pricing and availability.
       </div>
       <div>
           <a class="btn2" href="">Add Dates</a>
       </div>
    </section>
</section>
```

## register.handlebars

```
<link rel="stylesheet" href="css/register.css">
<section id="container">
    <div></div>
    <div id="box">
        <hr>>
        <div id="register">
            <hr>>
            Sign up with<a href=""> Facebook</a> or <a href="">Google</a><
br>
            <span>or</span>
            <form method="POST" action="">
                <div>
                    <input type="email" name="email" id="email" placeholder="Emai</pre>
1 address"><br>
                </div>
                <br>
                <div>
                    <input type="text" name="firstname" placeholder="First name">
<br>
                </div>
                <br>
                <div>
                    <input type="text" name="lastname" placeholder="Last name"><b</pre>
                </div>
                <hr>>
                <div>
                    <input type="password" name="password" placeholder="Create a</pre>
Password">
                </div>
                <h3>Birthday</h3>
                To sign up, you need to be at least 18. Other people who use A
irbnb won't see your birthday.
                <select name='month' id='month'>
                    <option value="" selected disabled>Month
                    <option value='January'>January</option>
                    <option value='February'>February</option>
                    <option value='March'>March</option>
                    <option value='April'>April</option>
                    <option value='May'>May</option>
                    <option value='June'>June</option>
                    <option value='July'>July</option>
```

```
<option value='June'>June</option>
    <option value='September'>September</option>
    <option value='October'>October</option>
    <option value='November '>November
    <option value='December'>December</option>
</select>
<select name='day' id='day'>
    <option value="" selected disabled>Day</option>
    <option value='1'>1</option>
    <option value='2'>2</option>
    <option value='3'>3</option>
    <option value='4'>4</option>
    <option value='5'>5</option>
    <option value='6'>6</option>
    <option value='7'>7</option>
    <option value='8'>8</option>
    <option value='9'>9</option>
    <option value='10'>10</option>
    <option value='11'>11</option>
    <option value='12'>12</option>
    <option value='13'>13</option>
    <option value='14'>14</option>
    <option value='15'>15</option>
    <option value='16'>16</option>
    <option value='17'>17</option>
    <option value='18'>18</option>
    <option value='19'>19</option>
    <option value='20'>20</option>
    <option value='21'>21</option>
    <option value='22'>22</option>
    <option value='23'>23</option>
    <option value='24'>24</option>
    <option value='25'>25</option>
    <option value='26'>26</option>
    <option value='27'>27</option>
    <option value='28'>28</option>
    <option value='29'>29</option>
    <option value='30'>30</option>
    <option value='31'>31</option>
</select>
```

```
<select name='year' id='year'>
   <option value="" selected disabled>Year</option>
   <option value='1947'>1947</option>
   <option value='1948'>1948</option>
    <option value='1949'>1949</option>
   <option value='1950'>1950</option>
   <option value='1951'>1951</option>
   <option value='1952'>1952</option>
   <option value='1953'>1953</option>
   <option value='1954'>1954</option>
   <option value='1955'>1955</option>
   <option value='1956'>1956</option>
   <option value='1957'>1957</option>
   <option value='1958'>1958</option>
    <option value='1959'>1959</option>
   <option value='1960'>1960</option>
   <option value='1961'>1961</option>
    <option value='1962'>1962</option>
   <option value='1963'>1963</option>
   <option value='1964'>1964</option>
   <option value='1965'>1965</option>
   <option value='1966'>1966</option>
   <option value='1967'>1967</option>
   <option value='1968'>1968</option>
    <option value='1969'>1969</option>
   <option value='1970'>1970</option>
   <option value='1971'>1971</option>
   <option value='1972'>1972</option>
   <option value='1973'>1973</option>
   <option value='1974'>1974</option>
   <option value='1975'>1975</option>
   <option value='1976'>1976</option>
   <option value='1977'>1977</option>
   <option value='1978'>1978</option>
    <option value='1979'>1979</option>
   <option value='1980'>1980</option>
   <option value='1981'>1981</option>
    <option value='1982'>1982</option>
   <option value='1983'>1983</option>
   <option value='1984'>1984</option>
   <option value='1985'>1985</option>
    <option value='1986'>1986</option>
    <option value='1987'>1987</option>
    <option value='1988'>1988</option>
   <option value='1989'>1989</option>
```

```
<option value='1991'>1991</option>
                    <option value='1992'>1992</option>
                    <option value='1993'>1993</option>
                    <option value='1994'>1994</option>
                    <option value='1995'>1995</option>
                    <option value='1996'>1996</option>
                    <option value='1997'>1997</option>
                    <option value='1998'>1998</option>
                    <option value='1999'>1999</option>
                    <option value='2000'>2000</option>
                    <option value='2001'>2001</option>
                    <option value='2002'>2002</option>
                    <option value='2003'>2003</option>
                    <option value='2004'>2004</option>
                    <option value='2005'>2005</option>
                    <option value='2006'>2006</option>
                    <option value='2007'>2007</option>
                    <option value='2008'>2008</option>
                    <option value='2009'>2009</option>
                    <option value='2010'>2010</option>
                    <option value='2011'>2011</option>
                    <option value='2012'>2012</option>
                    <option value='2013'>2013</option>
                    <option value='2014'>2014</option>
                    <option value='2015'>2015</option>
                    <option value='2016'>2016</option>
                    <option value='2017'>2017</option>
                    <option value='2018'>2018</option>
                    <option value='2019'>2019</option>
                </select>
                We'll send you marketing promotions, special offers, inspirati
on, and policy updates via email.
                <input type="submit" value="Sign up" id="sign btn"><br><br><br><br>
                <input type="checkbox" name="marketing" value="marketing"> I don'
t want to receive marketing messages
                from Airbnb. I can also opt out of receiving these at any time in
my account settings or via the link in
                the message.<br>
        </div>
        </form>
        <div id="con"></div>
    </div>
```

<option value='1990'>1990</option>

### roomhandlebars

```
<link rel="stylesheet" href="css/room.css">
<h2>Places to stay in Toronto</h2>
<section id="room1">
    <div id="figure1">
        <img src="../img/figure1.jpg" alt="figure1">
        <h6>ENTIRE LOFT.TORONTO</h6>
            French retro apartment near Sheppard
        <h4>$145 CAD/night</h4>
        \langle p \rangle \langle i | class = "fas fa-star fa-xs" \rangle \langle /i \rangle 4.89(545) \langle /p \rangle
    </div>
    <div id="figure2">
        <img src="../img/figure2.jpg" alt="figure2">
        <h6>ENTIRE LOFT.TORONTO</h6>
             Super-convenient apartment near Finch Station
        </h3>
        <h4>$143 CAD/night</h4>
        <i class="fas fa-star fa-xs"></i>4.77(359)
    </div>
    <div id="figure3">
        <img src="../img/figure3.jpg" alt="figure3">
        <h6>ENTIRE LOFT.TORONTO</h6>
            Modern apartment near North York
        </h3>
        <h4>$118 CAD/night</h4>
        <i class="fas fa-star fa-xs"></i>4.07(357)
    </div>
</section>
```

```
<section id="room2">
   <div id="figure4">
       <img src="../img/figure4.jpg" alt="figure4">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Sunny luxury apartment in downtown
       </h3>
       <h4>$102 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.12(215)
   </div>
   <div id="figure5">
       <img src="../img/figure5.jpg" alt="figure5">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Cosy hotel apartment near Eglinton
       <h4>$134 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.36(359)
   </div>
   <div id="figure6">
       <img src="../img/figure6.jpg" alt="figure6">
       <h6>ENTIRE LOFT.TORONTO</h6>
           Sun-filled loft apartment in downtown
       </h3>
       <h4>$122 CAD/night</h4>
       <i class="fas fa-star fa-xs"></i>4.45(403)
   </div>
</section>
```

## Style.css

```
margin: 0;
    padding: 0;
body{
    font-family:Arial, Helvetica, sans-serif;
    background-color:#f7cac9;
#navi{
   padding: 1.5rem 0rem 1.5rem 0rem;
   display:grid;
   grid-template-columns: 1fr 1fr 1fr;
#navi > div >i{
   padding: 0.5rem 2rem 2rem 2rem;
    color: white;
nav a
 text-decoration: none;
 color:white;
 font-size: 1.2rem;
  font-weight: bold;
 nav a:hover{
 text-decoration: underline;
h5{
   font-size:1rem;
#foo{
    padding: 1rem 5rem 3rem 5rem;
    display:grid;
    grid-template-columns: 1fr 1fr 1fr;
    background-color: white;
   margin: 1rem 3rem 0 3rem;
```

```
#foo a{
    text-decoration: none;
    color:grey;
}
#foo a:hover{
    text-decoration: underline;
}
#foo i{
    color:grey;
}
#right{
    padding: 3rem 1rem 3rem 1rem;
    margin: 1rem 3rem 1rem;
    border-top: solid 0.3px deeppink;
}
#right p{
    color: white;
}
```

#### home.css

```
header{
    top:0;
    left:0;
    background-image: url("../img/victoria.jpg");
    min-height: 100vh;
    background-size: cover;
    background-position: center center;
p{
    font-size:1rem;
    color: grey;
h1,h2,h3,h4{
    font-family: 'Cardo', serif;
    font-size:2vw;
#box {
    position: absolute;
    top:110px;
    left:80px;
    background-color: white;
    width: 440px;
    height: 480px;
    border-radius: 5px;
#booking{
    margin: 0.5rem 1.3rem 1rem 1.3rem;
h1{
    font-weight: bold;
    font-size:1.8rem;
    margin-right: 2rem;
    font-family:Arial, Helvetica, sans-serif;
label{
    font-weight: bold;
    font-size: 0.73rem;
```

```
padding-bottom: 1rem;
#where {
   width: 375px;
    height: 50px;
    color:grey;
    font-size: 1rem;
#check label:nth-child(1){
    padding-right: 7rem;
.checkli{
    width: 180px;
    height: 50px;
    color:grey;
#guest {
    width: 375px;
    height: 50px;
    color:grey;
#btn{
    color:white;
    background-color:rgb(247, 71, 71);
    padding: 1rem 1.5rem 1rem 1.5rem;
    font-size: 1rem;
    font-weight: bold;
    border-radius: 5px;
    margin-left: 17rem;
#banner{
    margin: 2rem 4rem 2rem 4rem;
#banner h2{
    margin-left:1rem;
#banner-ex{
   display:grid;
```

```
grid-template-columns: 1fr 1fr 1fr;
#banner-ex span{
   color: red;
#banner-ex div{
   position: relative;
    border: 2px solid #d4d0d0;
   margin: 1rem 1rem 1rem;
    box-shadow: 1px 2px #d4d0d0;
    background-color: white;
#banner-ex div img{
    width: 40%;
   height: 100%;
#banner-ex div p{
   position: absolute;
   top: 50%;
   left: 70%;
   transform: translate(-50%, -50%);
   -ms-transform: translate(-50%, -50%);
   color: black;
    font-weight: bold;
   font-size: 1vw;
    cursor: pointer;
#video container{
    position: relative;
   width: 100%;
video {
   position: relative;
   margin: 0 5rem 0 5rem;
   height: 50%;
   width: 90%;
 #video over{
   position: absolute;
   top: 30%;
    left: 35%;
   width: 30%;
   height: 50%;
```

```
transform: translate(-50%, -50%);
   -ms-transform: translate(-50%, -50%);
  color: white;
   cursor: pointer;
#video_over h5{
  color: white;
  font-size: 8vw;
  align-self: center;
  font-family: 'Cardo', serif;
#video_over p {
  color: white;
  font-size: 3vw;
  align-self: center;
 .btn3{
  color:black;
  font-weight: bold;
  background-color:white;
  font-size: 1.5vw;
  padding: 1rem 2rem 1rem 2rem;
  border-radius: 10px;
  text-decoration: none;
  margin-top:2rem;
#toronto{
     padding: 2rem 2rem 1rem 5rem;
#room1
 display: grid;
grid-template-columns: 1fr 1fr 1fr;
padding: 1rem 5rem 0 5rem;
 font-family: 'Work Sans', sans-serif;
#room1 p
  padding: 1rem 0 1.8rem 0;
  text-align: left;
  color: grey;
```

```
font-size: 0.9rem;
 #room1 img
  width:100%;
   height:auto;
#figure1,#figure2,#figure3{
    background-color: white;
   margin-right: 1rem;
    padding: 1rem 1rem 0 1rem;
    box-shadow: 1px 2px #d4d0d0;
   border-radius: 3px;
#room1 h6{
   color: grey;
 font-size: 1rem;
#room1 h4{
   margin-top: 1rem;
 color: grey;
 font-size: 1rem;
#room1 i{
    color: deeppink;
#room1{
    margin-bottom: 1rem;
#info > h2{
    padding: 1rem 2rem 1rem 2rem;
    margin: 1rem 3rem 1rem 3rem;
#info-ex {
   display:grid;
    grid-template-columns: 1fr 1fr 1fr;
    border-bottom: solid 1px deeppink;
    border-top: solid 1px deeppink;
    margin: 1rem 5rem 1rem 5rem;
    padding:3rem 0 3rem 0;
    background-color:#FFFFB1;
```

```
border-radius: 3px;
#info-ex div{
    margin: 0 2rem 0 2rem;
    background-color: white;
    border-radius: 5px;
    padding: 1rem 1rem 1rem;
h6{
    padding-top:1rem;
    font-size:1.2rem;
    font-weight:bold;
    font-family: 'Cardo', serif;
#info-ex p{
    font-size: 1rem;
    color: grey;
#plus_stay{
     margin: 2rem 5rem 2rem 5rem;
.container btn {
    position: relative;
    width: 100%;
  /* Make the image responsive */
  .container_btn img {
    width: 100%;
    height: auto;
  /* Style the button and place it in the middle of the container/image */
  .container btn .btn {
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
```

```
-ms-transform: translate(-50%, -50%);
    background-color: white;
    color: black;
    font-size: 16px;
    padding: 20px 30px;
    border: none;
    cursor: pointer;
    border-radius: 5px;
    font-family: 'Cardo', serif;
  .container_btn .btn span{
      color: grey;
      font-weight:bold;
      font-size: 20px;
  .container_btn .btn:hover {
    background-color: black;
    color: white;
    font-family: 'Cardo', serif;
#conclude{
    padding: 2rem 2rem 5rem 5rem;
    border-bottom: solid 0.3px deeppink;
#conclude > div > p:nth-child(1)
    font-family: 'Cardo', serif;
    margin: 2rem 2rem 0 5rem;
  line-height: 9vw;
  font-size: 4rem;
#conclude > div > p:nth-child(2)
    margin: 2rem 2rem 0 5rem;
  font-size: 1rem;
#conclude > div:nth-child(2)
  padding: 1.5rem 0 2rem 19rem;
 /*.btn
```

```
position:relative;
 background-color:white;
 padding: 1.2rem 2rem 1.2rem 2rem;
 border: 2px solid #000000;
 text-decoration: none;
 margin: 8rem 0 4rem 8rem;
.btn2{
 color:white;
 font-weight: bold;
 background-color: rgb(255, 20, 130);
 font-size: 0.9rem;
 padding: 1.2rem 2rem 1.2rem 2rem;
 border-radius: 3px;
 text-decoration: none;
   margin-top: 3rem;
.btn2:hover {
   background-color: black;
   color: white;
```

#### room.css

```
nav a{
    color: red;
#navi > div >i{
  color: red;
header{
    border-bottom: 1px solid deeppink;
h2{
    padding: 2rem 5rem 2rem 5rem;
h6{
    color:grey;
    padding-top: 0.5rem;
    font-size: 0.7rem;
h3{
    padding: 0.5rem 0 0.5rem 0;
h4{
    color:grey;
#room1,#room2
  display: grid;
  grid-template-columns: 1fr 1fr 1fr;
  padding: 0 5rem 0 5rem;
  font-family: 'Work Sans', sans-serif;
 #room1 p,#room2 p
    padding: 1rem 0 1.8rem 0;
    text-align: left;
    color: grey;
    font-size: 0.9rem;
 #room1 img,#room2 img
```

```
width:100%;
height:auto;
}

#room1 div,#room2 div
{
  padding-right: 1rem;
}

#room1 i, #room2 i{
    color: deeppink;
}

#room2{
    margin-bottom: 3rem;
}
```


## register.css


```
body{
    background-color:#f7cac9;
nav a{
    color: red;
#navi > div >i{
  color: red;
header{
    border-bottom: 1px solid deeppink;
#container{
    height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
#box {
    background-color:white;
    width: 580px;
    height: 750px;
    border-radius: 5px;
    margin: 5rem 0 5rem 0;
    border: 1px solid deeppink;
#register > p{
    font-size: 1rem;
    text-align: center;
#register a{
    color:rgb(84, 47, 252);
    text-decoration: none;
#register a:hover{
    text-decoration: underline;
```


```
#or{
    width: 100%;
    text-align: center;
    border-bottom: 1px solid grey;
    line-height: 0.1em;
    margin: 10px 0 20px;
    color: grey;
#or span{
    background:#fff;
    padding:0 10px;
form {
    margin: 0 auto;
    width:90%;
input[type=email] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
    position: center;
input[type=text] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
  input[type=password] {
    width: 100%;
    padding: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    resize: vertical;
```


```
input[type=submit] {
    background-color:rgb(247, 71, 71);
    color: white;
    width: 100%;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    padding: 1rem 0 1rem 0;
   font-size:1rem;
    font-weight: bold;
  input[type=submit]:hover {
    background-color:lightpink;
  #day,#month,#year{
   margin: 1rem 0.2rem 1rem 0.2rem;
   width: 31%;
   padding: 10px;
   border: 1px solid #ccc;
    border-radius: 4px;
   box-sizing: border-box;
   resize: vertical;
 input[type=checkbox] {
   color: grey;
h3{
    padding: 1rem 0 1rem 0;
 color: grey;
```

## 2.Screenshot











// Room





// sign up

