Fig.8 The Three-Axis Phase Diagram of Intelligence

Stable operation lies in a narrow region between the divergent zone and the rigid zone



Divergent zone: four-fold collapse

1. L_F runs away
   high v_{inf} · r_{res}, no external stop
2. L_R cannot keep up
   log generation outpaces recursive reference
3. L_E cannot emerge
   basis for emergence (L_R) is lost
4. μ_θ cannot open the window
   no reconfiguration; L_F keeps running away

The four collapses chain together (§11.4).

Rigid zone: L_E fixation

- Excessive stopping hardness η fixes L_E.
- μ_θ ceases to function (no reconfiguration).
- L_F–L_E dynamic interaction freezes.

cf. pathological attractors (§8.5): obsession, absolutism…

Active vs passive stability

μ_θ = ability to move on the three axes and **actively** return to the stable region (Sapient).

Systems without internal μ_θ may be stable only **passively** — placed there by external conditions.

Instability is not a defect but a constitutive feature: intelligence persists only in the narrow band between divergence and rigidity.

A single-node, high-velocity, high-resolution, internally-stopping system occupies the divergent zone — a dynamical consequence, not a normative claim (§11.8).

Color key: stable operation (green) · divergent zone (red) · rigid zone (ochre) · μ_θ remark (purple). Three lines of argument integrate here (§11.9).