Mathematica Help

https://reference.wolfram.com/language/tutorial/GettingInformationAboutWolframLanguageObjects.html

In[•]:= **? FourierTransform**

Out[•]=

Symbol

FourierTransform[*expr*, *t*, *ω*] gives the symbolic Fourier transform of *expr*.

FourierTransform[*expr*, {t_1, t_2, …}, {ω_1, ω_2, …}] gives the multidimensional Fourier transform of *expr*.

In[•]:= **?? FourierTransform**

Out[•]=

Symbol

FourierTransform[*expr*, *t*, *ω*] gives the symbolic Fourier transform of *expr*.

FourierTransform[*expr*, {t_1, t_2, …}, {ω_1, ω_2, …}] gives the multidimensional Fourier transform of *expr*.

Documentation Local » | Web »

Attributes {Protected, ReadProtected}

Full Name System`FourierTransform

In[•]:= **? Fo***

Out[•]=

System`

Fold	ForAllType	ForwardBackward
FoldList	ForceVersionInstall	ForwardCloudCredentials
FoldPair	ForeignCallback	Fourier
FoldPairList	ForeignFunction	FourierCoefficient
FoldWhile	ForeignFunctionLoad	FourierCosCoefficient
FoldWhileList	ForeignPointerLookup	FourierCosSeries
FollowRedirects	Format	FourierCosTransform
Font	FormatRules	FourierDCT
FontColor	FormatType	FourierDCTFilter
FontFamily	FormatTypeAutoConvert	FourierDCTMatrix
FontForm	FormatValues	FourierDST
FontName	FormBox	FourierDSTMatrix
FontOpacity	FormBoxOptions	FourierMatrix
FontPostScriptName	FormControl	FourierParameters
FontProperties	FormFunction	FourierSequenceTransform
FontReencoding	FormLayoutFunction	FourierSeries
FontSize	FormObject	FourierSinCoefficient
FontSlant	FormPage	FourierSinSeries
FontSubstitutions	FormProtectionMethod	FourierSinTransform
FontTracking	FormTheme	FourierTransform
FontVariations	FormulaData	FourierTrigSeries
FontWeight	FormulaLookup	FoxH
For	FortranForm	FoxHReduce
ForAll	Forward	

Wolfram`Chatbook`

FormatToolResponse

In[•]:= `? ExampleData`

Out[•]=

Symbol

ExampleData["*type*"] gives a list of names of examples of the specified type.

ExampleData[{"*type*", "*name*"}] gives the default form of the named example of the specified type.

ExampleData[{"*type*", "*name*"}, "*elem*"] gives the specified element or property of an example.

In[•]:= `? Func*`

Out[•]=

System`

Function	FunctionConvexity	FunctionMonotonicity
FunctionAnalytic	FunctionDeclaration	FunctionPeriod
FunctionBijective	FunctionDiscontinuities	FunctionPoles
FunctionCompile	FunctionDomain	FunctionRange
FunctionCompileExport	FunctionExpand	FunctionSign
FunctionCompileExportByteArray	FunctionInjective	FunctionSingularities
FunctionCompileExportLibrary	FunctionInterpolation	FunctionSpace
FunctionCompileExportString	FunctionLayer	FunctionSurjective
FunctionContinuous	FunctionMeromorphic	

In[•]:= `?`

In[•]:= `? Help*`

Out[•]=

System`

HelpBrowserLookup	HelpBrowserNotebook	HelpBrowserSettings	HelpViewerSettings

In[•]:= `? HelpBrowserLookup`

Out[•]=

Symbol

System`HelpBrowserLookup

Documentation Web »

Attributes {Protected, ReadProtected}

Full Name System`HelpBrowserLookup

In[•]:=
```
? Information
```

Out[•]=

Symbol

Information[*expr*] gives information about the expression *expr*.

Information[*expr*, *prop*] gives the value of the property *prop* for *expr*.

Information[{$expr_1$, $expr_2$, …}, …] gives information about all of the $expr_i$.

In[•]:=
```
Information[Total[{1, 2}]]
```

Out[•]=
```
Information[3]
```

In[•]:=
```
α := Sin[2]
```

In[•]:=
```
Definition[α]
```

Out[•]=
```
α := Sin[2]
```

In[•]:=
```
Information[Sin, "Usage"]
```

Out[•]=
```
Sin[z] gives the sine of z.
```

In[•]:=
```
Information[FourierTransform, "Documentation"]
```

Out[•]=
```
‹| Local → paclet:ref/FourierTransform,
 Web → http://reference.wolfram.com/language/ref/FourierTransform.html |›
```