Catching Up in Surabaya

Author: Ata & Dzaky
Time limit: 1 s

source: https://pin.it/5eUjNwRKi

Setelah menghabiskan satu tahun belajar di luar negeri di berbagai negara, Yuka dan Bando akhirnya kembali ke Surabaya. Karena sudah lama tidak bertemu, mereka memutuskan untuk bertemu dan menghabiskan waktu bersama sambil saling berbagi kabar, kenangan, dan cerita dari pengalaman mereka selama di luar negeri.

Selama waktu terpisah, keduanya mulai memiliki kebiasaan menyimpan tempat dan aktivitas menarik yang ingin mereka coba suatu hari nanti. Setiap kali mereka menemukan tempat baru di kota, seperti kafe, warung kaki lima, atau aktivitas seru lainnya, mereka menambahkannya ke dalam daftar rencana mereka.

Setiap rencana memiliki **nilai keseruan (fun score)** yang menunjukkan seberapa menarik aktivitas tersebut.

Setiap kali mereka memutuskan untuk pergi bersama, mereka selalu memilih rencana dengan nilai keseruan **tertinggi** yang tersedia saat itu, lalu menjalankannya bersama.

Namun suasana hati mereka kadang bisa berubah. Terkadang salah satu dari mereka menjadi sangat bersemangat, misalnya karena cuaca yang bagus, musik yang enak, atau nostalgia dari masa mereka di luar negeri. Saat itu mereka mendapatkan **peningkatan mood (mood boost)**.

Ketika hal ini terjadi, rencana berikutnya yang mereka lakukan akan menjadi lebih seru. Mereka tetap memilih rencana terbaik yang tersedia, tetapi **nilai keseruannya akan ditambah dengan nilai mood boost tersebut**. Setelah mereka pergi bersama, mood mereka kembali normal.

Format Input

Baris pertama berisi sebuah bilangan bulat **N**, yang menyatakan jumlah kejadian.

N baris berikutnya masing-masing berisi satu perintah berikut:

`PLAN X`
`GO_OUT`
`MOOD X`

Format Output

Untuk setiap perintah `GO_OUT` , tampilkan **nilai keseruan akhir** dari rencana yang dijalankan. Jika tidak ada rencana yang tersedia, tampilkan `No one is going out`.

Batasan

1 ≤ N ≤ 100,000
1 ≤ X ≤ 1,000,000

Contoh Format Input 0

```
8
PLAN 10
PLAN 50
GO_OUT
MOOD 50
PLAN 5
GO_OUT
GO_OUT
GO_OUT
```

Contoh Output 0

```
50
60
5
No one is going out
```

Catching Up in Surabaya

Author: Ata & Dzaky
Time limit: 1 s

source: https://pin.it/5eUjNwRKi

After spending a year studying abroad in different countries, **Yuka and Bando** finally returned to Surabaya. Having not seen each other for so long, they decided to meet up and spend time catching up on life updates, memories, and stories from their time overseas.

During their time apart, both of them developed a habit of saving interesting places and activities they wanted to try someday. Whenever they discover a new place in the city, such as a café, a street food stall, or a fun activity, they add it to their growing list of plans. Each plan is assigned a **fun score** that represents how exciting the activity would be.

Whenever they decide to hang out, they always choose the **most exciting plan currently on their list** and go do it together.

However, their mood can sometimes change. Occasionally, one of them becomes extremely enthusiastic, perhaps because of good weather, good music, or nostalgia from their time abroad, and gains a **mood boost value**. When this happens, their next outing becomes even more exciting. They choose the best available plan and **add the mood boost to its fun score**. After going out, their mood returns to normal.

Input Format

The first line contains an integer **N**, the number of events.

Each of the next **N** lines contains one command :

`PLAN X`
`GO_OUT`
`MOOD X`

Output Format

For each `GO_OUT` command, output the final excitement score of the executed plan
If no plans are available, output `No one is going out`.

Constraints

1 ≤ N ≤ 100,000
1 ≤ X ≤ 1,000,000

Sample Input 0

```
8
PLAN 10
PLAN 50
GO_OUT
MOOD 50
PLAN 5
GO_OUT
GO_OUT
GO_OUT
```

Sample Output 0

```
50
60
5
No one is going out
```