



RenkoKings

SIMPLE & CLEAR ENTRIES

SpaceGPS Satellite Trader Manual

Dear Trader,

Upon receiving this document, you have acquired **SpaceGPS Satellite**. We wish you a great experience with SpaceGPS Satellite. This document will help you trade more efficiently with this system.

1. Installation & Activation

Please follow the instructions in the **InstallationProcedure-NT8.pdf** document (accompanying this) to install and activate the following products, in the following sequence.

Step 1: Install and activate the SpaceGPS Satellite system (file: **RenkoKings_SpaceGPS Satellite_NT8.zip**).

Step 2:

- If you decide to use SpaceGPS Satellite on ninZaRenko, install the ninZaRenko bar (file: **NinZaRenko_NT8.zip**). No need to activate it, because ninZaRenko is a freebie. Please watch the following video for instructions on how to use ninZaRenko: <https://www.youtube.com/watch?v=zRMrSyjmljo>
- If you decide to use SpaceGPS Satellite on KingRenko\$, install and activate the KingRenko\$ bar (file: **KingRenko_NT8.zip**).

Step 3: If you want to have the bar-close prices of ninZaRenko / KingRenko\$ highlighted on your chart, install the Bar Status indicator (file: **NinZaBarStatus_NT8.zip**). No need to activate it, because Bar Status is a freebie.

2. Overview

SpaceGPS Satellite is our first Order Flow system, developed with a significant investment of time and effort. The key components of the system include:

- **Trend Plot:** By applying advanced algorithms, this system provides a stable and easy-to-understand trend through a single plot line. In addition to this, the Trend Plot also acts as a trailing stop, allowing you to easily adjust your stop-loss levels to protect your profits. Furthermore, it plays a crucial role in identifying resistance and support areas when certain conditions are met.
- **2-Layer Support and Resistance:** The support and resistance zones have a distinctive feature: each zone is divided into 2 layers — the Basic zone and the Extreme zone.
- **Pullback Signal:** For the first time, our system features a Pullback signal based on Volume Profile, improving the reliability of trading signals.
- **Momentum Signal:** One of the most notable features of this system is its ability to provide alerts for increasing buying and selling momentum, based on the volume analysis of each candlestick. With this type of signal, you can proactively adjust your stop or take profits.

3. The parameters

Parameters	
Mode	BidAskPrice_RealVolume
MA Type	EMA
Trend Period	30
Fast Period	22
Slow Period	55
Volume: MA Period	10
Volume: High Volume MA Multiplier	2
Volume: High Volume Minimum	200
Volume: Medium Volume MA Multiplier	0.5
Volume: Medium Volume Minimum	50
Zone Qualifying Flat Age (Bars)	2
Extreme Zone Qualifying Age (Bars)	6
Signal Split (Bars)	10
Strong Momentum Period	10
Zone Group Resize Threshold (Ticks)	200

3.1. Mode

Mode	BidAskPrice_RealVolume	▼
------	------------------------	---

- **"BidAskPrice_RealVolume"**: This mode should be used for instruments with real volumes (futures & stocks). Buy volume & sell volume are defined as follows:
 - Buy Volume: If the price of a tick is greater than or equal to the ask price, the real volume of the tick is categorized as buy volume and added to the total buy volume of the bar that the tick belongs to.
 - Sell Volume: If the price of a tick is less than or equal to the bid price, the real volume of the tick is categorized as sell volume and added to the total sell volume of the bar that the tick belongs to.

Mode	UpDownTick_UnitVolume	▼
------	-----------------------	---

- **"UpDownTick_UnitVolume"**: This mode is the one & only choice for instruments without real volumes (forex, CFDs, indices). Buy volume & sell volume are defined as follows:
 - Buy Volume: If a tick is up or remains up, a unit volume is credited as buy volume for the tick and added to the total buy volume of the bar that the tick belongs to.
 - Sell Volume: If a tick is down or remains down, a unit volume is credited as sell volume for the tick and added to the total sell volume of the bar that the tick belongs to.

Please be advised that historical and real-time calculations of the same bar may not be 100% identical, due to technical limitations.

3.2. Period

MA Type	EMA	▼
Trend Period	30	
Fast Period	22	
Slow Period	55	

- **"MA Type"**: The moving average type (can choose from 11 popular moving-average types).
- **"Trend Period"**: Defines the period for the trend plot.
- **"Fast Period"**: Defines the period to determine the Basic zone. The larger this parameter, the wider the Basic zone, and conversely, the smaller this parameter, the narrower the Basic zone.


- **"Slow Period"**: Defines the period to determine the Extreme zone. The larger this parameter, the wider the Extreme zone. Conversely, the smaller this parameter, the narrower the Extreme zone.

3.3. Volume

Volume: MA Period	10
Volume: High Volume MA Multiplier	2
Volume: High Volume Minimum	100
Volume: Medium Volume MA Multiplier	0.5
Volume: Medium Volume Minimum	50

- **"Volume: MA Period"**: Defines the period for calculating the moving average of trading volume.


For example, if Volume: MA Period = 20, the system will calculate the average trading volume of the last 20 candlesticks.



- **"Volume: High Volume MA Multiplier"**: This multiplier is used to determine the "High Volume" threshold. The larger this value, the fewer volume-based analysis signals will be suggested.
- **"Volume: High Volume Minimum"**: This is the minimum volume level required in a candlestick for it to be considered a high-volume candlestick. The larger this value, the fewer volume-based analysis signals will be suggested.
- **"Volume: Medium Volume MA Multiplier"**: This multiplier is used to determine the "Medium Volume" threshold. The larger this value, the fewer volume-based analysis signals will be suggested.

- **"Volume: Medium Volume Minimum":** This is the minimum volume level required in a candlestick for it to be considered a medium-volume candlestick. The larger this value, the fewer volume-based analysis signals will be suggested.

Based on these parameters, the system will analyze and display volume bars with the following colors:



- **White Volume Bars:** Indicate low volume, specifically when the volume does not reach the "average volume" threshold. Additionally, even if the volume of the candlestick exceeds the average level, the volume bar will still display in white if the closing price is near the middle of the candlestick's range, representing a neutral candlestick. This situation suggests a balance between buying and selling forces, with no clear trend emerging.
- **Light Green:** Represents buying volume that reaches or exceeds the average volume. **Dark Green** indicates when buying volume has reached a high threshold, showing strong buying pressure.
- **Light Pink:** Represents selling volume that reaches or exceeds the average volume. **Dark Pink** indicates when selling volume has reached a high threshold, reflecting increased selling pressure.
- **Yellow:** Yellow volume bars indicate high volume but with a neutral candlestick—when the closing price is near the middle of the candlestick's range. Similar to the white volume bars, this neutral candlestick shows a balance between buying and selling forces, with no clear trend forming.


Buy signal candles are those with volume bars colored light green or dark green.

Sell signal candles are those with volume bars colored light pink or dark pink.

3.2. Other Parameters

Zone Qualifying Flat Age (Bars)	2
Extreme Zone Qualifying Age (Bars)	2
Signal Split (Bars)	5
Strong Momentum Period	10
Zone Group Resize Threshold (Ticks)	200

- **"Zone Qualifying Flat Age (Bars)":** Defines the minimum number of candlesticks that the Trend Plot must maintain a flat (sideways) state for the Support/Resistance zone to form.



In the example illustrated in the image above, Zone Qualifying Flat Age (Bars) = 2 means that the resistance zone starts to form from the third candlestick, after the Trend Plot has maintained a flat state for two consecutive candlesticks. When the Trend Plot exits the flat state, the resistance zone will stop being drawn.

"Extreme Zone Qualifying Age (Bars)": Defines the minimum length, measured in candlesticks, from the formation of the support/resistance zone until it ends, in order for that support/resistance zone to be displayed.



In the example illustrated in the image above, **Extreme Zone Qualifying Age (Bars) = 10** means that the resistance zone will only be displayed after it transitions to the Inactive state, provided it has lasted for 10 candlesticks beforehand.

Note: The support and resistance zones will not be displayed if the price does not touch them.

- **"Signal Split (Bars)":** Set the minimum distance between signals, which is based on the number of candles.



In the example illustrated above, **Signal Split (Bars) = 5** means that the distance between the first signal and the next signal must be at least 5 candlesticks. In this case, the second Sell

signal is 8 candlesticks away from the first Sell signal, so the second signal is confirmed as valid.

- **"Strong Momentum Period"**: Defines the period for identifying candlesticks with the strongest buying or selling volume momentum within that period.


For example, if **Strong Momentum Period = 10**, the system will identify the candlestick with the strongest buying or selling volume momentum within the last 10 candlesticks.



Signal Formation Conditions:

- For a candlestick with strong buying volume: This candlestick must have a positive Delta, and its buying volume must be greater than the buying volume of the previous 10 candlesticks, based on the period defined in **Strong Momentum Period**. When these conditions are met, a **Strong Buy Momentum** signal will be triggered.
- For a candlestick with strong selling volume: This candlestick must have a negative Delta, and its selling volume must be greater than the selling volume of the previous 10 candlesticks, according to the period defined in **Strong Momentum Period**. When these conditions are met, a **Strong Sell Momentum** signal will be suggested.
- **"Zone Group Resize Threshold (Ticks)"**: Defines the minimum height of a zone for resizing. Sometimes, Support/Resistance zones are too large, making them impractical for trading and less effective. Therefore, to limit oversized Support/Resistance zones, we provide this parameter to allow the system to resize the zones, making them more suitable for trading.

4. Alerts: (Signal Conditions)



- **"Condition: Trend Start"**: When this alert is enabled, the trend markers will appear on the chart when there is a signal. On the other hand, if this alert is disabled, the trend markers will not appear.
- **"Condition: Trend Pullback"**: When this alert is enabled, the pullback markers will appear on the chart when there is a signal. On the other hand, if this alert is disabled, the pullback markers will not appear.
- **"Condition: Strong Momentum"**: When this alert is enabled, the strong momentum markers will appear on the chart when there is a signal. On the other hand, if this alert is disabled, the strong momentum markers will not appear.

5. NinjaScripts Signals

You can rely on the signals below to build your strategy:

- **Signal_Trend**: 1 = uptrend, -1 = downtrend
- **Signal_Pullback**: 0 = no signal, 1 = buy, -1 = sell
- **Signal_Strong Momentum**: 1 = strong buy momentum, -1 = strong sell momentum
- **Signal_Trade**: 2 = bullish pullback, -2 = bearish pullback

Below is the example condition for this indicator based on the **Signal_Trade**:

If Signal_Trade equals to 2, you can enter long here.

If Signal_Trade equal to -2, you can enter short here.

Please follow the link below to find more information about Strategy Builder.

<https://youtu.be/mtMNjOQtQE>

6. Trading

SpaceGPS Satellite is a comprehensive system designed to operate on any bar type. It provides all the signals necessary to execute a trade, including trend, entry signal, stop, target, and a smart trailing stop strategy. With its presentation of trend - zone - signal, SpaceGPS Satellite offers a clear and intuitive overview of the market.

6.1. How to use signals effectively?

6.1.1. Trend plot

The Trend Plot also functions as a trailing stop, allowing you to easily adjust stop-loss levels to protect your profits. Additionally, it plays a key role in identifying support and resistance zones when certain conditions are met.

The Trend Plot also helps you gauge the strength of a trend. When the Trend Plot remains flat for an extended period, it suggests that the trend may be weakening and could be prone to reversal.

Moreover, you can adjust the Trend Plot period to suit your trading style. For example, if you prefer a trend that is less affected by short-term fluctuations, you can increase the period; conversely, if you want to capture trends more quickly, you can reduce it. However, setting it between 20-50 provides stability. Setting it too high or too low can make zone confirmation more challenging.

6.1.2. 2-Layer Support and Resistance

Dividing the support and resistance zones into two layers provides a distinct advantage for implementing a dollar-cost averaging (DCA) strategy. You can split orders and allocate them across these two layers, avoiding the need to commit all capital to a single position, thereby increasing flexibility and preserving capital more effectively.

In particular, with the 2-layer support and resistance structure, it becomes easier to identify when a support or resistance zone is genuinely broken. Additionally, by delineating support and resistance areas to find signals, the system offers a significant advantage in minimizing Volume Traps—situations where sudden spikes in trading volume can mislead traders regarding the true strength of high-volume candlesticks. Thanks to the two-layer support/resistance setup, you can better identify key trading areas where sudden volume increases are more reliable.

6.1.3. Pullback Signal

For the first time, our system features a Pullback signal based on Volume Profile, improving the reliability of trading signals.

Using volume, you can assess the strength of a signal candlestick, as higher volume typically indicates a more reliable signal. Through advanced volume analysis, the system helps you identify which candlesticks truly have strong buying or selling volume by using color coding.

6.1.4. Momentum Signal.

- In an uptrend, when the system detects a candlestick with strong buying pressure, consider adjusting your stop to follow these candlesticks to protect profits and reduce

risk from fluctuations. This approach is highly effective when using a Scalping Out strategy, taking partial profits to secure gains.

Conversely, if you encounter a candlestick with strong selling pressure during an uptrend, locking in profits can help preserve gains against sudden volatility, maintaining your advantage and reducing risk as the market changes rapidly.

- In a downtrend, when the system detects a candlestick with strong selling pressure, consider adjusting your stop to follow these candlesticks to protect profits and reduce risk from fluctuations. Conversely, if you see a candlestick with strong buying pressure, locking in profits is a wise choice to stay secure against sudden market volatility.


6.2. Reward/Risk ratio

In essence, SpaceGPS Satellite operates as a trend-following system, utilizing the Pullback signal to optimize entry points. Therefore, it's essential to manage the order placement process effectively to leverage its full potential and achieve a high reward-to-risk ratio.

During backtesting with [Hellowin](#), it's advisable to set the Reward/Risk ratio higher than 1:1, such as 3:1 or 5:1. The Stop position should align with the Trailing Stop line, while the target position should correspond to either the reversal warning signals or the chosen Reward/Risk ratio.

Below, you'll find backtest videos of NQ and ES, demonstrating favorable results with a Reward/Risk ratio where the Reward exceeds the Risk.

6.3 Capital Management



6.3.1. %Risk/Trade

When it comes to capital management, let's begin by discussing risk. It is important to avoid putting all of your money at risk in your account. Determine the maximum percentage of risk that you are willing to accept for your account within a specified time frame.

For example, suppose your account balance is \$100,000. It is important to determine the maximum drawdown level for your account, also known as the Maximum Drawdown (MDD). In this scenario, let's say you decide on an MDD of 30% (equivalent to \$30,000 in currency) over a period of 3 months.

* Note: You can determine the MDD and time frame according to your personal preferences. In this example, we are just providing guidelines for easier visualization.

Why did we choose a time frame of 3 months? This duration allows you to take a pause and carefully evaluate your trading method, considering whether the trading results are positive or negative. If the results are not favorable, it is crucial to step back, make necessary improvements, and then resume trading. Do not waste your money if your trading journal indicates that you are trading ineffectively and experiencing losses. Without making any improvements, you will continue to lose your hard-earned money.

In this example, the MDD of 30% represents the %Risk/Account of 30% over a 3-month period. From that, we will go lower to finally get %Risk/Day as follows.

$$\rightarrow \%Risk/Month = 10\%$$

$$\rightarrow \%Risk/Week = 2.5\%$$

$$**** \rightarrow \%Risk/Day = 0.5\%$$

The next step is to determine the %Risk/Trade number.

To determine the %Risk/Trade, you need to have a clear understanding of the average number of trades that appear in a day based on your trading checklist. Once you know the %Risk/Day, you can calculate the %Risk/Trade by dividing the %Risk/Day by the number of trades per day.

For example, let's assume that your trading checklist indicates an average of 5 trades per day. Then we have:

$$\rightarrow Trades/Day = 5 \text{ trades}$$

$$\rightarrow \%Risk/Trade = \%Risk/Day : Trades/Day = 0.5\% : 5 = 0.1\%$$

This implies that you should limit your risk to no more than 0.1% of your account balance per trade. Consequently, the highest amount you can risk for each trade is \$100.

* Note: You can utilize a Micro account to increase the distance for your stop-loss orders. A Micro account generally allows for smaller position sizes, enabling you to set wider stop-loss levels while still effectively managing your risk for each trade within \$100. This can offer greater flexibility in your trading strategy and accommodate a larger stop-loss distance.

6.3.2. Wining trades/Day

The next aspect of capital management is to determine the number of winning trades per day (Winning trades/Day) required to reach your profit target. When either the risk or profit reaches the predetermined level, it is advisable to **CEASE trading** to safeguard your capital and preserve your profits. This practice should be implemented with strict discipline since, after a series of consecutive winning trades, there is a higher likelihood of encountering consecutive losing trades.

You should begin by setting the desired profit target for a year (%Profit/Year). For example, if your account balance is \$100,000, you can set a %Profit/Year target of 60%, which means you aim to make \$60,000 within a year.

Then we will go lower to come up with %Profit/Day as follows.

→ %Profit/Month = 5%

→ %Profit/Week = 1.25%

→ %Profit/Day = 0.25%

Next, you need to determine the Reward/Risk ratio for each trade.

If the ratio is 2:1, you only need to win 2 consecutive trades per day (%Risk/Trade = 0.1%) to achieve a profit of 0.4%, surpassing the %Profit/Day target. Can you achieve this? Absolutely! It is entirely feasible for you.

As a result, you have established that Winning trades/Day = 2 trades.

In conclusion, while there are several metrics to consider in capital management, it boils down to 2 essential ones: %Risk/Trade and Winning trades/Day. By keeping these metrics in mind and approaching your trades with discipline and stability, you can work towards achieving your profit targets effectively.

6.4 Trading Preparation and Execution

Before engaging in trading activities, it is imperative to sift through the plethora of signals provided by SpaceGPS Satellite . Not all signals are universally applicable or compatible with one's trading style or prevailing market conditions. Therefore, a discerning eye is required to identify signals that align with phases of the market boasting high reliability for trading purposes.

SpaceGPS Satellite offers a diverse array of features, encompassing signals and signal filters, empowering traders to tailor their trading systems to their individual preferences and strategies. Encouragement is extended to explore, innovate, and break free from limitations. The ethos emphasizes fostering a culture of research and innovation without constraints.

Upon consolidating the requisite factors and conditions essential for executing a trade, it is prudent to craft a meticulous checklist delineating entry criteria, stop-loss thresholds, and profit targets. This checklist should be conspicuously positioned within one's line of sight, whether on-screen or in physical proximity, ensuring swift access. Consistently reviewing the checklist prior to each trade cultivates a disciplined approach.

In the act of trading, adopt a systematic approach akin to that of a machine. Trade execution should only occur when all parameters within the checklist align methodically. Patience becomes paramount as one awaits the synchronization of checklist conditions, mirroring the unwavering precision of a machine. This method instills discipline, fostering decisions rooted in a meticulously devised plan rather than succumbing to emotional impulses.

Post-trading, meticulous upkeep of a trading journal is essential. Diligently monitoring profit/loss performance, extracting insights from experiences, scrutinizing trading signals, and refining trading methodologies collectively contribute to continuous improvement. With SpaceGPS Satellite 's support and diligent efforts directed toward the right avenues, the realization of trading aspirations is within reach, beckoning a promising future just over the horizon.