

```

yuktha@LAPTOP-UAVR6HQ0:~$ cd OSLab
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ mkdir Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ cd Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gedit server.c

** (gedit:619): WARNING **: 06:34:57.831: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
** (gedit:619): WARNING **: 06:34:57.831: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gedit client.c

** (gedit:2537): WARNING **: 06:36:21.062: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
** (gedit:2537): WARNING **: 06:36:21.062: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc server.c -o server
server.c: In function 'main':
server.c:69:39: warning: '%s' directive output may be truncated writing up to 511 bytes into a region of size 88 [-Wformat-truncation=]
   69 |         "/tmp/client_%s_fifo",
      |         ^~~~~
server.c:67:17: note: 'snprintf' output between 18 and 529 bytes into a destination of size 100
   67 |         snprintf(client_fifo,
      |         ^~~~~~
   68 |                 sizeof(client_fifo),
      |                 ~~~~~
   69 |                 "/tmp/client_%s_fifo",
      |                 ~~~~~
   70 |                 client_pid);
      |                 ~~~~~
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc client.c -o client
client.c: In function 'main':
client.c:50:18: warning: '%s' directive output may be truncated writing up to 511 bytes into a region of size between 500 and 510 [-Wformat-truncation=]
   50 |         "%d| %s",
      |         ^~~~~
   51 |         pid,
      |         ~~~
   52 |         message);
      |         ~~~~~
client.c:48:5: note: 'snprintf' output between 3 and 524 bytes into a destination of size 512
   48 |         snprintf(full_message,
      |         ^~~~~~
   49 |                 sizeof(full_message),
      |                 ~~~~~
   50 |                 "%d| %s",
      |                 ~~~~~
   51 |                 pid,
      |                 ~~~
   52 |                 message);
      |                 ~~~~~
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ./server
Server started...
Waiting for clients...

```

```
yuktha@LAPTOP-UAVR6HQ0:~$ cd OSLab
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ cd Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ./client
Client started. PID = 3919
Enter message: Hello Server
Message sent to server.
Waiting for response...
Server response: Server processed your message: Hello Server
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ |
```

```
yuktha@LAPTOP-UAVR6HQ0:~$ cd OSLab
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ cd Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ./client
Client started. PID = 3996
Enter message: Hello from Client 2
Message sent to server.
Waiting for response...
Server response: Server processed your message: Hello from Client 2
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ |
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ./server
Server started...
Waiting for clients...

Received: 3919|Hello Server
Client PID : 3919
Message    : Hello Server
Response sent to client 3919

Received: 3996|Hello from Client 2
Client PID : 3996
Message    : Hello from Client 2
Response sent to client 3996
```

```

yuktha@LAPTOP-UAVR6HQ0:~$ cd OSLab
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ mkdir Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ cd Practical6
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gedit server.c

** (gedit:619): WARNING **: 06:34:57.831: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:619): WARNING **: 06:34:57.831: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gedit client.c

** (gedit:2537): WARNING **: 06:36:21.062: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:2537): WARNING **: 06:36:21.062: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc server.c -o server
server.c: In function 'main':
server.c:69:39: warning: '%s' directive output may be truncated writing up to 511 bytes into a region of size 88 [-Wformat-truncation=]
   69 |         "/tmp/client_%s_fifo",
      |         ^~~~~
server.c:67:17: note: 'snprintf' output between 18 and 529 bytes into a destination of size 100
   67 |         snprintf(client_fifo,
      |         ^~~~~~
   68 |                 sizeof(client_fifo),
      |                 ~~~~~
   69 |                 "/tmp/client_%s_fifo",
      |                 ~~~~~
   70 |                 client_pid);
      |                 ~~~~~
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc client.c -o client
client.c: In function 'main':
client.c:50:18: warning: '%s' directive output may be truncated writing up to 511 bytes into a region of size between 500 and 510 [-Wformat-truncation=]
   50 |         "%d|%s",
      |         ^~~~~
   51 |         pid,
      |         ~~~~
   52 |         message);
      |         ~~~~~
client.c:48:5: note: 'snprintf' output between 3 and 524 bytes into a destination of size 512
   48 |         snprintf(full_message,
      |         ^~~~~~
   49 |                 sizeof(full_message),
      |                 ~~~~~
   50 |                 "%d|%s",
      |                 ~~~~~
   51 |                 pid,
      |                 ~~~~
   52 |                 message);
      |                 ~~~~~
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ./server
Server started...
Waiting for clients...

```

```
Client PID : 3919
Message    : Hello Server
Response sent to client 3919
```

```
Received: 3996|Hello from Client 2
Client PID : 3996
Message    : Hello from Client 2
Response sent to client 3996
^C
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gedit Signals.c
```

```
** (gedit:4056): WARNING **: 06:45:44.853: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found
```

```
** (gedit:4056): WARNING **: 06:45:44.853: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc Signals.c -o signals
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ gcc Signals.c -o Signals
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ ls
```

Signals Signals.c client client.c server server.c signals

```
yuktha@LAPTOP-UAVR6H00:~/OSLab/Practical6$ ./Signals
```

```
Signal handling program started.
```

Process ID: 5338

Waiting for signals...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

 $\hat{C}$

SIGINT received (Ctrl+

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

Program is running...

```
Program is running...
```

Program is running...

```
Program is running...
```

```
Program is running...
```

```
SIGUSR1 received
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
```

```
SIGTERM received
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
Program is running...
```

```
Killed ./Signals
```

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab/Practical6$ |
```