

OS File Permissions Outputs

1) Give Read and Write only to the owner

```
yuktha@LAPTOP-UAVR6HQ0:~$ cd OSLab
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ gedit permission.c

** (gedit:596): WARNING **: 05:02:55.377: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:596): WARNING **: 05:02:55.377: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ gcc permission.c -o permission
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ./permission
File created successfully.
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 666 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw-rw-rw- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 600 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw----- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ |
```

2) Give Read and Write to the owner and group

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 660 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ |
```

3) Only owner can read and write

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 600 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw----- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ |
```

4) Owner read/write, everyone else read-only

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 644 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ |
```

5) Owner can do everything, others can only read and execute

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 755 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rwxr-xr-x 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$
```

6) Owner and group can read/write

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 660 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$
```

7) Only owner can execute

```
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ chmod 100 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ ls -l sample.txt
---x----- 1 yuktha yuktha 28 Aug 17 05:10 sample.txt
yuktha@LAPTOP-UAVR6HQ0:~/OSLab$ |
```

Fill in the permission numbers for the following:

8) Owner: read + write; Group: nothing; Others: nothing → 600

9) Owner: read + write; Group: read; Others: read → 644

10) Owner: read + write + execute; Group: read + execute; Others: read + execute → 755

11) Owner: read + write; Group: read + write; Others: nothing → 660

12) Everyone: read only → 444