

NAME : Yukti Wagare

DIV : G4

ROLL NO. : 768

PRN : 202201050035

Problem Statement : Prepare/Take [datasets](#) for any real-life application. Read a [dataset](#) into an array. Perform the following operations on it:

- 1. Perform all matrix operations**
- 2. Horizontal and vertical stacking of Numpy Arrays**
- 3. Custom sequence generation**
- 4. Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators**
- 5. Copying and viewing arrays**
- 6. Data Stacking, Searching, Sorting, Counting, Broadcasting**

CODE :

```
import numpy as np  
array1 = np.array([[1,2,3],[4,5,6],[7,8,9]])  
array1
```

OUTPUT

```
array([[1, 2, 3],  
[4, 5, 6],  
[7, 8, 9]])  
array2=np.array([[11,12,13]5[14,15,16],[17,18,19]1)
```

CODE :

```
array2=np.array([[11,12,13]5[14,15,16],[17,18,19]])  
array2
```

OUTPUT :

```
array([[11, 12, 13),  
[14, 15, 16),  
[17, 18, 19]])
```

1. Matrix Operations

1.1 Addition

CODE :

```
resultarray=array1 + array2  
print("Inusing Operator: \n",resultarray)  
resultarray=np.add(array1,array2)  
print("\nusing Numpy Function:\n",resultarray)
```

OUTPUT :

Using Operator:

```
[[12 14 16]  
T18 20 22]  
[2426 28]]
```

Using Numpy Function:

```
[[12 14 16]  
[18 20 22]  
[24 26 28]]
```

1.2. Subtraction

CODE :

```
resultarray=array1-array2  
print("Inusing Operator:\n",resultarray)  
resultarray=np.subtract(array1,array2)  
print("Inusing Numpy Function:\n",resultarray)
```

OUTPUT :

using Operator:

```
[[ -10 -10 -10]
```

```
[-10 -10 -10]
```

```
[-10 -10 -10]]
```

Using Numpy Function:

```
[[ -19 -10 -10]
```

```
[-10 -10 -10]
```

```
[-10 -10 -10]]
```

CODE :

1.3. Multiplication

```
[] resultarray=array1*array2  
print("Inusing Operator: \n",resultarray)  
resultarray=np.multiply(array1,array2)  
print("Inusing Numpy Function:\n",resultarray)
```

OUTPUT :

using Operator:

```
[[1124 39]
```

```
[56 75 96]
```

```
[119 144 171]]
```

using Numpy Function:

```
[[1124 39]
```

[56 75 96]

[119 144 171]]

1.4. Division

CODE :

```
resultarray=array1/array2
```

```
print("Inusing operator: \n",resultarray)
```

```
resultarray=np.divide(array1,array?)
```

```
print("InUsing Numpy Function:\n",resultarray)
```

OUTPUT :

using Operator:

```
[[0.09090909 0.16666667 .23076923]
```

```
[0.28571429 0.33333333 0.375
```

```
[0.41176471 0.44444444 0.47368421]]
```

Snipping Tool

Using Numpy Function:

```
[[0.09090909 0.16666667 0.23076923]
```

```
[0.28571429 0.33333333 0.375]
```

CODE :

1.5. Mod

CODE :

```
resultarray=array1%array?
```

```
print("Inusing Operator:\n",resultarray)

resultarray=np.mod(array1,array2)

print("InUsing Numpy Function: \n",resultarray)
```

OUTPUT :

using Operator:

```
[1 2 3]
```

```
[4 5 6]
```

```
[78 9]]
```

using Numpy Function:

```
[[12 3]
```

```
[45 6]
```

```
[7 8 9]
```

1.6. dot Product

CODE :

```
Resultarray=np.dot(array1,array2)

print(",resultarray)
```

OUTPUT :

```
[[98 9 102]
```

```
[216 231 246]
```

```
[342 366 390]]
```

1.7. Transpose

```
resultarray -np.transpose(array1)
```

```
print(resultarray)
```

```
#or
```

```
resultarray=array1.transpose()
```

```
print(resultarray)
```

Horizontal and vertical stacking of Numpy Arrays

```
()
```

2.1.Horizontal Stacking

CODE :

```
Resultarray=np.hstack((array1,array2))
```

```
Resultarray
```

OUTPUT :

```
Array
```

```
(([ 1, 2 3, 11, 12, 13]))
```

```
[6, 14、 15, 16],
```

```
[17, 18, 19 ]
```

2.2. Vertical Stacking

CODE :

```
resultarray=np.vstack((array1, array2))
```

```
resultarray
```

OUTPUT :

```
array([[ 1, 2, 3],
```

```
[11, 12, 13],  
[14, 15,16],  
[17, 18, 19]])
```

3.Custom sequence generation

CODE :

```
nparray=np.arange(0,12,1).reshape(3,4)  
nparray
```

OUTPUT :

```
array([[ 0, 1, 2, 3],  
       [ 4, 5, 6, 7],  
       [ 8, 9,10,11]])
```

3.2. Linearly Separable

CODE :

```
nparray=np.linspace(start=0,stop=24,num=12).reshape(3,4)  
nparray
```

OUTPUT :

```
array([[0.21818182, 0.36363636, 0.54545455,  
       8.72727273, 10.90909091, 13.09090909, 15.27272727],  
       [17.45454545, 19.63636364, 21.81818182, 24. ]])
```

3.3. Empty Array

CODE :

```
1 nparray=np.empty((3,3),int)  
Nparray
```

OUTPUT :

```
array([[ 11, 24, 39],  
       [56, 75, 96],  
       [ 0,  0,  0]])
```

```
[119, 144, 171]])
```

3.4. Empty Like Some other array

CODE :

```
nparray=np.empty_like(array1)
```

Nparray

OUTPUT :

```
array([[90, 96, 102],
```

```
[216, 231, 246],
```

```
[342, 366, 390]])
```

3.5. Identity Matrix

CODE :

```
[] nparray=np.identity(3)
```

Nparray

OUTPUT :

```
array([[1., 0., 0.],
```

```
[0., 1., 0.],
```

```
[0., 0., 1.]])
```

4. Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

4.1. Arithmetic Operation

CODE :

```
array1=np.array([1,2,3,4,5])
```

```
array2=np.array([11,12,13,14,15])
```

```
print(array1)
```

```
print(array2)
```


OUTPUT :

[1 2345]

[11 12 13 14 15]

CODE :

```
#Addition
print(np.add(array1,array2))

# Subtraction
print(np.subtract(array1,array2))

# Multiplication
print(np.multiply(array1,array2))

# Division
print(np.divide(array1,array2))
```

Statistical and Mathematical Operations

CODE :

```
Array=np.array([1,2,3,4,5,9,6,7,8,9,9])

# standard Deviation
print(np.std(array1))

#Mininum
print(np.min(array1))

#Summation
print(np.sum(array1))

#Median
print(np.median(array1))

#Mean
print(np.mean(array1))

#Mode
from scipy import stats
print("Host Frequent element=",stats.mode(array1)[0])
```

```
print("Number of occarances=",stats.mode (array1)[1])  
  
# variance  
  
print(np.var(array1))
```

OUTPUT :

```
2.7990553306073913  
  
1  
  
63  
  
6.6  
  
5.72777NTDTS  
  
Most Frequent element- [9]  
  
Number of Occarances- [3]
```

4.3. Bitwise Operations

CODE :

```
array1=np.array([1,2,3],dtype=np.uint8)  
array2=np.array([4,5,6])  
resultarray=np.bitwise_and(array1,array2)  
print(resultarray)  
  
OR  
  
#resultarray=np.bitwise_or(array1,array2)  
print(resultarray)  
  
#Leftshift  
resultarray=np.left_shift(array1,2)  
print(resultarray)  
  
#Rightshift  
resultarray=np.right_shift(array1,2)  
print(resultarray)
```

OUTPUT :

```
2]  
  
[5 7 7 8 12]
```

```
# You can get Binary Representation of Number #asau#
```

```
print(np.binary_repr(10,8))
```

```
resultarray=np.left_shift(10,2)
```

```
print(resultarray)
```

```
print(np.binary_repr(np.left_shift(10,2),8))
```

```
00001910
```

```
40
```

```
00101000
```

```
SR
```

5.Copying and viewing arrays

Cope

```
array1=np.arange(1,10)
```

```
print(array1)
```

```
newarray=array1.copy()
```

```
print(newarray)
```

```
"wmodification in original Array
```

```
array1[0]-100
```

```
print (array1)
```

```
print(newarray)
```

```
output
```

```
[123456789]
```

```
[12345678
```

```
4
```

```
3
```

[100

S

(1234 6789]

78

9

5.2 View

arrayl=np.arange(1,10)

print(array1)

newarray=array1.view()

print(newarray)

#modification in Original Array

array1[0]=100

print(array1)

print(ncwarray)

sanneriitvera

Snipping Tool

[12345 67891

[12345 G 7

9]

[100

Screenshot copied to clipboard and saved

Select here to mark up and share the image

