## **Analysis of ACS 2022**

Lexun Yu Colin Sihan Yang Siddharth Gowda Tanmay Shinde

October 10, 2024

Use the Spotify API to analyze data about ...

## Table of contents

### 1 Get Spotify Access

4

```
# install.packages("spotifyr")
# install.packages("here")
# install.packages("tinytex")
# install.packages("dplyr")
# install.packages("tibble")
# install.packages("opendatatoronto")
# install.packages("janitor")
# install.packages("ggplot2")
# install.packages("knitr")
# install.packages("tesseract")
library(babynames)
```

Warning: package 'babynames' was built under R version 4.3.3

```
library(gh)
```

Warning: package 'gh' was built under R version 4.3.3

# library(here) Warning: package 'here' was built under R version 4.3.3here() starts at D:/Colin\_Sihan\_Yang/UT/STA304/spotifyanalysis library(httr) Warning: package 'httr' was built under R version 4.3.3 library(janitor) Warning: package 'janitor' was built under R version 4.3.3 Attaching package: 'janitor' The following objects are masked from 'package:stats': chisq.test, fisher.test library(jsonlite) Warning: package 'jsonlite' was built under R version 4.3.3 library(knitr) Warning: package 'knitr' was built under R version 4.3.3 library(lubridate) Warning: package 'lubridate' was built under R version 4.3.3

Attaching package: 'lubridate'

```
The following objects are masked from 'package:base':
    date, intersect, setdiff, union
library(pdftools)
Warning: package 'pdftools' was built under R version 4.3.3
Using poppler version 23.08.0
library(purrr)
Warning: package 'purrr' was built under R version 4.3.3
Attaching package: 'purrr'
The following object is masked from 'package: jsonlite':
    flatten
library(rvest)
Warning: package 'rvest' was built under R version 4.3.3
library(spotifyr)
library(tesseract)
Warning: package 'tesseract' was built under R version 4.3.3
library(tidyverse)
Warning: package 'tidyverse' was built under R version 4.3.3
Warning: package 'ggplot2' was built under R version 4.3.3
Warning: package 'tibble' was built under R version 4.3.3
```

```
Warning: package 'tidyr' was built under R version 4.3.3
Warning: package 'readr' was built under R version 4.3.3
Warning: package 'dplyr' was built under R version 4.3.3
Warning: package 'stringr' was built under R version 4.3.3
Warning: package 'forcats' was built under R version 4.3.3
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr 1.1.4 v stringr 1.5.1
v forcats 1.0.0 v tibble 3.2.1
v ggplot2 3.5.1 v tidyr 1.3.1
v readr 2.1.5
-- Conflicts ----- tidyverse conflicts() --
x dplyr::filter()
                        masks stats::filter()
x purrr::flatten()
                        masks jsonlite::flatten()
x readr::guess_encoding() masks rvest::guess_encoding()
x dplyr::lag()
                         masks stats::lag()
i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become
library(usethis)
Warning: package 'usethis' was built under R version 4.3.3
library(xml2)
```

1 Get Spotify Access

Warning: package 'xml2' was built under R version 4.3.3

```
Sys.setenv(SPOTIFY_CLIENT_ID = 'fa302d336c68442a9c10250efda1f07a')
Sys.setenv(SPOTIFY_CLIENT_SECRET = 'd17f5eb4d5494842b4f8158df0654b4f')
access_token <- get_spotify_access_token()</pre>
```

```
radiohead <- get_artist_audio_features("radiohead")
saveRDS(radiohead, "radiohead.rds")</pre>
```

```
boogie <- get_artist_audio_features("A Boogie Wit Da Hoodie")
saveRDS(boogie, "boogie.rds")
boogie = readRDS("boogie.rds")</pre>
```

```
PTP = get_artist_audio_features("Pay money To my Pain")
saveRDS(PTP, "PTP.rds")
PTP = readRDS("PTP.rds")
```

```
Warning: There was 1 warning in `mutate()`.
i In argument: `album_release_date = ymd(album_release_date)`.
Caused by warning:
! 8 failed to parse.
```

Warning: Removed 8 rows containing missing values or values outside the scale range (`stat\_boxplot()`).

Warning: Removed 8 rows containing missing values or values outside the scale range (`geom\_point()`).

```
PTP <- as_tibble(PTP)

PTP |>
    mutate(album_release_date = ymd(album_release_date)) |>
    ggplot(aes(
        x = album_release_date,
        y = duration_ms,
        group = album_release_date
    )) +
    geom_boxplot() +
    geom_jitter(alpha = 0.5, width = 0.3, height = 0) +
    theme_minimal() +
    labs(
        x = "Album release date",
        y = "Duration of song (ms)"
    )
}
```




Figure 1







Figure 2






## Number of Explicit vs Non-Explicit Songs for Boogie



## Number of Explicit vs Non-Explicit Songs for PTP



```
rbind(boogie, PTP, radiohead) |>
    select(artist_name, album_release_date, loudness) |>
    mutate(album_release_date = ymd(album_release_date)) |>
    ggplot(aes( x = album_release_date, y = loudness, color = artist_name)) +
    geom_point(alpha = 0.3) +
    geom_smooth() +
    theme_minimal() +
    facet_wrap(facets = vars(artist_name), dir = "v") +
    labs(
        x = "Album release date",
        y = "loudness",
        color = "Artist"
    ) +
    scale_color_brewer(palette = "Set1") +
    theme(legend.position = "bottom")
```

```
Warning: There was 1 warning in `mutate()`.
i In argument: `album_release_date = ymd(album_release_date)`.
Caused by warning:
! 8 failed to parse.
`geom_smooth()` using method = 'loess' and formula = 'y ~ x'
```

Warning: Removed 8 rows containing non-finite outside the scale range (`stat\_smooth()`).

Warning: Removed 8 rows containing missing values or values outside the scale range  $(\gray geom_point()\)$ .

