

# TEST PLAN

Tesla Project



**Yulia Bogacheva**

23.12.2023

## Table of Contents

1. INTRODUCTION.....	3
2. SCOPE.....	4
3. QUALITY OBJECTIVES.....	4
3.1 Primary Objectives.....	4
3.2 Secondary Objectives.....	4
4. TEST APPROACH.....	4
5. TEST STRATEGY.....	4
5.1 QA role in test process.....	4
5.2 Bug life cycle.....	4
5.3 Testing types.....	4
5.4 Bug Severity .....	4
5.5 Priority Definition.....	4
6. ROLES AND RESPONSIBILITIES.....	4
7. ENTRY AND EXIT CRITERIA.....	4
7.1 Entry Criteria.....	4
7.2 Exit Criteria.....	4
8. SUSPENSION CRITERIA AND RESUMPTION REQUIREMENTS.....	4
8.1 Suspension criteria.....	4
8.2 Resumption criteria.....	4
9. RESOURCE AND ENVIRONMENT NEEDS.....	4
9.1 Testing Tools.....	5
9.2 Configuration Management.....	5
9.3 Test Environment x Support level.....	5
10. TEST SCHEDULE.....	5
11. APPROVALS.....	5
12. TERMS/ACRONYMS.....	5

## 1. INTRODUCTION

Tesla customers need a perfect website, which has passed the full cycle of manual and automation testing. Given the specificity of the site it is very important to have the same quality and the site.

The Test Plan is designed to enhance communication among team members. It delineates the approaches and methodologies applicable to unit, integration, and system testing for the <https://www.tesla.com/>.

It includes the objectives, test responsibilities, entry and exit criteria, scope, schedule major milestones, entry and exit criteria and approach. This document has clearly identified what the test deliverables will be, and what is deemed in and out of scope.

## 2. SCOPE

The document targets End-to-End testing including the GUI testing, API, Database, security and performance testing of client's data in report output.

### **Functions to be tested:**

- GUI
- Search and Filters Logic
- Performance
- API Server response
- Data response of the backend

### **Functions not to be tested:**

- Hardware Interfaces
- Software Interfaces
- Database logical
- Communications Interfaces
- Website Security

## 3. QUALITY OBJECTIVES

### **3.1 Primary Objectives**

A primary objective of testing is to: assure that the system meets the full requirements, including

quality requirements (functional and non-functional requirements) and fit metrics for each quality requirement and satisfies the use case scenarios and maintain the quality of the product. At the end of the project development cycle, the user should find that the project has met or exceeded all of their expectations as detailed in the requirements. Any changes, additions, or deletions to the requirements document, Functional Specification, or Design Specification will be documented and tested at the highest level of quality allowed within the remaining time of the project and within the ability of the test team.

### **3.2 Secondary Objectives**

The secondary objectives of testing will be to: identify and expose all issues and associated risks, communicate all known issues to the project team, and ensure that all issues are addressed in an appropriate manner before release. As an objective, this requires careful and methodical testing of the application to first ensure all areas of the system are scrutinized and, consequently, all issues (bugs) found are dealt with appropriately.

## **4. TEST APPROACH**

The approach that is used is Analytical therefore, in accordance with requirements-based strategy, where an analysis of the requirements specification forms the basis for planning, estimating and designing tests. Test cases will be created during exploratory testing even though most of them are already predetermined in Test Strategy.

Teams also must use experience-based testing and error guessing to utilize testers' skills and intuition, along with their experience with similar applications or technologies.

The project is using an agile approach, with weekly iterations. At the end of each week the requirements identified for that iteration will be delivered to the team and will be tested.

### **4.1 Test Automation**

Automated unit tests are part of the development process, and UI smoke-tests must be also automated during which performance data must be captured

## **5. TEST STRATEGY**

### **5.1 QA role in test process:**

- Understanding Requirements
- Requirement specifications will be sent by client
- Understanding of requirements will be done by QA

#### **➤ Preparing Test Cases:**

QA will be preparing test cases based on the exploratory testing. This will cover all scenarios for requirements.

➤ **Preparing Test Matrix:**

QA will be preparing a test matrix which maps test cases to respective requirements. This will ensure the coverage for requirements.

➤ **Reviewing test cases and matrix:**

- Peer review will be conducted for test cases and test matrix by QA Lead
- Any comments or suggestions on test cases and test coverage will be provided by the reviewer respective Author of Test Case and Test Matrix
- Suggestions or improvements will be re-worked by author and will be sent for approval
- Re-worked improvements will be reviewed and approved by reviewer

➤ **Creating Test Data:**

Test data will be created by respective QA on client #39;s developments/test site based on scenarios and Test cases.

➤ **Executing Test Cases:**

- Test cases will be executed by respective QA on client development/test site based on designed scenarios, test cases and Test data
- Test result (Actual Result, Pass/Fail) will be updated in test case document Defect Logging and Reporting: QA will be logging the defect/bugs in Word document and JIRA, found during execution of test cases. After this, QA will inform the respective developer about the defect/bugs

➤ **Retesting and Regression Testing:**


Retesting for fixed bugs will be done by respective QA once it is resolved by the respective developer and bug/defect status will be updated accordingly. In certain cases, regression testing will be done if required.

➤ **Deployment/Delivery:**

- Once all bugs/defects reported after complete testing are fixed and no other bugs are found, the report will be deployed to the client's test site
- Once a round of testing will be done by QA on the client's test site if required Report will be delivered along with sample output by email to the respective lead and Report group.

## 5.2 Bug life cycle:

All the issues found while testing will be logged into JIRA.



## 5.3 Testing types

In the Tesla project there are 9 types of testing that should be conducted:

1. Exploring testing
2. Positive testing
3. Negative testing
4. Functional testing
5. Smoke testing

6. GUI testing
7. ADHOC testing
8. API testing
9. Performance testing

### **Exploratory testing :**

Exploratory testing will include a type of software testing where Test cases are not created in advance but QA check system on the fly. QA may note down ideas about what to test before test execution.

### **Positive testing:**

Positive testing will include the type of testing that can be performed on the system by providing the valid data as input. It checks whether an application behaves as expected with positive inputs.

### **Negative testing:**

Negative testing includes is a method of testing an application or system that ensures that the plot of the application is according to the requirements and can handle the unwanted input and user behavior. Invalid data is inserted to compare the output against the given input. Negative testing is also known as failure testing or error path testing. When performing negative testing exceptions are expected.

### **Functional Testing:**

Functional testing is carried out in order to find out unexpected behavior of the report. The characteristics of functional testing are to provide correctness, reliability, testability and accuracy of the report output/data.

### **Smoke Testing:**

Preliminary testing to reveal simple failures severe enough to (for example) reject a prospective software release or build.

### **GUI Testing:**

GUI testing will include testing the UI part of the report. It covers users Report format, look and feel, error messages, spelling mistakes, GUI guideline violations.

### **ADHOC testing:**

ADHOC testing will include an informal testing type with an aim to break the system.

### **Interface testing (API):**

Verifies whether the communication between two different software systems is done correctly.

### **Performance Testing:**

- Check the optimal time the page is loaded
- Check the operation of the system under load

## **5.4 Bug Severity**

<b>ID</b>	<b>Severity</b>	<b>Severity Description</b>
1	Highest	The module/product crashes or the bug causes non-recoverable conditions. System crashes or database or file corruption, or potential data loss, program hangs requiring reboot are all examples of a <b>Severity 1 bug</b>
2	High	Major system components unusable due to failure or incorrect functionality. <b>Severity 2</b> bugs cause serious problems such as a lack of functionality, or insufficient or unclear error messages that can have a major impact to the user, prevent other areas of the app from being tested, etc. <b>Severity 2</b> bugs can have a work around, but the work around is inconvenient or difficult
3	Medium	Incorrect functionality of component or process. There is a simple work around for the bug if it is <b>Severity 3</b>
4	Low	Documentation errors or signed off Severity 4 bugs

## **5.5 Priority Definition**

<b>Priority</b>	<b>Priority Level</b>	<b>Priority Description</b>
1	Highest	This bug must be fixed immediately; the product cannot ship with this bug
2	High	These are important problems that should be fixed as soon as possible. It would be an embarrassment to the company if this bug shipped



3	Medium	The problem should be fixed within the time available. If the bug does not delay the shipping date, then fix it
4	Low	It is not important (at this time) that these bugs be addressed. Fix these bugs after all other bugs have been fixed
5	Lowest	Documentation errors or signed off Low 4 bugs

## 6. ROLES AND RESPONSIBILITIES

Role	Staff Member	Responsibilities
Project Manager, Scram Master	Sergey Efremov	1. Acts as a primary contact for development and QA team 2. Responsible for Project schedule and the overall success of the project
QA	Yulia Bogacheva	1. Understand requirements 2. Writing documentation (Test plans) 3. Writing and executing Test cases 4. Bug review meeting 5. Retesting and regression testing 6. Preparation of Test Data. 7. Coordinate with QA Lead for any issues or problems encountered during test preparation/execution/defect handling

## 7. ENTRY AND EXIT CRITERIA

### 7.1 Entry Criteria

- All test hardware platforms must have been successfully installed, configured, and functioning properly
- All the necessary documentation, design, and requirements information should be available that will allow testers to operate the system and judge the correct behavior
- All the standard software tools including the testing tools must have been successfully installed and functioning properly
- Proper test data is available
- The test environment such as lab, hardware, software, and system administration

support should be ready

- QA resources have completely understood the requirements
- QA resources have shown knowledge of functionality
- Reviewed test scenarios, test cases and RTM

## **7.2 Exit Criteria**

- A certain level of requirements coverage has been achieved
- No high priority or severe bugs are left outstanding
- All high-risk areas have been fully tested, with only minor residual risks left outstanding
- The schedule has been achieved

## **8. SUSPENSION CRITERIA AND RESUMPTION REQUIREMENTS**

### **8.1. Suspension criteria:**

- The build contains many serious defects which can seriously limit testing progress
- Significant change in requirements suggested by client
- Software/Hardware problems
- Assigned resources are not available when needed by the test team

### **8.2. Resumption criteria**

Resumption will only occur when the problem(s) that caused the suspension have been resolved.

## **9. RESOURCE AND ENVIRONMENT NEEDS**

### **9.1 Testing Tools**

<b>Process</b>	<b>Tool</b>
Test case creation	Microsoft Word, JIRA, Google Sheets
Test case tracking	JIRA, Confluence
Test case execution	Manual, Selenium IDE
Test case management	Google Sheets, JIRA, Confluence
Defect management	Microsoft Word, JIRA, Confluence, Swagger
Test reporting	JIRA
API testing	Postman
Performance testing	Lighthouse, GT Metrix
Automation testing	Selenium IDE, XPath (for locators searching)

## 9.2 Test Environment (browsers):

Test Environment x Support level 1 (browsers):

- Windows 10 : Edge(lates), Chrome (latest), Firefox (lares)
- Mac OS : Chrome (latest), Firefox (latest), Safari (latest)

## 10. TEST SCHEDULE

Task name	Start	Est. time (hours)	Finish
Manual Testing			
Automation Testing			
API Testing			
Performance Testing			
Security Testing			

## 11. APPROVALS

	Project Manager	QA Lead
Name	Sergey Efremov	
Signature		

## 12. TERMS/ACRONYMS

TERM/ACRONYM	DEFINITION
API	Application Program Interface
GUI	Graphical user interface
PM	Project manager
UAT	User acceptance testing
CM	Configuration Management
QA	Quality Assurance
RTM	Requirements Traceability Matrix