

|                                                                                                       |                            |                                                                            |                                 |
|-------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-5</b><br>v9.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Nonconformance Report Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                            | <b>ETX ID</b><br>3.100.007.F01                                             |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 21-Aug-2026 at 3:28:56 PM UTC |                            |                                                                            | Page 1 of 2                     |

NCR#: N26436

| IDENTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Initiator: Simin Mohammad                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Date: 21-Aug-2026                      |
| Department: Microbiology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Sample Name/Material Description:      |
| Equipment ID #: Cleanroom Suite 114 (Anteroom & Buffer Room)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Active Air Sample and Surface Sampling |
| Sample ID #: N/A 21Aug26 SMO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Sample/Material Lot #: N/A 21Aug26 SMO |
| NONCONFORMITY DESCRIPTION (Who, What, When, Where, Why, & How)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                        |
| <p><b>Nonconformance Description:</b></p> <p>It was identified that the Environmental Monitoring (EM) Analyst, SMO, did not perform the required routine weekly surface and active air sampling for Cleanroom Suite 114, as specified in MICRO-SOP-2, Environmental Monitoring of the Clean Room Facility, during the period from 02-Aug-2026 through 15-Aug-2026. As a result, weekly EM data for Cleanroom Suite 114 were unavailable for two consecutive weeks.</p> <p>However, the majority of sterility test batches processed concurrently in Suite 114 met all acceptance criteria, and no adverse or widespread positive trend was observed. In addition, environmental monitoring performed within the ISO 5 Biological Safety Cabinet (BSC), continuous 24/7 Lighthouse monitoring data for HVAC performance and room differential pressure, and all method negative controls remained within established specifications throughout the period in question.</p> <p>Based on the lack of a widespread contamination trend, the satisfactory performance of concurrent sterility testing activities, and the acceptable results of all other relevant environmental and process controls, the missed weekly background environmental monitoring is not considered to have contributed to or be related to these isolated sterility test failures.</p> |                                        |
| CAUSE(S) ANALYSIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                        |
| <p><b>Description of cause(s):</b> Analyst oversight</p> <p><b>Category (select all that apply):</b> <input type="checkbox"/> Equipment/System <input type="checkbox"/> Process/Method <input checked="" type="checkbox"/> Personnel <input type="checkbox"/> External Phenomena<br/> <input type="checkbox"/> Other: N/A 21Aug26 SMO</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |
| INTERIM CORRECTIVE ACTION(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                        |
| <p><b>Description of corrective action(s):</b></p> <p>The microbiology lab supervisor instructed the analysts to be more vigilant during the environmental monitoring process to ensure that the surface sampling of the anteroom and buffer room is performed as required. On 21-Aug-2026, Microbiology Laboratory Supervisor Robin Seymour instructed the microbiology team to have actively update supervisor and lead analysts every week going forward to ensure rigorous tracking, accountability, and verification of all cleanroom sampling points. Analyst SMO will need to complete Read &amp; Understood retraining on MICRO-SOP-2.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |
| QUALITY EVALUATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |
| <p><b>Was action effective in addressing the root cause of the nonconformity?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p> <p>CAR required: <input type="checkbox"/> YES <input type="checkbox"/> NO If yes, CAR #: _____</p> <p>If yes, explain how effectiveness was determined:</p> <p>Effectiveness confirmed via immediate reinstatement of weekly EM with acceptable results and launch of Weekly EM Tracking Sheet.</p> <p><b>Additional Comments:</b></p> <p>Risk Assessment / Comments: Impact evaluated for 3 correlated Celsius sterility OOSs in Room 114B (OOS-261824, OOS-261861, OOS-261877). Over 470+ concurrent samples tested negative (&gt;99.3% pass rate). Continuous 24/7 Lighthouse HVAC logs, session-specific ISO 5 BSC EM, and negative controls confirmed operational control. See attached Risk Assessment Addendum.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                        |
| ACKNOWLEDGEMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| <p><b>Prepared By (Print):</b></p> <p>Simin Mohammad</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <p>_____<br/>Signature Date</p>        |
| <p><b>Reviewed By (Print):</b></p> <p>Qiyue Chen</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <p>_____<br/>Signature Date</p>        |

|                                                                                                       |                            |                                                                            |                                 |
|-------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-5</b><br>v9.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Nonconformance Report Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                            | <b>ETX ID</b><br>3.100.007.F01                                             |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 21-Aug-2026 at 3:28:56 PM UTC |                            |                                                                            | Page 2 of 2                     |

NCR#: N26436

| CLOSING THE NONCONFORMANCE <i>(Closure by Quality)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |    |    |    |   |    |    |   |   |   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|----|---|----|----|---|---|---|
| <div> <div> Assessment Impact:<br/> Frequency: 2<br/> Severity: 2<br/> Magnitude: 2 </div> <div> <div> &lt;2 = 1      Between 2 to 10 = 2      &gt;10 = 3 </div> <div> Typo Corrections = 1<br/> Changes in processes and/or systems with no retroactive implications = 2<br/> Changes in processes and/or systems with retroactive implication =3 </div> <div> &lt;2 Process/Material/Equipment Affected = 1<br/> &gt;2 to &lt;10 Process/Material/Equipment Affected = 2<br/> &gt;10 Process/Material/Equipment = 3 </div> </div> </div> <div> <div> 1 to 2: Low<br/> 3 to 17: Major<br/> 18 to 27: Critical </div> <table border="1"> <tr> <td>3</td> <td>18</td> <td>27</td> </tr> <tr> <td>2</td> <td>17</td> <td>18</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> </tr> </table> </div> |    | 3  | 18 | 27 | 2 | 17 | 18 | 1 | 2 | 3 |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 18 | 27 |    |    |   |    |    |   |   |   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 17 | 18 |    |    |   |    |    |   |   |   |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2  | 3  |    |    |   |    |    |   |   |   |

| Samples Processed in Suite 114 Between 03 Aug 2026 to 21 Aug 2026 |                               |                               |               |                                  |                           |           |          |
|-------------------------------------------------------------------|-------------------------------|-------------------------------|---------------|----------------------------------|---------------------------|-----------|----------|
| Submission_Number                                                 | Client_Facility               | Sample_Name                   | Lot_Number    | Test_Name                        | Estimated_Completion_Date | Status    | Analyst  |
| ETX-260806-0771                                                   | ounders, LLC dba Northwest    | one cypionate (MCT) MDV 5m    | 08-04-2026@3  | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260807-0309                                                   | Boothwyn Pharmacy LLC 4548    | ONE CYPIONATE 200 MG/ML (     | 08032026@5    | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260728-0370                                                   | Boothwyn Pharmacy LLC 4548    | ypionate (MCT) (4mL) 200mg    | 07272026@15   | Celsis Sterility Test            | 08/19/2026                | Completed | asaravia |
| ETX-260804-0285                                                   | Eagle Pharma Outsourcing LL   | ethylprednisolone Acetate 40r | 2507MA40      | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026                | Completed | asaravia |
| ETX-260702-0567                                                   | acific Compounding Pharmac    | Sermorelin Acetate 2mg/ml     | 07022026@14   | Celsis Sterility Test            | 08/21/2026                | Completed | HSmith   |
| ETX-260807-0493                                                   | evive Rx Pharmacy - PO Requir | ine Cypionate 200 mg/ml Injec | 16510120      | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260807-0342                                                   | evive Rx Pharmacy - PO Requir | ine Cypionate 200 mg/ml Injec | 16510114      | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260730-0696                                                   | Las Colinas Pharmacy          | TRADIOL CYPIONATE 6.25mg/     | 30JUL2026-001 | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026                | Completed | asaravia |
| ETX-260807-0567                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227454        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260807-0568                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227455        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260806-0542                                                   | Boudreaux's New Drug Store    | G/GLYCINE 5MG/ML SOLUTIO      | 227384        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260804-0140                                                   | VLS Pharmacy Inc              | e Acetate 50mcg/0.1mL Inj. S  | 08042026@5    | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026                | Completed | asaravia |
| ETX-260807-0261                                                   | Mills Pharmacy & Apothecary   | 200mg/mL Sterile Solution for | 1630530       | Celsis Sterility Test            | 08/18/2026                | Completed | asaravia |
| ETX-260804-0789                                                   | Potters House Apothecary      | 0 mg/ml injection-Nicotinamid | 03Aug2026-059 | Celsis Sterility Test            | 08/21/2026                | Completed | GSurber  |
| ETX-260811-0608                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227601        | Celsis Sterility Test            | 08/20/2026                | Completed | GSurber  |
| ETX-260811-0709                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227605        | Celsis Sterility Test            | 08/20/2026                | Completed | GSurber  |
| ETX-260805-0764                                                   | Boudreaux's New Drug Store    | G/GLYCINE 5MG/ML SOLUTIO      | 227326        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260806-0682                                                   | Hillstone Pharmacy            | CYPIONATE 200MG/ML (GRAP      | 06AUG2026-024 | Celsis Sterility Test            | 08/18/2026                | Completed | asaravia |
| ETX-260806-0689                                                   | Hillstone Pharmacy            | CYPIONATE 200MG/ML (GRAP      | 06AUG2026-016 | Celsis Sterility Test            | 08/18/2026                | Completed | asaravia |
| ETX-260806-0468                                                   | Hillstone Pharmacy            | CYPIONATE 200MG/ML (GRAP      | 06AUG2026-007 | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260804-0229                                                   | Las Colinas Pharmacy          | NE CYP/PROP 200MG/ML ***M     | 03AUG2026-011 | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026                | Completed | asaravia |
| ETX-260807-0227                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227448        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260806-0707                                                   | Boudreaux's New Drug Store    | G/GLYCINE 5MG/ML SOLUTIO      | 227383        | Celsis Sterility Test            | 08/17/2026                | Completed | GSurber  |
| ETX-260811-0752                                                   | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC      | 227607        | Celsis Sterility Test            | 08/20/2026                | Completed | GSurber  |
| ETX-260807-0496                                                   | evive Rx Pharmacy - PO Requir | ine Cypionate 200 mg/ml Injec | 16510118      | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260807-0501                                                   | evive Rx Pharmacy - PO Requir | ine Cypionate 200 mg/ml Injec | 16510115      | Celsis Sterility Test            | 08/17/2026                | Completed | asaravia |
| ETX-260810-0523                                                   | evive Rx Pharmacy - PO Requir | mL / Ipamorelin 0.5 mg/mL **  | 16523457      | Celsis Sterility Test            | 08/18/2026                | Completed | asaravia |
| ETX-260702-0137                                                   | Allenhill Pharmacy & Medical  | ALPROSTADIL 500MCG/ML         | S622070       | SP <71> / EP 2.6.1 Sterility Tes | 08/21/2026                | Completed | asaravia |
| ETX-260803-0529                                                   | Carie Boyd Pharmaceuticals    | CYPIONATE 200MG/ with MIG     | 07162026@3    | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026                | Completed | asaravia |
| ETX-260810-0438                                                   | evive Rx Pharmacy - PO Requir | ine Cypionate 200 mg/ml Injec | 16523507      | Celsis Sterility Test            | 08/18/2026                | Completed | asaravia |

|                 |                             |                                |               |                                  |            |           |          |
|-----------------|-----------------------------|--------------------------------|---------------|----------------------------------|------------|-----------|----------|
| ETX-260810-0554 | evive Rx Pharmacy - PO Requ | ne Cypionate 200 mg/ml Injec   | 16523512      | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260803-0531 | Carie Boyd Pharmaceuticals  | CYPIONATE 200MG/ with MIG      | 07172026@3    | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260806-0153 | Tailor Made Compounding     | erone Cypionate (GSO) 100mg    | 5938398       | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260810-0085 | Tailor Made Compounding     | erone Cypionate (GSO) 50mg/    | 5978877       | Celsis Sterility Test            | 08/19/2026 | Completed | asaravia |
| ETX-260807-0115 | Tailor Made Compounding     | erone Cypionate (GSO) 200mg    | 5938414       | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260810-0130 | Tailor Made Compounding     | erone Cypionate (GSO) 200mg/   | 5938410       | Celsis Sterility Test            | 08/19/2026 | Completed | asaravia |
| ETX-260810-0149 | Tailor Made Compounding     | erone Cypionate (GSO) 100mg    | 5978878       | Celsis Sterility Test            | 08/19/2026 | Completed | asaravia |
| ETX-260806-0147 | Tailor Made Compounding     | erone Cypionate (GSO) 50mg/    | 5938402       | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260807-0325 | Boudreaux's New Drug Store  | MG/ GLYCINE 5MG/ML INJEC       | 227452        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0690 | Boudreaux's New Drug Store  | MG/ GLYCINE 5MG/ML INJEC       | 227392        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260807-0495 | Hillstone Pharmacy          | DE/L-CARNITINE 3.5MG/50M       | 07AUG2026-010 | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260806-0459 | Hillstone Pharmacy          | L-CARNITINE 2.5MG/50MG/M       | 05AUG2026-035 | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260813-0220 | evive Rx Pharmacy - PO Requ | mL / Ipamorelin 0.5 mg/mL **   | 16554773      | Celsis Sterility Test            | 08/21/2026 | Completed | GSurber  |
| ETX-260807-0305 | Connect Pharmaceuticals     | Testosterone 100mg/ml          | TESG080626    | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260806-0673 | Hillstone Pharmacy          | CYPIONATE 200MG/ML (GRAP       | 06AUG2026-009 | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260807-0231 | Boudreaux's New Drug Store  | MG/ GLYCINE 5MG/ML INJEC       | 227449        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260807-0271 | Boudreaux's New Drug Store  | MG/ GLYCINE 5MG/ML INJEC       | 227450        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0415 | Boudreaux's New Drug Store  | G/GLYCINE 5MG/ML SOLUTIO       | 227382        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260729-0412 | Strive Pharmacy - 15523     | TB-500 5 MG/ML - 6ml           | LG364287558   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260810-0022 | Southend Pharmacy           | Sermorelin 3mg/mL 5 mL         | 21303         | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260622-0620 | Southend Pharmacy           | MOTs-C 2mg/ml                  | 19472         | SP <71> / EP 2.6.1 Sterility Tes | 08/21/2026 | Completed | asaravia |
| ETX-260806-0456 | Hillstone Pharmacy          | L-CARNITINE 2.5MG/50MG/M       | 05AUG2026-034 | Celsis Sterility Test            | 08/17/2026 | On Hold   | asaravia |
| ETX-260806-0678 | Hillstone Pharmacy          | CYPIONATE 200MG/ML (GRAP       | 06aug2026-008 | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260730-0299 | Strive Pharmacy - 15523     | aglutide/Glycine 9/5/ mg/ml (0 | LG364288126   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260729-0434 | Strive Pharmacy - 15523     | aglutide/Glycine 5/5/ mg/ml (  | LG364287567   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260729-0417 | Strive Pharmacy - 15523     | aglutide/Glycine 5/5/ mg/ml (0 | LG364287562   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260811-0599 | GoGoMeds Select             | pionate 50 mg/mL Oil Injunctio | 18698         | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260811-0700 | GoGoMeds Select             | pionate 50 mg/mL Oil Injunctio | 18699         | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260810-0742 | Boudreaux's New Drug Store  | MG/ GLYCINE 5MG/ML INJEC       | 227537        | Celsis Sterility Test            | 08/19/2026 | Completed | asaravia |
| ETX-260806-0306 | Boudreaux's New Drug Store  | G/GLYCINE 5MG/ML SOLUTIO       | 227380        | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260807-0406 | evive Rx Pharmacy - PO Requ | ne Enanthate 200 mg/ml Injec   | 16510105      | Celsis Sterility Test            | 08/17/2026 | Completed | asaravia |
| ETX-260728-0333 | Strive Pharmacy - 15523     | TB-500 5 MG/ML - 3ml           | LG364287114   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260727-0181 | Strive Pharmacy - 15523     | ine/B12 (Cyanocobalamin) 9/    | LG364286114   | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |

|                 |                               |                                |                 |                                  |            |           |          |
|-----------------|-------------------------------|--------------------------------|-----------------|----------------------------------|------------|-----------|----------|
| ETX-260810-0534 | evive Rx Pharmacy - PO Requ   | ne Cypionate 200 mg/ml Injec   | 16523510        | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260811-0589 | GoGoMeds Select               | pionate 25 mg/mL Oil Injec     | 18695           | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260811-0591 | GoGoMeds Select               | pionate 25 mg/mL Oil Injec     | 18696           | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260708-0662 | so Home Care Pharmacy 710     | Ferric Carboxymaltose          | 2620708         | SP <71> / EP 2.6.1 Sterility Tes | 08/21/2026 | Completed | asaravia |
| ETX-260806-0786 | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC       | 227391          | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260716-0266 | PGRrx LLC                     | tric Acid 62.5mM (12.01mg/m    | PGR-15072026-01 | Celsis Sterility Test            | 08/19/2026 | Completed | asaravia |
| ETX-260810-0450 | evive Rx Pharmacy - PO Requ   | ne Cypionate 200 mg/ml Injec   | 16523514        | Celsis Sterility Test            | 08/18/2026 | Completed | asaravia |
| ETX-260722-0295 | Strive Pharmacy - 15523       | epatide/Glycine 20mg/5mg (6    | LG364285210     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260807-0039 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | EDQGUIPPHTR     | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0043 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | JGFGKKCHPUGE    | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0417 | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC       | 227457          | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0414 | Boudreaux's New Drug Store    | IG/GLYCINE 5MG/ML SOLUTIO      | 227381          | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0785 | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC       | 227393          | Celsis Sterility Test            | 08/17/2026 | Completed | GSurber  |
| ETX-260807-0032 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | HGJFJRDSRUPC    | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260810-0125 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | ECCEUDIIRPL     | Celsis Sterility Test            | 08/19/2026 | Completed | GSurber  |
| ETX-260728-0408 | Strive Pharmacy - 15523       | aglutide/Glycine 5/5/ mg/ml (  | LG364287121     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260709-0407 | Strive Pharmacy - 15523       | cine/B12 (Cyanocobalamin) 9    | LG364280643     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260810-0113 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | QKISHUHTTPDR    | Celsis Sterility Test            | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0145 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | TQJRGQHSQEGT    | Celsis Sterility Test            | 08/19/2026 | Completed | GSurber  |
| ETX-260807-0050 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | IHKIGJGTFRPD    | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0034 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | UFEIJTJHLGH     | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0037 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | LLQEHIRHGFLC    | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260730-0230 | Strive Pharmacy - 15523       | TB-500 5 MG/ML - 3ml           | LG364288225     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260730-0280 | Strive Pharmacy - 15523       | aglutide/Glycine 9/5/ mg/ml (0 | LG364288157     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |
| ETX-260807-0040 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | PHJGDESFDG      | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260811-0114 | re Pharmacy-Quality (PO Requ  | lutide 5mg/2ML Solution for In | FQTJSKCJGCUI    | Celsis Sterility Test            | 08/20/2026 | Completed | asaravia |
| ETX-260811-0572 | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC       | 227602          | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260811-0732 | Boudreaux's New Drug Store    | MG/ GLYCINE 5MG/ML INJEC       | 227606          | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260609-0486 | 's Regional Medical (PO # REQ | Sulfate 3gm in 50ml D5W (no    | SJR060926MLNHD  | SP <71> / EP 2.6.1 Sterility Tes | 08/21/2026 | Completed | asaravia |
| ETX-260811-0129 | re Pharmacy-Quality (PO Requ  | lutide 5mg/2ML Solution for In | IDIEQQQSTIIP    | Celsis Sterility Test            | 08/20/2026 | Completed | GSurber  |
| ETX-260807-0044 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | UPTFLCJJRGSE    | Celsis Sterility Test            | 08/18/2026 | Completed | GSurber  |
| ETX-260810-0129 | re Pharmacy-Quality (PO Requ  | emaglutide Injection 5mg/2m    | QQTCLRTPITPI    | Celsis Sterility Test            | 08/19/2026 | Completed | GSurber  |
| ETX-260722-0285 | Strive Pharmacy - 15523       | epatide/Glycine 20mg/5mg (6    | LG364285207     | SP <71> / EP 2.6.1 Sterility Tes | 08/20/2026 | Completed | asaravia |

|                 |                              |                                 |              |                                   |            |           |          |
|-----------------|------------------------------|---------------------------------|--------------|-----------------------------------|------------|-----------|----------|
| ETX-260811-0382 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227600       | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260807-0572 | Boudreaux's New Drug Store   | COBALAMIN 10MG/ GLYCINE 5       | 227458       | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260728-0410 | Strive Pharmacy - 15523      | emaglutide/Glycine 5/5/ mg/ml ( | LG364287125  | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | asaravia |
| ETX-260810-0616 | Puramint, LLC                | rom/Moxi/Pred 1936113 Cels      | 1936113      | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260803-0773 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227197       | Celsis Sterility Test             | 08/18/2026 | Completed | asaravia |
| ETX-260811-0630 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227604       | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260810-0158 | re Pharmacy-Quality (PO Requ | emaglutide Injection 5mg/2m     | TRIQPPRRTSRC | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0212 | re Pharmacy-Quality (PO Requ | emaglutide Injection 1.6mg/0.6  | HKJERGTEKQJL | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260807-0327 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227453       | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260811-0380 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227599       | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260810-0741 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227536       | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260810-0230 | re Pharmacy-Quality (PO Requ | emaglutide Injection 2.5mg/1r   | FCIELQUIGUKC | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260806-0073 | re Pharmacy-Quality (PO Requ | lutide 5mg/2ml solution for in  | JCJPDPUURPGC | Celsis Sterility Test             | 08/18/2026 | Completed | asaravia |
| ETX-260811-0119 | re Pharmacy-Quality (PO Requ | lutide 5mg/2ML Solution for Ir  | UCEUQRJSCGHD | Celsis Sterility Test             | 08/20/2026 | Completed | asaravia |
| ETX-260810-0743 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227538       | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260807-0398 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227456       | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0349 | Boudreaux's New Drug Store   | TE/ ESTRADIOL VALERATE 50       | 227394       | Celsis Sterility Test             | 08/17/2026 | Completed | asaravia |
| ETX-260811-0676 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227603       | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260807-0235 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227451       | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260811-0120 | re Pharmacy-Quality (PO Requ | lutide 5mg/2ML Solution for Ir  | CRUSSLTRTSSS | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260806-0788 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227390       | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0416 | Boudreaux's New Drug Store   | MG/ GLYCINE 5MG/ML INJE         | 227534       | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260810-0599 | Puramint, LLC                | rom/Moxi/Pred 1936110 Cels      | 1936110      | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260807-0199 | bear's Compounding Pharmac   | G/ML SUBCUTANEOUS INJECT        | 23751        | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260804-0122 | Prince Sterilization Service | Fold Hydrophilic CenterFIT / C  | PSS-032420   | SP <71> / EP 2.6.1 Sterility Test | 08/21/2026 | Completed | qchen    |
| ETX-260803-0224 | Prince Sterilization Service | Amber TS Vials SKU # 154 - [3   | PSS-032300   | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | qchen    |
| ETX-260810-0114 | re Pharmacy-Quality (PO Requ | emaglutide Injection 5mg/2m     | CUELIURRCSSG | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0196 | re Pharmacy-Quality (PO Requ | lutide 6mg/2.4ml solution for i | JRFDCPLPSCFG | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0123 | re Pharmacy-Quality (PO Requ | emaglutide Injection 5mg/2m     | QDURGDCSQULD | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260810-0124 | re Pharmacy-Quality (PO Requ | emaglutide Injection 5mg/2m     | SLDUKFUEQGUD | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260810-0134 | re Pharmacy-Quality (PO Requ | emaglutide Injection 5mg/2m     | JESUQIPSSIJE | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260803-0226 | Prince Sterilization Service | Amber TS Vials SKU # 154 - [3   | PSS-032301   | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | qchen    |
| ETX-260731-0048 | Prince Sterilization Service | Amber TS Vials SKU # 154 - [3   | PSS-32298    | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | qchen    |

|                 |                                  |                                  |              |                                   |            |           |          |
|-----------------|----------------------------------|----------------------------------|--------------|-----------------------------------|------------|-----------|----------|
| ETX-260731-0047 | Prince Sterilization Service     | Amber Vials SKU# 168 - Upright   | PSS-032416   | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | qchen    |
| ETX-260807-0053 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | QIERIGLLKEUG | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260810-0138 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | PSTFIQCPCRPP | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0146 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | ELESUKKHQHKH | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260803-0216 | Prince Sterilization Service     | Amber TS Vials SKU # 154 - [     | PSS-032299   | SP <71> / EP 2.6.1 Sterility Test | 08/20/2026 | Completed | qchen    |
| ETX-260807-0033 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | JPTCRSSHJLGC | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0047 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | DIQUTESJTEHH | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0030 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | DQFIFCJPGSEU | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0036 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | IGICHGGKSGSD | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0038 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | SKPPLRKEPUKF | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0045 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | FJDKSLUJDGIT | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0031 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | JIQIDKJLSFIR | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260807-0046 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | TFLGUPGSIDCU | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260810-0205 | re Pharmacy-Quality (PO Request) | lutide 6mg/2.4mL solution for in | RQGJJPKPTSIQ | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0127 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | PEGFQJLPCPCT | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0209 | re Pharmacy-Quality (PO Request) | maglutide Injection 1.6mg/0.64   | EKLPKCCGITDQ | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0223 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 2.5mg/1mL  | EGQHDSJSPPP  | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0240 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 2.5mg/1mL  | SFCRHHUCTQSS | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260807-0041 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | HCUFJSSGEFKF | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260810-0112 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | DDFHUJLLIHU  | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0160 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | QDULRGDCJTCF | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0233 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 2.5mg/1mL  | RURREJRIEJHK | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260807-0029 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | REHLEFHGPHID | Celsis Sterility Test             | 08/18/2026 | Completed | GSurber  |
| ETX-260805-0221 | re Pharmacy-Quality (PO Request) | lutide 5mg/2mL solution for in   | ITPFJETDEIUH | Celsis Sterility Test             | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0184 | re Pharmacy-Quality (PO Request) | lutide 6mg/2.4mL solution for in | CSPTEHDQTTTJ | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0116 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | LKDGLGTHIDK  | Celsis Sterility Test             | 08/20/2026 | Completed | GSurber  |
| ETX-260810-0201 | re Pharmacy-Quality (PO Request) | lutide 6mg/2.4mL solution for in | KFHKIJFGLHC  | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0109 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | JFICFTCQHCHK | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0156 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | UFERJFQQDFRQ | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0249 | re Pharmacy-Quality (PO Request) | Semaglutide 5mg/2mL              | KFLTDHLQURID | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0186 | re Pharmacy-Quality (PO Request) | lutide 6mg/2.4mL solution for in | LKURUQTKSGGL | Celsis Sterility Test             | 08/19/2026 | Completed | asaravia |
| ETX-260810-0120 | re Pharmacy-Quality (PO Request) | Semaglutide Injection 5mg/2mL    | KIJRSTEIGSGQ | Celsis Sterility Test             | 08/19/2026 | Completed | GSurber  |
| ETX-260811-0130 | re Pharmacy-Quality (PO Request) | lutide 5mg/2ML Solution for In   | ECITKRLRTJLF | Celsis Sterility Test             | 08/20/2026 | Completed | asaravia |

|                 |                             |                                |               |                       |            |           |          |
|-----------------|-----------------------------|--------------------------------|---------------|-----------------------|------------|-----------|----------|
| ETX-260805-0146 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | SKFGDUSDESQD  | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0103 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | LIKKUSSTGKTP  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260805-0140 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | HJUIPGGPHFTE  | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260805-0160 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | RPHRGLFGTRRS  | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0100 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | IRFSRTGJTISI  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0141 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | TPLLUIECIDFQ  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0082 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | HHCHSHGJDQTQ  | Celsis Sterility Test | 08/19/2026 | Completed | asaravia |
| ETX-260810-0094 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | UUSIGKPLQTGC  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0110 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | JULHEPPQTHKD  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0167 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | IQFDTKTPGSQD  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0150 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | DJFRCLSDQDPU  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260810-0151 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | FUFFLFHDHSCKT | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260811-0113 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | JSKITCFSDLDR  | Celsis Sterility Test | 08/20/2026 | Completed | asaravia |
| ETX-260810-0102 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | LPUIEHJKUGPU  | Celsis Sterility Test | 08/19/2026 | Completed | asaravia |
| ETX-260810-0118 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | QRRDRFRJDLHIH | Celsis Sterility Test | 08/19/2026 | Completed | asaravia |
| ETX-260810-0153 | re Pharmacy-Quality (PO Req | emaglutide Injection 5mg/2m    | PUSGRULEJSQP  | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260811-0116 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | EQKGDGLETCSH  | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260811-0124 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | DRDFPEQDEHLI  | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260805-0190 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | HJIJRDRHEEE   | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260806-0094 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | KTGUGKURKUEI  | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260806-0096 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | QEGHIJFUGFD   | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260806-0103 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | KKIREUCUERKH  | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260806-0097 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | FKSUFSEDTSS   | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260806-0124 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | FGEIGJJKIPPS  | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260811-0127 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | DSHPHEHHUQRRF | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260811-0121 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | LUGSEDESIJKE  | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260806-0102 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | TIQQCJRDEDPC  | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260806-0131 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | FDDPQHJIDICK  | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260806-0146 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | CFLUTQQTKGTS  | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260806-0148 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | GGIUGDJLUJJC  | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260811-0115 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | FJPQUCCGLSSU  | Celsis Sterility Test | 08/20/2026 | Completed | asaravia |
| ETX-260811-0131 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In | KTRSEPELUHU   | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260806-0088 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in | ETJQKHDDFLDH  | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |

|                 |                             |                                 |              |                       |            |           |          |
|-----------------|-----------------------------|---------------------------------|--------------|-----------------------|------------|-----------|----------|
| ETX-260806-0100 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | UUISGLFEDPGU | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260806-0140 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | QHQDSGGUELGT | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260811-0123 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In  | JSTGSQCDQCHS | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260810-0097 | re Pharmacy-Quality (PO Req | semaglutide Injection 5mg/2m    | KJGCEJCJSDKU | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260806-0129 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | TDPLFJQGPDP  | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260806-0164 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | FKJGCESUKIL  | Celsis Sterility Test | 08/18/2026 | Completed | asaravia |
| ETX-260805-0154 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | PTJJLLQFKDI  | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0117 | re Pharmacy-Quality (PO Req | semaglutide Injection 5mg/2m    | RKTKKQQIFCGG | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260806-0178 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | KFCTCFTLSQUH | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260805-0150 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | LHFDKFKTCSUD | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0111 | re Pharmacy-Quality (PO Req | semaglutide Injection 5mg/2m    | RPKLUDTFIKDE | Celsis Sterility Test | 08/19/2026 | Completed | asaravia |
| ETX-260810-0193 | re Pharmacy-Quality (PO Req | lutide 6mg/2.4ml solution for i | STJJURLKTGTJ | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260806-0170 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | DRHTFDDFUUJG | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260811-0134 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In  | ULLFPTCHETLE | Celsis Sterility Test | 08/20/2026 | Completed | asaravia |
| ETX-260811-0133 | re Pharmacy-Quality (PO Req | lutide 5mg/2ML Solution for In  | SRJEKEQLJEEC | Celsis Sterility Test | 08/20/2026 | Completed | GSurber  |
| ETX-260805-0224 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | IFQHURDSKTFQ | Celsis Sterility Test | 08/17/2026 | Completed | GSurber  |
| ETX-260810-0098 | re Pharmacy-Quality (PO Req | semaglutide Injection 5mg/2m    | RSJELTEISSQK | Celsis Sterility Test | 08/19/2026 | Completed | GSurber  |
| ETX-260806-0134 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | PKQICKHDKFDG | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |
| ETX-260806-0156 | re Pharmacy-Quality (PO Req | lutide 5mg/2ml solution for in  | GPTISJUSKLUD | Celsis Sterility Test | 08/18/2026 | Completed | GSurber  |