

|                                                                                                       |                            |                                                                            |                                 |
|-------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-5</b><br>v9.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Nonconformance Report Form | <b>Effective</b><br>10-JUL-2026 |
|                                                                                                       |                            |                                                                            |                                 |
| <b>Location</b><br>Houston (Corporate)                                                                |                            | <b>ETX ID</b><br>3.100.007.F01                                             |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 21-Aug-2026 at 3:28:56 PM UTC |                            |                                                                            |                                 |
| Page 1 of 2                                                                                           |                            |                                                                            |                                 |

NCR#: N 26487

| IDENTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Initiator: Qiyue Chen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Date: 18-Sep-2026                                                                                                                                                                                                                                                                                                                                           |
| Department: Microbiology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Sample Name/Material Description:                                                                                                                                                                                                                                                                                                                           |
| Equipment ID #: E001230                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Semaglutide/Cyanocobalamin; Tirzepatide 22mg/mL-Pyridoxine HCl; SEMAGLUTIDE/B12                                                                                                                                                                                                                                                                             |
| Sample ID # <small>ETX-260915-0653, ETX-260916-0044, ETX-260916-0374</small>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Sample/Material Lot #: 0216202602, 22666, LG342010613                                                                                                                                                                                                                                                                                                       |
| NONCONFORMITY DESCRIPTION (Who, What, When, Where, Why, & How)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>Nonconformance Description:</b></p> <p>On 17-Sep-2026, during routine Scan RDI sterility testing operations, an unexpected software crash occurred on the Scan RDI instrument (Equipment ID: E001230) while running session '17 Sep 2026 - 3'. Following the crash, third-shift analysts and Microbiology Laboratory Supervisor Robin Seymour attempted to recover the session; however, the instrument displayed system error messages stating 'Unable to Create New Session Unknown Error' and 'Unable to Load Session Unknown Error', preventing completion of the verification and reading process.</p> <p>On 18-Sep-2026, Eagle IT Coordinator Kevin Torres conducted a technical assessment of instrument E001230 and confirmed that the session file was corrupted, exporting as only 7 KB, and the corresponding raw acquisition dataset within the D:\ directory was completely empty and unrecoverable.</p> <p>A total of three (3) sterility test sample submissions were actively processed in this corrupted session and impacted by data loss:</p> <ul style="list-style-type: none"> <li>• ETX-260915-0653   Client: ANG Labs (E73555)   Sample: Semaglutide/Cyanocobalamin   Lot#: 0216202602</li> <li>• ETX-260916-0044   Client: Southend Pharmacy (E19207)   Sample: Tirzepatide 22mg/mL-Pyridoxine HCl 4mg/mL (1 mL)   Lot#: 22666</li> <li>• ETX-260916-0374   Client: Optimal Balance Pharmacy (E19193)   Sample: SEMAGLUTIDE/ B12 1.2 MG/ 500 MCG/ML (2 ML) Inj   Lot#: LG342010613</li> </ul> <p><i>No valid test results could be generated or verified for these submissions from the corrupted run. Work Order WO-260470 was promptly issued to Engineering/IT to formally investigate the</i></p> |                                                                                                                                                                                                                                                                                                                                                             |
| CAUSE(S) ANALYSIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>Description of cause(s):</b> Scan RDI software crash and session file corruption on instrument E001230, resulting in unrecoverable raw acquisition data in the D:\ directory.</p> <p><b>Category</b> (select all that apply): <input checked="" type="checkbox"/> Equipment/System <input type="checkbox"/> Process/Method <input type="checkbox"/> Personnel <input type="checkbox"/> External Phenomena <input type="checkbox"/> Other</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                             |
| INTERIM CORRECTIVE ACTION(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>Description of corrective action(s):</b></p> <ol style="list-style-type: none"> <li>1. Work Order WO-260470 was issued to Engineering and IT to investigate and resolve the software crash, clear corrupted temporary files, and evaluate database integrity on instrument E001230.</li> <li>2. Instrument E001230 was taken out of service for live sample testing pending completion and sign-off of WO-260470.</li> <li>3. Client Care was instructed to request additional sample vials for retesting from ANG Labs (ETX-260915-0653) and Southend Pharmacy (ETX-260916-0044). Additional sample for ETX-260916-0374 (Optimal Balance Pharmacy) was received and is in-process with the third shift for retesting on an alternate qualified Scan RDI unit.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                             |
| QUALITY EVALUATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>Was action effective in addressing the root cause of the nonconformity?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p> <p>CAR required: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO    If yes, CAR #: _____</p> <p>If yes, explain how effectiveness was determined:</p> <p><b>Additional Comments:</b> Impact is isolated to the 3 sample submissions processed in the corrupted session (ETX-260915-0653, ETX-260916-0044, ETX-260916-0374). No impact to other testing sessions or alternate operational Scan RDI instruments (E002017, E002225). Additional vials requested / retesting initiated. Instrument E001230 remains under observation and repair under WO-260470.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                             |
| ACKNOWLEDGEMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prepared By (Print):</b><br><br>Qiyue Chen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <div style="border-top: 1px solid black; padding-top: 5px;"> <div style="text-align: right; font-size: small; color: red;">SIGN</div> <div style="display: flex; justify-content: space-between;"> <div>_____</div> <div>_____</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Signature</div> <div>Date</div> </div> </div> |
| <b>Reviewed By (Print):</b><br><br>Robin Seymour                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <div style="border-top: 1px solid black; padding-top: 5px;"> <div style="text-align: right; font-size: small; color: red;">SIGN</div> <div style="display: flex; justify-content: space-between;"> <div>_____</div> <div>_____</div> </div> <div style="display: flex; justify-content: space-between;"> <div>Signature</div> <div>Date</div> </div> </div> |

|                                                                                                       |                            |                                                                            |                                 |
|-------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-5</b><br>v9.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Nonconformance Report Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                            | <b>ETX ID</b><br>3.100.007.F01                                             |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 21-Aug-2026 at 3:28:56 PM UTC |                            |                                                                            | Page 2 of 2                     |

NCR#: N 26487

| CLOSING THE NONCONFORMANCE <i>(Closure by Quality)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    |    |    |    |   |    |    |   |   |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|----|---|----|----|---|---|---|
| <div> <div> Assessment Impact:<br/> Frequency: <sup>2</sup>_____ </div> <div> Severity: <sup>2</sup>_____ </div> <div> Magnitude: <sup>2</sup>_____ </div> </div> <div> <div>&lt;2 = 1</div> <div>Between 2 to 10 = 2</div> <div>&gt;10 = 3</div> </div> <div> <div>Typo Corrections = 1</div> <div>Changes in processes and/or systems with no retroactive implications = 2</div> <div>Changes in processes and/or systems with retroactive implication =3</div> </div> <div> <div>&lt;2 Process/Material/Equipment Affected = 1</div> <div>&gt;2 to &lt;10 Process/Material/Equipment Affected = 2</div> <div>&gt;10 Process/Material/Equipment = 3</div> </div> <div> <div>1 to 2: Low</div> <div>3 to 17: Major</div> <div>18 to 27: Critical</div> </div> <div> <table border="1"> <tr> <td>3</td> <td>18</td> <td>27</td> </tr> <tr> <td>2</td> <td>17</td> <td>18</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> </tr> </table> </div> |    | 3  | 18 | 27 | 2 | 17 | 18 | 1 | 2 | 3 |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 18 | 27 |    |    |   |    |    |   |   |   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 17 | 18 |    |    |   |    |    |   |   |   |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 2  | 3  |    |    |   |    |    |   |   |   |